


The Worst Case of Radiated Spurious Emission for below 1GHz:

Site: WZ-AC2	Time: 2021/12/03 - 19:05
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_VULB9162_0.03-7GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at channel 2437MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			55.705	27.225	7.026	-12.775	40.000	20.199	PK
2			170.650	29.505	13.199	-13.995	43.500	16.306	PK
3			374.835	39.054	16.333	-6.946	46.000	22.721	PK
4			400.055	39.999	16.513	-6.001	46.000	23.486	PK
5		*	499.965	42.478	17.225	-3.522	46.000	25.253	PK
6			599.875	38.295	10.717	-7.705	46.000	27.579	PK

Note 1: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)


Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 2: QP measurement was not performed when peak measure level was lower than the QP limit.

Note 3: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

Site: WZ-AC2	Time: 2021/12/03 - 19:52
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_VULB9162_0.03-7GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at channel 2437MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			41.640	34.805	14.929	-5.195	40.000	19.877	PK
2		*	56.110	36.149	16.000	-3.851	40.000	20.149	QP
3			62.800	34.427	15.700	-5.573	40.000	18.727	QP
4			167.255	28.063	11.894	-15.437	43.500	16.169	PK
5			500.045	41.853	16.600	-4.147	46.000	25.253	QP
6			599.875	41.842	14.264	-4.158	46.000	27.579	PK

Note 1: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).


Note 2: QP measurement was not performed when peak measure level was lower than the QP limit.

Note 3: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

A.7 Radiated Restricted Band Edge Test Result

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2378.656	57.544	25.530	-16.456	74.000	32.014	PK
2			2390.000	55.643	23.640	-18.357	74.000	32.003	PK
3		*	2412.872	95.938	63.974	N/A	N/A	31.964	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	44.414	12.411	-9.586	54.000	32.003	AV
2		*	2412.648	93.491	61.527	N/A	N/A	31.964	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2382.016	58.162	26.146	-15.838	74.000	32.016	PK
2			2390.000	56.486	24.483	-17.514	74.000	32.003	PK
3		*	2412.760	99.056	67.092	N/A	N/A	31.964	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.296	44.457	12.452	-9.543	54.000	32.005	AV
2			2390.000	44.416	12.413	-9.584	54.000	32.003	AV
3		*	2412.872	97.798	65.834	N/A	N/A	31.964	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:18
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2380.395	58.383	26.368	-15.617	74.000	32.015	PK
2			2390.000	56.536	24.533	-17.464	74.000	32.003	PK
3		*	2436.160	97.743	65.811	N/A	N/A	31.932	PK
4			2483.500	58.004	26.092	-15.996	74.000	31.912	PK
5			2493.730	58.468	26.568	-15.532	74.000	31.900	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:31
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	45.646	13.643	-8.354	54.000	32.003	AV
2		*	2436.160	95.273	63.341	N/A	N/A	31.932	AV
3			2483.500	45.734	13.822	-8.266	54.000	31.912	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:28
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2381.630	58.055	26.039	-15.945	74.000	32.016	PK
2			2390.000	56.029	24.026	-17.971	74.000	32.003	PK
3		*	2436.160	96.652	64.720	N/A	N/A	31.932	PK
4			2483.500	56.463	24.551	-17.537	74.000	31.912	PK
5			2495.155	58.230	26.326	-15.770	74.000	31.904	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:36
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	45.651	13.648	-8.349	54.000	32.003	AV
2		*	2436.160	94.355	62.423	N/A	N/A	31.932	AV
3			2483.500	45.785	13.873	-8.215	54.000	31.912	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2461.024	100.291	68.364	N/A	N/A	31.927	PK
2			2483.500	56.052	24.140	-17.948	74.000	31.912	PK
3			2485.024	58.125	26.216	-15.875	74.000	31.909	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		*	2460.976	99.037	67.110	N/A	N/A	31.927	AV
2			2483.500	46.260	14.348	-7.740	54.000	31.912	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2461.024	101.885	69.958	N/A	N/A	31.927	PK
2			2483.500	56.900	24.988	-17.100	74.000	31.912	PK
3			2485.480	57.793	25.885	-16.207	74.000	31.908	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2460.904	100.973	69.046	N/A	N/A	31.927	AV
2			2483.500	47.109	15.197	-6.891	54.000	31.912	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.576	65.366	33.362	-8.634	74.000	32.004	PK
2			2390.000	62.858	30.855	-11.142	74.000	32.003	PK
3		*	2417.912	101.243	69.289	N/A	N/A	31.954	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.912	50.599	18.595	-3.401	54.000	32.004	AV
2			2390.000	50.290	18.287	-3.710	54.000	32.003	AV
3		*	2418.024	93.505	61.551	N/A	N/A	31.954	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.520	70.025	38.020	-3.975	74.000	32.005	PK
2			2390.000	66.882	34.879	-7.118	74.000	32.003	PK
3		*	2417.968	104.107	72.153	N/A	N/A	31.954	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	53.561	21.558	-0.439	54.000	32.003	AV
2		*	2418.472	95.935	63.982	N/A	N/A	31.953	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:39
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2373.270	58.881	26.868	-15.119	74.000	32.014	PK
2			2390.000	57.421	25.418	-16.579	74.000	32.003	PK
3		*	2444.140	100.589	68.657	N/A	N/A	31.932	PK
4			2483.500	57.727	25.815	-16.273	74.000	31.912	PK
5			2489.455	58.774	26.875	-15.226	74.000	31.900	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:44
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	47.291	15.288	-6.709	54.000	32.003	AV
2		*	2430.935	92.082	60.143	N/A	N/A	31.939	AV
3			2483.500	47.707	15.795	-6.293	54.000	31.912	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:45
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2362.440	57.865	25.847	-16.135	74.000	32.019	PK
2			2390.000	56.605	24.602	-17.395	74.000	32.003	PK
3		*	2431.695	99.377	67.439	N/A	N/A	31.938	PK
4			2483.500	57.046	25.134	-16.954	74.000	31.912	PK
5			2489.360	58.732	26.833	-15.268	74.000	31.900	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:46
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	47.723	15.720	-6.277	54.000	32.003	AV
2		*	2431.505	91.189	59.251	N/A	N/A	31.938	AV
3			2483.500	47.930	16.018	-6.070	54.000	31.912	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2452MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		*	2457.776	107.764	75.834	N/A	N/A	31.930	PK
2			2483.500	67.092	35.180	-6.908	74.000	31.912	PK
3			2483.963	67.610	35.699	-6.390	74.000	31.911	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2452MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2458.559	98.907	66.978	N/A	N/A	31.929	AV
2			2483.500	52.675	20.763	-1.325	54.000	31.912	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2457MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2460.277	105.797	73.869	N/A	N/A	31.928	PK
2			2483.500	65.251	33.339	-8.749	74.000	31.912	PK
3			2483.941	67.925	36.014	-6.075	74.000	31.911	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2457MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2460.436	96.561	64.633	N/A	N/A	31.928	AV
2			2483.500	51.604	19.692	-2.396	54.000	31.912	AV
3			2483.782	51.885	19.974	-2.115	54.000	31.911	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2458.168	100.047	68.117	N/A	N/A	31.930	PK
2			2483.500	59.842	27.930	-14.158	74.000	31.912	PK
3			2484.184	61.495	29.585	-12.505	74.000	31.911	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2457.256	91.606	59.676	N/A	N/A	31.930	AV
2			2483.500	50.527	18.615	-3.473	54.000	31.912	AV
3			2483.776	50.679	18.768	-3.321	54.000	31.911	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2456.584	101.374	69.443	N/A	N/A	31.932	PK
2			2483.500	62.839	30.927	-11.161	74.000	31.912	PK
3			2483.608	63.597	31.685	-10.403	74.000	31.911	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2456.152	92.870	60.939	N/A	N/A	31.931	AV
2			2483.500	52.037	20.125	-1.963	54.000	31.912	AV
3			2483.608	52.598	20.686	-1.402	54.000	31.911	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2389.296	62.498	30.493	-11.502	74.000	32.005	PK
2			2390.000	61.042	29.039	-12.958	74.000	32.003	PK
3		*	2416.344	101.635	69.678	N/A	N/A	31.957	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	49.787	17.784	-4.213	54.000	32.003	AV
2		*	2419.480	93.159	61.208	N/A	N/A	31.952	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.744	63.695	31.691	-10.305	74.000	32.004	PK
2			2390.000	63.326	31.323	-10.674	74.000	32.003	PK
3		*	2416.344	104.022	72.065	N/A	N/A	31.957	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.968	52.407	20.404	-1.593	54.000	32.003	AV
2			2390.000	52.276	20.273	-1.724	54.000	32.003	AV
3		*	2418.024	95.638	63.684	N/A	N/A	31.954	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:47
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2371.370	58.757	26.743	-15.243	74.000	32.013	PK
2			2390.000	56.540	24.537	-17.460	74.000	32.003	PK
3		*	2441.385	100.106	68.175	N/A	N/A	31.932	PK
4			2483.500	57.058	25.146	-16.942	74.000	31.912	PK
5			2494.110	57.591	25.690	-16.409	74.000	31.901	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:48
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	47.626	15.623	-6.374	54.000	32.003	AV
2		*	2429.035	91.611	59.670	N/A	N/A	31.942	AV
3			2483.500	47.956	16.044	-6.044	54.000	31.912	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:49
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2327.385	58.399	26.207	-15.601	74.000	32.193	PK
2			2390.000	56.047	24.044	-17.953	74.000	32.003	PK
3		*	2428.560	98.710	66.768	N/A	N/A	31.941	PK
4			2483.500	57.427	25.515	-16.573	74.000	31.912	PK
5			2483.945	59.151	27.240	-14.849	74.000	31.911	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:51
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	47.443	15.440	-6.557	54.000	32.003	AV
2		*	2428.940	91.416	59.475	N/A	N/A	31.941	AV
3			2483.500	48.184	16.272	-5.816	54.000	31.912	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2457MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2461.310	106.912	74.985	N/A	N/A	31.926	PK
2			2483.500	65.570	33.658	-8.430	74.000	31.912	PK
3			2484.842	66.169	34.260	-7.831	74.000	31.909	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2457MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2460.966	97.522	65.595	N/A	N/A	31.927	AV
2			2483.500	53.375	21.463	-0.625	54.000	31.912	AV
3			2483.570	53.487	21.575	-0.513	54.000	31.911	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2458.984	99.412	67.483	N/A	N/A	31.929	PK
2			2483.500	60.395	28.483	-13.605	74.000	31.912	PK
3			2483.632	61.510	29.598	-12.490	74.000	31.911	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2461.072	90.995	59.068	N/A	N/A	31.927	AV
2			2483.500	50.494	18.582	-3.506	54.000	31.912	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		*	2458.864	101.250	69.321	N/A	N/A	31.929	PK
2			2483.500	61.601	29.689	-12.399	74.000	31.912	PK
3			2483.560	62.821	30.909	-11.179	74.000	31.911	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2457.280	92.884	60.954	N/A	N/A	31.930	AV
2			2483.500	52.142	20.230	-1.858	54.000	31.912	AV
3			2483.536	52.191	20.279	-1.809	54.000	31.911	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.530	58.295	26.291	-15.705	74.000	32.005	PK
2			2390.000	56.631	24.628	-17.369	74.000	32.003	PK
3		*	2421.144	93.822	61.873	N/A	N/A	31.949	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.596	49.062	17.058	-4.938	54.000	32.004	AV
2			2390.000	48.358	16.355	-5.642	54.000	32.003	AV
3		*	2419.890	87.029	55.079	N/A	N/A	31.950	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.464	60.928	28.923	-13.072	74.000	32.005	PK
2			2390.000	60.712	28.709	-13.288	74.000	32.003	PK
3		*	2421.078	96.476	64.527	N/A	N/A	31.949	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2389.266	52.961	20.956	-1.039	54.000	32.005	AV
2			2390.000	52.531	20.528	-1.469	54.000	32.003	AV
3		*	2417.976	88.999	57.045	N/A	N/A	31.954	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 10:59
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	48.806	16.803	-5.194	54.000	32.003	AV
2		*	2420.675	88.184	56.235	N/A	N/A	31.949	AV
3			2483.500	52.228	20.316	-1.772	54.000	31.912	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 11:07
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2389.610	59.179	27.175	-14.821	74.000	32.004	PK
2			2390.000	58.143	26.140	-15.857	74.000	32.003	PK
3		*	2419.820	95.264	63.314	N/A	N/A	31.950	PK
4			2483.500	61.819	29.907	-12.181	74.000	31.912	PK
5			2484.325	64.989	33.079	-9.011	74.000	31.910	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 11:09
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	58.408	26.405	-15.592	74.000	32.003	PK
2		*	2419.915	95.191	63.241	N/A	N/A	31.950	PK
3			2483.500	63.987	32.075	-10.013	74.000	31.912	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Time: 2022/01/12 - 11:10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	48.917	16.914	-5.083	54.000	32.003	AV
2		*	2421.055	88.113	56.164	N/A	N/A	31.949	AV
3			2483.500	52.665	20.753	-1.335	54.000	31.912	AV
4			2483.755	53.113	21.202	-0.887	54.000	31.911	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2442MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2457.802	99.077	67.147	N/A	N/A	31.930	PK
2			2483.500	62.223	30.311	-11.777	74.000	31.912	PK
3			2484.673	63.055	31.146	-10.945	74.000	31.909	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2442MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2458.387	91.632	59.703	N/A	N/A	31.929	AV
2			2483.500	51.291	19.379	-2.709	54.000	31.912	AV
3			2485.180	51.764	19.856	-2.236	54.000	31.908	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2447MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2461.821	99.738	67.812	N/A	N/A	31.926	PK
2			2483.500	62.445	30.533	-11.555	74.000	31.912	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022/01/10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2447MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2460.105	91.592	59.664	N/A	N/A	31.927	AV
2			2483.500	51.606	19.694	-2.394	54.000	31.912	AV
3			2484.269	53.579	21.669	-0.421	54.000	31.910	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2458.962	95.686	63.757	N/A	N/A	31.929	PK
2			2483.500	61.032	29.120	-12.968	74.000	31.912	PK
3			2483.544	62.524	30.612	-11.476	74.000	31.911	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		*	2460.934	88.813	56.886	N/A	N/A	31.927	AV
2			2483.500	50.681	18.769	-3.319	54.000	31.912	AV
3			2484.292	51.121	19.211	-2.879	54.000	31.910	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2459.268	97.937	66.008	N/A	N/A	31.929	PK
2			2483.500	63.250	31.338	-10.750	74.000	31.912	PK
3			2484.054	63.583	31.672	-10.417	74.000	31.911	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2021/12/01
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2459.982	90.511	58.583	N/A	N/A	31.928	AV
2			2483.500	52.424	20.512	-1.576	54.000	31.912	AV
3			2485.618	52.961	21.054	-1.039	54.000	31.907	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

A.8 AC Conducted Emissions Test Result

Site: WZ-SR2	Time: 2021/11/01 - 14:20
Limit: FCC_Part15.207_CE_AC Power	Engineer: Helen Han
Probe: ENV216_101683_Filter Off_C	Polarity: Line
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at channel 2437MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1			0.150	39.358	29.309	-26.642	66.000	10.050	QP
2			0.150	17.368	7.318	-38.632	56.000	10.050	AV
3			0.402	39.147	29.053	-18.665	57.812	10.094	QP
4		*	0.402	34.321	24.227	-13.491	47.812	10.094	AV
5			0.794	30.368	20.183	-25.632	56.000	10.185	QP
6			0.794	25.173	14.988	-20.827	46.000	10.185	AV
7			1.258	27.399	17.164	-28.601	56.000	10.235	QP
8			1.258	21.905	11.670	-24.095	46.000	10.235	AV
9			2.322	23.568	13.241	-32.432	56.000	10.326	QP
10			2.322	16.841	6.514	-29.159	46.000	10.326	AV
11			5.658	19.911	9.177	-40.089	60.000	10.733	QP
12			5.658	13.492	2.759	-36.508	50.000	10.733	AV

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

Site: WZ-SR2	Time: 2021/11/01 - 14:24
Limit: FCC_Part15.207_CE_AC Power	Engineer: Helen Han
Probe: ENV216_101683_Filter Off_C	Polarity: Neutral
EUT: Wireless Music Streaming Amplifier	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at channel 2437MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1			0.150	39.283	28.906	-26.717	66.000	10.377	QP
2			0.150	16.726	6.349	-39.274	56.000	10.377	AV
3			0.398	39.335	28.972	-18.560	57.895	10.363	QP
4		*	0.398	34.250	23.888	-13.645	47.895	10.363	AV
5			0.798	30.900	20.464	-25.100	56.000	10.435	QP
6			0.798	25.674	15.239	-20.326	46.000	10.435	AV
7			1.374	27.283	16.794	-28.717	56.000	10.489	QP
8			1.374	22.266	11.777	-23.734	46.000	10.489	AV
9			1.774	24.474	13.965	-31.526	56.000	10.509	QP
10			1.774	17.771	7.262	-28.229	46.000	10.509	AV
11			2.478	25.216	14.626	-30.784	56.000	10.590	QP
12			2.478	20.203	9.613	-25.797	46.000	10.590	AV

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

Appendix B – Test Setup Photograph

Refer to “2107RSU029-UT” file.

Appendix C – EUT Photograph

Refer to “2107RSU029-UE” file.

————— The End —————