



1. LTE_Band26(part90)


1.1. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



1.3. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




1.4. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




12. LTE_Band38


12.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



12.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
-----------------------	-----------------	----------	------------------	---------


General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172 GPRF




12.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



12.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13. LTE_Band41 full


13.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




13.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




13.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




13.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



13.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




13.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10. LTE_Band66


10.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



10.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11. LTE_Band71


11.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




11.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




11.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



11.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



11.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




NR

1. n2 15kHz


1.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	3.94	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	3.89	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.11	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.53	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.72	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.23	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.58	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.47	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.52	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.66	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	3.66	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	3.94	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.06	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.53	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.72	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.33	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.58	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.52	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.47	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.7	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	3.75	13	Pass




1.31. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	4.27	13	Pass




1.32. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.16	13	Pass




1.33. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.53	13	Pass




1.34. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.77	13	Pass




1.35. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.23	13	Pass




1.36. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.58	13	Pass




1.37. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.42	13	Pass




1.38. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.52	13	Pass




1.39. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.66	13	Pass




2. n5

2.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




2.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.27	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.25	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.53	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.91	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.28	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.77	13	Pass




2.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.47	13	Pass




2.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.75	13	Pass




2.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.7	13	Pass




2.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.08	13	Pass




2.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.22	13	Pass




2.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.25	13	Pass




2.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.58	13	Pass




2.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.86	13	Pass




2.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.33	13	Pass




2.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.72	13	Pass




2.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.52	13	Pass




2.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.7	13	Pass




2.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.75	13	Pass




2.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.03	13	Pass




2.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.17	13	Pass




2.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.2	13	Pass




2.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.58	13	Pass




2.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.81	13	Pass




2.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.33	13	Pass



2.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.72	13	Pass



2.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.52	13	Pass

