


5.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.09	14.7	15	Pass




5.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.11	14.78	15	Pass



5.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.09	14.66	15	Pass



5.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.09	14.62	15	Pass



5.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.09	14.68	15	Pass




5.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.09	14.62	15	Pass



5.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)



5.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.1	14.89	15	Pass




5.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.09	14.72	15	Pass



5.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.09	14.65	15	Pass



5.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.1	14.76	15	Pass



5.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.93	19.62	20	Pass



5.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.95	19.61	20	Pass




5.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.95	19.62	20	Pass



5.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)



5.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.94	19.53	20	Pass



5.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.94	19.64	20	Pass



5.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.91	19.48	20	Pass



5.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.91	19.51	20	Pass




5.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.93	19.59	20	Pass



5.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)



5.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




5.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.98	19.66	20	Pass




6. n12 15kHz

6.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



6.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.51	5.26	5	Pass




6.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.53	5.3	5	Pass



6.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.52	5.27	5	Pass



6.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.5	5.19	5	Pass



6.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.18	5	Pass



6.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.51	5.32	5	Pass



6.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.5	5.27	5	Pass



6.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.26	5	Pass




6.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.53	5.29	5	Pass



6.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.52	5.27	5	Pass



6.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.53	5.33	5	Pass



6.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.27	9.86	10	Pass




6.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.77	10	Pass



6.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.28	9.83	10	Pass



6.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.71	10	Pass



6.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.27	9.75	10	Pass



6.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.27	9.89	10	Pass



6.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.26	9.81	10	Pass



6.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.86	10	Pass



6.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.28	9.83	10	Pass



6.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.28	9.77	10	Pass



6.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.27	9.85	10	Pass



6.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.09	14.7	15	Pass



6.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.65	15	Pass



6.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.07	14.67	15	Pass



6.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.07	14.6	15	Pass



6.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.07	14.6	15	Pass



6.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.07	14.54	15	Pass



6.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.08	14.62	15	Pass



6.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.62	15	Pass



6.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.08	14.64	15	Pass



6.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.08	14.63	15	Pass



6.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.78	15	Pass




6.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.09	14.72	15	Pass




3. n13 15kHz

3.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




3.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.51	5.27	5	Pass



3.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.52	5.29	5	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.5	5.22	5	Pass



3.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.52	5.27	5	Pass



3.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.51	5.19	5	Pass



3.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.51	5.28	5	Pass



3.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.51	5.31	5	Pass



--	--	--	--	--	--	--	--	--

3.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
779.5	99	26	0.1	Peak	4.53	5.37	5	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.1	Peak	4.52	5.29	5	Pass



3.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
784.5	99	26	0.1	Peak	4.54	5.32	5	Pass



3.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.03	Peak	9.26	9.8	10	Pass



3.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.03	Peak	9.27	9.72	10	Pass



3.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.03	Peak	9.26	9.84	10	Pass



3.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
782	99	26	0.03	Peak	9.28	9.82	10	Pass



8. n25 15kHz

8.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



8.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.54	6.05	5	Pass



8.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.52	5.95	5	Pass



8.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.52	5.42	5	Pass




8.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.51	5.47	5	Pass




8.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.51	5.23	5	Pass



8.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.52	5.36	5	Pass



8.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.5	5.23	5	Pass



8.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.52	5.42	5	Pass



8.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.53	5.37	5	Pass

