



8.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.1	Peak	4.53	5.35	5	Pass



8.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1912.5	99	26	0.1	Peak	4.52	5.32	5	Pass



8.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.27	9.89	10	Pass



8.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	9.28	9.86	10	Pass



8.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.27	9.83	10	Pass




8.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.29	9.75	10	Pass



8.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)




8.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.28	9.81	10	Pass



8.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.27	9.87	10	Pass



8.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	9.28	9.79	10	Pass




8.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.27	9.85	10	Pass



8.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.29	9.83	10	Pass



8.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	9.29	9.81	10	Pass



8.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1910	99	26	0.03	Peak	9.28	9.87	10	Pass



8.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.1	14.66	15	Pass



8.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.11	14.67	15	Pass



8.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.09	14.72	15	Pass



8.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.09	14.61	15	Pass



8.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.08	14.6	15	Pass



8.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.08	14.61	15	Pass



8.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.1	14.62	15	Pass



8.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.09	14.69	15	Pass




8.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.09	14.61	15	Pass




8.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.1	14.63	15	Pass




8.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	14.11	14.79	15	Pass



8.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.03	Peak	14.08	14.82	15	Pass




8.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.92	19.59	20	Pass




8.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.92	19.54	20	Pass



8.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.92	19.57	20	Pass



8.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.93	19.54	20	Pass



8.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.96	19.53	20	Pass



8.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.9	19.58	20	Pass



8.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.91	19.56	20	Pass



8.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.93	19.49	20	Pass



8.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.9	19.51	20	Pass




8.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.94	19.57	20	Pass




8.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1882.5	99	26	0.03	Peak	18.94	19.66	20	Pass




8.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	18.95	19.62	20	Pass




4. n26 15kHz_Part22


4.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




4.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



4.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




4.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




4.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.52	5.27	5	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




4.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.26	5	Pass




4.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.54	5.39	5	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)



4.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




4.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




4.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.53	5.31	5	Pass




4.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.26	9.79	10	Pass



4.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




4.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




4.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.26	9.72	10	Pass




4.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.27	9.74	10	Pass




4.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.26	9.69	10	Pass




4.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.25	9.82	10	Pass




4.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)




4.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.25	9.82	10	Pass




4.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.26	9.84	10	Pass




4.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.27	9.83	10	Pass




4.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.26	9.8	10	Pass




4.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.07	14.64	15	Pass




4.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




4.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.7	15	Pass




4.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.07	14.68	15	Pass




4.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.62	15	Pass




4.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.05	14.6	15	Pass




4.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.61	15	Pass




4.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.09	14.59	15	Pass




4.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.6	15	Pass




4.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.66	15	Pass




4.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.64	15	Pass




4.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.06	14.68	15	Pass




4.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.45	20	Pass




4.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.91	19.58	20	Pass




4.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.87	19.5	20	Pass




4.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.91	19.5	20	Pass




4.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




4.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.89	19.46	20	Pass




4.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.43	20	Pass




4.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.9	19.46	20	Pass




4.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.9	19.47	20	Pass



4.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.54	20	Pass



4.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.92	19.55	20	Pass

