



1.61. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.11	43.36	40	Pass




1.62. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)



1.63. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)



1.64. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)



1.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.7	52.84	50	Pass



1.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)



1.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.72	53.27	50	Pass



1.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)



1.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.65	53.24	50	Pass




1.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.65	52.94	50	Pass



1.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)



1.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.75	54	50	Pass



1.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)



1.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.67	50.93	50	Pass



1.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.67	51.04	50	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)



1.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	58.02	62.47	60	Pass




Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	58.04	62.5	60	Pass

1.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	58.02	62.45	60	Pass



1.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)



1.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)



1.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	58.1	64.28	60	Pass



1.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)



1.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)



1.33. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	58.02	63.29	60	Pass



1.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.79	61.46	60	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)



1.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)



1.65. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)



1.66. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)



1.67. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)



1.68. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.53	71.91	70	Pass




1.69. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)



1.70. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)



1.71. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)



1.72. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.51	71.96	70	Pass



1.73. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.5	72.94	70	Pass



1.74. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.55	70.77	70	Pass



1.75. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.57	70.77	70	Pass



1.76. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.59	71.94	70	Pass



1.77. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.47	81.67	80	Pass



1.78. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)



1.79. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)



1.80. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.48	82.19	80	Pass



1.81. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)



1.82. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)



1.83. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.64	81.98	80	Pass



1.84. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.65	81.43	80	Pass




1.85. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




1.86. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.43	82.23	80	Pass



1.87. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)



1.88. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




1.89. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.4	91.93	90	Pass



1.90. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)



1.91. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.39	92.02	90	Pass




1.92. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.39	93.71	90	Pass



1.93. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)



Center Frequenc y (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwid th (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.38	93.1	90	Pass



1.95. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.38	92.97	90	Pass



1.96. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.4	91.27	90	Pass



1.97. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.39	91.47	90	Pass



1.100. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.49	91.31	90	Pass



1.101. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.49	91.03	90	Pass



1.102. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)



1.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.44	102.91	100	Pass




1.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.35	103.42	100	Pass



1.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




1.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)



2. n78 30kHz(3700-3800)

2.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)



2.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.22	19.43	20	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.21	19.32	20	Pass



2.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.24	19.17	20	Pass



2.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.23	19.25	20	Pass



2.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.23	19.35	20	Pass



2.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.23	19.03	20	Pass



2.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.26	19.18	20	Pass



2.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.24	19.2	20	Pass



2.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.2	18.84	20	Pass




2.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.22	19	20	Pass



2.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




2.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.19	32.8	30	Pass



2.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.22	32.78	30	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.17	32.68	30	Pass



2.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)



2.21. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

