

Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-26.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.73	-13	Pass	2986
30	500	0.1	Peak	459.4	-43.1	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.02	-13	N/A	5001
1000	10000	1	Peak	7017	-39.13	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-24.22	-13	Pass	401
0.15	30	0.01	Peak	0.16	-28.95	-13	Pass	2986
30	500	0.1	Peak	398.2	-42.98	-13	Pass	4701
500	1000	0.1	Peak	836.6	33.18	-13	N/A	5001
1000	10000	1	Peak	2510	-37.54	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-26.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.71	-13	Pass	2986
30	500	0.1	Peak	378.7	-42.89	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.78	-13	N/A	5001
1000	10000	1	Peak	2547	-38.77	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.25	-13	Pass	2986
30	1000	0.1	Peak	996.1	-46.52	-13	Pass	9701
1000	3000	1	Peak	1850	29.35	-13	N/A	2001
3000	20000	1	Peak	19988	-38.5	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-36.23	-13	Pass	2986
30	1000	0.1	Peak	999.6	-45.65	-13	Pass	9701
1000	3000	1	Peak	1881	27.06	-13	N/A	2001
3000	20000	1	Peak	19990	-38.48	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.12	-13	Pass	2986
30	1000	0.1	Peak	890.6	-46.33	-13	Pass	9701
1000	3000	1	Peak	1910	29.87	-13	N/A	2001
3000	20000	1	Peak	19986	-38.6	-13	Pass	17001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-27.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-27.77	-13	Pass	2986
30	500	0.1	Peak	367.5	-41.98	-13	Pass	4701
500	1000	0.1	Peak	824.2	29	-13	N/A	5001
1000	10000	1	Peak	8322	-39.42	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-23.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.38	-13	Pass	2986
30	500	0.1	Peak	407.3	-42.96	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.62	-13	N/A	5001
1000	10000	1	Peak	7694	-39.09	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-25.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.67	-13	Pass	2986
30	500	0.1	Peak	398.4	-42.61	-13	Pass	4701
500	1000	0.1	Peak	848.9	27.31	-13	N/A	5001
1000	10000	1	Peak	9985	-39.66	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.95	-13	Pass	2986
30	1000	0.1	Peak	900.5	-46.63	-13	Pass	9701
1000	3000	1	Peak	1851	24.91	-13	N/A	2001
3000	20000	1	Peak	19960	-39.09	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.77	-13	Pass	2986
30	1000	0.1	Peak	814.2	-46.97	-13	Pass	9701
1000	3000	1	Peak	1880	29.08	-13	N/A	2001
3000	20000	1	Peak	19986	-38.96	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.81	-13	Pass	2986
30	1000	0.1	Peak	848.6	-46.6	-13	Pass	9701
1000	3000	1	Peak	1909	26.57	-13	N/A	2001
3000	20000	1	Peak	19986	-37.91	-13	Pass	17001




WCDMA

2. WCDMA_Band2


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.57	-13	Pass	2986
30	1000	0.1	Peak	784	-50.8	-13	Pass	9701
1000	3000	1	Peak	1854	22.9	-13	N/A	2001
3000	20000	1	Peak	19951	-25.12	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.03	-13	Pass	2986
30	1000	0.1	Peak	945.5	-50.64	-13	Pass	9701
1000	3000	1	Peak	1881	22.93	-13	N/A	2001
3000	20000	1	Peak	19996	-24.38	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.21	-13	Pass	2986
30	1000	0.1	Peak	736.2	-51.09	-13	Pass	9701
1000	3000	1	Peak	1906	23.08	-13	N/A	2001
3000	20000	1	Peak	19783	-24.47	-13	Pass	17001



3. WCDMA_Band4


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.57	-13	Pass	2986
30	1000	0.1	Peak	923.1	-51.11	-13	Pass	9701
1000	3000	1	Peak	1714	23.02	-13	N/A	2001
3000	20000	1	Peak	19976	-24.61	-13	Pass	17001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.86	-13	Pass	2986
30	1000	0.1	Peak	992.5	-51.32	-13	Pass	9701
1000	3000	1	Peak	1731	22.8	-13	N/A	2001
3000	20000	1	Peak	19995	-24.19	-13	Pass	17001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.52	-13	Pass	2986
30	1000	0.1	Peak	956.8	-51.02	-13	Pass	9701
1000	3000	1	Peak	1754	22.82	-13	N/A	2001
3000	20000	1	Peak	20000	-24.35	-13	Pass	17001



1. WCDMA_Band5


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.97	-13	Pass	2986
30	500	0.1	Peak	478.8	-53.23	-13	Pass	4701
500	1000	0.1	Peak	827.1	18.04	-13	N/A	5001
1000	10000	1	Peak	7739	-29.92	-13	Pass	9001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.73	-13	Pass	2986
30	500	0.1	Peak	481.2	-52.82	-13	Pass	4701
500	1000	0.1	Peak	835.5	19.04	-13	N/A	5001
1000	10000	1	Peak	9926	-30.2	-13	Pass	9001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.32	-13	Pass	2986
30	500	0.1	Peak	389.6	-52.91	-13	Pass	4701
500	1000	0.1	Peak	846.1	17.25	-13	N/A	5001
1000	10000	1	Peak	9544	-30.03	-13	Pass	9001




LTE

2. LTE_Band2


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.31	-13	Pass	2986
30	1000	0.1	RMS	946.2	-62.2	-13	Pass	9701
1000	1843.6	1	RMS	1843.6	-49.92	-13	Pass	844
1843.6	1916.4	1	RMS	1850.152	23.13	60	Pass	401
1916.4	3000	1	RMS	3000	-46.29	-13	Pass	1084
3000	12000	1	RMS	11843	-39.87	-13	Pass	9001
12000	20000	1	RMS	20000	-27.47	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.24	-13	Pass	9701
1000	1843.6	1	RMS	1843.6	-50.09	-13	Pass	844
1843.6	1916.4	1	RMS	1850.334	22.14	60	Pass	401
1916.4	3000	1	RMS	2650.807	-46.29	-13	Pass	1084
3000	12000	1	RMS	11849	-39.86	-13	Pass	9001
12000	20000	1	RMS	19997	-27.49	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.08	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.34	-13	Pass	9701
1000	1843.6	1	RMS	1834.594	-50.63	-13	Pass	844
1843.6	1916.4	1	RMS	1879.454	23.08	60	Pass	401
1916.4	3000	1	RMS	2658.811	-46.29	-13	Pass	1084
3000	12000	1	RMS	11945	-39.91	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-13	Pass	2986
30	1000	0.1	RMS	967.8	-62.31	-13	Pass	9701
1000	1843.6	1	RMS	1832.592	-50.66	-13	Pass	844
1843.6	1916.4	1	RMS	1879.636	22.21	60	Pass	401
1916.4	3000	1	RMS	2650.807	-46.35	-13	Pass	1084
3000	12000	1	RMS	11933	-39.86	-13	Pass	9001
12000	20000	1	RMS	19998	-27.4	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.58	-13	Pass	2986
30	1000	0.1	RMS	911.2	-62.15	-13	Pass	9701
1000	1843.6	1	RMS	1842.599	-50.65	-13	Pass	844
1843.6	1916.4	1	RMS	1908.756	23.22	60	Pass	401
1916.4	3000	1	RMS	2651.807	-46.3	-13	Pass	1084
3000	12000	1	RMS	11927	-39.94	-13	Pass	9001
12000	20000	1	RMS	19998	-27.42	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-13	Pass	2986
30	1000	0.1	RMS	938.1	-62.32	-13	Pass	9701
1000	1843.6	1	RMS	1833.593	-50.63	-13	Pass	844
1843.6	1916.4	1	RMS	1908.938	22.38	60	Pass	401
1916.4	3000	1	RMS	2658.811	-46.32	-13	Pass	1084
3000	12000	1	RMS	11939	-39.86	-13	Pass	9001
12000	20000	1	RMS	19996	-27.5	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.99	-13	Pass	2986
30	1000	0.1	RMS	902.1	-62.3	-13	Pass	9701
1000	1842	1	RMS	1842	-50.17	-13	Pass	843
1842	1918	1	RMS	1850.17	23.12	60	Pass	401
1918	3000	1	RMS	2648	-46.28	-13	Pass	1083
3000	12000	1	RMS	11854	-39.77	-13	Pass	9001
12000	20000	1	RMS	19997	-27.48	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-13	Pass	2986
30	1000	0.1	RMS	941.1	-62.25	-13	Pass	9701
1000	1842	1	RMS	1841	-50.32	-13	Pass	843
1842	1918	1	RMS	1850.17	22.18	60	Pass	401
1918	3000	1	RMS	2651	-46.29	-13	Pass	1083
3000	12000	1	RMS	11855	-39.89	-13	Pass	9001
12000	20000	1	RMS	19998	-27.43	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-13	Pass	2986
30	1000	0.1	RMS	853.5	-62.33	-13	Pass	9701
1000	1842	1	RMS	1833	-50.66	-13	Pass	843
1842	1918	1	RMS	1878.67	23.2	60	Pass	401
1918	3000	1	RMS	2652	-46.27	-13	Pass	1083
3000	12000	1	RMS	11915	-39.86	-13	Pass	9001
12000	20000	1	RMS	19995	-27.47	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.96	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.28	-13	Pass	9701
1000	1842	1	RMS	1840	-50.64	-13	Pass	843
1842	1918	1	RMS	1878.67	22.25	60	Pass	401
1918	3000	1	RMS	2653	-46.3	-13	Pass	1083
3000	12000	1	RMS	11947	-39.86	-13	Pass	9001
12000	20000	1	RMS	19990	-27.48	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	1000	0.1	RMS	925	-62.28	-13	Pass	9701
1000	1842	1	RMS	1838	-50.65	-13	Pass	843
1842	1918	1	RMS	1907.17	23.11	60	Pass	401
1918	3000	1	RMS	2652	-46.23	-13	Pass	1083
3000	12000	1	RMS	11853	-39.89	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.96	-13	Pass	2986
30	1000	0.1	RMS	945.5	-62.17	-13	Pass	9701
1000	1842	1	RMS	1842	-50.53	-13	Pass	843
1842	1918	1	RMS	1907.17	22.31	60	Pass	401
1918	3000	1	RMS	2655	-46.27	-13	Pass	1083
3000	12000	1	RMS	11850	-39.82	-13	Pass	9001
12000	20000	1	RMS	19997	-27.38	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	1000	0.1	RMS	903.7	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1850.4	23.21	60	Pass	401
1920	3000	1	RMS	2653	-46.23	-13	Pass	1081
3000	12000	1	RMS	11943	-39.84	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.01	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1850.4	22.21	60	Pass	401
1920	3000	1	RMS	2651	-46.21	-13	Pass	1081
3000	12000	1	RMS	11848	-39.8	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.05	-13	Pass	2986
30	1000	0.1	RMS	914	-62.19	-13	Pass	9701
1000	1840	1	RMS	1834	-50.54	-13	Pass	841
1840	1920	1	RMS	1877.8	23.32	60	Pass	401
1920	3000	1	RMS	2649	-46.19	-13	Pass	1081
3000	12000	1	RMS	11989	-39.8	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	1000	0.1	RMS	927.4	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1877.8	22.29	60	Pass	401
1920	3000	1	RMS	2656	-46.26	-13	Pass	1081
3000	12000	1	RMS	11942	-39.78	-13	Pass	9001
12000	20000	1	RMS	19999	-27.34	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.57	-13	Pass	2986
30	1000	0.1	RMS	898.3	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1905.4	23.28	60	Pass	401
1920	3000	1	RMS	2650	-46.17	-13	Pass	1081
3000	12000	1	RMS	11941	-39.77	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.99	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.16	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1920	1	RMS	1905.4	22.35	60	Pass	401
1920	3000	1	RMS	2652	-46.19	-13	Pass	1081
3000	12000	1	RMS	11874	-39.82	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.63	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.26	-13	Pass	9701
1000	1835	1	RMS	1833	-50.45	-13	Pass	836
1835	1925	1	RMS	1850.525	23.2	60	Pass	401
1925	3000	1	RMS	2658	-46.22	-13	Pass	1076
3000	12000	1	RMS	11949	-39.74	-13	Pass	9001
12000	20000	1	RMS	19995	-27.37	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.84	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.2	-13	Pass	9701
1000	1835	1	RMS	1833	-50.53	-13	Pass	836
1835	1925	1	RMS	1850.525	22.29	60	Pass	401
1925	3000	1	RMS	2655	-46.17	-13	Pass	1076
3000	12000	1	RMS	11950	-39.82	-13	Pass	9001
12000	20000	1	RMS	20000	-27.36	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.3	-13	Pass	2986
30	1000	0.1	RMS	889.9	-62.24	-13	Pass	9701
1000	1835	1	RMS	1826	-50.62	-13	Pass	836
1835	1925	1	RMS	1875.5	23.26	60	Pass	401
1925	3000	1	RMS	2655	-46.18	-13	Pass	1076
3000	12000	1	RMS	11958	-39.85	-13	Pass	9001
12000	20000	1	RMS	19998	-27.33	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.19	-13	Pass	9701
1000	1835	1	RMS	1832	-50.6	-13	Pass	836
1835	1925	1	RMS	1875.5	22.4	60	Pass	401
1925	3000	1	RMS	2651	-46.2	-13	Pass	1076
3000	12000	1	RMS	11943	-39.81	-13	Pass	9001
12000	20000	1	RMS	20000	-27.39	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.68	-13	Pass	2986
30	1000	0.1	RMS	917.1	-62.16	-13	Pass	9701
1000	1835	1	RMS	1829	-50.63	-13	Pass	836
1835	1925	1	RMS	1900.7	23.21	60	Pass	401
1925	3000	1	RMS	2653	-46.18	-13	Pass	1076
3000	12000	1	RMS	11930	-39.82	-13	Pass	9001
12000	20000	1	RMS	19998	-27.33	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.24	-13	Pass	9701
1000	1835	1	RMS	1832	-50.61	-13	Pass	836
1835	1925	1	RMS	1900.7	22.25	60	Pass	401
1925	3000	1	RMS	2658	-46.19	-13	Pass	1076
3000	12000	1	RMS	11969	-39.83	-13	Pass	9001
12000	20000	1	RMS	19996	-27.31	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.29	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.15	-13	Pass	9701
1000	1830	1	RMS	1830	-50.54	-13	Pass	831
1830	1930	1	RMS	1850.75	23.06	60	Pass	401
1930	3000	1	RMS	2653	-46.23	-13	Pass	1071
3000	12000	1	RMS	11951	-39.77	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.24	-13	Pass	2986
30	1000	0.1	RMS	914.1	-62	-13	Pass	9701
1000	1830	1	RMS	1830	-50.58	-13	Pass	831
1830	1930	1	RMS	1850.75	22.1	60	Pass	401
1930	3000	1	RMS	3000	-46.21	-13	Pass	1071
3000	12000	1	RMS	11847	-39.82	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-13	Pass	2986
30	1000	0.1	RMS	912	-62.17	-13	Pass	9701
1000	1830	1	RMS	1830	-50.66	-13	Pass	831
1830	1930	1	RMS	1873.25	23	60	Pass	401
1930	3000	1	RMS	2648	-46.19	-13	Pass	1071
3000	12000	1	RMS	11939	-39.84	-13	Pass	9001
12000	20000	1	RMS	19999	-27.31	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-13	Pass	2986
30	1000	0.1	RMS	939.1	-62.18	-13	Pass	9701
1000	1830	1	RMS	1830	-50.6	-13	Pass	831
1830	1930	1	RMS	1873.25	22.03	60	Pass	401
1930	3000	1	RMS	2651	-46.23	-13	Pass	1071
3000	12000	1	RMS	11950	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.36	-13	Pass	2986
30	1000	0.1	RMS	940.5	-62.19	-13	Pass	9701
1000	1830	1	RMS	1827	-50.66	-13	Pass	831
1830	1930	1	RMS	1895.75	22.98	60	Pass	401
1930	3000	1	RMS	2644	-46.23	-13	Pass	1071
3000	12000	1	RMS	11962	-39.81	-13	Pass	9001
12000	20000	1	RMS	19996	-27.4	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	1000	0.1	RMS	944.6	-62.2	-13	Pass	9701
1000	1830	1	RMS	1828	-50.64	-13	Pass	831
1830	1930	1	RMS	1895.75	21.99	60	Pass	401
1930	3000	1	RMS	2646	-46.25	-13	Pass	1071
3000	12000	1	RMS	11951	-39.84	-13	Pass	9001
12000	20000	1	RMS	19997	-27.4	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.07	-13	Pass	9701
1000	1825	1	RMS	1825	-50.53	-13	Pass	826
1825	1935	1	RMS	1851.125	23.01	60	Pass	401
1935	3000	1	RMS	2655	-46.21	-13	Pass	1066
3000	12000	1	RMS	11848	-39.69	-13	Pass	9001
12000	20000	1	RMS	19996	-27.28	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.74	-13	Pass	2986
30	1000	0.1	RMS	947.4	-62.2	-13	Pass	9701
1000	1825	1	RMS	1824	-50.63	-13	Pass	826
1825	1935	1	RMS	1851.125	22.1	60	Pass	401
1935	3000	1	RMS	2655	-46.25	-13	Pass	1066
3000	12000	1	RMS	11861	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.36	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.2	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.22	-13	Pass	9701
1000	1825	1	RMS	1821	-50.67	-13	Pass	826
1825	1935	1	RMS	1871.2	23.05	60	Pass	401
1935	3000	1	RMS	2648	-46.23	-13	Pass	1066
3000	12000	1	RMS	11959	-39.81	-13	Pass	9001
12000	20000	1	RMS	19999	-27.44	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.39	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.24	-13	Pass	9701
1000	1825	1	RMS	1822	-50.72	-13	Pass	826
1825	1935	1	RMS	1871.2	22.01	60	Pass	401
1935	3000	1	RMS	2648	-46.24	-13	Pass	1066
3000	12000	1	RMS	11852	-39.79	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.21	-13	Pass	9701
1000	1825	1	RMS	1825	-50.7	-13	Pass	826
1825	1935	1	RMS	1891	22.97	60	Pass	401
1935	3000	1	RMS	2650	-46.21	-13	Pass	1066
3000	12000	1	RMS	11850	-39.83	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-13	Pass	2986
30	1000	0.1	RMS	943.4	-62.21	-13	Pass	9701
1000	1825	1	RMS	1825	-50.74	-13	Pass	826
1825	1935	1	RMS	1891	22.19	60	Pass	401
1935	3000	1	RMS	2651	-46.19	-13	Pass	1066
3000	12000	1	RMS	11848	-39.78	-13	Pass	9001
12000	20000	1	RMS	20000	-27.27	-13	Pass	8001



3. LTE_Band4


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-13	Pass	2986
30	1000	0.1	RMS	919.6	-62.2	-13	Pass	9701
1000	1703.6	1	RMS	1703.6	-50.52	-13	Pass	704
1703.6	1761.4	1	RMS	1710.247	23.45	60	Pass	401
1761.4	3000	1	RMS	2643.827	-46.14	-13	Pass	1239
3000	12000	1	RMS	11953	-39.84	-13	Pass	9001
12000	20000	1	RMS	19999	-27.43	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-13	Pass	2986
30	1000	0.1	RMS	905.2	-62.09	-13	Pass	9701
1000	1703.6	1	RMS	1703.6	-50.54	-13	Pass	704
1703.6	1761.4	1	RMS	1710.247	22.43	60	Pass	401
1761.4	3000	1	RMS	2651.831	-46.13	-13	Pass	1239
3000	12000	1	RMS	11966	-39.83	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.19	-13	Pass	9701
1000	1703.6	1	RMS	1702.599	-51.08	-13	Pass	704
1703.6	1761.4	1	RMS	1732.067	23.25	60	Pass	401
1761.4	3000	1	RMS	2661.836	-46.16	-13	Pass	1239
3000	12000	1	RMS	11841	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.4	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.1	-13	Pass	9701
1000	1703.6	1	RMS	1702.599	-51.17	-13	Pass	704
1703.6	1761.4	1	RMS	1732.067	22.37	60	Pass	401
1761.4	3000	1	RMS	3000	-46.16	-13	Pass	1239
3000	12000	1	RMS	11940	-39.78	-13	Pass	9001
12000	20000	1	RMS	19998	-27.41	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.46	-13	Pass	2986
30	1000	0.1	RMS	901.3	-62.12	-13	Pass	9701
1000	1703.6	1	RMS	1702.599	-51.13	-13	Pass	704
1703.6	1761.4	1	RMS	1753.886	23.33	60	Pass	401
1761.4	3000	1	RMS	2646.829	-46.13	-13	Pass	1239
3000	12000	1	RMS	11942	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.88	-13	Pass	2986
30	1000	0.1	RMS	910.5	-62.19	-13	Pass	9701
1000	1703.6	1	RMS	1699.597	-51.18	-13	Pass	704
1703.6	1761.4	1	RMS	1753.886	22.43	60	Pass	401
1761.4	3000	1	RMS	2655.833	-46.14	-13	Pass	1239
3000	12000	1	RMS	11927	-39.81	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-13	Pass	2986
30	1000	0.1	RMS	925.9	-62.2	-13	Pass	9701
1000	1702	1	RMS	1702	-50.67	-13	Pass	703
1702	1763	1	RMS	1710.235	23.25	60	Pass	401
1763	3000	1	RMS	2652	-46.14	-13	Pass	1238
3000	12000	1	RMS	11958	-39.73	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.25	-13	Pass	9701
1000	1702	1	RMS	1702	-50.79	-13	Pass	703
1702	1763	1	RMS	1710.235	22.45	60	Pass	401
1763	3000	1	RMS	2651	-46.19	-13	Pass	1238
3000	12000	1	RMS	11933	-39.76	-13	Pass	9001
12000	20000	1	RMS	19999	-27.43	-13	Pass	8001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	1000	0.1	RMS	914.8	-62.28	-13	Pass	9701
1000	1702	1	RMS	1594	-51.11	-13	Pass	703
1702	1763	1	RMS	1731.28	23.34	60	Pass	401
1763	3000	1	RMS	2659	-46.12	-13	Pass	1238
3000	12000	1	RMS	11936	-39.8	-13	Pass	9001
12000	20000	1	RMS	19996	-27.34	-13	Pass	8001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.27	-13	Pass	2986
30	1000	0.1	RMS	906.4	-62.09	-13	Pass	9701
1000	1702	1	RMS	1700	-51.12	-13	Pass	703
1702	1763	1	RMS	1731.28	22.37	60	Pass	401
1763	3000	1	RMS	2652	-46.1	-13	Pass	1238
3000	12000	1	RMS	11953	-39.76	-13	Pass	9001
12000	20000	1	RMS	19999	-27.41	-13	Pass	8001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.65	-13	Pass	2986
30	1000	0.1	RMS	898.8	-62.16	-13	Pass	9701
1000	1702	1	RMS	1701	-51.09	-13	Pass	703
1702	1763	1	RMS	1752.173	23.28	60	Pass	401
1763	3000	1	RMS	2651	-46.18	-13	Pass	1238
3000	12000	1	RMS	11925	-39.81	-13	Pass	9001
12000	20000	1	RMS	19996	-27.41	-13	Pass	8001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.29	-13	Pass	9701
1000	1702	1	RMS	1701	-51.13	-13	Pass	703
1702	1763	1	RMS	1752.173	22.33	60	Pass	401
1763	3000	1	RMS	2650	-46.18	-13	Pass	1238
3000	12000	1	RMS	11975	-39.75	-13	Pass	9001
12000	20000	1	RMS	19999	-27.37	-13	Pass	8001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	1000	0.1	RMS	905.6	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1765	1	RMS	1710.4	23.29	60	Pass	401
1765	3000	1	RMS	2648	-46.09	-13	Pass	1236
3000	12000	1	RMS	11945	-39.82	-13	Pass	9001
12000	20000	1	RMS	20000	-27.4	-13	Pass	8001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.46	-13	Pass	2986
30	1000	0.1	RMS	916.2	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1765	1	RMS	1710.4	22.34	60	Pass	401
1765	3000	1	RMS	2650	-46.17	-13	Pass	1236
3000	12000	1	RMS	11864	-39.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.3	-13	Pass	8001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.49	-13	Pass	2986
30	1000	0.1	RMS	893.3	-62.21	-13	Pass	9701
1000	1700	1	RMS	1582	-51.17	-13	Pass	701
1700	1765	1	RMS	1730.388	23.27	60	Pass	401
1765	3000	1	RMS	2653	-46.12	-13	Pass	1236
3000	12000	1	RMS	11856	-39.81	-13	Pass	9001
12000	20000	1	RMS	19998	-27.41	-13	Pass	8001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2986
30	1000	0.1	RMS	935.5	-62.1	-13	Pass	9701
1000	1700	1	RMS	1695	-51.2	-13	Pass	701
1700	1765	1	RMS	1730.388	22.2	60	Pass	401
1765	3000	1	RMS	2654	-46.19	-13	Pass	1236
3000	12000	1	RMS	11926	-39.75	-13	Pass	9001
12000	20000	1	RMS	19997	-27.33	-13	Pass	8001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1694	-51.16	-13	Pass	701
1700	1765	1	RMS	1750.375	23.3	60	Pass	401
1765	3000	1	RMS	2648	-46.16	-13	Pass	1236
3000	12000	1	RMS	11866	-39.8	-13	Pass	9001
12000	20000	1	RMS	19998	-27.44	-13	Pass	8001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.15	-13	Pass	9701
1000	1700	1	RMS	1599	-51.19	-13	Pass	701
1700	1765	1	RMS	1750.375	22.39	60	Pass	401
1765	3000	1	RMS	2657	-46.17	-13	Pass	1236
3000	12000	1	RMS	11939	-39.76	-13	Pass	9001
12000	20000	1	RMS	19995	-27.39	-13	Pass	8001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.97	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.22	-13	Pass	9701
1000	1695	1	RMS	1596	-51.15	-13	Pass	696
1695	1770	1	RMS	1710.563	23.29	60	Pass	401
1770	3000	1	RMS	2649	-46.15	-13	Pass	1231
3000	12000	1	RMS	11852	-39.8	-13	Pass	9001
12000	20000	1	RMS	19999	-27.43	-13	Pass	8001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.94	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.27	-13	Pass	9701
1000	1695	1	RMS	1610	-51.15	-13	Pass	696
1695	1770	1	RMS	1710.563	22.45	60	Pass	401
1770	3000	1	RMS	2652	-46.08	-13	Pass	1231
3000	12000	1	RMS	11938	-39.76	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	1000	0.1	RMS	920.7	-62.23	-13	Pass	9701
1000	1695	1	RMS	1624	-51.12	-13	Pass	696
1695	1770	1	RMS	1728.188	23.25	60	Pass	401
1770	3000	1	RMS	2653	-46.08	-13	Pass	1231
3000	12000	1	RMS	11949	-39.77	-13	Pass	9001
12000	20000	1	RMS	19997	-27.37	-13	Pass	8001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.98	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.26	-13	Pass	9701
1000	1695	1	RMS	1687	-51.18	-13	Pass	696
1695	1770	1	RMS	1728.188	22.3	60	Pass	401
1770	3000	1	RMS	2655	-46.13	-13	Pass	1231
3000	12000	1	RMS	11970	-39.82	-13	Pass	9001
12000	20000	1	RMS	19999	-27.3	-13	Pass	8001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	1000	0.1	RMS	904	-62.21	-13	Pass	9701
1000	1695	1	RMS	1631	-51.12	-13	Pass	696
1695	1770	1	RMS	1745.625	23.35	60	Pass	401
1770	3000	1	RMS	2655	-46.11	-13	Pass	1231
3000	12000	1	RMS	11849	-39.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.26	-13	Pass	8001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	1000	0.1	RMS	971.3	-62.17	-13	Pass	9701
1000	1695	1	RMS	1610	-51.15	-13	Pass	696
1695	1770	1	RMS	1745.625	22.41	60	Pass	401
1770	3000	1	RMS	2654	-46.12	-13	Pass	1231
3000	12000	1	RMS	11842	-39.82	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001



3.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.6	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.16	-13	Pass	9701
1000	1690	1	RMS	1612	-51.11	-13	Pass	691
1690	1775	1	RMS	1710.825	23.42	60	Pass	401
1775	3000	1	RMS	2653	-46.1	-13	Pass	1226
3000	12000	1	RMS	11960	-39.82	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001



3.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.05	-13	Pass	2986
30	1000	0.1	RMS	938.6	-62.15	-13	Pass	9701
1000	1690	1	RMS	1617	-51.12	-13	Pass	691
1690	1775	1	RMS	1710.825	22.19	60	Pass	401
1775	3000	1	RMS	2654	-46.07	-13	Pass	1226
3000	12000	1	RMS	11948	-39.75	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001



3.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.43	-13	Pass	2986
30	1000	0.1	RMS	892.4	-62.13	-13	Pass	9701
1000	1690	1	RMS	1601	-51.15	-13	Pass	691
1690	1775	1	RMS	1725.913	22.93	60	Pass	401
1775	3000	1	RMS	2642	-46.13	-13	Pass	1226
3000	12000	1	RMS	11847	-39.78	-13	Pass	9001
12000	20000	1	RMS	19996	-27.33	-13	Pass	8001



3.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.09	-13	Pass	2986
30	1000	0.1	RMS	916.3	-62.26	-13	Pass	9701
1000	1690	1	RMS	1608	-51.15	-13	Pass	691
1690	1775	1	RMS	1725.913	22.56	60	Pass	401
1775	3000	1	RMS	2653	-46.14	-13	Pass	1226
3000	12000	1	RMS	11879	-39.79	-13	Pass	9001
12000	20000	1	RMS	20000	-27.41	-13	Pass	8001



3.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-13	Pass	2986
30	1000	0.1	RMS	907.1	-62.13	-13	Pass	9701
1000	1690	1	RMS	1684	-51.14	-13	Pass	691
1690	1775	1	RMS	1740.788	23.1	60	Pass	401
1775	3000	1	RMS	2648	-46.14	-13	Pass	1226
3000	12000	1	RMS	11955	-39.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.22	-13	Pass	8001



3.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.06	-13	Pass	9701
1000	1690	1	RMS	1612	-51.14	-13	Pass	691
1690	1775	1	RMS	1740.788	22.17	60	Pass	401
1775	3000	1	RMS	2654	-46.15	-13	Pass	1226
3000	12000	1	RMS	11943	-39.75	-13	Pass	9001
12000	20000	1	RMS	19998	-27.26	-13	Pass	8001



3.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.41	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.15	-13	Pass	9701
1000	1685	1	RMS	1610	-51.11	-13	Pass	686
1685	1780	1	RMS	1711.125	23.34	60	Pass	401
1780	3000	1	RMS	2649	-46.14	-13	Pass	1221
3000	12000	1	RMS	11930	-39.82	-13	Pass	9001
12000	20000	1	RMS	19995	-27.35	-13	Pass	8001



3.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.31	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.17	-13	Pass	9701
1000	1685	1	RMS	1654	-51.16	-13	Pass	686
1685	1780	1	RMS	1711.125	22.25	60	Pass	401
1780	3000	1	RMS	2644	-46.15	-13	Pass	1221
3000	12000	1	RMS	11955	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001



3.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.17	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.22	-13	Pass	9701
1000	1685	1	RMS	1627	-51.13	-13	Pass	686
1685	1780	1	RMS	1723.475	23.3	60	Pass	401
1780	3000	1	RMS	2651	-46.1	-13	Pass	1221
3000	12000	1	RMS	11949	-39.73	-13	Pass	9001
12000	20000	1	RMS	19991	-27.38	-13	Pass	8001



3.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.04	-13	Pass	2986
30	1000	0.1	RMS	941.8	-62.24	-13	Pass	9701
1000	1685	1	RMS	1651	-51.11	-13	Pass	686
1685	1780	1	RMS	1723.475	21.98	60	Pass	401
1780	3000	1	RMS	2650	-46.13	-13	Pass	1221
3000	12000	1	RMS	11930	-39.8	-13	Pass	9001
12000	20000	1	RMS	19996	-27.29	-13	Pass	8001



3.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.48	-13	Pass	2986
30	1000	0.1	RMS	941.1	-62.11	-13	Pass	9701
1000	1685	1	RMS	1633	-51.14	-13	Pass	686
1685	1780	1	RMS	1736.063	23.15	60	Pass	401
1780	3000	1	RMS	3000	-46.12	-13	Pass	1221
3000	12000	1	RMS	11895	-39.81	-13	Pass	9001
12000	20000	1	RMS	19997	-27.33	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.11	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.24	-13	Pass	9701
1000	1685	1	RMS	1679	-51.17	-13	Pass	686
1685	1780	1	RMS	1736.063	22.3	60	Pass	401
1780	3000	1	RMS	2652	-46.13	-13	Pass	1221
3000	12000	1	RMS	11950	-39.77	-13	Pass	9001
12000	20000	1	RMS	19998	-27.27	-13	Pass	8001



4. LTE_Band5


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.61	-13	Pass	2986
30	817.6	0.1	RMS	817.4	-61.73	-13	Pass	7877
817.6	860	0.1	RMS	824.216	20.81	60	Pass	424
860	1000	0.1	RMS	961.2	-62.48	-13	Pass	1401
1000	3000	1	RMS	2645	-46.14	-13	Pass	2001
3000	10000	1	RMS	7749	-41.44	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.2	-13	Pass	2986
30	817.6	0.1	RMS	817.2	-61.8	-13	Pass	7877
817.6	860	0.1	RMS	824.216	19.71	60	Pass	424
860	1000	0.1	RMS	969	-62.46	-13	Pass	1401
1000	3000	1	RMS	2654	-46.13	-13	Pass	2001
3000	10000	1	RMS	7734	-41.48	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.23	-13	Pass	2986
30	817.6	0.1	RMS	808.8	-62.32	-13	Pass	7877
817.6	860	0.1	RMS	836.043	20.88	60	Pass	424
860	1000	0.1	RMS	926	-62.5	-13	Pass	1401
1000	3000	1	RMS	2657	-46.15	-13	Pass	2001
3000	10000	1	RMS	7738	-41.53	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.85	-13	Pass	2986
30	817.6	0.1	RMS	811.3	-62.28	-13	Pass	7877
817.6	860	0.1	RMS	836.043	20.2	60	Pass	424
860	1000	0.1	RMS	923.8	-62.45	-13	Pass	1401
1000	3000	1	RMS	2654	-46.14	-13	Pass	2001
3000	10000	1	RMS	7745	-41.5	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.65	-13	Pass	2986
30	817.6	0.1	RMS	798.3	-62.41	-13	Pass	7877
817.6	860	0.1	RMS	847.871	20.51	60	Pass	424
860	1000	0.1	RMS	919.6	-62.5	-13	Pass	1401
1000	3000	1	RMS	2650	-46.16	-13	Pass	2001
3000	10000	1	RMS	7736	-41.55	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.16	-13	Pass	2986
30	817.6	0.1	RMS	817.4	-62.32	-13	Pass	7877
817.6	860	0.1	RMS	847.871	19.58	60	Pass	424
860	1000	0.1	RMS	959.1	-62.45	-13	Pass	1401
1000	3000	1	RMS	2653	-46.15	-13	Pass	2001
3000	10000	1	RMS	7728	-41.51	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-13	Pass	2986
30	816	0.1	RMS	814.2	-60.56	-13	Pass	7861
816	860	0.1	RMS	824.2	20.48	60	Pass	441
860	1000	0.1	RMS	920.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	2652	-46.11	-13	Pass	2001
3000	10000	1	RMS	7739	-41.54	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.46	-13	Pass	2986
30	816	0.1	RMS	814.2	-61.47	-13	Pass	7861
816	860	0.1	RMS	824.2	19.79	60	Pass	441
860	1000	0.1	RMS	944	-62.5	-13	Pass	1401
1000	3000	1	RMS	2649	-46.15	-13	Pass	2001
3000	10000	1	RMS	7739	-41.43	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.42	-13	Pass	2986
30	816	0.1	RMS	809.6	-62.33	-13	Pass	7861
816	860	0.1	RMS	835.2	20.66	60	Pass	441
860	1000	0.1	RMS	922.6	-62.43	-13	Pass	1401
1000	3000	1	RMS	2652	-46.13	-13	Pass	2001
3000	10000	1	RMS	9547	-41.48	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	816	0.1	RMS	810.7	-62.38	-13	Pass	7861
816	860	0.1	RMS	835.2	19.84	60	Pass	441
860	1000	0.1	RMS	931.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2653	-46.19	-13	Pass	2001
3000	10000	1	RMS	7738	-41.5	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-13	Pass	2986
30	816	0.1	RMS	808.4	-62.36	-13	Pass	7861
816	860	0.1	RMS	846.2	20.33	60	Pass	441
860	1000	0.1	RMS	934.7	-62.37	-13	Pass	1401
1000	3000	1	RMS	2654	-46.13	-13	Pass	2001
3000	10000	1	RMS	7750	-41.5	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.94	-13	Pass	2986
30	816	0.1	RMS	810.5	-62.41	-13	Pass	7861
816	860	0.1	RMS	846.2	19.48	60	Pass	441
860	1000	0.1	RMS	873.2	-62.54	-13	Pass	1401
1000	3000	1	RMS	2653	-46.16	-13	Pass	2001
3000	10000	1	RMS	7741	-41.44	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.79	-13	Pass	2986
30	814	0.1	RMS	807.1	-61.58	-13	Pass	7841
814	860	0.1	RMS	824.3	20.55	60	Pass	461
860	1000	0.1	RMS	970.9	-62.56	-13	Pass	1401
1000	3000	1	RMS	2659	-46.11	-13	Pass	2001
3000	10000	1	RMS	7731	-41.49	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.94	-13	Pass	2986
30	814	0.1	RMS	807.2	-61.77	-13	Pass	7841
814	860	0.1	RMS	824.3	19.76	60	Pass	461
860	1000	0.1	RMS	923.6	-62.5	-13	Pass	1401
1000	3000	1	RMS	2648	-46.18	-13	Pass	2001
3000	10000	1	RMS	7733	-41.5	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-13	Pass	2986
30	814	0.1	RMS	810.1	-62.31	-13	Pass	7841
814	860	0.1	RMS	834.3	20.71	60	Pass	461
860	1000	0.1	RMS	957.5	-62.47	-13	Pass	1401
1000	3000	1	RMS	2654	-46.12	-13	Pass	2001
3000	10000	1	RMS	7742	-41.5	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-13	Pass	2986
30	814	0.1	RMS	786.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	834.3	19.45	60	Pass	461
860	1000	0.1	RMS	917.8	-62.38	-13	Pass	1401
1000	3000	1	RMS	2652	-46.16	-13	Pass	2001
3000	10000	1	RMS	7739	-41.48	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.31	-13	Pass	7841
814	860	0.1	RMS	844.3	20.43	60	Pass	461
860	1000	0.1	RMS	936.9	-62.37	-13	Pass	1401
1000	3000	1	RMS	2654	-46.13	-13	Pass	2001
3000	10000	1	RMS	9549	-41.51	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.37	-13	Pass	7841
814	860	0.1	RMS	844.3	19.51	60	Pass	461
860	1000	0.1	RMS	925.8	-62.38	-13	Pass	1401
1000	3000	1	RMS	2650	-46.17	-13	Pass	2001
3000	10000	1	RMS	7731	-41.48	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.45	-13	Pass	2986
30	809	0.1	RMS	808.9	-62.32	-13	Pass	7791
809	860	0.1	RMS	824.6	21.17	60	Pass	511
860	1000	0.1	RMS	900	-62.35	-13	Pass	1401
1000	3000	1	RMS	2650	-46.12	-13	Pass	2001
3000	10000	1	RMS	7754	-41.52	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.44	-13	Pass	2986
30	809	0.1	RMS	807.8	-62.42	-13	Pass	7791
809	860	0.1	RMS	824.6	19.96	60	Pass	511
860	1000	0.1	RMS	989.8	-62.46	-13	Pass	1401
1000	3000	1	RMS	2651	-46.13	-13	Pass	2001
3000	10000	1	RMS	7746	-41.51	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	809	0.1	RMS	808.6	-62.26	-13	Pass	7791
809	860	0.1	RMS	832.1	20.97	60	Pass	511
860	1000	0.1	RMS	921.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	2646	-46.14	-13	Pass	2001
3000	10000	1	RMS	7735	-41.52	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.35	-13	Pass	2986
30	809	0.1	RMS	808.9	-62.29	-13	Pass	7791
809	860	0.1	RMS	832.1	20.14	60	Pass	511
860	1000	0.1	RMS	927.1	-62.49	-13	Pass	1401
1000	3000	1	RMS	2660	-46.17	-13	Pass	2001
3000	10000	1	RMS	7731	-41.53	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	809	0.1	RMS	800.3	-62.43	-13	Pass	7791
809	860	0.1	RMS	839.6	21.04	60	Pass	511
860	1000	0.1	RMS	912.8	-62.43	-13	Pass	1401
1000	3000	1	RMS	2655	-46.13	-13	Pass	2001
3000	10000	1	RMS	7744	-41.48	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.78	-13	Pass	2986
30	809	0.1	RMS	778.5	-62.36	-13	Pass	7791
809	860	0.1	RMS	839.6	20.39	60	Pass	511
860	1000	0.1	RMS	892.7	-62.54	-13	Pass	1401
1000	3000	1	RMS	2650	-46.16	-13	Pass	2001
3000	10000	1	RMS	7731	-41.54	-13	Pass	7001



1. LTE_Band7


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-72.25	-25	Pass	401
0.15	30	0.01	RMS	11	-69.11	-25	Pass	2986
30	1000	0.1	RMS	992.795	-59.2	-25	Pass	9701
1000	2490	1	RMS	2489	-46.49	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.25	60	Pass	401
2580	3000	1	RMS	2977	-45.61	-25	Pass	421
3000	12000	1	RMS	10001	-46.98	-25	Pass	9002
12000	26000	1	RMS	25908	-43.05	-25	Pass	14002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.07	-25	Pass	401
0.15	30	0.01	RMS	10.71	-69.5	-25	Pass	2986
30	1000	0.1	RMS	827.4	-59.16	-25	Pass	9701
1000	2490	1	RMS	2490	-46.47	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.15	60	Pass	401
2580	3000	1	RMS	2970	-45.57	-25	Pass	421
3000	12000	1	RMS	10001	-47.78	-25	Pass	9002
12000	26000	1	RMS	25960	-43.03	-25	Pass	14002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.76	-25	Pass	2986
30	1000	0.1	RMS	918.646	-59.26	-25	Pass	9701
1000	2490	1	RMS	2487	-46.72	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.35	60	Pass	401
2580	3000	1	RMS	2969	-45.54	-25	Pass	421
3000	12000	1	RMS	10131	-48.62	-25	Pass	9002
12000	26000	1	RMS	25822	-42.9	-25	Pass	14002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.33	-25	Pass	401
0.15	30	0.01	RMS	12.59	-68.93	-25	Pass	2986
30	1000	0.1	RMS	910.541	-59.1	-25	Pass	9701
1000	2490	1	RMS	2473	-46.85	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.45	60	Pass	401
2580	3000	1	RMS	2970	-45.67	-25	Pass	421
3000	12000	1	RMS	10131	-49.56	-25	Pass	9002
12000	26000	1	RMS	25785	-42.82	-25	Pass	14002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-25	Pass	401
0.15	30	0.01	RMS	25.25	-69.04	-25	Pass	2986
30	1000	0.1	RMS	915.044	-59.09	-25	Pass	9701
1000	2490	1	RMS	2489	-46.94	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.19	60	Pass	401
2580	3000	1	RMS	2967	-45.45	-25	Pass	421
3000	12000	1	RMS	10261	-46.77	-25	Pass	9002
12000	26000	1	RMS	25919	-43.05	-25	Pass	14002




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.79	-25	Pass	401
0.15	30	0.01	RMS	23.65	-69.06	-25	Pass	2986
30	1000	0.1	RMS	985.691	-59.19	-25	Pass	9701
1000	2490	1	RMS	2487	-46.64	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.25	60	Pass	401
2580	3000	1	RMS	2964	-45.61	-25	Pass	421
3000	12000	1	RMS	10261	-48	-25	Pass	9002
12000	26000	1	RMS	25835	-43.07	-25	Pass	14002




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-71.9	-25	Pass	401
0.15	30	0.01	RMS	28.59	-68.83	-25	Pass	2986
30	1000	0.1	RMS	994.096	-59.22	-25	Pass	9701
1000	2490	1	RMS	2490	-46.15	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.13	60	Pass	401
2580	3000	1	RMS	2973	-45.6	-25	Pass	421
3000	12000	1	RMS	10002	-47.23	-25	Pass	9002
12000	26000	1	RMS	25091	-43.05	-25	Pass	14002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-72.05	-25	Pass	401
0.15	30	0.01	RMS	11.33	-68.88	-25	Pass	2986
30	1000	0.1	RMS	874.517	-59.11	-25	Pass	9701
1000	2490	1	RMS	2490	-46.31	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.19	60	Pass	401
2580	3000	1	RMS	2979	-45.61	-25	Pass	421
3000	12000	1	RMS	10002	-47.85	-25	Pass	9002
12000	26000	1	RMS	25103	-42.91	-25	Pass	14002



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.56	-25	Pass	401
0.15	30	0.01	RMS	22.5	-68.9	-25	Pass	2986
30	1000	0.1	RMS	887.826	-58.92	-25	Pass	9701
1000	2490	1	RMS	2488	-46.62	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.24	60	Pass	401
2580	3000	1	RMS	2975	-45.68	-25	Pass	421
3000	12000	1	RMS	10122	-48.67	-25	Pass	9002
12000	26000	1	RMS	25917	-43.07	-25	Pass	14002



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-71.26	-25	Pass	401
0.15	30	0.01	RMS	20.46	-68.59	-25	Pass	2986
30	1000	0.1	RMS	908.339	-59	-25	Pass	9701
1000	2490	1	RMS	2490	-46.9	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.37	60	Pass	401
2580	3000	1	RMS	2962	-45.59	-25	Pass	421
3000	12000	1	RMS	10122	-49.53	-25	Pass	9002
12000	26000	1	RMS	25115	-42.84	-25	Pass	14002



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.55	-25	Pass	401
0.15	30	0.01	RMS	28.47	-68.94	-25	Pass	2986
30	1000	0.1	RMS	909.84	-59.1	-25	Pass	9701
1000	2490	1	RMS	2486	-46.85	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.17	60	Pass	401
2580	3000	1	RMS	2966	-45.43	-25	Pass	421
3000	12000	1	RMS	10242	-47.95	-25	Pass	9002
12000	26000	1	RMS	25778	-42.96	-25	Pass	14002



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-71.99	-25	Pass	401
0.15	30	0.01	RMS	6.67	-69.43	-25	Pass	2986
30	1000	0.1	RMS	882.222	-59.16	-25	Pass	9701
1000	2490	1	RMS	2484	-46.78	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.31	60	Pass	401
2580	3000	1	RMS	2956	-45.65	-25	Pass	421
3000	12000	1	RMS	10242	-48.43	-25	Pass	9002
12000	26000	1	RMS	25757	-42.93	-25	Pass	14002

