


**12.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	40.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-13	43.27	Pass	2986
30	653	0.1	RMS	652.2	-62.42	-13	49.42	Pass	6231
653	708	0.1	RMS	680.2	4.68	60	55.32	Pass	551
708	1000	0.1	RMS	929.4	-61.55	-13	48.55	Pass	2921
1000	3000	1	RMS	2646	-47	-13	34	Pass	2001
3000	10000	1	RMS	9757	-65.27	-13	52.27	Pass	7001




12.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	40.04	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	43.46	Pass	2986
30	653	0.1	RMS	642.8	-62.57	-13	49.57	Pass	6231
653	708	0.1	RMS	678.3	17.87	60	42.13	Pass	551
708	1000	0.1	RMS	936.2	-61.58	-13	48.58	Pass	2921
1000	3000	1	RMS	2651	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9745	-65.27	-13	52.27	Pass	7001




12.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.21	-13	41.21	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	43.76	Pass	2986
30	653	0.1	RMS	485.3	-62.54	-13	49.54	Pass	6231
653	708	0.1	RMS	682.7	17.37	60	42.63	Pass	551
708	1000	0.1	RMS	901.4	-61.68	-13	48.68	Pass	2921
1000	3000	1	RMS	2646	-47	-13	34	Pass	2001
3000	10000	1	RMS	9732	-65.27	-13	52.27	Pass	7001




12.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	40.7	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	42.54	Pass	2986
30	653	0.1	RMS	515	-62.59	-13	49.59	Pass	6231
653	708	0.1	RMS	693.8	4.74	60	55.26	Pass	551
708	1000	0.1	RMS	960.7	-61.66	-13	48.66	Pass	2921
1000	3000	1	RMS	2650	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9703	-65.24	-13	52.24	Pass	7001




12.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	40.68	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	43.15	Pass	2986
30	653	0.1	RMS	646.8	-62.65	-13	49.65	Pass	6231
653	708	0.1	RMS	693.3	17.76	60	42.24	Pass	551
708	1000	0.1	RMS	788.2	-61.75	-13	48.75	Pass	2921
1000	3000	1	RMS	2645	-47	-13	34	Pass	2001
3000	10000	1	RMS	9745	-65.22	-13	52.22	Pass	7001




12.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	43.68	Pass	2986
30	653	0.1	RMS	653	-62.49	-13	49.49	Pass	6231
653	708	0.1	RMS	697.6	17.31	60	42.69	Pass	551
708	1000	0.1	RMS	952.4	-61.64	-13	48.64	Pass	2921
1000	3000	1	RMS	2649	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9749	-65.28	-13	52.28	Pass	7001




12.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	41.55	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	43.25	Pass	2986
30	653	0.1	RMS	652.1	-62.63	-13	49.63	Pass	6231
653	708	0.1	RMS	676	0.34	60	59.66	Pass	551
708	1000	0.1	RMS	708.1	-60.77	-13	47.77	Pass	2921
1000	3000	1	RMS	2648	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9720	-65.21	-13	52.21	Pass	7001




12.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.84	-13	41.84	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	42.84	Pass	2986
30	653	0.1	RMS	639.7	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	663.5	18.19	60	41.81	Pass	551
708	1000	0.1	RMS	898.2	-61.72	-13	48.72	Pass	2921
1000	3000	1	RMS	2645	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9706	-65.2	-13	52.2	Pass	7001




12.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.16	-56.79	-13	43.79	Pass	2986
30	653	0.1	RMS	479.6	-62.57	-13	49.57	Pass	6231
653	708	0.1	RMS	677.5	18.22	60	41.78	Pass	551
708	1000	0.1	RMS	925.7	-61.71	-13	48.71	Pass	2921
1000	3000	1	RMS	2642	-47	-13	34	Pass	2001
3000	10000	1	RMS	9748	-65.23	-13	52.23	Pass	7001




12.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.33	-13	41.33	Pass	401
0.15	30	0.01	RMS	0.17	-57.94	-13	44.94	Pass	2986
30	653	0.1	RMS	486.5	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	685.6	0.06	60	59.94	Pass	551
708	1000	0.1	RMS	708.3	-55.89	-13	42.89	Pass	2921
1000	3000	1	RMS	3000	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	9727	-65.25	-13	52.25	Pass	7001




12.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	44.05	Pass	2986
30	653	0.1	RMS	651.5	-62.43	-13	49.43	Pass	6231
653	708	0.1	RMS	673.5	18.13	60	41.87	Pass	551
708	1000	0.1	RMS	928.2	-61.53	-13	48.53	Pass	2921
1000	3000	1	RMS	2642	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9747	-65.24	-13	52.24	Pass	7001




**12.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	44.23	Pass	2986
30	653	0.1	RMS	483.2	-62.49	-13	49.49	Pass	6231
653	708	0.1	RMS	687.5	18.25	60	41.75	Pass	551
708	1000	0.1	RMS	947.2	-61.63	-13	48.63	Pass	2921
1000	3000	1	RMS	3000	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9750	-65.27	-13	52.27	Pass	7001




12.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	40.47	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	42.99	Pass	2986
30	653	0.1	RMS	653	-62.58	-13	49.58	Pass	6231
653	708	0.1	RMS	688.4	-0.09	60	60.09	Pass	551
708	1000	0.1	RMS	708	-50.28	-13	37.28	Pass	2921
1000	3000	1	RMS	2642	-47	-13	34	Pass	2001
3000	10000	1	RMS	9723	-65.21	-13	52.21	Pass	7001




12.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	2986
30	653	0.1	RMS	483	-62.54	-13	49.54	Pass	6231
653	708	0.1	RMS	683.5	17.95	60	42.05	Pass	551
708	1000	0.1	RMS	928.3	-61.77	-13	48.77	Pass	2921
1000	3000	1	RMS	2646	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9702	-65.2	-13	52.2	Pass	7001




12.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	39.37	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	43.17	Pass	2986
30	653	0.1	RMS	502.2	-62.62	-13	49.62	Pass	6231
653	708	0.1	RMS	697.5	18.15	60	41.85	Pass	551
708	1000	0.1	RMS	911.8	-61.64	-13	48.64	Pass	2921
1000	3000	1	RMS	2645	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	9746	-65.16	-13	52.16	Pass	7001




12.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-13	41.3	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	42.33	Pass	2986
30	653	0.1	RMS	647.7	-62.41	-13	49.41	Pass	6231
653	708	0.1	RMS	680.3	-0.97	60	60.97	Pass	551
708	1000	0.1	RMS	708.3	-55.67	-13	42.67	Pass	2921
1000	3000	1	RMS	2643	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9732	-65.19	-13	52.19	Pass	7001




**12.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	40.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	43.13	Pass	2986
30	653	0.1	RMS	652.9	-62.58	-13	49.58	Pass	6231
653	708	0.1	RMS	663.5	17.97	60	42.03	Pass	551
708	1000	0.1	RMS	946.5	-61.78	-13	48.78	Pass	2921
1000	3000	1	RMS	2643	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9745	-65.16	-13	52.16	Pass	7001




12.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	40.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	43.39	Pass	2986
30	653	0.1	RMS	475.5	-62.45	-13	49.45	Pass	6231
653	708	0.1	RMS	682.4	17.77	60	42.23	Pass	551
708	1000	0.1	RMS	984.8	-61.63	-13	48.63	Pass	2921
1000	3000	1	RMS	2998	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9724	-65.28	-13	52.28	Pass	7001




12.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.12	-13	41.12	Pass	401
0.15	30	0.01	RMS	0.16	-57.18	-13	44.18	Pass	2986
30	653	0.1	RMS	500	-62.5	-13	49.5	Pass	6231
653	708	0.1	RMS	687.7	-1.2	60	61.2	Pass	551
708	1000	0.1	RMS	708.1	-52.74	-13	39.74	Pass	2921
1000	3000	1	RMS	2641	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9750	-65.22	-13	52.22	Pass	7001




12.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	40.76	Pass	401
0.15	30	0.01	RMS	0.16	-56.47	-13	43.47	Pass	2986
30	653	0.1	RMS	647.1	-62.57	-13	49.57	Pass	6231
653	708	0.1	RMS	671	17.8	60	42.2	Pass	551
708	1000	0.1	RMS	945.7	-61.55	-13	48.55	Pass	2921
1000	3000	1	RMS	2640	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9752	-65.19	-13	52.19	Pass	7001




12.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	44.44	Pass	2986
30	653	0.1	RMS	494.7	-62.51	-13	49.51	Pass	6231
653	708	0.1	RMS	689.9	17.81	60	42.19	Pass	551
708	1000	0.1	RMS	921	-61.59	-13	48.59	Pass	2921
1000	3000	1	RMS	2639	-47	-13	34	Pass	2001
3000	10000	1	RMS	9744	-65.24	-13	52.24	Pass	7001




12.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.16	-56.34	-13	43.34	Pass	2986
30	653	0.1	RMS	519.1	-62.6	-13	49.6	Pass	6231
653	708	0.1	RMS	689.5	-1.25	60	61.25	Pass	551
708	1000	0.1	RMS	708	-49.23	-13	36.23	Pass	2921
1000	3000	1	RMS	2649	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	9737	-65.23	-13	52.23	Pass	7001




**12.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.33	-13	41.33	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	42.97	Pass	2986
30	653	0.1	RMS	521	-62.57	-13	49.57	Pass	6231
653	708	0.1	RMS	678.5	17.74	60	42.26	Pass	551
708	1000	0.1	RMS	991.4	-61.63	-13	48.63	Pass	2921
1000	3000	1	RMS	2643	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9740	-65.27	-13	52.27	Pass	7001



12.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.46	-13	41.46	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	42.94	Pass	2986
30	653	0.1	RMS	648.4	-62.56	-13	49.56	Pass	6231
653	708	0.1	RMS	697.4	17.75	60	42.25	Pass	551
708	1000	0.1	RMS	914.5	-61.75	-13	48.75	Pass	2921
1000	3000	1	RMS	2646	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	9750	-65.23	-13	52.23	Pass	7001




7. n77 30kHz(3450-3550)

7.1. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.21	-13	41.21	Pass	401
0.15	30	0.01	RMS	0.16	-56.08	-13	43.08	Pass	2986
30	1000	0.1	RMS	770.3	-57.78	-13	44.78	Pass	9701
1000	3000	1	RMS	2790	-46.81	-13	33.81	Pass	2001
3000	3440	1	RMS	3440	-33.25	-13	20.25	Pass	441
3440	3560	1	RMS	3452	10.69	60	49.31	Pass	401
3560	7000	1	RMS	3560	-59.89	-13	46.89	Pass	3441
7000	26500	1	RMS	25295	-45.29	-13	32.29	Pass	19501



--BLANK BELOW--


**7.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	40.22	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	42.67	Pass	2986
30	1000	0.1	RMS	935.7	-57.57	-13	44.57	Pass	9701
1000	3000	1	RMS	2644	-46.71	-13	33.71	Pass	2001
3000	3440	1	RMS	3440	-44.34	-13	31.34	Pass	441
3440	3560	1	RMS	3451.1	22.16	60	37.84	Pass	401
3560	7000	1	RMS	6902	-50.45	-13	37.45	Pass	3441
7000	26500	1	RMS	26353	-45.57	-13	32.57	Pass	19501




7.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	38.95	Pass	401
0.15	30	0.01	RMS	0.22	-58.11	-13	45.11	Pass	2986
30	1000	0.1	RMS	913.7	-58.49	-13	45.49	Pass	9701
1000	3000	1	RMS	2648	-46.81	-13	33.81	Pass	2001
3000	3440	1	RMS	3433	-44.99	-13	31.99	Pass	441
3440	3560	1	RMS	3469.1	22.23	60	37.77	Pass	401
3560	7000	1	RMS	6938	-53.8	-13	40.8	Pass	3441
7000	26500	1	RMS	25303	-45.15	-13	32.15	Pass	19501




7.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.88	-13	38.88	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	41.64	Pass	2986
30	1000	0.1	RMS	863.3	-58.42	-13	45.42	Pass	9701
1000	3000	1	RMS	2786	-46.84	-13	33.84	Pass	2001
3000	3440	1	RMS	3440	-45.17	-13	32.17	Pass	441
3440	3560	1	RMS	3492.5	10.76	60	49.24	Pass	401
3560	7000	1	RMS	3561	-49.79	-13	36.79	Pass	3441
7000	26500	1	RMS	26476	-45.31	-13	32.31	Pass	19501




7.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	39.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	43.84	Pass	2986
30	1000	0.1	RMS	823.7	-58.23	-13	45.23	Pass	9701
1000	3000	1	RMS	2648	-46.78	-13	33.78	Pass	2001
3000	3440	1	RMS	3129	-46.15	-13	33.15	Pass	441
3440	3560	1	RMS	3491	22.2	60	37.8	Pass	401
3560	7000	1	RMS	6982	-51.75	-13	38.75	Pass	3441
7000	26500	1	RMS	26319	-45.46	-13	32.46	Pass	19501



7.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	42.87	Pass	2986
30	1000	0.1	RMS	945.5	-58.65	-13	45.65	Pass	9701
1000	3000	1	RMS	2665	-46.87	-13	33.87	Pass	2001
3000	3440	1	RMS	3133	-46.19	-13	33.19	Pass	441
3440	3560	1	RMS	3509	22.21	60	37.79	Pass	401
3560	7000	1	RMS	3560	-59.51	-13	46.51	Pass	3441
7000	26500	1	RMS	26466	-45.4	-13	32.4	Pass	19501




7.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	40.39	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	44.45	Pass	2986
30	1000	0.1	RMS	965.9	-58.39	-13	45.39	Pass	9701
1000	3000	1	RMS	2627	-46.84	-13	33.84	Pass	2001
3000	3440	1	RMS	3135	-46.11	-13	33.11	Pass	441
3440	3560	1	RMS	3532.4	10.63	60	49.37	Pass	401
3560	7000	1	RMS	3560	-31.76	-13	18.76	Pass	3441
7000	26500	1	RMS	25287	-45.36	-13	32.36	Pass	19501




7.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	38.98	Pass	401
0.15	30	0.01	RMS	0.16	-56.92	-13	43.92	Pass	2986
30	1000	0.1	RMS	998.3	-58.79	-13	45.79	Pass	9701
1000	3000	1	RMS	2655	-46.79	-13	33.79	Pass	2001
3000	3440	1	RMS	3153	-46.17	-13	33.17	Pass	441
3440	3560	1	RMS	3530.9	21.95	60	38.05	Pass	401
3560	7000	1	RMS	3567	-48.19	-13	35.19	Pass	3441
7000	26500	1	RMS	26406	-45.3	-13	32.3	Pass	19501




7.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.99	-13	37.99	Pass	401
0.15	30	0.01	RMS	0.16	-58.84	-13	45.84	Pass	2986
30	1000	0.1	RMS	915.4	-58.08	-13	45.08	Pass	9701
1000	3000	1	RMS	2642	-46.66	-13	33.66	Pass	2001
3000	3440	1	RMS	3130	-46.11	-13	33.11	Pass	441
3440	3560	1	RMS	3548.9	22.04	60	37.96	Pass	401
3560	7000	1	RMS	3567	-47.37	-13	34.37	Pass	3441
7000	26500	1	RMS	26422	-45.33	-13	32.33	Pass	19501




**7.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	40.62	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	42.18	Pass	2986
30	1000	0.1	RMS	894	-58.58	-13	45.58	Pass	9701
1000	3000	1	RMS	2655	-46.79	-13	33.79	Pass	2001
3000	3440	1	RMS	3440	-36.44	-13	23.44	Pass	441
3440	3560	1	RMS	3452.6	5.7	60	54.3	Pass	401
3560	7000	1	RMS	3565	-43.05	-13	30.05	Pass	3441
7000	26500	1	RMS	26341	-45.48	-13	32.48	Pass	19501




**7.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.08	-13	40.08	Pass	401
0.15	30	0.01	RMS	0.17	-57.41	-13	44.41	Pass	2986
30	1000	0.1	RMS	990.8	-58.87	-13	45.87	Pass	9701
1000	3000	1	RMS	2641	-46.82	-13	33.82	Pass	2001
3000	3440	1	RMS	3440	-45.78	-13	32.78	Pass	441
3440	3560	1	RMS	3451.1	21.15	60	38.85	Pass	401
3560	7000	1	RMS	3567	-48.9	-13	35.9	Pass	3441
7000	26500	1	RMS	25307	-45.66	-13	32.66	Pass	19501




**7.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-13	40.34	Pass	401
0.15	30	0.01	RMS	0.17	-56.38	-13	43.38	Pass	2986
30	1000	0.1	RMS	926.9	-58.18	-13	45.18	Pass	9701
1000	3000	1	RMS	2638	-46.56	-13	33.56	Pass	2001
3000	3440	1	RMS	3393	-45.02	-13	32.02	Pass	441
3440	3560	1	RMS	3509	22.31	60	37.69	Pass	401
3560	7000	1	RMS	3567	-52.94	-13	39.94	Pass	3441
7000	26500	1	RMS	25293	-45.38	-13	32.38	Pass	19501




7.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.16	-57.84	-13	44.84	Pass	2986
30	1000	0.1	RMS	922	-57.76	-13	44.76	Pass	9701
1000	3000	1	RMS	2652	-46.75	-13	33.75	Pass	2001
3000	3440	1	RMS	3439	-37.78	-13	24.78	Pass	441
3440	3560	1	RMS	3472.1	5.83	60	54.17	Pass	401
3560	7000	1	RMS	3561	-40.91	-13	27.91	Pass	3441
7000	26500	1	RMS	25319	-45.31	-13	32.31	Pass	19501




**7.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.92	-13	41.92	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	41.42	Pass	2986
30	1000	0.1	RMS	997.4	-58.78	-13	45.78	Pass	9701
1000	3000	1	RMS	2772	-46.8	-13	33.8	Pass	2001
3000	3440	1	RMS	3157	-46.15	-13	33.15	Pass	441
3440	3560	1	RMS	3470.9	21.18	60	38.82	Pass	401
3560	7000	1	RMS	3587	-50.45	-13	37.45	Pass	3441
7000	26500	1	RMS	25288	-45.41	-13	32.41	Pass	19501




**7.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-13	40.8	Pass	401
0.15	30	0.01	RMS	0.16	-54.31	-13	41.31	Pass	2986
30	1000	0.1	RMS	989.9	-58.5	-13	45.5	Pass	9701
1000	3000	1	RMS	2638	-46.76	-13	33.76	Pass	2001
3000	3440	1	RMS	3413	-44.73	-13	31.73	Pass	441
3440	3560	1	RMS	3528.8	22.01	60	37.99	Pass	401
3560	7000	1	RMS	3587	-52.24	-13	39.24	Pass	3441
7000	26500	1	RMS	25295	-45.55	-13	32.55	Pass	19501




**7.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.15	-13	41.15	Pass	401
0.15	30	0.01	RMS	0.19	-57.89	-13	44.89	Pass	2986
30	1000	0.1	RMS	939.7	-58.35	-13	45.35	Pass	9701
1000	3000	1	RMS	2988	-46.84	-13	33.84	Pass	2001
3000	3440	1	RMS	3440	-39.59	-13	26.59	Pass	441
3440	3560	1	RMS	3493.1	5.7	60	54.3	Pass	401
3560	7000	1	RMS	3562	-34.87	-13	21.87	Pass	3441
7000	26500	1	RMS	25277	-45.44	-13	32.44	Pass	19501




**7.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-13	39.3	Pass	401
0.15	30	0.01	RMS	0.16	-55.28	-13	42.28	Pass	2986
30	1000	0.1	RMS	908.7	-58.13	-13	45.13	Pass	9701
1000	3000	1	RMS	2649	-46.8	-13	33.8	Pass	2001
3000	3440	1	RMS	3131	-46.14	-13	33.14	Pass	441
3440	3560	1	RMS	3491	21.2	60	38.8	Pass	401
3560	7000	1	RMS	3607	-50.98	-13	37.98	Pass	3441
7000	26500	1	RMS	26454	-45.54	-13	32.54	Pass	19501




**7.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-13	43.58	Pass	2986
30	1000	0.1	RMS	906	-58.58	-13	45.58	Pass	9701
1000	3000	1	RMS	2996	-46.74	-13	33.74	Pass	2001
3000	3440	1	RMS	3433	-44.62	-13	31.62	Pass	441
3440	3560	1	RMS	3548.9	22.16	60	37.84	Pass	401
3560	7000	1	RMS	3564	-49.87	-13	36.87	Pass	3441
7000	26500	1	RMS	25280	-45.23	-13	32.23	Pass	19501




**7.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-13	41.24	Pass	401
0.15	30	0.01	RMS	0.16	-57.45	-13	44.45	Pass	2986
30	1000	0.1	RMS	925.9	-58.3	-13	45.3	Pass	9701
1000	3000	1	RMS	2633	-46.72	-13	33.72	Pass	2001
3000	3440	1	RMS	3439	-36.23	-13	23.23	Pass	441
3440	3560	1	RMS	3464	3.4	60	56.6	Pass	401
3560	7000	1	RMS	3560	-36.85	-13	23.85	Pass	3441
7000	26500	1	RMS	25313	-45.56	-13	32.56	Pass	19501




**7.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	39.32	Pass	401
0.15	30	0.01	RMS	0.16	-56.95	-13	43.95	Pass	2986
30	1000	0.1	RMS	890.8	-58.27	-13	45.27	Pass	9701
1000	3000	1	RMS	2790	-46.77	-13	33.77	Pass	2001
3000	3440	1	RMS	3439	-45.45	-13	32.45	Pass	441
3440	3560	1	RMS	3451.1	21.85	60	38.15	Pass	401
3560	7000	1	RMS	6902	-50.91	-13	37.91	Pass	3441
7000	26500	1	RMS	26383	-45.67	-13	32.67	Pass	19501



**7.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	41.38	Pass	401
0.15	30	0.01	RMS	0.17	-56.76	-13	43.76	Pass	2986
30	1000	0.1	RMS	833.9	-58.13	-13	45.13	Pass	9701
1000	3000	1	RMS	2639	-46.55	-13	33.55	Pass	2001
3000	3440	1	RMS	3353	-45.13	-13	32.13	Pass	441
3440	3560	1	RMS	3548.9	21.94	60	38.06	Pass	401
3560	7000	1	RMS	3560	-45.26	-13	32.26	Pass	3441
7000	26500	1	RMS	26453	-45.23	-13	32.23	Pass	19501




4. n77 30kHz(3700-3980)

4.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	40.2	Pass	401
0.15	30	0.01	RMS	0.19	-58.02	-13	45.02	Pass	2986
30	1000	0.1	RMS	812.5	-58.32	-13	45.32	Pass	9701
1000	3000	1	RMS	2644	-46.82	-13	33.82	Pass	2001
3000	3690	1	RMS	3690	-39.67	-13	26.67	Pass	691
3690	3990	1	RMS	3717.75	9.18	60	50.82	Pass	401
3990	7000	1	RMS	6693	-66.1	-13	53.1	Pass	3011
7000	26500	1	RMS	26368	-45.42	-13	32.42	Pass	19501




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.78	-13	40.78	Pass	401
0.15	30	0.01	RMS	0.16	-57.56	-13	44.56	Pass	2986
30	1000	0.1	RMS	988.4	-58.53	-13	45.53	Pass	9701
1000	3000	1	RMS	2632	-46.85	-13	33.85	Pass	2001
3000	3690	1	RMS	3133	-46.14	-13	33.14	Pass	691
3690	3990	1	RMS	3701.25	13.89	60	46.11	Pass	401
3990	7000	1	RMS	6219	-66.05	-13	53.05	Pass	3011
7000	26500	1	RMS	26444	-45.39	-13	32.39	Pass	19501




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.16	-55.32	-13	42.32	Pass	2986
30	1000	0.1	RMS	952	-58.57	-13	45.57	Pass	9701
1000	3000	1	RMS	2997	-46.91	-13	33.91	Pass	2001
3000	3690	1	RMS	3145	-46.13	-13	33.13	Pass	691
3690	3990	1	RMS	3719.25	14.56	60	45.44	Pass	401
3990	7000	1	RMS	6223	-66.08	-13	53.08	Pass	3011
7000	26500	1	RMS	25307	-45.36	-13	32.36	Pass	19501




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	40.06	Pass	401
0.15	30	0.01	RMS	0.16	-58.56	-13	45.56	Pass	2986
30	1000	0.1	RMS	926.1	-58.11	-13	45.11	Pass	9701
1000	3000	1	RMS	2789	-46.6	-13	33.6	Pass	2001
3000	3690	1	RMS	3150	-46.14	-13	33.14	Pass	691
3690	3990	1	RMS	3831.75	11.04	60	48.96	Pass	401
3990	7000	1	RMS	3990	-65.71	-13	52.71	Pass	3011
7000	26500	1	RMS	25287	-44.93	-13	31.93	Pass	19501




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-13	40.8	Pass	401
0.15	30	0.01	RMS	0.15	-53.8	-13	40.8	Pass	2986
30	1000	0.1	RMS	911.9	-58.56	-13	45.56	Pass	9701
1000	3000	1	RMS	2999	-46.63	-13	33.63	Pass	2001
3000	3690	1	RMS	3133	-46.14	-13	33.14	Pass	691
3690	3990	1	RMS	3831	15.93	60	44.07	Pass	401
3990	7000	1	RMS	6689	-65.95	-13	52.95	Pass	3011
7000	26500	1	RMS	26356	-45.33	-13	32.33	Pass	19501




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.83	-13	40.83	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	40.97	Pass	2986
30	1000	0.1	RMS	986.6	-58.45	-13	45.45	Pass	9701
1000	3000	1	RMS	2640	-46.79	-13	33.79	Pass	2001
3000	3690	1	RMS	3152	-46.07	-13	33.07	Pass	691
3690	3990	1	RMS	3849	15.64	60	44.36	Pass	401
3990	7000	1	RMS	4156	-65.81	-13	52.81	Pass	3011
7000	26500	1	RMS	25116	-45.25	-13	32.25	Pass	19501




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.19	-13	39.19	Pass	401
0.15	30	0.01	RMS	0.17	-56.76	-13	43.76	Pass	2986
30	1000	0.1	RMS	984.7	-58.61	-13	45.61	Pass	9701
1000	3000	1	RMS	3000	-46.61	-13	33.61	Pass	2001
3000	3690	1	RMS	3150	-46.14	-13	33.14	Pass	691
3690	3990	1	RMS	3962.25	4.64	60	55.36	Pass	401
3990	7000	1	RMS	3991	-44.18	-13	31.18	Pass	3011
7000	26500	1	RMS	25297	-45.35	-13	32.35	Pass	19501




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.62	-13	41.62	Pass	401
0.15	30	0.01	RMS	0.17	-57.21	-13	44.21	Pass	2986
30	1000	0.1	RMS	885	-58.55	-13	45.55	Pass	9701
1000	3000	1	RMS	2635	-46.82	-13	33.82	Pass	2001
3000	3690	1	RMS	3130	-46.17	-13	33.17	Pass	691
3690	3990	1	RMS	3960.75	15.18	60	44.82	Pass	401
3990	7000	1	RMS	3997	-53.94	-13	40.94	Pass	3011
7000	26500	1	RMS	25288	-45.06	-13	32.06	Pass	19501




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-13	41.02	Pass	401
0.15	30	0.01	RMS	0.17	-56.51	-13	43.51	Pass	2986
30	1000	0.1	RMS	925.6	-58.38	-13	45.38	Pass	9701
1000	3000	1	RMS	2642	-46.82	-13	33.82	Pass	2001
3000	3690	1	RMS	3146	-46.15	-13	33.15	Pass	691
3690	3990	1	RMS	3978.75	15.09	60	44.91	Pass	401
3990	7000	1	RMS	3997	-53.53	-13	40.53	Pass	3011
7000	26500	1	RMS	26458	-45.3	-13	32.3	Pass	19501




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	41.95	Pass	2986
30	1000	0.1	RMS	907.1	-58.44	-13	45.44	Pass	9701
1000	3000	1	RMS	2640	-46.78	-13	33.78	Pass	2001
3000	3690	1	RMS	3690	-42.38	-13	29.38	Pass	691
3690	3990	1	RMS	3757.5	-0.53	60	60.53	Pass	401
3990	7000	1	RMS	4224	-60.63	-13	47.63	Pass	3011
7000	26500	1	RMS	26393	-45.33	-13	32.33	Pass	19501




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.42	-13	40.42	Pass	401
0.15	30	0.01	RMS	0.16	-57.41	-13	44.41	Pass	2986
30	1000	0.1	RMS	919.5	-58.55	-13	45.55	Pass	9701
1000	3000	1	RMS	2640	-46.78	-13	33.78	Pass	2001
3000	3690	1	RMS	3150	-46.03	-13	33.03	Pass	691
3690	3990	1	RMS	3701.25	13.18	60	46.82	Pass	401
3990	7000	1	RMS	4224	-60.64	-13	47.64	Pass	3011
7000	26500	1	RMS	25310	-45.47	-13	32.47	Pass	19501




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	40.41	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	42.93	Pass	2986
30	1000	0.1	RMS	987.7	-57.36	-13	44.36	Pass	9701
1000	3000	1	RMS	2657	-46.72	-13	33.72	Pass	2001
3000	3690	1	RMS	3134	-46.07	-13	33.07	Pass	691
3690	3990	1	RMS	3759	15.36	60	44.64	Pass	401
3990	7000	1	RMS	4224	-60.85	-13	47.85	Pass	3011
7000	26500	1	RMS	26444	-45.21	-13	32.21	Pass	19501




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.17	-57.7	-13	44.7	Pass	2986
30	1000	0.1	RMS	805.7	-57.83	-13	44.83	Pass	9701
1000	3000	1	RMS	2633	-46.81	-13	33.81	Pass	2001
3000	3690	1	RMS	3137	-46.07	-13	33.07	Pass	691
3690	3990	1	RMS	3816	-0.2	60	60.2	Pass	401
3990	7000	1	RMS	4224	-57.39	-13	44.39	Pass	3011
7000	26500	1	RMS	26406	-45.52	-13	32.52	Pass	19501




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	39.65	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	42.19	Pass	2986
30	1000	0.1	RMS	912.3	-58.36	-13	45.36	Pass	9701
1000	3000	1	RMS	3000	-46.83	-13	33.83	Pass	2001
3000	3690	1	RMS	3127	-46.21	-13	33.21	Pass	691
3690	3990	1	RMS	3810.75	13.24	60	46.76	Pass	401
3990	7000	1	RMS	4224	-57.99	-13	44.99	Pass	3011
7000	26500	1	RMS	26414	-45.52	-13	32.52	Pass	19501




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	2986
30	1000	0.1	RMS	888.8	-58.63	-13	45.63	Pass	9701
1000	3000	1	RMS	2642	-46.74	-13	33.74	Pass	2001
3000	3690	1	RMS	3127	-46.15	-13	33.15	Pass	691
3690	3990	1	RMS	3869.25	15.1	60	44.9	Pass	401
3990	7000	1	RMS	4224	-57.91	-13	44.91	Pass	3011
7000	26500	1	RMS	25294	-45.49	-13	32.49	Pass	19501




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	41.19	Pass	401
0.15	30	0.01	RMS	0.16	-55.34	-13	42.34	Pass	2986
30	1000	0.1	RMS	998	-58.62	-13	45.62	Pass	9701
1000	3000	1	RMS	2992	-46.91	-13	33.91	Pass	2001
3000	3690	1	RMS	3147	-46.15	-13	33.15	Pass	691
3690	3990	1	RMS	3922.5	-0.78	60	60.78	Pass	401
3990	7000	1	RMS	4007	-43.22	-13	30.22	Pass	3011
7000	26500	1	RMS	26417	-45.45	-13	32.45	Pass	19501




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	39.19	Pass	401
0.15	30	0.01	RMS	0.19	-56.92	-13	43.92	Pass	2986
30	1000	0.1	RMS	928.5	-58.75	-13	45.75	Pass	9701
1000	3000	1	RMS	2640	-46.78	-13	33.78	Pass	2001
3000	3690	1	RMS	3000	-46.16	-13	33.16	Pass	691
3690	3990	1	RMS	3921	13.27	60	46.73	Pass	401
3990	7000	1	RMS	4037	-56.34	-13	43.34	Pass	3011
7000	26500	1	RMS	25110	-45.06	-13	32.06	Pass	19501




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	40.61	Pass	401
0.15	30	0.01	RMS	0.18	-58.27	-13	45.27	Pass	2986
30	1000	0.1	RMS	922.8	-58.77	-13	45.77	Pass	9701
1000	3000	1	RMS	2646	-46.71	-13	33.71	Pass	2001
3000	3690	1	RMS	3132	-46.09	-13	33.09	Pass	691
3690	3990	1	RMS	3978.75	22.22	60	37.78	Pass	401
3990	7000	1	RMS	3990	-49.29	-13	36.29	Pass	3011
7000	26500	1	RMS	25082	-45.53	-13	32.53	Pass	19501




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.26	-13	40.26	Pass	401
0.15	30	0.01	RMS	0.17	-57.22	-13	44.22	Pass	2986
30	1000	0.1	RMS	918.2	-58.66	-13	45.66	Pass	9701
1000	3000	1	RMS	2644	-46.73	-13	33.73	Pass	2001
3000	3690	1	RMS	3690	-41.67	-13	28.67	Pass	691
3690	3990	1	RMS	3762.75	-2.96	60	62.96	Pass	401
3990	7000	1	RMS	4224	-60.49	-13	47.49	Pass	3011
7000	26500	1	RMS	25297	-45.23	-13	32.23	Pass	19501




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	38.86	Pass	401
0.15	30	0.01	RMS	0.16	-55.35	-13	42.35	Pass	2986
30	1000	0.1	RMS	919.1	-58.37	-13	45.37	Pass	9701
1000	3000	1	RMS	2642	-46.73	-13	33.73	Pass	2001
3000	3690	1	RMS	3143	-46.16	-13	33.16	Pass	691
3690	3990	1	RMS	3701.25	13.83	60	46.17	Pass	401
3990	7000	1	RMS	4224	-60.66	-13	47.66	Pass	3011
7000	26500	1	RMS	26458	-45.35	-13	32.35	Pass	19501




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	40.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	43.28	Pass	2986
30	1000	0.1	RMS	963.9	-58.3	-13	45.3	Pass	9701
1000	3000	1	RMS	2638	-46.83	-13	33.83	Pass	2001
3000	3690	1	RMS	3146	-46.12	-13	33.12	Pass	691
3690	3990	1	RMS	3798.75	14.54	60	45.46	Pass	401
3990	7000	1	RMS	4224	-60.41	-13	47.41	Pass	3011
7000	26500	1	RMS	25304	-45.25	-13	32.25	Pass	19501




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.17	-13	39.17	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	43.39	Pass	2986
30	1000	0.1	RMS	916.7	-58.58	-13	45.58	Pass	9701
1000	3000	1	RMS	2642	-46.78	-13	33.78	Pass	2001
3000	3690	1	RMS	3689	-45.42	-13	32.42	Pass	691
3690	3990	1	RMS	3817.5	-2.28	60	62.28	Pass	401
3990	7000	1	RMS	3990	-52.43	-13	39.43	Pass	3011
7000	26500	1	RMS	26429	-45.36	-13	32.36	Pass	19501




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.16	-58.21	-13	45.21	Pass	2986
30	1000	0.1	RMS	993.1	-58.41	-13	45.41	Pass	9701
1000	3000	1	RMS	2644	-46.72	-13	33.72	Pass	2001
3000	3690	1	RMS	3132	-46.15	-13	33.15	Pass	691
3690	3990	1	RMS	3791.25	14.82	60	45.18	Pass	401
3990	7000	1	RMS	4224	-58.1	-13	45.1	Pass	3011
7000	26500	1	RMS	25329	-45.24	-13	32.24	Pass	19501




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.02	-13	38.02	Pass	401
0.15	30	0.01	RMS	0.17	-58.08	-13	45.08	Pass	2986
30	1000	0.1	RMS	979.7	-58.79	-13	45.79	Pass	9701
1000	3000	1	RMS	2789	-46.79	-13	33.79	Pass	2001
3000	3690	1	RMS	3133	-46.07	-13	33.07	Pass	691
3690	3990	1	RMS	3888.75	14.89	60	45.11	Pass	401
3990	7000	1	RMS	4224	-57.53	-13	44.53	Pass	3011
7000	26500	1	RMS	26408	-45.29	-13	32.29	Pass	19501




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-13	41.07	Pass	401
0.15	30	0.01	RMS	0.17	-55.27	-13	42.27	Pass	2986
30	1000	0.1	RMS	964.6	-58.59	-13	45.59	Pass	9701
1000	3000	1	RMS	2634	-46.77	-13	33.77	Pass	2001
3000	3690	1	RMS	3135	-46.16	-13	33.16	Pass	691
3690	3990	1	RMS	3883.5	-2.23	60	62.23	Pass	401
3990	7000	1	RMS	3995	-44.81	-13	31.81	Pass	3011
7000	26500	1	RMS	25283	-45.5	-13	32.5	Pass	19501




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	38.8	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	42.54	Pass	2986
30	1000	0.1	RMS	925.9	-57.86	-13	44.86	Pass	9701
1000	3000	1	RMS	2644	-46.7	-13	33.7	Pass	2001
3000	3690	1	RMS	3148	-46.16	-13	33.16	Pass	691
3690	3990	1	RMS	3881.25	14.66	60	45.34	Pass	401
3990	7000	1	RMS	4077	-56.04	-13	43.04	Pass	3011
7000	26500	1	RMS	26301	-45.41	-13	32.41	Pass	19501



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	39.79	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	42.38	Pass	2986
30	1000	0.1	RMS	956	-57.7	-13	44.7	Pass	9701
1000	3000	1	RMS	2997	-46.84	-13	33.84	Pass	2001
3000	3690	1	RMS	3148	-46.17	-13	33.17	Pass	691
3690	3990	1	RMS	3978.75	20.25	60	39.75	Pass	401
3990	7000	1	RMS	4028	-48.85	-13	35.85	Pass	3011
7000	26500	1	RMS	11937	-32.13	-13	19.13	Pass	19501



6. n78 30kHz(3450-3550)

6.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.16	-57.83	-13	44.83	Pass	2986
30	1000	0.1	RMS	782.5	-58.36	-13	45.36	Pass	9701
1000	3000	1	RMS	2994	-46.77	-13	33.77	Pass	2001
3000	3440	1	RMS	3440	-33.26	-13	20.26	Pass	441
3440	3560	1	RMS	3452.3	10.87	60	49.13	Pass	401
3560	7000	1	RMS	3560	-59.33	-13	46.33	Pass	3441
7000	26500	1	RMS	25322	-45.44	-13	32.44	Pass	19501




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	39.24	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	44.64	Pass	2986
30	1000	0.1	RMS	937.1	-58.22	-13	45.22	Pass	9701
1000	3000	1	RMS	2644	-46.53	-13	33.53	Pass	2001
3000	3440	1	RMS	3440	-42.9	-13	29.9	Pass	441
3440	3560	1	RMS	3451.1	22.21	60	37.79	Pass	401
3560	7000	1	RMS	6902	-50.41	-13	37.41	Pass	3441
7000	26500	1	RMS	24730	-45.1	-13	32.1	Pass	19501




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.95	-13	40.95	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	42.81	Pass	2986
30	1000	0.1	RMS	975	-58.6	-13	45.6	Pass	9701
1000	3000	1	RMS	2647	-46.71	-13	33.71	Pass	2001
3000	3440	1	RMS	3433	-44.77	-13	31.77	Pass	441
3440	3560	1	RMS	3469.1	22.31	60	37.69	Pass	401
3560	7000	1	RMS	6938	-53.75	-13	40.75	Pass	3441
7000	26500	1	RMS	26438	-45.26	-13	32.26	Pass	19501




6.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.22	-13	40.22	Pass	401
0.15	30	0.01	RMS	0.17	-57.89	-13	44.89	Pass	2986
30	1000	0.1	RMS	897.8	-58.22	-13	45.22	Pass	9701
1000	3000	1	RMS	2998	-46.88	-13	33.88	Pass	2001
3000	3440	1	RMS	3439	-45.17	-13	32.17	Pass	441
3440	3560	1	RMS	3492.2	10.89	60	49.11	Pass	401
3560	7000	1	RMS	3561	-49.85	-13	36.85	Pass	3441
7000	26500	1	RMS	24663	-45.26	-13	32.26	Pass	19501




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	38.72	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	41.29	Pass	2986
30	1000	0.1	RMS	904.9	-57.59	-13	44.59	Pass	9701
1000	3000	1	RMS	2778	-46.69	-13	33.69	Pass	2001
3000	3440	1	RMS	3151	-46.05	-13	33.05	Pass	441
3440	3560	1	RMS	3491	22.29	60	37.71	Pass	401
3560	7000	1	RMS	6982	-51.58	-13	38.58	Pass	3441
7000	26500	1	RMS	24205	-45.45	-13	32.45	Pass	19501



6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.84	-13	38.84	Pass	401
0.15	30	0.01	RMS	0.15	-58.71	-13	45.71	Pass	2986
30	1000	0.1	RMS	924.1	-58.22	-13	45.22	Pass	9701
1000	3000	1	RMS	2994	-46.67	-13	33.67	Pass	2001
3000	3440	1	RMS	3129	-46.1	-13	33.1	Pass	441
3440	3560	1	RMS	3509	22.25	60	37.75	Pass	401
3560	7000	1	RMS	3580	-59.99	-13	46.99	Pass	3441
7000	26500	1	RMS	26438	-45.35	-13	32.35	Pass	19501




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.71	-13	40.71	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	41.45	Pass	2986
30	1000	0.1	RMS	905.4	-58.08	-13	45.08	Pass	9701
1000	3000	1	RMS	3000	-46.67	-13	33.67	Pass	2001
3000	3440	1	RMS	3117	-46.15	-13	33.15	Pass	441
3440	3560	1	RMS	3531.8	10.79	60	49.21	Pass	401
3560	7000	1	RMS	3560	-31.66	-13	18.66	Pass	3441
7000	26500	1	RMS	26363	-45.49	-13	32.49	Pass	19501




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-13	40.4	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	41.65	Pass	2986
30	1000	0.1	RMS	841.3	-58.47	-13	45.47	Pass	9701
1000	3000	1	RMS	2643	-46.83	-13	33.83	Pass	2001
3000	3440	1	RMS	3132	-46.07	-13	33.07	Pass	441
3440	3560	1	RMS	3530.9	22.18	60	37.82	Pass	401
3560	7000	1	RMS	3567	-47.47	-13	34.47	Pass	3441
7000	26500	1	RMS	26362	-45.25	-13	32.25	Pass	19501




6.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	39.72	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	42.36	Pass	2986
30	1000	0.1	RMS	923.6	-57.58	-13	44.58	Pass	9701
1000	3000	1	RMS	2650	-46.6	-13	33.6	Pass	2001
3000	3440	1	RMS	3130	-46.16	-13	33.16	Pass	441
3440	3560	1	RMS	3548.9	22.18	60	37.82	Pass	401
3560	7000	1	RMS	3567	-46.84	-13	33.84	Pass	3441
7000	26500	1	RMS	25158	-45.41	-13	32.41	Pass	19501




6.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.63	-13	40.63	Pass	401
0.15	30	0.01	RMS	0.16	-55.68	-13	42.68	Pass	2986
30	1000	0.1	RMS	780.6	-58.37	-13	45.37	Pass	9701
1000	3000	1	RMS	2645	-46.79	-13	33.79	Pass	2001
3000	3440	1	RMS	3440	-35.54	-13	22.54	Pass	441
3440	3560	1	RMS	3452.6	6.57	60	53.43	Pass	401
3560	7000	1	RMS	3560	-44.82	-13	31.82	Pass	3441
7000	26500	1	RMS	26391	-45.4	-13	32.4	Pass	19501




6.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	42.49	Pass	2986
30	1000	0.1	RMS	863.1	-58.64	-13	45.64	Pass	9701
1000	3000	1	RMS	2651	-46.4	-13	33.4	Pass	2001
3000	3440	1	RMS	3440	-45.63	-13	32.63	Pass	441
3440	3560	1	RMS	3451.1	21.87	60	38.13	Pass	401
3560	7000	1	RMS	6902	-52.44	-13	39.44	Pass	3441
7000	26500	1	RMS	26374	-45.33	-13	32.33	Pass	19501




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.31	-13	41.31	Pass	401
0.15	30	0.01	RMS	0.17	-55.11	-13	42.11	Pass	2986
30	1000	0.1	RMS	837.4	-58.39	-13	45.39	Pass	9701
1000	3000	1	RMS	2996	-46.73	-13	33.73	Pass	2001
3000	3440	1	RMS	3404	-45.24	-13	32.24	Pass	441
3440	3560	1	RMS	3498.8	22.08	60	37.92	Pass	401
3560	7000	1	RMS	6998	-53.12	-13	40.12	Pass	3441
7000	26500	1	RMS	26413	-45.11	-13	32.11	Pass	19501




**6.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.17	-13	40.17	Pass	401
0.15	30	0.01	RMS	0.16	-57.36	-13	44.36	Pass	2986
30	1000	0.1	RMS	830.3	-58.24	-13	45.24	Pass	9701
1000	3000	1	RMS	2998	-46.62	-13	33.62	Pass	2001
3000	3440	1	RMS	3440	-38.23	-13	25.23	Pass	441
3440	3560	1	RMS	3478.1	6.75	60	53.25	Pass	401
3560	7000	1	RMS	3562	-40.87	-13	27.87	Pass	3441
7000	26500	1	RMS	25277	-45.05	-13	32.05	Pass	19501




6.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	40.53	Pass	401
0.15	30	0.01	RMS	0.18	-58.29	-13	45.29	Pass	2986
30	1000	0.1	RMS	938.7	-58.02	-13	45.02	Pass	9701
1000	3000	1	RMS	2651	-46.75	-13	33.75	Pass	2001
3000	3440	1	RMS	3139	-46.13	-13	33.13	Pass	441
3440	3560	1	RMS	3476.3	21.97	60	38.03	Pass	401
3560	7000	1	RMS	3571	-49.27	-13	36.27	Pass	3441
7000	26500	1	RMS	26314	-45.33	-13	32.33	Pass	19501




6.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	40.06	Pass	401
0.15	30	0.01	RMS	0.15	-58.32	-13	45.32	Pass	2986
30	1000	0.1	RMS	891.3	-58.75	-13	45.75	Pass	9701
1000	3000	1	RMS	2665	-46.79	-13	33.79	Pass	2001
3000	3440	1	RMS	3429	-44.96	-13	31.96	Pass	441
3440	3560	1	RMS	3523.7	21.84	60	38.16	Pass	401
3560	7000	1	RMS	3571	-54.84	-13	41.84	Pass	3441
7000	26500	1	RMS	25297	-45.28	-13	32.28	Pass	19501




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-13	40.78	Pass	401
0.15	30	0.01	RMS	0.18	-57.47	-13	44.47	Pass	2986
30	1000	0.1	RMS	784.1	-58.35	-13	45.35	Pass	9701
1000	3000	1	RMS	2782	-46.69	-13	33.69	Pass	2001
3000	3440	1	RMS	3440	-41.56	-13	28.56	Pass	441
3440	3560	1	RMS	3504.2	6.69	60	53.31	Pass	401
3560	7000	1	RMS	3562	-33.67	-13	20.67	Pass	3441
7000	26500	1	RMS	25290	-45.46	-13	32.46	Pass	19501




6.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-13	39.8	Pass	401
0.15	30	0.01	RMS	0.17	-58.11	-13	45.11	Pass	2986
30	1000	0.1	RMS	917.6	-58.11	-13	45.11	Pass	9701
1000	3000	1	RMS	2649	-46.48	-13	33.48	Pass	2001
3000	3440	1	RMS	3116	-46.1	-13	33.1	Pass	441
3440	3560	1	RMS	3501.2	22.1	60	37.9	Pass	401
3560	7000	1	RMS	3596	-50.52	-13	37.52	Pass	3441
7000	26500	1	RMS	25304	-45.4	-13	32.4	Pass	19501




**6.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.19	-13	40.19	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	43.88	Pass	2986
30	1000	0.1	RMS	890.2	-58.25	-13	45.25	Pass	9701
1000	3000	1	RMS	2639	-46.79	-13	33.79	Pass	2001
3000	3440	1	RMS	3151	-46.1	-13	33.1	Pass	441
3440	3560	1	RMS	3548.6	21.7	60	38.3	Pass	401
3560	7000	1	RMS	3561	-49.41	-13	36.41	Pass	3441
7000	26500	1	RMS	24240	-45.45	-13	32.45	Pass	19501




**6.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	40.47	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	43.05	Pass	2986
30	1000	0.1	RMS	890.3	-58.01	-13	45.01	Pass	9701
1000	3000	1	RMS	2997	-46.73	-13	33.73	Pass	2001
3000	3440	1	RMS	3440	-35.96	-13	22.96	Pass	441
3440	3560	1	RMS	3464.3	3.59	60	56.41	Pass	401
3560	7000	1	RMS	3560	-36.86	-13	23.86	Pass	3441
7000	26500	1	RMS	25320	-45.36	-13	32.36	Pass	19501




**6.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-13	38.39	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	43.02	Pass	2986
30	1000	0.1	RMS	969.7	-58.51	-13	45.51	Pass	9701
1000	3000	1	RMS	2654	-46.91	-13	33.91	Pass	2001
3000	3440	1	RMS	3402	-45.19	-13	32.19	Pass	441
3440	3560	1	RMS	3451.1	21.93	60	38.07	Pass	401
3560	7000	1	RMS	6902	-50.69	-13	37.69	Pass	3441
7000	26500	1	RMS	26351	-45.39	-13	32.39	Pass	19501



**6.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.43	-13	40.43	Pass	401
0.15	30	0.01	RMS	0.16	-56.45	-13	43.45	Pass	2986
30	1000	0.1	RMS	805.5	-58.51	-13	45.51	Pass	9701
1000	3000	1	RMS	2989	-46.82	-13	33.82	Pass	2001
3000	3440	1	RMS	3353	-45.03	-13	32.03	Pass	441
3440	3560	1	RMS	3548.9	21.91	60	38.09	Pass	401
3560	7000	1	RMS	3598	-48.07	-13	35.07	Pass	3441
7000	26500	1	RMS	26441	-45.36	-13	32.36	Pass	19501




5. n78 30kHz(3700-3800)

5.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-13	40.57	Pass	401
0.15	30	0.01	RMS	0.17	-56.5	-13	43.5	Pass	2986
30	1000	0.1	RMS	914.8	-58.39	-13	45.39	Pass	9701
1000	3000	1	RMS	2992	-46.83	-13	33.83	Pass	2001
3000	3690	1	RMS	3690	-37.6	-13	24.6	Pass	691
3690	3810	1	RMS	3717.9	10.05	60	49.95	Pass	401
3810	7000	1	RMS	3810	-62.96	-13	49.96	Pass	3191
7000	26500	1	RMS	26368	-45.4	-13	32.4	Pass	19501




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-13	39.66	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	42.14	Pass	2986
30	1000	0.1	RMS	934.6	-58.42	-13	45.42	Pass	9701
1000	3000	1	RMS	2638	-46.76	-13	33.76	Pass	2001
3000	3690	1	RMS	3690	-44.49	-13	31.49	Pass	691
3690	3810	1	RMS	3701.1	21.08	60	38.92	Pass	401
3810	7000	1	RMS	4008	-62.3	-13	49.3	Pass	3191
7000	26500	1	RMS	25298	-45.05	-13	32.05	Pass	19501




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.97	-13	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	42.33	Pass	2986
30	1000	0.1	RMS	802.6	-58.01	-13	45.01	Pass	9701
1000	3000	1	RMS	3000	-46.81	-13	33.81	Pass	2001
3000	3690	1	RMS	3683	-46	-13	33	Pass	691
3690	3810	1	RMS	3719.1	21.57	60	38.43	Pass	401
3810	7000	1	RMS	4026	-62.14	-13	49.14	Pass	3191
7000	26500	1	RMS	26440	-45.09	-13	32.09	Pass	19501




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	42.77	Pass	2986
30	1000	0.1	RMS	899.1	-58.8	-13	45.8	Pass	9701
1000	3000	1	RMS	2789	-46.84	-13	33.84	Pass	2001
3000	3690	1	RMS	3130	-46.05	-13	33.05	Pass	691
3690	3810	1	RMS	3743.7	10.97	60	49.03	Pass	401
3810	7000	1	RMS	3811	-53.35	-13	40.35	Pass	3191
7000	26500	1	RMS	26370	-45.37	-13	32.37	Pass	19501




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	39.6	Pass	401
0.15	30	0.01	RMS	0.16	-54.39	-13	41.39	Pass	2986
30	1000	0.1	RMS	926.2	-58.2	-13	45.2	Pass	9701
1000	3000	1	RMS	2650	-46.8	-13	33.8	Pass	2001
3000	3690	1	RMS	3130	-46.06	-13	33.06	Pass	691
3690	3810	1	RMS	3741	22.33	60	37.67	Pass	401
3810	7000	1	RMS	3813	-61.65	-13	48.65	Pass	3191
7000	26500	1	RMS	25306	-45.38	-13	32.38	Pass	19501




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	40.21	Pass	401
0.15	30	0.01	RMS	0.15	-53.26	-13	40.26	Pass	2986
30	1000	0.1	RMS	879.2	-58.22	-13	45.22	Pass	9701
1000	3000	1	RMS	2653	-46.81	-13	33.81	Pass	2001
3000	3690	1	RMS	3141	-46.16	-13	33.16	Pass	691
3690	3810	1	RMS	3759	22.39	60	37.61	Pass	401
3810	7000	1	RMS	3818	-62.28	-13	49.28	Pass	3191
7000	26500	1	RMS	26435	-45.35	-13	32.35	Pass	19501




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-13	38.57	Pass	401
0.15	30	0.01	RMS	0.17	-58.8	-13	45.8	Pass	2986
30	1000	0.1	RMS	944	-58.31	-13	45.31	Pass	9701
1000	3000	1	RMS	2785	-46.8	-13	33.8	Pass	2001
3000	3690	1	RMS	3130	-46.08	-13	33.08	Pass	691
3690	3810	1	RMS	3798.3	10.5	60	49.5	Pass	401
3810	7000	1	RMS	3810	-34.14	-13	21.14	Pass	3191
7000	26500	1	RMS	25326	-45.5	-13	32.5	Pass	19501




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.17	-58.8	-13	45.8	Pass	2986
30	1000	0.1	RMS	768.5	-58.54	-13	45.54	Pass	9701
1000	3000	1	RMS	2787	-46.6	-13	33.6	Pass	2001
3000	3690	1	RMS	3147	-46.14	-13	33.14	Pass	691
3690	3810	1	RMS	3780.9	21.89	60	38.11	Pass	401
3810	7000	1	RMS	3817	-49.05	-13	36.05	Pass	3191
7000	26500	1	RMS	26380	-45.36	-13	32.36	Pass	19501




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	40.11	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	44.39	Pass	2986
30	1000	0.1	RMS	998	-58.16	-13	45.16	Pass	9701
1000	3000	1	RMS	2647	-46.79	-13	33.79	Pass	2001
3000	3690	1	RMS	3126	-46.12	-13	33.12	Pass	691
3690	3810	1	RMS	3798.9	22.05	60	37.95	Pass	401
3810	7000	1	RMS	3810	-48.01	-13	35.01	Pass	3191
7000	26500	1	RMS	26483	-45.14	-13	32.14	Pass	19501




**5.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.47	-13	39.47	Pass	401
0.15	30	0.01	RMS	0.16	-55.73	-13	42.73	Pass	2986
30	1000	0.1	RMS	864	-58.49	-13	45.49	Pass	9701
1000	3000	1	RMS	2792	-46.76	-13	33.76	Pass	2001
3000	3690	1	RMS	3690	-39.45	-13	26.45	Pass	691
3690	3810	1	RMS	3747.3	6.5	60	53.5	Pass	401
3810	7000	1	RMS	3812	-47.78	-13	34.78	Pass	3191
7000	26500	1	RMS	24219	-45.11	-13	32.11	Pass	19501




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	39.15	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	41.12	Pass	2986
30	1000	0.1	RMS	986.6	-58.17	-13	45.17	Pass	9701
1000	3000	1	RMS	2990	-46.71	-13	33.71	Pass	2001
3000	3690	1	RMS	3689	-45.89	-13	32.89	Pass	691
3690	3810	1	RMS	3701.1	20.81	60	39.19	Pass	401
3810	7000	1	RMS	4222	-57.16	-13	44.16	Pass	3191
7000	26500	1	RMS	25312	-45.27	-13	32.27	Pass	19501




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.51	-13	40.51	Pass	401
0.15	30	0.01	RMS	0.16	-57.77	-13	44.77	Pass	2986
30	1000	0.1	RMS	931.5	-58.28	-13	45.28	Pass	9701
1000	3000	1	RMS	2648	-46.79	-13	33.79	Pass	2001
3000	3690	1	RMS	3654	-45.94	-13	32.94	Pass	691
3690	3810	1	RMS	3748.8	22.08	60	37.92	Pass	401
3810	7000	1	RMS	4221	-56.16	-13	43.16	Pass	3191
7000	26500	1	RMS	26485	-45.51	-13	32.51	Pass	19501




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.37	-13	41.37	Pass	401
0.15	30	0.01	RMS	0.21	-57.43	-13	44.43	Pass	2986
30	1000	0.1	RMS	767.7	-58.4	-13	45.4	Pass	9701
1000	3000	1	RMS	2652	-46.86	-13	33.86	Pass	2001
3000	3690	1	RMS	3690	-43.17	-13	30.17	Pass	691
3690	3810	1	RMS	3739.5	6.43	60	53.57	Pass	401
3810	7000	1	RMS	3812	-43.93	-13	30.93	Pass	3191
7000	26500	1	RMS	26479	-45.33	-13	32.33	Pass	19501




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	40.35	Pass	401
0.15	30	0.01	RMS	0.18	-58.32	-13	45.32	Pass	2986
30	1000	0.1	RMS	913.1	-57.87	-13	44.87	Pass	9701
1000	3000	1	RMS	2644	-46.84	-13	33.84	Pass	2001
3000	3690	1	RMS	3129	-46.16	-13	33.16	Pass	691
3690	3810	1	RMS	3726.3	21.68	60	38.32	Pass	401
3810	7000	1	RMS	3821	-52.24	-13	39.24	Pass	3191
7000	26500	1	RMS	25291	-45.42	-13	32.42	Pass	19501




**5.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	40.87	Pass	401
0.15	30	0.01	RMS	0.16	-55.67	-13	42.67	Pass	2986
30	1000	0.1	RMS	917	-58.49	-13	45.49	Pass	9701
1000	3000	1	RMS	2642	-46.6	-13	33.6	Pass	2001
3000	3690	1	RMS	3130	-46.13	-13	33.13	Pass	691
3690	3810	1	RMS	3773.7	21.67	60	38.33	Pass	401
3810	7000	1	RMS	3810	-54.99	-13	41.99	Pass	3191
7000	26500	1	RMS	24244	-45.45	-13	32.45	Pass	19501




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	39.82	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	44.59	Pass	2986
30	1000	0.1	RMS	892.9	-57.92	-13	44.92	Pass	9701
1000	3000	1	RMS	2651	-46.7	-13	33.7	Pass	2001
3000	3690	1	RMS	3689	-45.15	-13	32.15	Pass	691
3690	3810	1	RMS	3753.9	6.74	60	53.26	Pass	401
3810	7000	1	RMS	3810	-38.67	-13	25.67	Pass	3191
7000	26500	1	RMS	26359	-45.55	-13	32.55	Pass	19501




**5.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	40.18	Pass	401
0.15	30	0.01	RMS	0.18	-57.12	-13	44.12	Pass	2986
30	1000	0.1	RMS	931.8	-58.74	-13	45.74	Pass	9701
1000	3000	1	RMS	2791	-46.83	-13	33.83	Pass	2001
3000	3690	1	RMS	3150	-46.1	-13	33.1	Pass	691
3690	3810	1	RMS	3751.2	22.11	60	37.89	Pass	401
3810	7000	1	RMS	3846	-51.79	-13	38.79	Pass	3191
7000	26500	1	RMS	25290	-45.34	-13	32.34	Pass	19501




**5.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.44	-13	40.44	Pass	401
0.15	30	0.01	RMS	0.19	-57.44	-13	44.44	Pass	2986
30	1000	0.1	RMS	899.5	-58.33	-13	45.33	Pass	9701
1000	3000	1	RMS	2642	-46.69	-13	33.69	Pass	2001
3000	3690	1	RMS	3148	-46.13	-13	33.13	Pass	691
3690	3810	1	RMS	3798.6	21.59	60	38.41	Pass	401
3810	7000	1	RMS	3810	-49.37	-13	36.37	Pass	3191
7000	26500	1	RMS	26447	-45.26	-13	32.26	Pass	19501




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	39.58	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	42.47	Pass	2986
30	1000	0.1	RMS	843.2	-58.48	-13	45.48	Pass	9701
1000	3000	1	RMS	2637	-46.57	-13	33.57	Pass	2001
3000	3690	1	RMS	3690	-39.52	-13	26.52	Pass	691
3690	3810	1	RMS	3745.5	3.33	60	56.67	Pass	401
3810	7000	1	RMS	3810	-39.55	-13	26.55	Pass	3191
7000	26500	1	RMS	25293	-45.3	-13	32.3	Pass	19501




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	40.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	43.34	Pass	2986
30	1000	0.1	RMS	972.7	-58.46	-13	45.46	Pass	9701
1000	3000	1	RMS	3000	-46.67	-13	33.67	Pass	2001
3000	3690	1	RMS	3687	-45.69	-13	32.69	Pass	691
3690	3810	1	RMS	3701.1	20.78	60	39.22	Pass	401
3810	7000	1	RMS	3897	-50.96	-13	37.96	Pass	3191
7000	26500	1	RMS	25299	-45.37	-13	32.37	Pass	19501



5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.17	-57.88	-13	44.88	Pass	2986
30	1000	0.1	RMS	882.7	-58.06	-13	45.06	Pass	9701
1000	3000	1	RMS	2641	-46.84	-13	33.84	Pass	2001
3000	3690	1	RMS	3603	-45.2	-13	32.2	Pass	691
3690	3810	1	RMS	3798.9	21.86	60	38.14	Pass	401
3810	7000	1	RMS	3848	-48.09	-13	35.09	Pass	3191
7000	26500	1	RMS	25285	-45.31	-13	32.31	Pass	19501



--BLANK BELOW--