



8.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-32.26	-13	19.26	Pass	401
776.9	777	0.03	RMS	776.999	-35.7	-13	22.7	Pass	401
777	787	0.1	RMS	779.7	1.57	30	28.43	Pass	401




8.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	786.575	18.19	30	11.81	Pass	401
787	787.1	0.03	RMS	787	-22.78	-13	9.78	Pass	401
787.1	802	0.1	RMS	787.1	-22.48	-13	9.48	Pass	401




8.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	779.75	1.5	30	28.5	Pass	401
787	787.1	0.03	RMS	787	-35.38	-13	22.38	Pass	401
787.1	802	0.1	RMS	787.1	-32.92	-13	19.92	Pass	401




8.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.857	-50.11	-35	15.11	Pass	1936




8.14. Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.907	-50.47	-35	15.47	Pass	1936



8.15. Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)




8.16. Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



9. n25 15kHz


9.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-24.66	-13	11.66	Pass	401
1849	1850	0.051	RMS	1850	-17.95	-13	4.95	Pass	401
1850	1855	1	RMS	1850.325	20.1	30	9.9	Pass	401




9.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-30.76	-13	17.76	Pass	401
1849	1850	0.051	RMS	1850	-27.34	-13	14.34	Pass	401
1850	1855	1	RMS	1853.688	14.01	30	15.99	Pass	401




9.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.663	20.26	30	9.74	Pass	401
1915	1916	0.051	RMS	1915	-19.13	-13	6.13	Pass	401
1916.5	1925	1	RMS	1916.5	-26.79	-13	13.79	Pass	401




9.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.313	14.14	30	15.86	Pass	401
1915	1916	0.051	RMS	1915	-27.82	-13	14.82	Pass	401
1916.5	1925	1	RMS	1916.521	-33.16	-13	20.16	Pass	401




9.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.454	-28.03	-13	15.03	Pass	401
1849	1850	0.15	RMS	1850	-17.57	-13	4.57	Pass	401
1850	1865	1	RMS	1850.488	20.24	30	9.76	Pass	401




9.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-26.09	-13	13.09	Pass	401
1849	1850	0.15	RMS	1850	-32.73	-13	19.73	Pass	401
1850	1865	1	RMS	1863.388	9.64	30	20.36	Pass	401




9.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1914.475	20.33	30	9.67	Pass	401
1915	1916	0.15	RMS	1915.003	-18.63	-13	5.63	Pass	401
1916.5	1935	1	RMS	1916.546	-27.26	-13	14.26	Pass	401




9.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1901.538	9.88	30	20.12	Pass	401
1915	1916	0.15	RMS	1915	-34.91	-13	21.91	Pass	401
1916	1935	1	RMS	1916	-27.56	-13	14.56	Pass	401



9.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.383	-27.54	-13	14.54	Pass	401
1849	1850	0.2	RMS	1850	-19.12	-13	6.12	Pass	401
1850	1870	1	RMS	1850.55	20.19	30	9.81	Pass	401




9.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-29.88	-13	16.88	Pass	401
1849	1850	0.2	RMS	1850	-34.18	-13	21.18	Pass	401
1850	1870	1	RMS	1868.35	8.35	30	21.65	Pass	401




9.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1914.4	20.31	30	9.69	Pass	401
1915	1916	0.2	RMS	1915	-20.06	-13	7.06	Pass	401
1916.5	1940	1	RMS	1917.029	-27.94	-13	14.94	Pass	401



9.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1896.55	8.33	30	21.67	Pass	401
1915	1916	0.2	RMS	1915.005	-35.28	-13	22.28	Pass	401
1916	1940	1	RMS	1916	-31.42	-13	18.42	Pass	401



1. n26 15kHz_Part22

1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.438	-42.24	-13	29.24	Pass	401
823	824	0.05	RMS	824	-17.06	-13	4.06	Pass	21
824	829	0.1	RMS	824.338	18.24	30	11.76	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.888	-37.97	-13	24.97	Pass	401
823	824	0.051	RMS	824	-27	-13	14	Pass	401
824	829	0.1	RMS	826.275	4.71	30	25.29	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.11	30	11.89	Pass	401
849	850	0.051	RMS	849	-18.04	-13	5.04	Pass	401
850	859	0.1	RMS	850.788	-44.13	-13	31.13	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.488	5.01	30	24.99	Pass	401
849	850	0.051	RMS	849.003	-31.05	-13	18.05	Pass	401
850	859	0.1	RMS	850.248	-40.89	-13	27.89	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.43	-42.97	-13	29.97	Pass	401
823	824	0.15	RMS	824	-17.5	-13	4.5	Pass	8
824	839	0.1	RMS	824.488	18.15	30	11.85	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.905	-41.53	-13	28.53	Pass	401
823	824	0.15	RMS	824	-30.39	-13	17.39	Pass	401
824	839	0.1	RMS	826.925	0.19	30	29.81	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.15	30	11.85	Pass	401
849	850	0.15	RMS	849	-18.24	-13	5.24	Pass	401
850	869	0.1	RMS	850.333	-44.76	-13	31.76	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	834.713	0.06	30	29.94	Pass	401
849	850	0.15	RMS	849	-35.28	-13	22.28	Pass	401
850	869	0.1	RMS	850.19	-44.2	-13	31.2	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-43.1	-13	30.1	Pass	401
823	824	0.2	RMS	824	-17.78	-13	4.78	Pass	401
824	844	0.1	RMS	824.55	18.16	30	11.84	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-42.32	-13	29.32	Pass	401
823	824	0.2	RMS	824	-32.05	-13	19.05	Pass	401
824	844	0.1	RMS	825.45	-1	30	31	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.11	30	11.89	Pass	401
849	850	0.2	RMS	849	-19.44	-13	6.44	Pass	401
850	874	0.1	RMS	850.66	-44.25	-13	31.25	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	830.3	-0.96	30	30.96	Pass	401
849	850	0.2	RMS	849	-35.71	-13	22.71	Pass	401
850	874	0.1	RMS	850.18	-44.86	-13	31.86	Pass	401



1. n26 15kHz_Part90


1.1. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-19.87	-13	6.87	Pass	401
813.9625	814	0.002	RMS	813.997	-29.91	-20	9.91	Pass	401
814	819	0.1	RMS	814.325	18.18	30	11.82	Pass	401




1.2. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-28.05	-13	15.05	Pass	401
813.9625	814	0.051	RMS	814	-26.29	-20	6.29	Pass	401
814	819	0.1	RMS	814.85	4.63	30	25.37	Pass	401




1.3. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	18.25	30	11.75	Pass	401
824	824.0375	0.002	RMS	824.007	-30.08	-20	10.08	Pass	401
824.0375	829	0.051	RMS	824.038	-19.85	-13	6.85	Pass	401




1.4. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.625	4.75	30	25.25	Pass	401
824	824.0375	0.051	RMS	824.001	-29.05	-20	9.05	Pass	401
824.0375	829	0.051	RMS	824.038	-30.1	-13	17.1	Pass	401




1.5. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-18.38	-13	5.38	Pass	401
813.9625	814	0.002	RMS	813.995	-32.23	-20	12.23	Pass	401
814	824	0.1	RMS	814.4	18.21	30	11.79	Pass	401




1.6. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-29.78	-13	16.78	Pass	401
813.9625	814	0.1	RMS	814	-28.58	-20	8.58	Pass	401
814	824	0.1	RMS	823.325	1.72	30	28.28	Pass	401




1.7. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.16	30	11.84	Pass	401
824	824.0375	0.002	RMS	824.01	-31.69	-20	11.69	Pass	401
824.0375	834	0.1	RMS	824.038	-18.33	-13	5.33	Pass	401



1.8. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.325	1.75	30	28.25	Pass	401
824	824.0375	0.1	RMS	824	-30.03	-20	10.03	Pass	401
824.0375	834	0.1	RMS	824.038	-31.37	-13	18.37	Pass	401



1. n38_PC3


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.8	-48.4	-25	23.4	Pass	401
2550	2565	1	RMS	2564.85	-44.4	-13	31.4	Pass	401
2565	2569	1	RMS	2569	-22.38	-10	12.38	Pass	401
2569	2570	0.051	RMS	2569.998	-24.48	-10	14.48	Pass	401
2570	2590	1	RMS	2570.95	21.62	30	8.38	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-40.33	-25	15.33	Pass	401
2550	2565	1	RMS	2565	-31.75	-13	18.75	Pass	401
2565	2569	1	RMS	2568.98	-27.65	-10	17.65	Pass	401
2569	2570	0.39	RMS	2569.993	-26.68	-10	16.68	Pass	401
2570	2590	1	RMS	2572	9.51	30	20.49	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619.05	21.41	30	8.59	Pass	401
2620	2621	0.051	RMS	2620.003	-27.2	-10	17.2	Pass	401
2621	2625	1	RMS	2621.05	-24.43	-10	14.43	Pass	401
2625	2640	1	RMS	2625.3	-45.69	-13	32.69	Pass	401
2640	2645	1	RMS	2644.063	-47.5	-25	22.5	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2601.8	9.54	30	20.46	Pass	401
2620	2621	0.39	RMS	2620.013	-27.74	-10	17.74	Pass	401
2621	2625	1	RMS	2621.24	-29.64	-10	19.64	Pass	401
2625	2640	1	RMS	2625	-33.23	-13	20.23	Pass	401
2640	2645	1	RMS	2640	-39.99	-25	14.99	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2538.325	-48.51	-25	23.51	Pass	401
2540	2565	1	RMS	2564.938	-45.35	-13	32.35	Pass	401
2565	2569	1	RMS	2568.99	-24.54	-10	14.54	Pass	401
2569	2570	0.051	RMS	2570	-28.96	-10	18.96	Pass	401
2570	2600	1	RMS	2571.125	21.66	30	8.34	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.988	-42.2	-25	17.2	Pass	401
2540	2565	1	RMS	2565	-32.84	-13	19.84	Pass	401
2565	2569	1	RMS	2568.96	-29.39	-10	19.39	Pass	401
2569	2570	0.62	RMS	2570	-26.52	-10	16.52	Pass	401
2570	2600	1	RMS	2573.975	7.68	30	22.32	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.875	21.54	30	8.46	Pass	401
2620	2621	0.051	RMS	2620.003	-32.31	-10	22.31	Pass	401
2621	2625	1	RMS	2621.04	-26.78	-10	16.78	Pass	401
2625	2650	1	RMS	2625.125	-45.88	-13	32.88	Pass	401
2650	2655	1	RMS	2650.525	-47.54	-25	22.54	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2591.95	7.59	30	22.41	Pass	401
2620	2621	0.62	RMS	2620	-27.57	-10	17.57	Pass	401
2621	2625	1	RMS	2621.03	-31.51	-10	21.51	Pass	401
2625	2650	1	RMS	2625.188	-33.85	-13	20.85	Pass	401
2650	2655	1	RMS	2650.025	-40.99	-25	15.99	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2526.338	-48.61	-25	23.61	Pass	401
2530	2565	1	RMS	2565	-45.81	-13	32.81	Pass	401
2565	2569	1	RMS	2568.83	-25.4	-10	15.4	Pass	401
2569	2570	0.051	RMS	2570	-28.91	-10	18.91	Pass	401
2570	2610	1	RMS	2571.1	21.72	30	8.28	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.913	-43.26	-25	18.26	Pass	401
2530	2565	1	RMS	2565	-34.06	-13	21.06	Pass	401
2565	2569	1	RMS	2568.94	-30.9	-10	20.9	Pass	401
2569	2570	0.82	RMS	2570	-18	-10	8	Pass	401
2570	2610	1	RMS	2572.1	6.49	30	23.51	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	21.55	30	8.45	Pass	401
2620	2621	0.051	RMS	2620.01	-29.1	-10	19.1	Pass	401
2621	2625	1	RMS	2621	-25.68	-10	15.68	Pass	401
2625	2660	1	RMS	2625.088	-44.91	-13	31.91	Pass	401
2660	2665	1	RMS	2662.688	-47.73	-25	22.73	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2582.4	6.69	30	23.31	Pass	401
2620	2621	0.82	RMS	2620	-20.04	-10	10.04	Pass	401
2621	2625	1	RMS	2621	-32.17	-10	22.17	Pass	401
2625	2660	1	RMS	2625.088	-34.78	-13	21.78	Pass	401
2660	2665	1	RMS	2660.075	-41.69	-25	16.69	Pass	401



2. n41


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2490.305	-45.88	-25	20.88	Pass	401
2490.5	2495	1	RMS	2494.989	-22	-13	9	Pass	401
2495	2496	0.051	RMS	2495.998	-24.75	-13	11.75	Pass	401
2496	2516	1	RMS	2496.95	22.91	40	17.09	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2490.451	-28.83	-25	3.83	Pass	401
2490.5	2495	1	RMS	2494.966	-25.08	-13	12.08	Pass	401
2495	2496	0.39	RMS	2495.993	-24.09	-13	11.09	Pass	401
2496	2516	1	RMS	2514	11.58	40	28.42	Pass	401




2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2688.95	23.05	40	16.95	Pass	401
2690	2691	0.051	RMS	2690	-24.91	-10	14.91	Pass	401
2691	2695	1	RMS	2691.01	-22.99	-10	12.99	Pass	401
2695	2710	1	RMS	2695	-44.74	-13	31.74	Pass	401
2710	2715	1	RMS	2711.913	-47.84	-25	22.84	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2687.75	11.5	40	28.5	Pass	401
2690	2691	0.39	RMS	2690.04	-24.64	-10	14.64	Pass	401
2691	2695	1	RMS	2691.08	-25.32	-10	15.32	Pass	401
2695	2710	1	RMS	2695.15	-28.23	-13	15.23	Pass	401
2710	2715	1	RMS	2710.038	-36.65	-25	11.65	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.351	-45.42	-25	20.42	Pass	401
2490.5	2495	1	RMS	2495	-23.36	-13	10.36	Pass	401
2495	2496	0.051	RMS	2495.995	-25	-13	12	Pass	401
2496	2556	1	RMS	2497.05	22.79	40	17.21	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.054	-32.87	-25	7.87	Pass	401
2490.5	2495	1	RMS	2494.944	-30.42	-13	17.42	Pass	401
2495	2495.4	1.2	RMS	2495.399	-20.04	-13	7.04	Pass	401
2496	2556	1	RMS	2540.1	6.23	40	33.77	Pass	401



2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	22.78	40	17.22	Pass	401
2690	2691	0.051	RMS	2690	-27.49	-10	17.49	Pass	401
2691	2695	1	RMS	2691	-24.07	-10	14.07	Pass	401
2695	2750	1	RMS	2695	-44.86	-13	31.86	Pass	401
2750	2755	1	RMS	2753.125	-47.99	-25	22.99	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2663	6.27	40	33.73	Pass	401
2690.6	2691	1.2	RMS	2690.6	-20.73	-10	10.73	Pass	401
2691	2695	1	RMS	2691.14	-27.54	-10	17.54	Pass	401
2695	2750	1	RMS	2695.138	-29.29	-13	16.29	Pass	401
2750	2755	1	RMS	2750.313	-47.88	-25	22.88	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-44.09	-25	19.09	Pass	401
2490.5	2495	1	RMS	2494.978	-24.36	-13	11.36	Pass	401
2495	2496	0.051	RMS	2496	-25.53	-13	12.53	Pass	401
2496	2596	1	RMS	2497	22.8	40	17.2	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-32.68	-25	7.68	Pass	401
2490.5	2495	1	RMS	2495	-31.49	-13	18.49	Pass	401
2495	2495.5	1	RMS	2495.499	-27.14	-13	14.14	Pass	401
2496	2596	1	RMS	2541.5	4.03	40	35.97	Pass	401



2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.84	40	17.16	Pass	401
2690	2691	0.051	RMS	2690	-25.88	-10	15.88	Pass	401
2691	2695	1	RMS	2691	-25.12	-10	15.12	Pass	401
2695	2790	1	RMS	2695	-44.48	-13	31.48	Pass	401
2790	2795	1	RMS	2790.988	-47.73	-25	22.73	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2591.75	4.12	40	35.88	Pass	401
2690	2691	1	RMS	2690	-13.76	-10	3.76	Pass	401
2691	2695	1	RMS	2691.08	-29.2	-10	19.2	Pass	401
2695	2790	1	RMS	2695	-30.01	-13	17.01	Pass	401
2790	2795	1	RMS	2790.1	-47.73	-25	22.73	Pass	401



11. n66 15kHz


11.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-24.46	-13	11.46	Pass	401
1709	1710	0.051	RMS	1710	-17.29	-13	4.29	Pass	401
1710	1715	1	RMS	1710.3	20.42	30	9.58	Pass	401




11.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-25.41	-13	12.41	Pass	401
1709	1710	0.051	RMS	1709.998	-27.21	-13	14.21	Pass	401
1710	1715	1	RMS	1713.725	14.28	30	15.72	Pass	401




11.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.625	20.31	30	9.69	Pass	401
1780	1781	0.051	RMS	1780	-19.09	-13	6.09	Pass	401
1781.5	1790	1	RMS	1781.5	-26.67	-13	13.67	Pass	401




11.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1778.325	14.18	30	15.82	Pass	401
1780	1781	0.051	RMS	1780	-27.57	-13	14.57	Pass	401
1781.5	1790	1	RMS	1781.5	-29.87	-13	16.87	Pass	401




11.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708.5	1	RMS	1708.5	-27.46	-13	14.46	Pass	401
1709	1710	0.15	RMS	1710	-17	-13	4	Pass	401
1710	1725	1	RMS	1710.45	20.46	30	9.54	Pass	401




11.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1709	1	RMS	1709	-24.69	-13	11.69	Pass	401
1709	1710	0.15	RMS	1710	-31.43	-13	18.43	Pass	401
1710	1725	1	RMS	1723.575	10.01	30	19.99	Pass	401




11.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1779.475	20.39	30	9.61	Pass	401
1780	1781	0.15	RMS	1780	-18.44	-13	5.44	Pass	401
1781.5	1800	1	RMS	1781.685	-29.67	-13	16.67	Pass	401




11.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1778.613	9.49	30	20.51	Pass	401
1780	1781	0.15	RMS	1780	-32.37	-13	19.37	Pass	401
1781	1800	1	RMS	1781	-25.29	-13	12.29	Pass	401




11.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.441	-27.3	-13	14.3	Pass	401
1709	1710	0.2	RMS	1710	-18.55	-13	5.55	Pass	401
1710	1730	1	RMS	1710.55	20.44	30	9.56	Pass	401




11.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-30.86	-13	17.86	Pass	401
1709	1710	0.2	RMS	1710	-32.8	-13	19.8	Pass	401
1710	1730	1	RMS	1728	8.58	30	21.42	Pass	401




11.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	20.4	30	9.6	Pass	401
1780	1781	0.2	RMS	1780	-19.71	-13	6.71	Pass	401
1781.5	1805	1	RMS	1781.559	-28.08	-13	15.08	Pass	401



11.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.4	8.52	30	21.48	Pass	401
1780	1781	0.2	RMS	1780.003	-32.92	-13	19.92	Pass	401
1781.5	1805	1	RMS	1781.5	-31.94	-13	18.94	Pass	401



12. n71 15kHz


12.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-19.5	-13	6.5	Pass	401
662.9	663	0.03	RMS	663	-19.08	-13	6.08	Pass	401
663	668	0.1	RMS	663.325	18.56	30	11.44	Pass	401




12.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-26.81	-13	13.81	Pass	401
662.9	663	0.03	RMS	662.998	-29.03	-13	16.03	Pass	401
663	668	0.1	RMS	666.438	4.97	30	25.03	Pass	401



12.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	18.28	30	11.72	Pass	401
698	698.1	0.03	RMS	698	-20.19	-13	7.19	Pass	401
698.1	708	0.1	RMS	698.1	-21.27	-13	8.27	Pass	401




12.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.8	4.71	30	25.29	Pass	401
698	698.1	0.03	RMS	698	-29.37	-13	16.37	Pass	401
698.1	708	0.1	RMS	698.1	-27.32	-13	14.32	Pass	401




12.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-24.13	-13	11.13	Pass	401
662.9	663	0.03	RMS	663	-24.36	-13	11.36	Pass	401
663	678	0.1	RMS	663.488	18.48	30	11.52	Pass	401




12.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-35	-13	22	Pass	401
662.9	663	0.03	RMS	662.999	-38.06	-13	25.06	Pass	401
663	678	0.1	RMS	675.975	0.45	30	29.55	Pass	401




12.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	18.33	30	11.67	Pass	401
698	698.1	0.03	RMS	698.001	-25.94	-13	12.94	Pass	401
698.1	718	0.1	RMS	698.1	-25.97	-13	12.97	Pass	401




12.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	685.888	-0.16	30	30.16	Pass	401
698	698.1	0.03	RMS	698.001	-40.06	-13	27.06	Pass	401
698.1	718	0.1	RMS	698.1	-36.53	-13	23.53	Pass	401




12.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-28.31	-13	15.31	Pass	401
662.9	663	0.03	RMS	662.999	-28.03	-13	15.03	Pass	401
663	683	0.1	RMS	663.55	18.53	30	11.47	Pass	401




12.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-37.91	-13	24.91	Pass	401
662.9	663	0.03	RMS	662.974	-41.78	-13	28.78	Pass	401
663	683	0.1	RMS	680.25	-0.92	30	30.92	Pass	401




12.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	18.28	30	11.72	Pass	401
698	698.1	0.03	RMS	698.001	-29.59	-13	16.59	Pass	401
698.1	723	0.1	RMS	698.1	-30.42	-13	17.42	Pass	401



12.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	689.5	-1.28	30	31.28	Pass	401
698	698.1	0.03	RMS	698	-41.32	-13	28.32	Pass	401
698.1	723	0.1	RMS	698.1	-38.39	-13	25.39	Pass	401



13. n77 30kHz(3450-3550)


13.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.9	-40.59	-13	27.59	Pass	401
3445	3449	0.62	RMS	3448.9	-28.73	-13	15.73	Pass	401
3449	3450	0.051	RMS	3449.998	-25.43	-13	12.43	Pass	401
3450	3470	1	RMS	3451	22.08	40	17.92	Pass	401




13.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-30.67	-13	17.67	Pass	401
3445	3449	0.62	RMS	3448.99	-26.09	-13	13.09	Pass	401
3449	3450	0.2	RMS	3449.993	-26.12	-13	13.12	Pass	401
3450	3470	1	RMS	3451.95	10.89	40	29.11	Pass	401




13.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549.05	22.27	40	17.73	Pass	401
3550	3551	0.051	RMS	3550	-25.18	-13	12.18	Pass	401
3551	3555	0.62	RMS	3552.45	-22.94	-13	9.94	Pass	401
3555	3575	1	RMS	3555.15	-35.91	-13	22.91	Pass	401




13.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3532.1	10.74	40	29.26	Pass	401
3550	3551	0.2	RMS	3550	-26.86	-13	13.86	Pass	401
3551	3555	0.62	RMS	3551.03	-26.02	-13	13.02	Pass	401
3555	3575	1	RMS	3555	-28.48	-13	15.48	Pass	401




13.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.85	-41.37	-13	28.37	Pass	401
3445	3449	0.62	RMS	3448.93	-26.31	-13	13.31	Pass	401
3449	3450	0.2	RMS	3449.998	-20.05	-13	7.05	Pass	401
3450	3510	1	RMS	3450.9	21.4	40	18.6	Pass	401




13.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-34.56	-13	21.56	Pass	401
3445	3449	0.62	RMS	3448.85	-33.49	-13	20.49	Pass	401
3449	3450	0.2	RMS	3449.995	-34.35	-13	21.35	Pass	401
3450	3510	1	RMS	3453.6	5.87	40	34.13	Pass	401




13.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	22.4	40	17.6	Pass	401
3550	3551	0.2	RMS	3550	-19.25	-13	6.25	Pass	401
3551	3555	0.62	RMS	3552.05	-24.43	-13	11.43	Pass	401
3555	3615	1	RMS	3555	-38.46	-13	25.46	Pass	401




13.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3494.2	5.83	40	34.17	Pass	401
3550	3551	0.2	RMS	3550	-34.9	-13	21.9	Pass	401
3551	3555	0.62	RMS	3551	-33.67	-13	20.67	Pass	401
3555	3615	1	RMS	3555.15	-33.51	-13	20.51	Pass	401




13.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-36.48	-13	23.48	Pass	401
3445	3449	0.62	RMS	3447.27	-24.61	-13	11.61	Pass	401
3449	3450	0.051	RMS	3450	-24.8	-13	11.8	Pass	401
3450	3550	1	RMS	3451	22.05	40	17.95	Pass	401




13.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-34.96	-13	21.96	Pass	401
3445	3449	0.62	RMS	3448.98	-35.55	-13	22.55	Pass	401
3449	3450	0.2	RMS	3450	-36.25	-13	23.25	Pass	401
3450	3550	1	RMS	3474.5	3.61	40	36.39	Pass	401




13.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	21.93	40	18.07	Pass	401
3550	3551	0.2	RMS	3550.005	-21.57	-13	8.57	Pass	401
3551	3555	0.62	RMS	3552.06	-24.49	-13	11.49	Pass	401
3555	3655	1	RMS	3555.75	-40	-13	27	Pass	401



13.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3465.25	3.57	40	36.43	Pass	401
3550	3551	0.2	RMS	3550.003	-37.34	-13	24.34	Pass	401
3551	3555	0.62	RMS	3551.08	-35.67	-13	22.67	Pass	401
3555	3655	1	RMS	3555	-35.34	-13	22.34	Pass	401



14. n77 30kHz(3700-3980)


14.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.65	-38.99	-13	25.99	Pass	401
3695	3699	0.62	RMS	3699	-24.03	-13	11.03	Pass	401
3699	3700	0.051	RMS	3700	-25.11	-13	12.11	Pass	401
3700	3720	1	RMS	3700.95	21.18	40	18.82	Pass	401




14.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-34.95	-13	21.95	Pass	401
3695	3699	0.62	RMS	3698.97	-26.5	-13	13.5	Pass	401
3699	3700	0.39	RMS	3699.995	-25.87	-13	12.87	Pass	401
3700	3720	1	RMS	3717.85	9.77	40	30.23	Pass	401




14.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3978.95	22.36	40	17.64	Pass	401
3980	3981	0.051	RMS	3980.005	-24.59	-13	11.59	Pass	401
3981	3985	0.62	RMS	3981.05	-22.9	-13	9.9	Pass	401
3985	4005	1	RMS	3985.1	-36.34	-13	23.34	Pass	401




14.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3963.35	10.98	40	29.02	Pass	401
3980	3981	0.39	RMS	3980.003	-24.87	-13	11.87	Pass	401
3981	3985	0.62	RMS	3981.04	-27.73	-13	14.73	Pass	401
3985	4005	1	RMS	3985	-34.11	-13	21.11	Pass	401




14.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3694.7	-39.55	-13	26.55	Pass	401
3695	3699	0.62	RMS	3697.64	-24.87	-13	11.87	Pass	401
3699	3700	0.051	RMS	3700	-28.47	-13	15.47	Pass	401
3700	3760	1	RMS	3701.05	20.49	40	19.51	Pass	401




14.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-39.08	-13	26.08	Pass	401
3695	3699	0.62	RMS	3698.99	-35.93	-13	22.93	Pass	401
3699	3700	0.39	RMS	3699.973	-33.18	-13	20.18	Pass	401
3700	3760	1	RMS	3754.3	4.8	40	35.2	Pass	401




14.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	23.06	40	16.94	Pass	401
3980	3981	0.051	RMS	3980.003	-25.42	-13	12.42	Pass	401
3981	3985	0.62	RMS	3982.73	-24.82	-13	11.82	Pass	401
3985	4045	1	RMS	3985	-35.41	-13	22.41	Pass	401




14.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3922.55	5.69	40	34.31	Pass	401
3980	3981	0.39	RMS	3980.015	-32.62	-13	19.62	Pass	401
3981	3985	0.62	RMS	3981.59	-35.15	-13	22.15	Pass	401
3985	4045	1	RMS	4001.2	-35.13	-13	22.13	Pass	401




14.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-39.96	-13	26.96	Pass	401
3695	3699	0.62	RMS	3697.79	-25.34	-13	12.34	Pass	401
3699	3700	0.051	RMS	3700	-28.46	-13	15.46	Pass	401
3700	3800	1	RMS	3701	20.94	40	19.06	Pass	401




14.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-38.6	-13	25.6	Pass	401
3695	3699	0.62	RMS	3698.58	-37.9	-13	24.9	Pass	401
3699	3700	0.39	RMS	3700	-34.92	-13	21.92	Pass	401
3700	3800	1	RMS	3702.5	2.48	40	37.52	Pass	401



14.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	22.23	40	17.77	Pass	401
3980	3981	0.051	RMS	3980.005	-25.44	-13	12.44	Pass	401
3981	3985	0.62	RMS	3982.79	-27.02	-13	14.02	Pass	401
3985	4085	1	RMS	3985	-36.15	-13	23.15	Pass	401



14.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3904.5	3.73	40	36.27	Pass	401
3980	3981	0.39	RMS	3980.008	-34.39	-13	21.39	Pass	401
3981	3985	0.62	RMS	3981.22	-35.77	-13	22.77	Pass	401
3985	4085	1	RMS	3985	-35.64	-13	22.64	Pass	401



4. n78 30kHz(3450-3550)


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.85	-40.08	-13	27.08	Pass	401
3445	3449	0.62	RMS	3448.95	-28.39	-13	15.39	Pass	401
3449	3450	0.051	RMS	3449.998	-25.58	-13	12.58	Pass	401
3450	3470	1	RMS	3451.05	22.11	40	17.89	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-30.8	-13	17.8	Pass	401
3445	3449	0.62	RMS	3448.83	-25.98	-13	12.98	Pass	401
3449	3450	0.2	RMS	3449.978	-26.42	-13	13.42	Pass	401
3450	3470	1	RMS	3451.95	10.89	40	29.11	Pass	401




4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3548.95	22.37	40	17.63	Pass	401
3550	3551	0.051	RMS	3550.015	-25.05	-13	12.05	Pass	401
3551	3555	0.62	RMS	3552.27	-22.45	-13	9.45	Pass	401
3555	3575	1	RMS	3555.3	-34.83	-13	21.83	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3531.85	10.86	40	29.14	Pass	401
3550	3551	0.2	RMS	3550	-26.43	-13	13.43	Pass	401
3551	3555	0.62	RMS	3551	-25.13	-13	12.13	Pass	401
3555	3575	1	RMS	3555	-28.4	-13	15.4	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-43.03	-13	30.03	Pass	401
3445	3449	0.62	RMS	3449	-29.63	-13	16.63	Pass	401
3449	3450	0.2	RMS	3449.995	-25	-13	12	Pass	401
3450	3500	1	RMS	3451.25	21.94	40	18.06	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.86	-13	20.86	Pass	401
3445	3449	0.62	RMS	3448.89	-33.33	-13	20.33	Pass	401
3449	3450	0.2	RMS	3449.995	-34.85	-13	21.85	Pass	401
3450	3500	1	RMS	3454.375	6.39	40	33.61	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	21.77	40	18.23	Pass	401
3550	3551	0.2	RMS	3550.005	-27.8	-13	14.8	Pass	401
3551	3555	0.62	RMS	3551.02	-31.81	-13	18.81	Pass	401
3555	3605	1	RMS	3555	-43.21	-13	30.21	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3504.375	6.37	40	33.63	Pass	401
3550	3551	0.2	RMS	3550.003	-35.01	-13	22.01	Pass	401
3551	3555	0.62	RMS	3551.03	-32.08	-13	19.08	Pass	401
3555	3605	1	RMS	3555.125	-32.6	-13	19.6	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-39.41	-13	26.41	Pass	401
3445	3449	0.62	RMS	3448.97	-25.15	-13	12.15	Pass	401
3449	3450	0.051	RMS	3450	-26.83	-13	13.83	Pass	401
3450	3550	1	RMS	3451	22.16	40	17.84	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-34.57	-13	21.57	Pass	401
3445	3449	0.62	RMS	3448.57	-34.98	-13	21.98	Pass	401
3449	3450	0.2	RMS	3449.998	-36.54	-13	23.54	Pass	401
3450	3550	1	RMS	3465	3.65	40	36.35	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	21.92	40	18.08	Pass	401
3550	3551	0.2	RMS	3550	-19.8	-13	6.8	Pass	401
3551	3555	0.62	RMS	3552.39	-24.82	-13	11.82	Pass	401
3555	3655	1	RMS	3555	-37.68	-13	24.68	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3465.5	3.66	40	36.34	Pass	401
3550	3551	0.2	RMS	3550.013	-37.57	-13	24.57	Pass	401
3551	3555	0.62	RMS	3551	-35.12	-13	22.12	Pass	401
3555	3655	1	RMS	3555	-34.92	-13	21.92	Pass	401



15. n78 30kHz(3700-3800)


15.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-38.38	-13	25.38	Pass	401
3695	3699	0.62	RMS	3698.91	-25.35	-13	12.35	Pass	401
3699	3700	0.051	RMS	3699.995	-24.77	-13	11.77	Pass	401
3700	3720	1	RMS	3701	21.62	40	18.38	Pass	401




15.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.9	-34.18	-13	21.18	Pass	401
3695	3699	0.62	RMS	3698.99	-28.58	-13	15.58	Pass	401
3699	3700	0.39	RMS	3699.988	-25.6	-13	12.6	Pass	401
3700	3720	1	RMS	3717.75	10.47	40	29.53	Pass	401




15.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	22.43	40	17.57	Pass	401
3800	3801	0.051	RMS	3800.02	-25.08	-13	12.08	Pass	401
3801	3805	0.62	RMS	3801.03	-24.92	-13	11.92	Pass	401
3805	3825	1	RMS	3805	-37.86	-13	24.86	Pass	401




15.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3798	10.68	40	29.32	Pass	401
3800	3801	0.39	RMS	3800.018	-24.07	-13	11.07	Pass	401
3801	3805	0.62	RMS	3801.07	-26.56	-13	13.56	Pass	401
3805	3825	1	RMS	3805	-33.61	-13	20.61	Pass	401




15.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-43.49	-13	30.49	Pass	401
3695	3699	0.62	RMS	3698.99	-30.02	-13	17.02	Pass	401
3699	3700	0.39	RMS	3699.988	-21.3	-13	8.3	Pass	401
3700	3750	1	RMS	3701.25	20.92	40	19.08	Pass	401




15.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-37.32	-13	24.32	Pass	401
3695	3699	0.62	RMS	3698.98	-35.16	-13	22.16	Pass	401
3699	3700	0.39	RMS	3699.995	-33.34	-13	20.34	Pass	401
3700	3750	1	RMS	3746.5	5.87	40	34.13	Pass	401




15.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	21.59	40	18.41	Pass	401
3800	3801	0.39	RMS	3800	-23.43	-13	10.43	Pass	401
3801	3805	0.62	RMS	3801.03	-30.79	-13	17.79	Pass	401
3805	3855	1	RMS	3805.25	-42.69	-13	29.69	Pass	401




15.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3755.5	6.25	40	33.75	Pass	401
3800	3801	0.39	RMS	3800.005	-32.8	-13	19.8	Pass	401
3801	3805	0.62	RMS	3801	-33.66	-13	20.66	Pass	401
3805	3855	1	RMS	3805	-36.57	-13	23.57	Pass	401




15.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-39.97	-13	26.97	Pass	401
3695	3699	0.62	RMS	3699	-25.41	-13	12.41	Pass	401
3699	3700	0.051	RMS	3699.998	-28.37	-13	15.37	Pass	401
3700	3800	1	RMS	3701	21.09	40	18.91	Pass	401




15.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-37.53	-13	24.53	Pass	401
3695	3699	0.62	RMS	3698.76	-36.55	-13	23.55	Pass	401
3699	3700	0.39	RMS	3699.993	-34.6	-13	21.6	Pass	401
3700	3800	1	RMS	3752.5	3.08	40	36.92	Pass	401




15.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	22	40	18	Pass	401
3800	3801	0.051	RMS	3800	-25.6	-13	12.6	Pass	401
3801	3805	0.62	RMS	3802.59	-24.79	-13	11.79	Pass	401
3805	3905	1	RMS	3805	-39.49	-13	26.49	Pass	401



15.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3744.25	3.2	40	36.8	Pass	401
3800	3801	0.39	RMS	3800.028	-34.88	-13	21.88	Pass	401
3801	3805	0.62	RMS	3801.08	-36.54	-13	23.54	Pass	401
3805	3905	1	RMS	3805	-37.05	-13	24.05	Pass	401



--BLANK BELOW--