


Band: NSA DC_71A_n66A, Channel: LOW range BW: 5M+5M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
617.383	-41.76	-0.98	-13.0	28.76	162.00	Vertical	Horizontal	N/A
663.507	-59.10	2.15	-13.0	46.10	1.00	Vertical	Horizontal	N/A
1327.800	-32.68	-1.47	-13.0	19.68	174.00	Vertical	Horizontal	Pass
1702.700	-50.34	1.39	-13.0	37.34	262.00	Vertical	Horizontal	N/A
2112.200	-39.12	2.47	-13.0	26.12	301.00	Vertical	Horizontal	N/A
7944.000	-30.66	24.27	-13.0	17.66	360.00	Vertical	Horizontal	Pass

6.46DC_2A_n71A

Band:NSA DC_2A_n71A,Channel:MID range BW:5M+5M


RSE(5G NSA FCC)_NSA 2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.922	-50.31	-0.92	-13.0	37.31	261.00	Horizontal	Horizontal	N/A
679.512	-57.05	1.25	-13.0	44.05	273.00	Horizontal	Horizontal	N/A
1360.200	-23.20	-1.05	-13.0	10.20	111.00	Horizontal	Horizontal	Pass
1961.000	-38.13	1.89	-13.0	25.13	244.00	Horizontal	Horizontal	N/A
2039.900	-37.47	1.94	-13.0	24.47	106.00	Horizontal	Horizontal	Pass
13790.287	-40.07	16.36	-13.0	27.07	93.00	Horizontal	Horizontal	Pass

Band: NSA DC_2A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
634.359	-58.37	-0.89	-13.0	45.37	38.00	Horizontal	Vertical	N/A
680.191	-59.03	1.22	-13.0	46.03	237.00	Horizontal	Vertical	N/A
1360.300	-24.41	-1.04	-13.0	11.41	1.00	Horizontal	Vertical	Pass
1961.600	-49.19	1.93	-13.0	36.19	301.00	Horizontal	Vertical	N/A
2042.200	-35.95	1.90	-13.0	22.95	19.00	Horizontal	Vertical	Pass
13353.224	-38.42	16.57	-13.0	25.42	143.00	Horizontal	Vertical	Pass

Band: NSA DC_2A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.631	-52.06	-0.93	-13.0	39.06	339.00	Vertical	Vertical	N/A
679.609	-58.74	1.24	-13.0	45.74	232.00	Vertical	Vertical	N/A
1361.400	-17.09	-1.01	-13.0	4.09	219.00	Vertical	Vertical	Pass
1960.700	-38.29	1.83	-13.0	25.29	163.00	Vertical	Vertical	N/A
2040.900	-23.82	1.87	-13.0	10.82	224.00	Vertical	Vertical	Pass
2720.500	-35.35	6.66	-13.0	22.35	229.00	Vertical	Vertical	Pass

Band: NSA DC_2A_n71A, Channel: MID range BW: 5M+5M

RSE(5G NSA FCC)_NSA_2A_n66A & 66A_n2A_1710-1785&1850-1920_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
634.455	-49.06	-0.89	-13.0	36.06	358.00	Vertical	Horizontal	N/A
679.803	-60.90	1.23	-13.0	47.90	134.00	Vertical	Horizontal	N/A
1360.100	-23.27	-1.06	-13.0	10.27	182.00	Vertical	Horizontal	Pass
1961.100	-46.30	1.90	-13.0	33.30	159.00	Vertical	Horizontal	N/A
2042.100	-34.35	1.90	-13.0	21.35	191.00	Vertical	Horizontal	Pass
13389.187	-39.77	16.91	-13.0	26.77	42.00	Vertical	Horizontal	Pass

6.47DC_7A_n71A

Band:NSA DC_7A_n71A,Channel:MID range BW:5M+5M


RSE(5G NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
636.396	-51.50	-0.83	-25.0	26.50	275.00	Horizontal	Horizontal	N/A
679.803	-57.00	1.23	-25.0	32.00	271.00	Horizontal	Horizontal	N/A
1361.200	-28.13	-0.67	-25.0	3.13	104.00	Horizontal	Horizontal	Pass
2041.100	-41.19	2.62	-25.0	16.19	104.00	Horizontal	Horizontal	Pass
2535.800	-42.36	8.16	-25.0	17.36	345.00	Horizontal	Horizontal	N/A
2656.000	-40.35	8.18	-25.0	15.35	174.00	Horizontal	Horizontal	N/A
7242.250	-31.12	23.75	-25.0	6.12	305.00	Horizontal	Horizontal	Pass

Band: NSA DC_7A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
634.164	-58.65	-0.90	-25.0	33.65	243.00	Horizontal	Vertical	N/A
679.706	-58.45	1.24	-25.0	33.45	238.00	Horizontal	Vertical	N/A
1362.500	-28.20	-0.71	-25.0	3.20	20.00	Horizontal	Vertical	Pass
2043.200	-35.52	2.57	-25.0	10.52	20.00	Horizontal	Vertical	Pass
2535.800	-43.33	8.16	-25.0	18.33	14.00	Horizontal	Vertical	N/A
7954.000	-30.82	24.49	-25.0	5.82	253.00	Horizontal	Vertical	Pass

Band: NSA DC_7A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
634.164	-54.55	-0.90	-25.0	29.55	318.00	Vertical	Vertical	N/A
679.852	-59.06	1.23	-25.0	34.06	174.00	Vertical	Vertical	N/A
1359.400	-28.00	-0.67	-25.0	3.00	246.00	Vertical	Vertical	Pass
2042.400	-28.94	2.57	-25.0	3.94	227.00	Vertical	Vertical	Pass
2536.200	-42.47	8.17	-25.0	17.47	264.00	Vertical	Vertical	N/A
2655.600	-43.04	8.27	-25.0	18.04	360.00	Vertical	Vertical	N/A
2723.100	-39.34	8.34	-25.0	14.34	227.00	Vertical	Vertical	Pass
7629.250	-31.29	23.44	-25.0	6.29	29.00	Vertical	Vertical	Pass

Band: NSA DC_7A_n71A, Channel: MID range BW: 5M+5M

RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
634.068	-55.43	-0.91	-25.0	30.43	204.00	Vertical	Horizontal	N/A
679.900	-61.74	1.23	-25.0	36.74	135.00	Vertical	Horizontal	N/A
1362.700	-28.60	-0.70	-25.0	3.60	170.00	Vertical	Horizontal	Pass
2043.200	-36.92	2.57	-25.0	11.92	183.00	Vertical	Horizontal	N/A
2537.600	-43.78	8.18	-25.0	18.78	36.00	Vertical	Horizontal	Pass
7204.250	-30.88	22.78	-25.0	5.88	107.00	Vertical	Horizontal	Pass

6.48DC_66A_n71A

Band: NSA DC_66A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA 12A_n66A_699-716&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
635.425	-54.62	-0.87	-13.0	41.62	282.00	Horizontal	Horizontal	Pass
679.463	-56.91	1.25	-13.0	43.91	293.00	Horizontal	Horizontal	Pass
1360.200	-24.89	-1.19	-13.0	11.89	115.00	Horizontal	Horizontal	Pass
2042.300	-33.80	1.74	-13.0	20.80	91.00	Horizontal	Horizontal	Pass
2154.500	-39.98	3.63	-13.0	26.98	227.00	Horizontal	Horizontal	Pass
11971.474	-39.73	13.93	-13.0	26.73	259.00	Horizontal	Horizontal	Pass

Band: NSA DC_66A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA_12A_n66A_699-716&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.486	-53.97	-0.94	-13.0	40.97	122.00	Horizontal	Vertical	N/A
680.045	-58.80	1.22	-13.0	45.80	219.00	Horizontal	Vertical	N/A
1361.400	-21.54	-1.11	-13.0	8.54	0.00	Horizontal	Vertical	Pass
2042.600	-31.50	1.71	-13.0	18.50	2.00	Horizontal	Vertical	Pass
2155.600	-42.47	3.61	-13.0	29.47	167.00	Horizontal	Vertical	N/A
13380.525	-38.98	16.83	-13.0	25.98	1.00	Horizontal	Vertical	Pass

Band: NSA DC_66A_n71A, Channel: MID range BW: 5M+5M


RSE(5G NSA FCC)_NSA 12A_n66A_699-716&1710-1785_30MHz-22GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
636.444	-53.85	-0.83	-25.0	28.85	0.00	Vertical	Vertical	N/A
679.463	-60.10	1.25	-25.0	35.10	339.00	Vertical	Vertical	N/A
1361.500	-18.11	-1.11	-13.0	5.11	253.00	Vertical	Vertical	Pass
2042.400	-27.09	1.73	-13.0	14.09	259.00	Vertical	Vertical	Pass
2155.900	-39.97	3.60	-13.0	26.97	96.00	Vertical	Vertical	N/A
2722.000	-40.12	6.85	-25.0	15.12	278.00	Vertical	Vertical	Pass

Band: NSA DC_66A_n71A, Channel: MID range BW: 5M+5M

RSE(5G NSA FCC)_NSA 12A_n66A_699-716&1710-1785_30MHz-22GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
634.553	-54.14	-0.88	-13.0	41.14	360.00	Vertical	Horizontal	N/A
679.803	-62.52	1.23	-25.0	37.52	159.00	Vertical	Horizontal	N/A
1362.700	-22.81	-0.97	-13.0	9.81	173.00	Vertical	Horizontal	Pass
2041.800	-32.72	1.78	-25.0	7.72	184.00	Vertical	Horizontal	Pass
2155.900	-45.66	3.60	-13.0	32.66	42.00	Vertical	Horizontal	N/A
13403.888	-39.38	16.92	-25.0	14.38	344.00	Vertical	Horizontal	Pass

6.49DC_2A_n77A (3450-3550MHz)

Band: NSA DC_2A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1880.800	-50.51	2.44	-13.0	37.51	361.00	Horizontal	Horizontal	N/A
1960.500	-38.53	0.92	-13.0	25.53	246.00	Horizontal	Horizontal	N/A
3498.500	-38.75	12.34	-13.0	25.75	42.00	Horizontal	Horizontal	N/A
7585.500	-31.54	22.24	-13.0	18.54	1.00	Horizontal	Horizontal	Pass
12874.687	-39.55	14.93	-13.0	26.55	1.00	Horizontal	Horizontal	Pass
20370.600	-42.01	12.97	-13.0	29.01	360.00	Horizontal	Horizontal	Pass

Band: NSA DC_2A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.684	-74.33	-18.51	-13.0	61.33	82.00	Horizontal	Vertical	Pass
1959.600	-38.54	0.91	-13.0	25.54	266.00	Horizontal	Vertical	N/A
2967.700	-43.79	9.27	-13.0	30.79	0.00	Horizontal	Vertical	Pass
7241.750	-31.88	23.73	-13.0	18.88	360.00	Horizontal	Vertical	Pass
12867.863	-39.70	14.79	-13.0	26.70	18.00	Horizontal	Vertical	Pass
17951.177	-41.61	14.06	-13.0	28.61	191.00	Horizontal	Vertical	Pass

Band: NSA DC_2A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.906	-71.18	-20.63	-13.0	58.18	100.00	Vertical	Vertical	Pass
1961.000	-49.24	0.96	-13.0	36.24	138.00	Vertical	Vertical	N/A
4892.500	-40.61	14.99	-13.0	27.61	174.00	Vertical	Vertical	Pass
7234.750	-31.41	23.53	-13.0	18.41	287.00	Vertical	Vertical	Pass
12667.825	-39.95	14.46	-13.0	26.95	105.00	Vertical	Vertical	Pass
17950.124	-42.83	14.09	-13.0	29.83	31.00	Vertical	Vertical	Pass

Band:NSA DC_2A_n77A,Channel:MID range BW:5M+20M

RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
313.046	-73.29	-15.02	-13.0	60.29	138.00	Horizontal	Horizontal	Pass
1883.000	-50.28	2.48	-13.0	37.28	50.00	Horizontal	Horizontal	N/A
1960.500	-48.96	0.92	-13.0	35.96	136.00	Horizontal	Horizontal	N/A
7907.500	-31.42	23.96	-13.0	18.42	1.00	Horizontal	Horizontal	Pass
13368.974	-39.89	16.72	-13.0	26.89	258.00	Horizontal	Horizontal	Pass
20389.501	-42.69	12.97	-13.0	29.69	296.00	Horizontal	Horizontal	Pass

6.50DC_2A_n77A (3700-3890MHz)

Band:NSA DC_2A_n77A,Channel:MID range BW:5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
307.857	-73.61	-15.03	-13.0	60.61	139.00	Horizontal	Horizontal	Pass
1900.200	-49.11	2.79	-13.0	36.11	182.00	Horizontal	Horizontal	N/A
1961.200	-40.54	0.98	-13.0	27.54	251.00	Horizontal	Horizontal	N/A
3839.250	-36.27	13.63	-13.0	23.27	31.00	Horizontal	Horizontal	N/A
7501.750	-31.94	21.97	-13.0	18.94	267.00	Horizontal	Horizontal	Pass
13402.838	-39.42	16.95	-13.0	26.42	360.00	Horizontal	Horizontal	Pass

Band:NSA DC_2A_n77A,Channel:MID range BW:5M+20M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.878	-78.22	-18.48	-13.0	65.22	119.00	Horizontal	Vertical	Pass
1959.900	-39.92	0.90	-13.0	26.92	254.00	Horizontal	Vertical	N/A
6556.750	-34.06	20.73	-13.0	21.06	36.00	Horizontal	Vertical	Pass
7576.250	-31.25	22.28	-13.0	18.25	36.00	Horizontal	Vertical	Pass
11919.462	-39.75	13.97	-13.0	26.75	203.00	Horizontal	Vertical	Pass
20059.650	-42.37	12.96	-13.0	29.37	114.00	Horizontal	Vertical	Pass

Band: NSA DC_2A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.584	-70.88	-20.11	-13.0	57.88	21.00	Vertical	Vertical	Pass
1442.700	-53.61	-1.28	-13.0	40.61	331.00	Vertical	Vertical	Pass
2946.200	-46.07	8.36	-13.0	33.07	1.00	Vertical	Vertical	Pass
4138.750	-40.10	13.75	-13.0	27.10	359.00	Vertical	Vertical	Pass
7959.750	-31.73	23.91	-13.0	18.73	359.00	Vertical	Vertical	Pass
13383.937	-39.82	16.86	-13.0	26.82	179.00	Vertical	Vertical	Pass

Band: NSA DC_2A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
178.798	-71.52	-17.52	-13.0	58.52	360.00	Vertical	Horizontal	Pass
2071.700	-50.08	1.96	-13.0	37.08	1.00	Vertical	Horizontal	Pass
2967.200	-45.48	9.32	-13.0	32.48	1.00	Vertical	Horizontal	Pass
7840.250	-31.66	23.46	-13.0	18.66	31.00	Vertical	Horizontal	Pass
12454.550	-39.53	14.31	-13.0	26.53	286.00	Vertical	Horizontal	Pass
17808.636	-42.17	12.97	-13.0	29.17	360.00	Vertical	Horizontal	Pass

6.51DC_5A_n77A (3450-3550MHz)

Band:NSA DC_5A_n77A,Channel:MID range BW:5M+20M


RSE(5G NSA FCC_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.906	-54.44	5.64	-13.0	41.44	188.00	Horizontal	Horizontal	N/A
881.321	-49.40	4.02	-13.0	36.40	363.00	Horizontal	Horizontal	N/A
1444.200	-55.76	-5.18	-13.0	42.76	45.00	Horizontal	Horizontal	Pass
3497.250	-42.92	12.34	-13.0	29.92	363.00	Horizontal	Horizontal	N/A
7963.250	-30.67	24.88	-13.0	17.67	226.00	Horizontal	Horizontal	Pass
11977.888	-39.92	13.90	-13.0	26.92	19.00	Horizontal	Horizontal	Pass

Band: NSA DC_5A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
835.052	-56.32	5.64	-13.0	43.32	273.00	Horizontal	Vertical	N/A
882.582	-46.99	4.14	-13.0	33.99	342.00	Horizontal	Vertical	N/A
1670.900	-57.00	-5.54	-13.0	44.00	360.00	Horizontal	Vertical	Pass
3506.250	-44.03	12.30	-13.0	31.03	46.00	Horizontal	Vertical	Pass
7950.500	-30.70	24.24	-13.0	17.70	360.00	Horizontal	Vertical	Pass
13349.287	-39.19	16.51	-13.0	26.19	360.00	Horizontal	Vertical	Pass

Band: NSA DC_5A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
834.567	-49.71	5.62	-13.0	36.71	212.00	Vertical	Vertical	N/A
882.679	-57.55	4.15	-13.0	44.55	76.00	Vertical	Vertical	N/A
1438.400	-55.19	-5.09	-13.0	42.19	332.00	Vertical	Vertical	Pass
3395.000	-44.27	12.35	-13.0	31.27	46.00	Vertical	Vertical	Pass
7864.000	-30.91	23.27	-13.0	17.91	334.00	Vertical	Vertical	Pass
12726.250	-38.76	14.75	-13.0	25.76	0.00	Vertical	Vertical	Pass

Band: NSA DC_5A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
835.148	-51.09	5.65	-13.0	38.09	273.00	Vertical	Horizontal	N/A
879.769	-54.22	3.92	-13.0	41.22	44.00	Vertical	Horizontal	N/A
2146.100	-54.49	-2.16	-13.0	41.49	180.00	Vertical	Horizontal	Pass
3399.750	-43.86	12.35	-13.0	30.86	0.00	Vertical	Horizontal	Pass
7962.000	-30.98	24.88	-13.0	17.98	114.00	Vertical	Horizontal	Pass
12500.625	-39.73	14.71	-13.0	26.73	359.00	Vertical	Horizontal	Pass

6.52DC_5A_n77A (3700-3890MHz)

Band: NSA DC_5A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
835.100	-55.35	5.65	-13.0	42.35	177.00	Horizontal	Horizontal	N/A
880.738	-50.04	4.04	-13.0	37.04	88.00	Horizontal	Horizontal	N/A
1463.900	-55.08	-5.33	-13.0	42.08	315.00	Horizontal	Horizontal	Pass
3837.250	-36.89	13.62	-13.0	23.89	61.00	Horizontal	Horizontal	N/A
7983.500	-31.75	23.27	-13.0	18.75	141.00	Horizontal	Horizontal	Pass
13332.750	-39.89	15.86	-13.0	26.89	176.00	Horizontal	Horizontal	Pass

Band: NSA DC_5A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
835.100	-56.89	4.52	-13.0	43.89	163.00	Horizontal	Vertical	N/A
881.223	-48.99	3.52	-13.0	35.99	61.00	Horizontal	Vertical	N/A
1670.600	-47.97	-5.56	-13.0	34.97	345.00	Horizontal	Vertical	Pass
5075.750	-39.65	16.24	-13.0	26.65	9.00	Horizontal	Vertical	Pass
7942.000	-31.10	24.33	-13.0	18.10	27.00	Horizontal	Vertical	Pass
13366.875	-38.49	16.70	-13.0	25.49	61.00	Horizontal	Vertical	Pass

Band: NSA DC_5A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
835.537	-49.29	4.54	-13.0	36.29	45.00	Vertical	Vertical	N/A
880.399	-56.03	3.36	-13.0	43.03	79.00	Vertical	Vertical	N/A
1671.100	-55.29	-5.53	-13.0	42.29	353.00	Vertical	Vertical	Pass
3480.500	-43.35	12.38	-13.0	30.35	254.00	Vertical	Vertical	Pass
7984.750	-31.53	23.19	-13.0	18.53	107.00	Vertical	Vertical	Pass
13340.363	-39.65	16.16	-13.0	26.65	183.00	Vertical	Vertical	Pass

Band: NSA DC_5A_n77A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
835.585	-51.18	5.67	-13.0	38.18	209.00	Vertical	Horizontal	N/A
879.478	-50.10	3.93	-13.0	37.10	28.00	Vertical	Horizontal	N/A
1670.500	-52.87	-5.56	-13.0	39.87	81.00	Vertical	Horizontal	Pass
3234.000	-44.27	11.23	-13.0	31.27	31.00	Vertical	Horizontal	Pass
7964.500	-31.84	24.17	-13.0	18.84	27.00	Vertical	Horizontal	Pass
13382.362	-38.83	16.84	-13.0	25.83	100.00	Vertical	Horizontal	Pass

6.53DC_7A_n77A (3450-3550MHz)

Band:NSA DC_7A_n77A,Channel:MID range BW:5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1434.000	-52.32	-0.11	-25.0	27.32	329.00	Horizontal	Horizontal	Pass
2656.000	-43.66	8.18	-25.0	18.66	191.00	Horizontal	Horizontal	N/A
3497.750	-37.70	12.34	-25.0	12.70	143.00	Horizontal	Horizontal	N/A
7881.500	-31.06	23.98	-25.0	6.06	59.00	Horizontal	Horizontal	Pass
13358.737	-39.28	16.62	-25.0	14.28	209.00	Horizontal	Horizontal	Pass
17958.001	-42.24	13.89	-25.0	17.24	258.00	Horizontal	Horizontal	Pass

Band: NSA DC_7A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A_41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
312.901	-76.05	-15.03	-25.0	51.05	173.00	Horizontal	Vertical	Pass
2655.800	-39.07	8.23	-25.0	14.07	222.00	Horizontal	Vertical	N/A
4990.500	-39.01	15.83	-25.0	14.01	19.00	Horizontal	Vertical	Pass
7299.500	-31.71	22.32	-25.0	6.71	3.00	Horizontal	Vertical	Pass
11921.599	-39.64	13.97	-25.0	14.64	0.00	Horizontal	Vertical	Pass
17943.824	-41.77	13.94	-25.0	16.77	360.00	Horizontal	Vertical	Pass

Band: NSA DC_7A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1324.000	-51.72	-0.27	-25.0	26.72	89.00	Vertical	Vertical	Pass
2535.000	-44.19	8.15	-25.0	19.19	256.00	Vertical	Vertical	N/A
4214.250	-42.71	13.20	-25.0	17.71	13.00	Vertical	Vertical	Pass
7243.000	-31.59	23.80	-25.0	6.59	158.00	Vertical	Vertical	Pass
13388.925	-38.98	16.91	-25.0	13.98	162.00	Vertical	Vertical	Pass
17943.824	-42.67	13.94	-25.0	17.67	361.00	Vertical	Vertical	Pass

Band: NSA DC_7A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
176.421	-72.47	-17.95	-25.0	47.47	97.00	Vertical	Horizontal	Pass
1467.700	-51.33	-0.17	-25.0	26.33	61.00	Vertical	Horizontal	Pass
2990.600	-42.41	12.84	-25.0	17.41	310.00	Vertical	Horizontal	Pass
7623.000	-31.52	23.36	-25.0	6.52	317.00	Vertical	Horizontal	Pass
12507.750	-39.52	14.60	-25.0	14.52	187.00	Vertical	Horizontal	Pass
19675.349	-41.96	12.94	-25.0	16.96	36.00	Vertical	Horizontal	Pass

6.54DC_7A_n77A (3700-3890MHz)

Band: NSA DC_7A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
168.468	-77.82	-18.40	-25.0	52.82	154.00	Horizontal	Horizontal	Pass
2656.400	-42.25	8.10	-25.0	17.25	217.00	Horizontal	Horizontal	N/A
3792.500	-41.69	13.69	-25.0	16.69	165.00	Horizontal	Horizontal	N/A
7240.750	-30.97	23.69	-25.0	5.97	0.00	Horizontal	Horizontal	Pass
13355.588	-38.20	16.59	-25.0	13.20	89.00	Horizontal	Horizontal	Pass
17788.688	-41.64	12.50	-25.0	16.64	0.00	Horizontal	Horizontal	Pass

Band: NSA DC_7A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
167.886	-73.70	-18.36	-25.0	48.70	130.00	Horizontal	Vertical	Pass
2655.500	-39.56	8.29	-25.0	14.56	217.00	Horizontal	Vertical	N/A
3842.000	-40.01	13.66	-25.0	15.01	236.00	Horizontal	Vertical	N/A
7975.250	-31.47	23.59	-25.0	6.47	138.00	Horizontal	Vertical	Pass
12018.975	-39.92	13.22	-25.0	14.92	0.00	Horizontal	Vertical	Pass
17966.399	-42.52	13.68	-25.0	17.52	236.00	Horizontal	Vertical	Pass

Band: NSA DC_7A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
176.082	-71.59	-18.00	-25.0	46.59	20.00	Vertical	Vertical	Pass
1540.500	-51.46	-0.18	-25.0	26.46	143.00	Vertical	Vertical	Pass
2926.100	-42.58	11.42	-25.0	17.58	0.00	Vertical	Vertical	Pass
7984.500	-31.61	23.28	-25.0	6.61	69.00	Vertical	Vertical	Pass
13370.025	-39.86	16.73	-25.0	14.86	3.00	Vertical	Vertical	Pass
17796.825	-41.77	13.00	-25.0	16.77	345.00	Vertical	Vertical	Pass

Band:NSA DC_7A_n77A,Channel:HIGH range BW:5M+20M

RSE(5G NSA FCC)_NSA_7A_n78A_41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1692.100	-51.02	0.85	-25.0	26.02	227.00	Vertical	Horizontal	Pass
2655.900	-42.91	8.20	-25.0	17.91	179.00	Vertical	Horizontal	N/A
3810.750	-42.78	13.78	-25.0	17.78	0.00	Vertical	Horizontal	N/A
7975.000	-31.35	23.86	-25.0	6.35	62.00	Vertical	Horizontal	Pass
12499.438	-39.14	14.71	-25.0	14.14	153.00	Vertical	Horizontal	Pass
17801.026	-42.23	13.17	-25.0	17.23	312.00	Vertical	Horizontal	Pass

6.55DC_12A_n77A (3450-3550MHz)

Band: NSA DC_12A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.623	-50.02	1.41	-13.0	37.02	152.00	Horizontal	Horizontal	N/A
1423.900	-56.19	-5.33	-13.0	43.19	317.00	Horizontal	Horizontal	Pass
3420.000	-44.25	12.39	-13.0	31.25	336.00	Horizontal	Horizontal	Pass
7959.250	-30.93	24.92	-13.0	17.93	0.00	Horizontal	Horizontal	Pass
12502.525	-39.62	14.68	-13.0	26.62	114.00	Horizontal	Horizontal	Pass
20336.849	-42.32	12.97	-13.0	29.32	21.00	Horizontal	Horizontal	Pass

Band: NSA DC_12A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.623	-57.82	1.41	-13.0	44.82	243.00	Horizontal	Vertical	N/A
2158.100	-55.02	-2.05	-13.0	42.02	152.00	Horizontal	Vertical	Pass
4430.250	-41.80	13.81	-13.0	28.80	0.00	Horizontal	Vertical	Pass
7968.250	-30.51	24.30	-13.0	17.51	4.00	Horizontal	Vertical	Pass
11976.700	-38.32	13.91	-13.0	25.32	154.00	Horizontal	Vertical	Pass
17938.313	-42.13	13.81	-13.0	29.13	0.00	Horizontal	Vertical	Pass

Band: NSA DC_12A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.526	-54.22	0.89	-13.0	41.22	40.00	Vertical	Vertical	N/A
1436.000	-54.72	-5.13	-13.0	41.72	318.00	Vertical	Vertical	Pass
3593.500	-43.66	12.32	-13.0	30.66	59.00	Vertical	Vertical	Pass
7857.000	-30.95	23.19	-13.0	17.95	242.00	Vertical	Vertical	Pass
13801.312	-39.09	16.98	-13.0	26.09	41.00	Vertical	Vertical	Pass
17793.413	-41.94	12.79	-13.0	28.94	0.00	Vertical	Vertical	Pass

Band: NSA DC_12A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.430	-56.45	1.41	-13.0	43.45	145.00	Vertical	Horizontal	N/A
1501.000	-53.60	-5.78	-13.0	40.60	40.00	Vertical	Horizontal	Pass
3115.750	-44.96	10.24	-13.0	31.96	340.00	Vertical	Horizontal	Pass
7931.250	-30.76	24.01	-13.0	17.76	323.00	Vertical	Horizontal	Pass
12000.451	-40.19	13.81	-13.0	27.19	361.00	Vertical	Horizontal	Pass
19718.099	-41.75	12.94	-13.0	28.75	297.00	Vertical	Horizontal	Pass

6.56DC_12A_n77A (3700-3890MHz)

Band: NSA DC_12A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.575	-51.77	1.41	-13.0	38.77	133.00	Horizontal	Horizontal	N/A
1453.600	-55.48	-5.22	-13.0	42.48	72.00	Horizontal	Horizontal	Pass
3838.750	-38.07	13.63	-13.0	25.07	61.00	Horizontal	Horizontal	N/A
7851.500	-31.05	23.42	-13.0	18.05	0.00	Horizontal	Horizontal	Pass
13380.787	-39.56	16.83	-13.0	26.56	104.00	Horizontal	Horizontal	Pass
17802.074	-42.60	13.14	-13.0	29.60	281.92	Horizontal	Horizontal	Pass

Band: NSA DC_12A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.623	-56.84	0.89	-13.0	43.84	245.11	Horizontal	Vertical	N/A
1458.800	-56.78	-5.26	-13.0	43.78	50.00	Horizontal	Vertical	Pass
3842.750	-39.82	13.66	-13.0	26.82	211.00	Horizontal	Vertical	N/A
7942.750	-31.12	23.86	-13.0	18.12	225.81	Horizontal	Vertical	Pass
13403.625	-39.56	16.93	-13.0	26.56	103.08	Horizontal	Vertical	Pass
17798.662	-41.71	13.12	-13.0	28.71	360.98	Horizontal	Vertical	Pass

Band: NSA DC_12A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.526	-53.84	0.89	-25.0	28.84	160.00	Vertical	Vertical	N/A
1412.900	-55.11	-5.30	-13.0	42.11	209.00	Vertical	Vertical	Pass
3837.500	-37.94	13.62	-25.0	12.94	123.00	Vertical	Vertical	N/A
7243.000	-32.07	23.75	-25.0	7.07	271.00	Vertical	Vertical	Pass
11302.674	-40.33	13.43	-25.0	15.33	0.00	Vertical	Vertical	Pass
19989.901	-41.67	12.95	-13.0	28.67	0.00	Vertical	Vertical	Pass

Band: NSA DC_12A_n77A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
706.623	-55.50	1.41	-13.0	42.50	138.00	Vertical	Horizontal	N/A
1496.500	-55.11	-5.78	-13.0	42.11	49.00	Vertical	Horizontal	Pass
3115.500	-44.47	10.34	-13.0	31.47	82.03	Vertical	Horizontal	Pass
7954.000	-30.53	23.84	-13.0	17.53	29.00	Vertical	Horizontal	Pass
11928.250	-39.92	13.98	-13.0	26.92	361.00	Vertical	Horizontal	Pass
17801.812	-42.98	13.15	-13.0	29.98	363.00	Vertical	Horizontal	Pass

6.57DC_13A_n77A (3450-3550MHz)

Band: NSA DC_13A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
752.310	-50.63	1.63	-13.0	37.63	9.00	Horizontal	Horizontal	N/A
1460.000	-55.36	-5.33	-13.0	42.36	327.00	Horizontal	Horizontal	Pass
3499.250	-39.75	12.33	-13.0	26.75	0.00	Horizontal	Horizontal	N/A
7959.750	-30.02	24.94	-13.0	17.02	223.00	Horizontal	Horizontal	Pass
13352.963	-39.19	16.57	-13.0	26.19	226.00	Horizontal	Horizontal	Pass
17910.225	-42.39	13.14	-13.0	29.39	276.00	Horizontal	Horizontal	Pass

Band: NSA DC_13A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
750.662	-53.71	1.41	-13.0	40.71	286.00	Horizontal	Vertical	N/A
2188.900	-53.97	-2.20	-13.0	40.97	326.00	Horizontal	Vertical	Pass
3116.000	-44.32	10.23	-13.0	31.32	189.00	Horizontal	Vertical	Pass
7960.250	-30.02	24.96	-13.0	17.02	0.00	Horizontal	Vertical	Pass
12492.313	-39.07	14.65	-13.0	26.07	323.00	Horizontal	Vertical	Pass
17773.199	-41.56	11.54	-13.0	28.56	278.00	Horizontal	Vertical	Pass

Band: NSA DC_13A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
751.098	-52.59	1.52	-13.0	39.59	311.00	Vertical	Vertical	N/A
1467.300	-54.37	-5.45	-13.0	41.37	220.00	Vertical	Vertical	Pass
3115.500	-44.80	10.24	-13.0	31.80	272.99	Vertical	Vertical	Pass
7873.750	-30.89	23.60	-13.0	17.89	1.00	Vertical	Vertical	Pass
13373.438	-39.16	16.76	-13.0	26.16	0.00	Vertical	Vertical	Pass
17922.562	-40.40	13.43	-13.0	27.40	360.00	Vertical	Vertical	Pass

Band: NSA DC_13A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
752.068	-52.94	1.63	-13.0	39.94	226.00	Vertical	Horizontal	N/A
1496.000	-54.78	-5.78	-13.0	41.78	50.00	Vertical	Horizontal	Pass
3115.750	-43.29	10.24	-13.0	30.29	282.00	Vertical	Horizontal	Pass
7968.250	-30.20	24.30	-13.0	17.20	355.00	Vertical	Horizontal	Pass
13403.625	-39.37	16.93	-13.0	26.37	1.00	Vertical	Horizontal	Pass
17948.025	-42.21	14.04	-13.0	29.21	143.00	Vertical	Horizontal	Pass

6.58DC_13A_n77A (3700-3890MHz)

Band: NSA DC_13A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
751.195	-52.22	1.55	-13.0	39.22	5.00	Horizontal	Horizontal	N/A
1480.100	-55.49	-5.40	-13.0	42.49	59.00	Horizontal	Horizontal	Pass
3840.250	-36.97	13.64	-13.0	23.97	8.00	Horizontal	Horizontal	N/A
7615.250	-31.59	21.97	-13.0	18.59	307.92	Horizontal	Horizontal	Pass
12493.975	-38.93	14.67	-13.0	25.93	322.00	Horizontal	Horizontal	Pass
17957.738	-42.53	13.90	-13.0	29.53	141.73	Horizontal	Horizontal	Pass

Band: NSA DC_13A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
751.922	-55.69	1.63	-13.0	42.69	290.74	Horizontal	Vertical	N/A
1456.600	-57.26	-5.22	-13.0	44.26	301.00	Horizontal	Vertical	Pass
3116.000	-43.78	10.32	-13.0	30.78	0.00	Horizontal	Vertical	Pass
4178.750	-41.41	13.89	-13.0	28.41	235.00	Horizontal	Vertical	Pass
7924.750	-30.91	23.59	-13.0	17.91	25.00	Horizontal	Vertical	Pass
12502.525	-39.18	14.68	-13.0	26.18	361.00	Horizontal	Vertical	Pass

Band: NSA DC_13A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
751.049	-52.59	1.51	-13.0	39.59	0.00	Vertical	Vertical	N/A
1469.600	-55.29	-5.37	-13.0	42.29	361.00	Vertical	Vertical	Pass
3741.500	-42.48	13.02	-13.0	29.48	131.00	Vertical	Vertical	Pass
7968.750	-31.37	24.10	-13.0	18.37	352.97	Vertical	Vertical	Pass
11954.375	-39.61	13.99	-13.0	26.61	79.00	Vertical	Vertical	Pass
17959.574	-41.68	13.85	-13.0	28.68	149.87	Vertical	Vertical	Pass

Band: NSA DC_13A_n77A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
751.098	-50.94	1.52	-13.0	37.94	276.00	Vertical	Horizontal	N/A
1490.600	-54.47	-5.71	-13.0	41.47	42.00	Vertical	Horizontal	Pass
4899.500	-40.63	15.95	-13.0	27.63	205.00	Vertical	Horizontal	Pass
7966.750	-31.59	24.15	-13.0	18.59	339.00	Vertical	Horizontal	Pass
11886.451	-39.44	13.73	-13.0	26.44	311.00	Vertical	Horizontal	Pass
17804.175	-41.56	13.09	-13.0	28.56	170.11	Vertical	Horizontal	Pass

6.59DC_25A_n77A (3450-3550MHz)


Band: NSA DC_25A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Band: NSA DC_25A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
381.382	-75.39	-10.41	-13.0	62.39	335.00	Horizontal	Vertical	Pass
1963.200	-38.60	1.10	-13.0	25.60	230.00	Horizontal	Vertical	N/A
3116.000	-43.01	10.23	-13.0	30.01	77.00	Horizontal	Vertical	N/A
7902.250	-31.18	24.14	-13.0	18.18	0.00	Horizontal	Vertical	Pass
12010.188	-40.41	13.50	-13.0	27.41	199.00	Horizontal	Vertical	Pass
19673.100	-42.54	12.94	-13.0	29.54	92.00	Horizontal	Vertical	Pass

Band: NSA DC_25A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
178.361	-70.28	-17.56	-13.0	57.28	363.00	Vertical	Vertical	Pass
1963.200	-48.87	1.10	-13.0	35.87	12.00	Vertical	Vertical	N/A
3116.000	-44.45	10.23	-13.0	31.45	24.00	Vertical	Vertical	Pass
7578.000	-31.36	22.62	-13.0	18.36	127.00	Vertical	Vertical	Pass
12511.075	-39.43	14.54	-13.0	26.43	36.00	Vertical	Vertical	Pass
17932.012	-41.91	13.66	-13.0	28.91	0.00	Vertical	Vertical	Pass

Band: NSA DC_25A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
177.682	-71.65	-17.64	-13.0	58.65	329.00	Vertical	Horizontal	Pass
1961.900	-39.41	1.03	-13.0	26.41	168.00	Vertical	Horizontal	N/A
6001.250	-36.33	18.83	-13.0	23.33	0.00	Vertical	Horizontal	Pass
7929.500	-30.47	23.88	-13.0	17.47	0.00	Vertical	Horizontal	Pass
12494.451	-39.87	14.67	-13.0	26.87	61.00	Vertical	Horizontal	Pass
20399.849	-42.27	12.97	-13.0	29.27	36.00	Vertical	Horizontal	Pass

6.60DC_25A_n77A (3700-3890MHz)

Band:NSA DC_25A_n77A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
168.468	-75.23	-18.40	-13.0	62.23	152.00	Horizontal	Horizontal	Pass
1963.700	-43.96	1.13	-13.0	30.96	287.00	Horizontal	Horizontal	N/A
3840.500	-37.67	13.64	-13.0	24.67	-2.00	Horizontal	Horizontal	N/A
7940.000	-31.17	23.79	-13.0	18.17	55.00	Horizontal	Horizontal	Pass
12736.938	-39.88	14.73	-13.0	26.88	289.00	Horizontal	Horizontal	Pass
17960.886	-42.28	13.82	-13.0	29.28	360.00	Horizontal	Horizontal	Pass

Band: NSA DC_25A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
395.060	-75.06	-10.01	-13.0	62.06	8.00	Horizontal	Vertical	Pass
1963.300	-39.83	1.11	-13.0	26.83	228.00	Horizontal	Vertical	N/A
3838.250	-38.64	13.63	-13.0	25.64	217.00	Horizontal	Vertical	N/A
7959.000	-31.51	23.89	-13.0	18.51	105.00	Horizontal	Vertical	Pass
13347.188	-39.40	16.43	-13.0	26.40	0.00	Horizontal	Vertical	Pass
17948.025	-42.04	14.04	-13.0	29.04	0.00	Horizontal	Vertical	Pass

Band: NSA DC_25A_n77A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.249	-62.86	-23.38	-13.0	49.86	85.00	Vertical	Vertical	Pass
1897.700	-49.97	2.74	-13.0	36.97	361.00	Vertical	Vertical	N/A
3840.500	-40.71	13.64	-13.0	27.71	122.00	Vertical	Vertical	N/A
7245.750	-31.31	24.05	-13.0	18.31	0.00	Vertical	Vertical	Pass
13383.151	-39.54	16.85	-13.0	26.54	195.00	Vertical	Vertical	Pass
19689.300	-42.37	12.94	-13.0	29.37	61.00	Vertical	Vertical	Pass

Band: NSA DC_25A_n77A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.487	-71.97	-20.16	-13.0	58.97	125.00	Vertical	Horizontal	Pass
1963.400	-38.61	1.12	-13.0	25.61	157.00	Vertical	Horizontal	N/A
6623.000	-34.06	20.98	-13.0	21.06	314.00	Vertical	Horizontal	Pass
7973.500	-31.20	23.75	-13.0	18.20	360.00	Vertical	Horizontal	Pass
13376.850	-39.90	16.79	-13.0	26.90	2.00	Vertical	Horizontal	Pass
17923.088	-42.09	13.44	-13.0	29.09	44.00	Vertical	Horizontal	Pass

6.61DC_41A_n77A (3450-3550MHz)

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1540.900	-51.49	-0.20	-25.0	26.49	1.00	Horizontal	Horizontal	Pass
2625.800	-44.93	9.32	-25.0	19.93	61.00	Horizontal	Horizontal	N/A
3497.500	-41.20	12.34	-25.0	16.20	32.00	Horizontal	Horizontal	N/A
7965.500	-31.25	24.65	-25.0	6.25	31.00	Horizontal	Horizontal	Pass
13370.812	-39.29	16.74	-25.0	14.29	200.00	Horizontal	Horizontal	Pass
17801.550	-42.36	13.16	-25.0	17.36	61.00	Horizontal	Horizontal	Pass

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
380.025	-73.52	-10.44	-25.0	48.52	360.00	Horizontal	Vertical	Pass
2612.900	-44.15	9.12	-25.0	19.15	0.00	Horizontal	Vertical	N/A
2970.800	-42.39	12.57	-25.0	17.39	219.00	Horizontal	Vertical	Pass
7888.250	-31.11	23.70	-25.0	6.11	360.00	Horizontal	Vertical	Pass
13361.887	-38.88	16.65	-25.0	13.88	31.00	Horizontal	Vertical	Pass
17922.300	-42.05	13.43	-25.0	17.05	360.00	Horizontal	Vertical	Pass

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.566	-69.80	-21.01	-25.0	44.80	360.00	Vertical	Vertical	Pass
2600.200	-44.95	8.92	-25.0	19.95	43.00	Vertical	Vertical	N/A
2974.600	-42.89	12.67	-25.0	17.89	36.00	Vertical	Vertical	Pass
7952.000	-31.27	24.32	-25.0	6.27	3.00	Vertical	Vertical	Pass
12510.838	-39.41	14.55	-25.0	14.41	232.00	Vertical	Vertical	Pass
17813.625	-41.28	12.83	-25.0	16.28	360.00	Vertical	Vertical	Pass

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.002	-69.91	-20.52	-25.0	44.91	102.00	Vertical	Horizontal	Pass
2991.400	-41.90	12.78	-25.0	16.90	154.00	Vertical	Horizontal	Pass
6632.750	-32.95	21.26	-25.0	7.95	4.00	Vertical	Horizontal	Pass
7902.500	-31.63	24.15	-25.0	6.63	360.00	Vertical	Horizontal	Pass
12465.000	-39.24	14.41	-25.0	14.24	229.00	Vertical	Horizontal	Pass
17810.475	-42.01	12.92	-25.0	17.01	360.00	Vertical	Horizontal	Pass

6.62DC_41A_n77A (3700-3890MHz)

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2562.600	-29.21	8.56	-25.0	4.21	360.00	Horizontal	Horizontal	N/A
2628.500	-29.84	9.29	-25.0	4.84	360.00	Horizontal	Horizontal	Pass
3836.750	-34.51	13.61	-25.0	9.51	21.00	Horizontal	Horizontal	N/A
7960.000	-30.24	23.91	-25.0	5.24	360.00	Horizontal	Horizontal	Pass
11919.225	-39.70	13.97	-25.0	14.70	360.00	Horizontal	Horizontal	Pass
17942.776	-42.08	13.92	-25.0	17.08	0.00	Horizontal	Horizontal	Pass

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
382.353	-73.91	-10.36	-25.0	48.91	3.00	Horizontal	Vertical	Pass
2630.600	-43.87	9.00	-25.0	18.87	21.00	Horizontal	Vertical	N/A
3840.250	-40.33	13.64	-25.0	15.33	229.00	Horizontal	Vertical	N/A
7890.250	-31.14	23.88	-25.0	6.14	339.00	Horizontal	Vertical	Pass
13378.950	-39.08	16.81	-25.0	14.08	72.00	Horizontal	Vertical	Pass
17940.412	-42.24	13.86	-25.0	17.24	279.00	Horizontal	Vertical	Pass

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.148	-70.61	-20.40	-25.0	45.61	258.00	Vertical	Vertical	Pass
2596.500	-44.40	8.88	-25.0	19.40	0.00	Vertical	Vertical	N/A
3840.250	-42.69	13.64	-25.0	17.69	85.00	Vertical	Vertical	N/A
7927.250	-31.17	23.65	-25.0	6.17	360.00	Vertical	Vertical	Pass
13385.250	-39.34	16.87	-25.0	14.34	179.00	Vertical	Vertical	Pass
20262.150	-41.61	12.97	-25.0	16.61	0.00	Vertical	Vertical	Pass

Band: NSA DC_41A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2560.000	-36.39	8.53	-25.0	11.39	360.00	Vertical	Horizontal	N/A
2627.000	-35.83	9.34	-25.0	10.83	360.00	Vertical	Horizontal	Pass
3839.250	-41.22	13.63	-25.0	16.22	95.00	Vertical	Horizontal	N/A
7965.500	-31.48	24.18	-25.0	6.48	1.00	Vertical	Horizontal	Pass
12474.263	-40.10	14.49	-25.0	15.10	3.00	Vertical	Horizontal	Pass
19756.800	-42.60	12.94	-25.0	17.60	360.00	Vertical	Horizontal	Pass

6.63DC_66A_n77A (3450-3550MHz)

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.100	-36.14	2.38	-13.0	23.14	203.00	Horizontal	Horizontal	Pass
1754.000	-44.59	1.83	-13.0	31.59	148.00	Horizontal	Horizontal	N/A
1794.400	-36.74	1.07	-13.0	23.74	42.00	Horizontal	Horizontal	Pass
2155.800	-40.64	4.55	-13.0	27.64	203.00	Horizontal	Horizontal	N/A
3502.250	-39.70	12.32	-13.0	26.70	344.00	Horizontal	Horizontal	N/A
7971.000	-30.23	23.95	-13.0	17.23	134.00	Horizontal	Horizontal	Pass

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.300	-31.83	2.38	-25.0	6.83	328.00	Horizontal	Vertical	Pass
1753.800	-43.64	1.83	-13.0	30.64	146.00	Horizontal	Vertical	N/A
1793.900	-40.08	1.19	-13.0	27.08	108.00	Horizontal	Vertical	Pass
4346.750	-41.06	13.82	-13.0	28.06	1.00	Horizontal	Vertical	Pass
7963.500	-29.98	24.86	-13.0	16.98	235.00	Horizontal	Vertical	Pass
13382.625	-39.20	16.85	-13.0	26.20	1.00	Horizontal	Vertical	Pass

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1700.600	-30.91	2.38	-13.0	17.91	42.00	Vertical	Vertical	Pass
1753.700	-44.84	1.83	-13.0	31.84	13.00	Vertical	Vertical	N/A
1792.200	-36.69	1.67	-13.0	23.69	23.00	Vertical	Vertical	Pass
2155.800	-43.06	4.55	-13.0	30.06	309.00	Vertical	Vertical	N/A
7942.000	-30.39	24.33	-13.0	17.39	265.00	Vertical	Vertical	Pass
11963.875	-39.34	13.96	-13.0	26.34	345.00	Vertical	Vertical	Pass

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1700.400	-34.01	2.39	-13.0	21.01	187.00	Vertical	Horizontal	Pass
1753.800	-46.82	1.83	-13.0	33.82	43.00	Vertical	Horizontal	N/A
1796.800	-43.79	0.74	-13.0	30.79	348.00	Vertical	Horizontal	Pass
2155.800	-44.26	4.55	-13.0	31.26	91.00	Vertical	Horizontal	N/A
3500.500	-43.66	12.33	-13.0	30.66	220.00	Vertical	Horizontal	N/A
7967.000	-30.99	24.50	-13.0	17.99	1.00	Vertical	Horizontal	Pass

6.64DC_66A_n77A (3700-3890MHz)

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1700.200	-32.65	2.39	-13.0	19.65	212.00	Horizontal	Horizontal	Pass
1753.900	-44.25	1.83	-13.0	31.25	136.00	Horizontal	Horizontal	N/A
1794.400	-36.61	1.07	-13.0	23.61	156.00	Horizontal	Horizontal	Pass
2155.000	-41.45	4.54	-13.0	28.45	212.00	Horizontal	Horizontal	N/A
3842.250	-32.63	13.66	-13.0	19.63	1.00	Horizontal	Horizontal	N/A
7969.000	-31.32	24.10	-13.0	18.32	195.02	Horizontal	Horizontal	Pass

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.300	-32.81	2.38	-13.0	19.81	362.00	Horizontal	Vertical	Pass
1753.800	-44.40	1.83	-13.0	31.40	148.00	Horizontal	Vertical	N/A
1797.400	-39.85	0.65	-13.0	26.85	127.00	Horizontal	Vertical	Pass
3841.750	-39.16	13.65	-13.0	26.16	194.00	Horizontal	Vertical	N/A
7251.250	-31.85	24.21	-13.0	18.85	1.00	Horizontal	Vertical	Pass
13378.688	-39.53	16.81	-13.0	26.53	155.00	Horizontal	Vertical	Pass

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1701.500	-31.89	2.37	-25.0	6.89	25.00	Vertical	Vertical	Pass
1754.000	-45.27	1.83	-13.0	32.27	16.00	Vertical	Vertical	N/A
1794.700	-37.69	1.02	-13.0	24.69	46.00	Vertical	Vertical	Pass
2156.600	-41.60	4.49	-25.0	16.60	308.00	Vertical	Vertical	N/A
3840.750	-34.65	13.65	-13.0	21.65	100.00	Vertical	Vertical	N/A
7933.500	-31.37	23.76	-25.0	6.37	1.00	Vertical	Vertical	Pass

Band: NSA DC_66A_n77A, Channel: MID range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1700.500	-33.73	2.38	-13.0	20.73	359.00	Vertical	Horizontal	Pass
1753.700	-47.30	1.83	-13.0	34.30	10.00	Vertical	Horizontal	N/A
1795.500	-41.15	0.88	-13.0	28.15	318.00	Vertical	Horizontal	Pass
2156.100	-44.59	4.53	-13.0	31.59	173.00	Vertical	Horizontal	N/A
3838.750	-42.22	13.63	-13.0	29.22	99.01	Vertical	Horizontal	N/A
7289.500	-31.91	22.23	-13.0	18.91	224.86	Vertical	Horizontal	Pass

6.65DC_71A_n77A (3450-3550MHz)

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M


RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.970	-48.84	-0.91	-13.0	35.84	280.00	Horizontal	Horizontal	N/A
678.494	-52.35	1.31	-13.0	39.35	236.00	Horizontal	Horizontal	N/A
1358.200	-16.22	-5.82	-13.0	3.22	191.00	Horizontal	Horizontal	Pass
2036.900	-19.82	-3.31	-13.0	6.82	201.00	Horizontal	Horizontal	Pass
2717.400	-29.60	0.89	-13.0	16.60	201.00	Horizontal	Horizontal	Pass
3497.500	-36.14	12.34	-13.0	23.14	16.00	Horizontal	Horizontal	N/A

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M


RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
635.959	-43.24	-0.87	-13.0	30.24	20.00	Horizontal	Vertical	N/A
678.833	-55.91	1.29	-13.0	42.91	96.00	Horizontal	Vertical	N/A
1358.800	-16.64	-5.78	-13.0	3.64	0.00	Horizontal	Vertical	Pass
2036.800	-19.00	-3.31	-13.0	6.00	5.00	Horizontal	Vertical	Pass
2716.800	-18.99	0.83	-13.0	5.99	0.00	Horizontal	Vertical	Pass
7961.750	-30.27	24.90	-13.0	17.27	355.00	Horizontal	Vertical	Pass

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M


RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
632.661	-43.33	-0.83	-13.0	30.33	105.00	Vertical	Vertical	N/A
678.785	-52.93	1.29	-13.0	39.93	27.00	Vertical	Vertical	N/A
1357.800	-16.70	-5.84	-13.0	3.70	335.00	Vertical	Vertical	Pass
2037.700	-16.78	-3.33	-13.0	3.78	345.00	Vertical	Vertical	Pass
2717.100	-16.92	0.86	-13.0	3.92	335.00	Vertical	Vertical	Pass
3499.750	-39.84	12.33	-13.0	26.84	3.00	Vertical	Vertical	N/A

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M

RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.340	-47.08	-0.94	-13.0	34.08	124.00	Vertical	Horizontal	N/A
678.542	-59.26	1.30	-13.0	46.26	100.00	Vertical	Horizontal	N/A
1359.000	-16.95	-5.77	-13.0	3.95	201.00	Vertical	Horizontal	Pass
2037.600	-16.66	-3.32	-13.0	3.66	201.00	Vertical	Horizontal	Pass
2716.600	-23.35	0.81	-13.0	10.35	201.00	Vertical	Horizontal	Pass
7960.250	-30.61	24.96	-13.0	17.61	360.00	Vertical	Horizontal	Pass

6.66DC_71A_n77A (3700-3890MHz)

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M


RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
632.612	-47.71	-0.82	-13.0	34.71	217.00	Horizontal	Horizontal	N/A
679.172	-52.82	1.27	-13.0	39.82	307.00	Horizontal	Horizontal	N/A
1358.700	-16.82	-5.79	-13.0	3.82	180.00	Horizontal	Horizontal	Pass
2037.600	-16.32	-3.32	-13.0	3.32	190.00	Horizontal	Horizontal	Pass
2716.700	-23.89	0.82	-13.0	10.89	190.00	Horizontal	Horizontal	Pass
3831.750	-31.90	13.57	-13.0	18.90	0.00	Horizontal	Horizontal	N/A

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M


RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
635.959	-50.12	-0.87	-13.0	37.12	48.00	Horizontal	Vertical	N/A
678.833	-55.65	1.29	-13.0	42.65	235.00	Horizontal	Vertical	N/A
1359.000	-16.87	-5.77	-13.0	3.87	1.00	Horizontal	Vertical	Pass
2037.700	-16.34	-3.33	-13.0	3.34	3.00	Horizontal	Vertical	Pass
2715.900	-22.96	0.80	-13.0	9.96	1.00	Horizontal	Vertical	Pass
3831.750	-36.38	13.57	-13.0	23.38	0.00	Horizontal	Vertical	N/A

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M


RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
632.418	-47.15	-0.82	-13.0	34.15	26.00	Vertical	Vertical	N/A
678.930	-52.75	1.28	-13.0	39.75	243.00	Vertical	Vertical	N/A
1358.900	-16.46	-5.78	-13.0	3.46	327.00	Vertical	Vertical	Pass
2038.000	-16.32	-3.37	-13.0	3.32	336.00	Vertical	Vertical	Pass
2716.700	-16.94	0.82	-13.0	3.94	327.00	Vertical	Vertical	Pass
3836.750	-35.16	13.61	-13.0	22.16	140.00	Vertical	Vertical	N/A

Band: NSA DC_71A_n77A, Channel: MID range BW: 5M+20M

RSE(5G SA FCC)_5G N77_3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.340	-44.17	-0.94	-13.0	31.17	163.00	Vertical	Horizontal	N/A
679.367	-58.75	1.26	-13.0	45.75	103.00	Vertical	Horizontal	N/A
1358.400	-16.99	-5.81	-13.0	3.99	180.00	Vertical	Horizontal	Pass
2037.900	-16.02	-3.35	-13.0	3.02	190.00	Vertical	Horizontal	Pass
2716.900	-23.47	0.84	-13.0	10.47	180.00	Vertical	Horizontal	Pass
3836.500	-39.03	13.61	-13.0	26.03	261.00	Vertical	Horizontal	N/A

6.67DC_2A_n78A (3450-3550MHz)

Band:NSA DC_2A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1832.000	-35.00	-0.18	-13.0	22.00	138.00	Horizontal	Horizontal	Pass
1910.500	-30.46	2.84	-13.0	17.46	358.00	Horizontal	Horizontal	N/A
1988.000	-38.92	0.85	-13.0	25.92	224.00	Horizontal	Horizontal	N/A
3549.000	-36.01	12.09	-13.0	23.01	1.00	Horizontal	Horizontal	N/A
7249.750	-30.80	24.01	-13.0	17.80	349.00	Horizontal	Horizontal	Pass
12487.326	-39.18	14.61	-13.0	26.18	63.00	Horizontal	Horizontal	Pass

Band:NSA DC_2A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1832.300	-31.90	-0.21	-13.0	18.90	145.00	Horizontal	Vertical	Pass
1910.400	-29.98	2.84	-13.0	16.98	154.00	Horizontal	Vertical	N/A
1988.000	-48.81	0.85	-13.0	35.81	201.00	Horizontal	Vertical	N/A
3115.750	-43.74	10.24	-13.0	30.74	1.00	Horizontal	Vertical	Pass
7232.250	-31.38	23.32	-13.0	18.38	1.00	Horizontal	Vertical	Pass
13358.213	-37.63	16.62	-13.0	24.63	274.00	Horizontal	Vertical	Pass

Band: NSA DC_2A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1828.300	-38.19	-0.32	-13.0	25.19	58.00	Vertical	Vertical	Pass
1910.500	-34.96	2.84	-13.0	21.96	360.00	Vertical	Vertical	N/A
1988.000	-35.35	0.85	-13.0	22.35	243.00	Vertical	Vertical	N/A
3549.000	-41.65	12.09	-13.0	28.65	351.00	Vertical	Vertical	N/A
7962.250	-30.44	24.89	-13.0	17.44	107.00	Vertical	Vertical	Pass
13385.250	-39.14	16.87	-13.0	26.14	1.00	Vertical	Vertical	Pass

Band:NSA DC_2A_n78A,Channel:HIGH range BW:5M+20M

RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1832.000	-41.76	-0.18	-13.0	28.76	168.00	Vertical	Horizontal	N/A
1910.500	-35.84	2.84	-13.0	22.84	23.00	Vertical	Horizontal	N/A
3549.750	-42.26	12.09	-13.0	29.26	325.00	Vertical	Horizontal	N/A
7942.250	-31.24	24.33	-13.0	18.24	258.00	Vertical	Horizontal	Pass
11884.075	-39.74	13.69	-13.0	26.74	207.00	Vertical	Horizontal	Pass
17806.012	-42.41	13.04	-13.0	29.41	1.00	Vertical	Horizontal	Pass

6.68DC_2A_n78A (3700-3800MHz)

Band:NSA DC_2A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1841.200	-27.54	1.80	-13.0	14.54	32.00	Horizontal	Horizontal	N/A
1934.500	-36.84	1.77	-13.0	23.84	228.00	Horizontal	Horizontal	N/A
3701.750	-41.87	13.14	-13.0	28.87	24.00	Horizontal	Horizontal	N/A
7248.500	-31.95	24.28	-13.0	18.95	0.00	Horizontal	Horizontal	Pass
13792.388	-39.92	16.50	-13.0	26.92	0.00	Horizontal	Horizontal	Pass
17790.788	-42.95	12.63	-13.0	29.95	104.00	Horizontal	Horizontal	Pass

Band: NSA DC_2A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1841.300	-25.91	1.80	-13.0	12.91	160.00	Horizontal	Vertical	N/A
1932.800	-47.42	2.02	-13.0	34.42	252.00	Horizontal	Vertical	N/A
3792.500	-41.71	13.69	-13.0	28.71	0.00	Horizontal	Vertical	Pass
7240.250	-31.83	23.63	-13.0	18.83	0.00	Horizontal	Vertical	Pass
13336.424	-39.06	16.01	-13.0	26.06	0.00	Horizontal	Vertical	Pass
17799.713	-43.22	13.18	-13.0	30.22	72.00	Horizontal	Vertical	Pass

Band: NSA DC_2A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1841.100	-40.40	1.80	-13.0	27.40	54.00	Vertical	Vertical	N/A
1933.000	-36.61	2.01	-13.0	23.61	225.00	Vertical	Vertical	N/A
3641.000	-43.49	13.05	-13.0	30.49	213.00	Vertical	Vertical	Pass
7973.750	-31.50	24.01	-13.0	18.50	163.00	Vertical	Vertical	Pass
13366.350	-39.50	16.69	-13.0	26.50	0.00	Vertical	Vertical	Pass
17788.162	-42.70	12.47	-13.0	29.70	0.00	Vertical	Vertical	Pass

Band: NSA DC_2A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1841.100	-34.16	1.80	-13.0	21.16	11.00	Vertical	Horizontal	N/A
1934.000	-45.98	1.86	-13.0	32.98	125.00	Vertical	Horizontal	N/A
3812.000	-42.80	13.78	-13.0	29.80	168.00	Vertical	Horizontal	Pass
7237.500	-31.83	23.39	-13.0	18.83	55.00	Vertical	Horizontal	Pass
12520.337	-39.81	14.39	-13.0	26.81	27.00	Vertical	Horizontal	Pass
17944.089	-42.15	13.95	-13.0	29.15	61.00	Vertical	Horizontal	Pass

6.69DC_4A_n78A (3450-3550MHz)

Band:NSA DC_4A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1794.900	-46.54	-0.27	-13.0	33.54	153.00	Horizontal	Horizontal	Pass
2152.300	-41.05	3.05	-13.0	28.05	296.00	Horizontal	Horizontal	N/A
3549.000	-38.32	12.09	-13.0	25.32	66.00	Horizontal	Horizontal	N/A
7969.000	-31.10	24.19	-13.0	18.10	135.00	Horizontal	Horizontal	Pass
12523.425	-40.26	14.35	-13.0	27.26	268.00	Horizontal	Horizontal	Pass
17996.325	-42.25	12.94	-13.0	29.25	92.00	Horizontal	Horizontal	Pass

Band: NSA DC_4A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1794.900	-45.11	-0.27	-13.0	32.11	169.00	Horizontal	Vertical	Pass
2153.000	-47.40	3.05	-13.0	34.40	300.00	Horizontal	Vertical	N/A
3549.000	-42.13	12.09	-13.0	29.13	146.00	Horizontal	Vertical	N/A
7630.000	-31.10	23.41	-13.0	18.10	280.00	Horizontal	Vertical	Pass
12519.625	-39.88	14.41	-13.0	26.88	46.00	Horizontal	Vertical	Pass
17954.062	-43.20	13.99	-13.0	30.20	69.00	Horizontal	Vertical	Pass

Band: NSA DC_4A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1794.500	-46.23	-0.20	-13.0	33.23	19.00	Vertical	Vertical	Pass
2153.200	-39.01	3.05	-13.0	26.01	190.00	Vertical	Vertical	N/A
3549.250	-43.89	12.09	-13.0	30.89	326.00	Vertical	Vertical	N/A
7240.250	-31.22	23.75	-13.0	18.22	359.00	Vertical	Vertical	Pass
12005.437	-39.56	13.65	-13.0	26.56	192.00	Vertical	Vertical	Pass
19698.301	-43.17	12.94	-13.0	30.17	359.00	Vertical	Vertical	Pass

Band: NSA DC_4A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1794.600	-48.07	-0.22	-13.0	35.07	46.00	Vertical	Horizontal	Pass
2152.800	-47.77	3.05	-13.0	34.77	129.00	Vertical	Horizontal	N/A
3549.000	-43.74	12.09	-13.0	30.74	309.00	Vertical	Horizontal	N/A
7947.250	-30.47	24.19	-13.0	17.47	117.00	Vertical	Horizontal	Pass
12010.900	-39.17	13.48	-13.0	26.17	172.00	Vertical	Horizontal	Pass
17960.624	-42.71	13.83	-13.0	29.71	109.00	Vertical	Horizontal	Pass

6.70DC_4A_n78A (3700-3800MHz)

Band: NSA DC_4A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.100	-31.62	1.31	-13.0	18.62	145.00	Horizontal	Horizontal	N/A
2113.500	-41.93	2.48	-13.0	28.93	231.00	Horizontal	Horizontal	N/A
3116.000	-43.41	10.23	-13.0	30.41	359.00	Horizontal	Horizontal	Pass
3532.000	-39.24	12.17	-13.0	26.24	317.00	Horizontal	Horizontal	N/A
7961.500	-31.23	24.93	-13.0	18.23	137.00	Horizontal	Horizontal	Pass
13369.500	-39.56	16.72	-13.0	26.56	359.00	Horizontal	Horizontal	Pass

Band: NSA DC_4A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.100	-34.15	1.31	-13.0	21.15	21.00	Horizontal	Vertical	N/A
2113.600	-45.09	2.48	-13.0	32.09	1.00	Horizontal	Vertical	N/A
3508.250	-43.69	12.29	-13.0	30.69	359.00	Horizontal	Vertical	N/A
7961.000	-30.65	24.98	-13.0	17.65	163.00	Horizontal	Vertical	Pass
12487.326	-39.66	14.61	-13.0	26.66	194.00	Horizontal	Vertical	Pass
17808.900	-42.38	12.96	-13.0	29.38	2.00	Horizontal	Vertical	Pass

Band:NSA DC_4A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.200	-32.63	1.31	-13.0	19.63	20.00	Vertical	Vertical	N/A
2113.300	-40.75	2.47	-13.0	27.75	192.00	Vertical	Vertical	N/A
2464.100	-45.67	4.29	-13.0	32.67	116.00	Vertical	Vertical	Pass
3523.000	-43.46	12.22	-13.0	30.46	271.00	Vertical	Vertical	N/A
7971.500	-30.96	23.88	-13.0	17.96	359.00	Vertical	Vertical	Pass
13364.513	-39.14	16.68	-13.0	26.14	111.00	Vertical	Vertical	Pass

Band: NSA DC_4A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1711.200	-34.98	1.31	-13.0	21.98	1.00	Vertical	Horizontal	N/A
2114.100	-49.70	2.48	-13.0	36.70	167.00	Vertical	Horizontal	N/A
3080.500	-42.78	9.77	-13.0	29.78	360.00	Vertical	Horizontal	Pass
5701.500	-36.40	17.10	-13.0	23.40	154.00	Vertical	Horizontal	Pass
13365.037	-38.87	16.68	-13.0	25.87	360.00	Vertical	Horizontal	Pass
17948.287	-42.33	14.05	-13.0	29.33	327.00	Vertical	Horizontal	Pass

6.71DC_5A_n78A (3450-3550MHz)

Band:NSA DC_5A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.631	-51.03	5.55	-13.0	38.03	151.00	Horizontal	Horizontal	N/A
889.323	-49.04	4.49	-13.0	36.04	9.00	Horizontal	Horizontal	N/A
1698.000	-54.00	-4.87	-13.0	41.00	0.00	Horizontal	Horizontal	Pass
3549.750	-40.49	12.09	-13.0	27.49	118.00	Horizontal	Horizontal	N/A
5214.250	-38.81	15.41	-13.0	25.81	162.00	Horizontal	Horizontal	Pass
11984.300	-39.21	13.88	-13.0	26.21	201.00	Horizontal	Horizontal	Pass

Band:NSA DC_5A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.631	-54.65	5.55	-13.0	41.65	32.00	Horizontal	Vertical	N/A
889.323	-46.19	4.49	-13.0	33.19	1.00	Horizontal	Vertical	N/A
1698.000	-48.07	-4.87	-13.0	35.07	345.00	Horizontal	Vertical	Pass
5141.500	-39.19	15.63	-13.0	26.19	360.00	Horizontal	Vertical	Pass
7962.250	-30.70	24.89	-13.0	17.70	226.00	Horizontal	Vertical	Pass
13357.162	-39.28	16.61	-13.0	26.28	187.00	Horizontal	Vertical	Pass

Band: NSA DC_5A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.631	-51.55	5.55	-13.0	38.55	308.00	Vertical	Vertical	N/A
890.826	-49.48	4.48	-13.0	36.48	211.00	Vertical	Vertical	N/A
1698.200	-51.60	-4.87	-13.0	38.60	84.00	Vertical	Vertical	Pass
3549.500	-40.49	12.09	-13.0	27.49	322.00	Vertical	Vertical	N/A
7958.000	-31.45	24.85	-13.0	18.45	360.00	Vertical	Vertical	Pass
13368.713	-39.31	16.72	-13.0	26.31	258.00	Vertical	Vertical	Pass

Band: NSA DC_5A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.680	-50.82	5.55	-13.0	37.82	213.00	Vertical	Horizontal	N/A
889.274	-48.60	4.49	-13.0	35.60	42.00	Vertical	Horizontal	N/A
2012.800	-55.45	-3.51	-13.0	42.45	2.00	Vertical	Horizontal	Pass
3508.000	-43.36	12.29	-13.0	30.36	143.00	Vertical	Horizontal	N/A
7952.500	-30.62	24.32	-13.0	17.62	360.00	Vertical	Horizontal	Pass
13414.125	-39.49	16.70	-13.0	26.49	187.00	Vertical	Horizontal	Pass

6.72DC_5A_n78A (3700-3800MHz)

Band:NSA DC_5A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.381	-53.00	5.19	-13.0	40.00	152.00	Horizontal	Horizontal	N/A
872.639	-47.34	4.04	-13.0	34.34	234.00	Horizontal	Horizontal	N/A
1654.800	-54.38	-5.83	-13.0	41.38	326.00	Horizontal	Horizontal	Pass
3532.000	-40.39	12.17	-13.0	27.39	123.00	Horizontal	Horizontal	N/A
7957.250	-31.09	24.79	-13.0	18.09	172.00	Horizontal	Horizontal	Pass
13371.076	-38.90	16.74	-13.0	25.90	350.00	Horizontal	Horizontal	Pass

Band:NSA DC_5A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.381	-52.98	5.19	-13.0	39.98	19.00	Horizontal	Vertical	N/A
871.330	-46.25	4.25	-13.0	33.25	33.00	Horizontal	Vertical	N/A
1649.700	-52.77	-5.96	-13.0	39.77	24.00	Horizontal	Vertical	Pass
3560.750	-44.06	12.14	-13.0	31.06	360.00	Horizontal	Vertical	N/A
7959.250	-30.39	24.92	-13.0	17.39	360.00	Horizontal	Vertical	Pass
13346.400	-39.07	16.40	-13.0	26.07	359.00	Horizontal	Vertical	Pass

Band: NSA DC_5A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.381	-51.37	5.19	-13.0	38.37	248.00	Vertical	Vertical	N/A
873.076	-47.15	4.01	-13.0	34.15	184.00	Vertical	Vertical	N/A
1649.800	-51.90	-5.97	-13.0	38.90	179.00	Vertical	Vertical	Pass
3080.500	-44.93	9.77	-13.0	31.93	73.00	Vertical	Vertical	Pass
7959.000	-30.86	24.91	-13.0	17.86	360.00	Vertical	Vertical	Pass
12501.100	-39.25	14.70	-13.0	26.25	68.00	Vertical	Vertical	Pass

Band: NSA DC_5A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G SA FCC)_5G N78_3300-3800_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
824.381	-48.60	5.19	-13.0	35.60	186.00	Vertical	Horizontal	N/A
871.281	-49.03	4.24	-13.0	36.03	266.00	Vertical	Horizontal	N/A
1649.500	-50.70	-5.96	-13.0	37.70	1.00	Vertical	Horizontal	Pass
3506.000	-43.35	12.30	-13.0	30.35	9.00	Vertical	Horizontal	N/A
7623.250	-31.37	23.39	-13.0	18.37	359.00	Vertical	Horizontal	Pass
13352.438	-39.29	16.56	-13.0	26.29	19.00	Vertical	Horizontal	Pass

6.73DC_7A_n78A (3450-3550MHz)

Band:NSA DC_7A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
286.614	-69.80	-13.01	-25.0	44.80	117.00	Horizontal	Horizontal	Pass
2623.200	-39.96	7.96	-25.0	14.96	203.00	Horizontal	Horizontal	N/A
2967.700	-40.83	12.46	-25.0	15.83	134.00	Horizontal	Horizontal	Pass
3549.500	-35.53	12.09	-25.0	10.53	8.00	Horizontal	Horizontal	N/A
7968.000	-31.05	24.32	-25.0	6.05	298.00	Horizontal	Horizontal	Pass
13393.651	-39.78	16.95	-25.0	14.78	264.00	Horizontal	Horizontal	Pass

Band:NSA DC_7A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A_41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
163.084	-69.09	-18.88	-25.0	44.09	113.00	Horizontal	Vertical	Pass
2623.600	-43.24	8.02	-25.0	18.24	12.00	Horizontal	Vertical	N/A
2967.800	-40.37	12.47	-25.0	15.37	1.00	Horizontal	Vertical	Pass
3549.250	-42.32	12.09	-25.0	17.32	279.00	Horizontal	Vertical	N/A
7937.000	-31.51	24.32	-25.0	6.51	103.00	Horizontal	Vertical	Pass
13393.125	-39.46	16.95	-25.0	14.46	347.00	Horizontal	Vertical	Pass

Band:NSA DC_7A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
175.064	-68.49	-18.17	-25.0	43.49	73.00	Vertical	Vertical	Pass
2623.400	-42.86	7.99	-25.0	17.86	26.00	Vertical	Vertical	N/A
2968.200	-39.64	12.53	-25.0	14.64	228.00	Vertical	Vertical	Pass
7267.250	-31.86	23.45	-25.0	6.86	360.00	Vertical	Vertical	Pass
12523.662	-39.78	14.34	-25.0	14.78	1.00	Vertical	Vertical	Pass
17791.312	-41.49	12.66	-25.0	16.49	360.00	Vertical	Vertical	Pass

Band: NSA DC_7A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
173.318	-67.77	-18.21	-25.0	42.77	112.00	Vertical	Horizontal	Pass
1461.900	-50.96	-0.20	-25.0	25.96	213.00	Vertical	Horizontal	Pass
2967.900	-41.20	12.48	-25.0	16.20	213.00	Vertical	Horizontal	Pass
3549.000	-43.29	12.09	-25.0	18.29	161.00	Vertical	Horizontal	N/A
7955.750	-30.52	24.61	-25.0	5.52	359.00	Vertical	Horizontal	Pass
13357.950	-39.33	16.61	-25.0	14.33	207.00	Vertical	Horizontal	Pass

6.74DC_7A_n78A (3700-3800MHz)

Band: NSA DC_7A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
286.419	-70.47	-12.99	-25.0	45.47	138.00	Horizontal	Horizontal	Pass
2566.000	-33.79	8.26	-25.0	8.79	1.00	Horizontal	Horizontal	N/A
2688.200	-39.35	8.15	-25.0	14.35	199.00	Horizontal	Horizontal	N/A
3702.000	-39.42	13.14	-25.0	14.42	7.00	Horizontal	Horizontal	N/A
7977.000	-31.22	23.68	-25.0	6.22	360.00	Horizontal	Horizontal	Pass
13796.588	-39.03	16.78	-25.0	14.03	360.00	Horizontal	Horizontal	Pass

Band: NSA DC_7A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A_41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2566.100	-36.04	8.26	-25.0	11.04	318.00	Horizontal	Vertical	N/A
3080.750	-41.52	10.52	-25.0	16.52	14.00	Horizontal	Vertical	Pass
3711.500	-42.72	13.23	-25.0	17.72	360.00	Horizontal	Vertical	N/A
7249.500	-29.89	24.27	-25.0	4.89	1.00	Horizontal	Vertical	Pass
12728.863	-39.40	14.74	-25.0	14.40	21.00	Horizontal	Vertical	Pass
17950.124	-42.28	14.09	-25.0	17.28	110.00	Horizontal	Vertical	Pass

Band: NSA DC_7A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A_41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2566.200	-35.13	8.26	-25.0	10.13	137.00	Vertical	Vertical	N/A
2690.100	-43.95	7.92	-25.0	18.95	109.00	Vertical	Vertical	N/A
3733.500	-42.73	13.44	-25.0	17.73	212.00	Vertical	Vertical	N/A
6241.500	-34.28	18.85	-25.0	9.28	312.00	Vertical	Vertical	Pass
13375.799	-39.75	16.78	-25.0	14.75	1.00	Vertical	Vertical	Pass
19716.749	-41.88	12.94	-25.0	16.88	43.00	Vertical	Vertical	Pass

Band: NSA DC_7A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2566.100	-32.59	8.26	-25.0	7.59	49.00	Vertical	Horizontal	N/A
2688.200	-41.14	8.15	-25.0	16.14	174.00	Vertical	Horizontal	N/A
3701.750	-38.62	13.14	-25.0	13.62	31.00	Vertical	Horizontal	N/A
7966.750	-31.64	24.27	-25.0	6.64	31.00	Vertical	Horizontal	Pass
12493.500	-39.63	14.66	-25.0	14.63	329.00	Vertical	Horizontal	Pass
19636.199	-41.52	12.93	-25.0	16.52	360.00	Vertical	Horizontal	Pass

6.75DC_12A_n78A (3450-3550MHz)

Band:NSA DC_12A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1432.200	-54.27	-5.24	-13.0	41.27	359.00	Horizontal	Horizontal	Pass
1635.900	-49.83	-5.91	-13.0	36.83	359.00	Horizontal	Horizontal	Pass
1915.200	-46.26	-4.56	-13.0	33.26	112.00	Horizontal	Horizontal	Pass
2762.500	-38.35	0.10	-13.0	25.35	360.00	Horizontal	Horizontal	Pass
3549.250	-38.78	12.09	-13.0	25.78	295.00	Horizontal	Horizontal	N/A
7970.500	-29.59	24.00	-13.0	16.59	295.00	Horizontal	Horizontal	Pass

Band:NSA DC_12A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
166.334	-71.05	-16.63	-13.0	58.05	94.00	Horizontal	Vertical	Pass
1432.000	-52.77	-5.24	-13.0	39.77	359.00	Horizontal	Vertical	Pass
2762.400	-51.19	0.11	-13.0	38.19	152.00	Horizontal	Vertical	Pass
3568.750	-43.20	12.19	-13.0	30.20	360.00	Horizontal	Vertical	N/A
7906.250	-31.15	24.05	-13.0	18.15	1.00	Horizontal	Vertical	Pass
13400.212	-38.68	17.01	-13.0	25.68	1.00	Horizontal	Vertical	Pass

Band: NSA DC_12A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
176.955	-70.89	-15.86	-13.0	57.89	52.00	Vertical	Vertical	Pass
1475.000	-52.83	-5.36	-13.0	39.83	200.00	Vertical	Vertical	Pass
3080.750	-42.65	9.76	-13.0	29.65	266.00	Vertical	Vertical	Pass
3549.000	-43.75	12.09	-13.0	30.75	331.00	Vertical	Vertical	N/A
7968.500	-30.89	24.27	-13.0	17.89	1.00	Vertical	Vertical	Pass
13368.974	-38.80	16.72	-13.0	25.80	309.00	Vertical	Vertical	Pass

Band: NSA DC_12A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1464.900	-54.15	-5.40	-13.0	41.15	199.00	Vertical	Horizontal	Pass
2762.500	-52.35	0.10	-13.0	39.35	286.00	Vertical	Horizontal	Pass
3560.750	-44.65	12.14	-13.0	31.65	1.00	Vertical	Horizontal	N/A
7617.250	-31.03	22.84	-13.0	18.03	330.00	Vertical	Horizontal	Pass
11971.951	-39.67	13.93	-13.0	26.67	360.00	Vertical	Horizontal	Pass
19297.800	-42.43	12.92	-13.0	29.43	295.00	Vertical	Horizontal	Pass

6.76DC_12A_n78A (3700-3800MHz)

Band:NSA DC_12A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
699.300	-28.52	1.37	-13.0	15.52	254.00	Horizontal	Horizontal	N/A
1485.300	-55.43	-5.47	-13.0	42.43	360.00	Horizontal	Horizontal	Pass
2219.100	-51.01	-2.37	-13.0	38.01	4.00	Horizontal	Horizontal	Pass
3702.000	-39.46	13.14	-13.0	26.46	1.00	Horizontal	Horizontal	N/A
7915.250	-32.15	23.27	-13.0	19.15	195.00	Horizontal	Horizontal	Pass
13804.987	-39.39	16.89	-13.0	26.39	55.00	Horizontal	Horizontal	Pass

Band: NSA DC_12A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
699.300	-33.50	1.37	-13.0	20.50	81.00	Horizontal	Vertical	N/A
1482.700	-55.18	-5.44	-13.0	42.18	167.00	Horizontal	Vertical	Pass
1711.500	-56.53	-5.21	-13.0	43.53	79.00	Horizontal	Vertical	Pass
3754.750	-43.23	13.61	-13.0	30.23	281.00	Horizontal	Vertical	N/A
7969.000	-31.02	24.25	-13.0	18.02	281.00	Horizontal	Vertical	Pass
12496.825	-39.79	14.69	-13.0	26.79	359.00	Horizontal	Vertical	Pass

Band: NSA DC_12A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
699.300	-31.92	1.37	-13.0	18.92	127.00	Vertical	Vertical	N/A
1482.100	-52.90	-5.46	-13.0	39.90	207.00	Vertical	Vertical	Pass
2178.500	-54.23	-2.20	-13.0	41.23	359.00	Vertical	Vertical	Pass
3833.250	-42.27	13.91	-13.0	29.27	1.00	Vertical	Vertical	Pass
7565.500	-31.00	22.55	-13.0	18.00	36.00	Vertical	Vertical	Pass
12507.987	-39.60	14.59	-13.0	26.60	157.00	Vertical	Vertical	Pass

Band: NSA DC_12A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
699.300	-34.85	1.37	-13.0	21.85	147.00	Vertical	Horizontal	N/A
1461.300	-53.84	-5.23	-13.0	40.84	207.00	Vertical	Horizontal	Pass
3711.500	-43.46	13.23	-13.0	30.46	184.00	Vertical	Horizontal	N/A
7972.250	-31.01	24.12	-13.0	18.01	1.00	Vertical	Horizontal	Pass
13386.563	-38.83	16.88	-13.0	25.83	223.00	Vertical	Horizontal	Pass
17811.788	-42.11	12.88	-13.0	29.11	360.00	Vertical	Horizontal	Pass

6.77DC_13A_n78A (3450-3550MHz)

Band:NSA DC_13A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
165.800	-65.99	-16.97	-13.0	52.99	268.00	Horizontal	Horizontal	Pass
753.523	-42.68	1.68	-13.0	29.68	223.00	Horizontal	Horizontal	N/A
1520.100	-54.64	-5.53	-13.0	41.64	187.00	Horizontal	Horizontal	Pass
3549.250	-35.81	12.09	-13.0	22.81	262.00	Horizontal	Horizontal	N/A
7961.250	-31.03	24.97	-13.0	18.03	191.00	Horizontal	Horizontal	Pass
13352.700	-39.15	16.57	-13.0	26.15	118.00	Horizontal	Horizontal	Pass

Band: NSA DC_13A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
161.290	-73.16	-17.69	-13.0	60.16	70.00	Horizontal	Vertical	Pass
753.911	-49.65	1.73	-13.0	36.65	50.00	Horizontal	Vertical	N/A
1573.700	-55.41	-5.83	-13.0	42.41	203.00	Horizontal	Vertical	Pass
3593.250	-44.46	12.32	-13.0	31.46	359.00	Horizontal	Vertical	N/A
7234.000	-30.70	23.48	-13.0	17.70	12.00	Horizontal	Vertical	Pass
12493.500	-39.66	14.66	-13.0	26.66	1.00	Horizontal	Vertical	Pass

Band: NSA DC_13A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
753.232	-45.63	1.64	-13.0	32.63	205.00	Vertical	Vertical	N/A
1574.500	-52.27	-5.85	-13.0	39.27	127.00	Vertical	Vertical	Pass
2762.500	-50.20	0.10	-13.0	37.20	333.00	Vertical	Vertical	Pass
3549.250	-42.19	12.09	-13.0	29.19	324.00	Vertical	Vertical	Pass
7941.000	-30.54	24.36	-13.0	17.54	291.00	Vertical	Vertical	Pass
11899.275	-39.27	13.93	-13.0	26.27	313.00	Vertical	Vertical	Pass

Band: NSA DC_13A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
173.027	-67.23	-16.57	-13.0	54.23	89.00	Vertical	Horizontal	N/A
753.862	-45.09	1.72	-13.0	32.09	211.00	Vertical	Horizontal	Pass
1471.300	-53.11	-5.32	-13.0	40.11	214.00	Vertical	Horizontal	Pass
3116.000	-43.68	10.23	-13.0	30.68	51.00	Vertical	Horizontal	Pass
7961.000	-30.76	24.98	-13.0	17.76	82.00	Vertical	Horizontal	Pass
12488.037	-39.70	14.61	-13.0	26.70	288.00	Vertical	Horizontal	Pass

6.78DC_13A_n78A (3700-3800MHz)

Band: NSA DC_13A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA_5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
749.546	-42.65	1.32	-13.0	29.65	239.00	Horizontal	Horizontal	N/A
777.337	-59.56	3.68	-13.0	46.56	307.00	Horizontal	Horizontal	N/A
1555.600	-53.74	-5.57	-13.0	40.74	325.00	Horizontal	Horizontal	Pass
2225.400	-45.41	-2.34	-13.0	32.41	32.00	Horizontal	Horizontal	Pass
3702.250	-41.23	13.15	-13.0	28.23	1.00	Horizontal	Horizontal	N/A
7961.000	-31.43	23.96	-13.0	18.43	311.00	Horizontal	Horizontal	Pass

Band:NSA DC_13A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
746.345	-45.18	1.05	-13.0	32.18	150.00	Horizontal	Vertical	N/A
777.288	-58.99	3.68	-13.0	45.99	37.00	Horizontal	Vertical	N/A
1481.700	-55.15	-5.52	-13.0	42.15	184.00	Horizontal	Vertical	Pass
3837.000	-42.56	13.92	-13.0	29.56	307.00	Horizontal	Vertical	Pass
7957.250	-30.50	23.76	-13.0	17.50	69.00	Horizontal	Vertical	Pass
12456.450	-39.57	14.33	-13.0	26.57	359.00	Horizontal	Vertical	Pass

Band: NSA DC_13A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
748.042	-45.00	1.10	-13.0	32.00	243.00	Vertical	Vertical	N/A
777.337	-57.53	3.68	-13.0	44.53	114.00	Vertical	Vertical	N/A
1485.700	-52.84	-5.47	-13.0	39.84	203.00	Vertical	Vertical	Pass
3757.000	-42.38	13.61	-13.0	29.38	38.00	Vertical	Vertical	Pass
7866.750	-30.74	23.04	-13.0	17.74	203.00	Vertical	Vertical	Pass
13376.062	-39.37	16.78	-13.0	26.37	39.00	Vertical	Vertical	Pass

Band: NSA DC_13A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
748.382	-46.86	1.18	-13.0	33.86	209.00	Vertical	Horizontal	N/A
777.337	-58.44	3.68	-13.0	45.44	202.00	Vertical	Horizontal	N/A
1466.500	-53.24	-5.41	-13.0	40.24	213.00	Vertical	Horizontal	Pass
3789.500	-42.41	13.69	-13.0	29.41	311.00	Vertical	Horizontal	Pass
7850.500	-30.93	23.34	-13.0	17.93	115.00	Vertical	Horizontal	Pass
13376.062	-38.38	16.78	-13.0	25.38	113.00	Vertical	Horizontal	Pass

6.79DC_25A_n78A (3450-3550MHz)

Band:NSA DC_25A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
168.564	-66.20	-18.39	-13.0	53.20	289.00	Horizontal	Horizontal	Pass
1915.400	-34.21	2.87	-13.0	21.21	359.00	Horizontal	Horizontal	N/A
1993.600	-38.05	0.99	-13.0	25.05	224.00	Horizontal	Horizontal	N/A
3549.250	-34.25	12.09	-13.0	21.25	123.00	Horizontal	Horizontal	N/A
7959.250	-31.49	24.92	-13.0	18.49	6.00	Horizontal	Horizontal	Pass
12725.300	-39.94	14.75	-13.0	26.94	250.00	Horizontal	Horizontal	Pass

Band:NSA DC_25A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
170.602	-65.30	-18.31	-13.0	52.30	91.00	Horizontal	Vertical	Pass
1915.500	-32.01	2.87	-13.0	19.01	161.00	Horizontal	Vertical	N/A
1993.100	-45.70	0.98	-13.0	32.70	0.00	Horizontal	Vertical	N/A
3549.000	-43.70	12.09	-13.0	30.70	273.00	Horizontal	Vertical	N/A
7926.250	-30.77	23.71	-13.0	17.77	48.00	Horizontal	Vertical	Pass
13798.950	-39.17	16.94	-13.0	26.17	203.00	Horizontal	Vertical	Pass

Band: NSA DC_25A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
175.209	-70.35	-18.16	-13.0	57.35	3.00	Vertical	Vertical	Pass
1915.500	-38.11	2.87	-13.0	25.11	97.00	Vertical	Vertical	N/A
1993.200	-37.72	0.98	-13.0	24.72	243.00	Vertical	Vertical	N/A
3483.750	-44.40	12.37	-13.0	31.40	228.00	Vertical	Vertical	Pass
7946.000	-31.06	24.20	-13.0	18.06	21.00	Vertical	Vertical	Pass
11948.912	-39.29	14.01	-13.0	26.29	13.00	Vertical	Vertical	Pass

Band: NSA DC_25A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
170.214	-69.81	-18.37	-13.0	56.81	87.00	Vertical	Horizontal	Pass
1915.500	-37.48	2.87	-13.0	24.48	11.00	Vertical	Horizontal	N/A
1993.200	-46.52	0.98	-13.0	33.52	153.00	Vertical	Horizontal	N/A
3549.500	-43.10	12.09	-13.0	30.10	217.00	Vertical	Horizontal	N/A
7965.750	-30.30	24.64	-13.0	17.30	91.00	Vertical	Horizontal	Pass
13365.562	-39.46	16.69	-13.0	26.46	119.00	Vertical	Horizontal	Pass

6.80DC_25A_n78A (3700-3800MHz)

Band:NSA DC_25A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
165.994	-65.66	-18.52	-13.0	52.66	274.00	Horizontal	Horizontal	Pass
1841.100	-28.74	1.80	-13.0	15.74	80.00	Horizontal	Horizontal	N/A
1933.400	-31.35	1.95	-13.0	18.35	238.00	Horizontal	Horizontal	N/A
3702.000	-40.78	13.14	-13.0	27.78	360.00	Horizontal	Horizontal	N/A
7855.250	-31.41	23.13	-13.0	18.41	208.00	Horizontal	Horizontal	Pass
13357.688	-39.22	16.61	-13.0	26.22	13.00	Horizontal	Horizontal	Pass

Band: NSA DC_25A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
170.068	-67.35	-18.38	-13.0	54.35	250.00	Horizontal	Vertical	Pass
1841.200	-31.48	1.80	-13.0	18.48	209.00	Horizontal	Vertical	N/A
1933.200	-35.48	1.98	-13.0	22.48	248.00	Horizontal	Vertical	N/A
3644.000	-41.91	13.03	-13.0	28.91	60.00	Horizontal	Vertical	Pass
7921.250	-31.48	23.25	-13.0	18.48	275.00	Horizontal	Vertical	Pass
13374.224	-39.54	16.77	-13.0	26.54	254.00	Horizontal	Vertical	Pass

Band: NSA DC_25A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.779	-71.14	-20.00	-13.0	58.14	262.00	Vertical	Vertical	Pass
1841.100	-33.27	1.80	-13.0	20.27	48.00	Vertical	Vertical	N/A
1933.100	-45.92	2.00	-13.0	32.92	150.00	Vertical	Vertical	N/A
3734.500	-43.22	13.45	-13.0	30.22	356.00	Vertical	Vertical	Pass
7970.500	-31.01	24.22	-13.0	18.01	285.00	Vertical	Vertical	Pass
13400.475	-39.44	17.00	-13.0	26.44	360.00	Vertical	Vertical	Pass

Band: NSA DC_25A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.458	-70.28	-19.71	-13.0	57.28	190.00	Vertical	Horizontal	Pass
1841.200	-34.05	1.80	-13.0	21.05	344.00	Vertical	Horizontal	N/A
1933.300	-44.52	1.97	-13.0	31.52	131.00	Vertical	Horizontal	N/A
3702.000	-41.44	13.14	-13.0	28.44	346.00	Vertical	Horizontal	N/A
7972.000	-31.37	24.14	-13.0	18.37	47.00	Vertical	Horizontal	Pass
12506.087	-39.92	14.62	-13.0	26.92	209.00	Vertical	Horizontal	Pass

6.81DC_26A_n78A (3450-3550MHz)

Band:NSA DC_26A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.680	-46.92	5.55	-13.0	33.92	172.00	Horizontal	Horizontal	N/A
889.323	-48.49	4.49	-13.0	35.49	0.00	Horizontal	Horizontal	N/A
1697.800	-54.91	-4.88	-13.0	41.91	135.00	Horizontal	Horizontal	Pass
3549.500	-35.00	12.09	-13.0	22.00	29.00	Horizontal	Horizontal	N/A
7622.250	-31.20	23.36	-13.0	18.20	188.00	Horizontal	Horizontal	Pass
12493.737	-38.73	14.66	-13.0	25.73	340.00	Horizontal	Horizontal	Pass

Band: NSA DC_26A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC_NSA 5A_n78A(Mid) & 26A_N78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
854.015	-48.77	5.36	-13.0	35.77	238.00	Horizontal	Vertical	N/A
889.323	-46.92	4.49	-13.0	33.92	104.00	Horizontal	Vertical	N/A
1698.100	-48.43	-4.87	-13.0	35.43	134.00	Horizontal	Vertical	Pass
3549.500	-40.38	12.09	-13.0	27.38	157.00	Horizontal	Vertical	N/A
7961.250	-31.04	24.97	-13.0	18.04	38.00	Horizontal	Vertical	Pass
13398.901	-38.92	17.00	-13.0	25.92	143.00	Horizontal	Vertical	Pass

Band: NSA DC_26A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-52.73	5.55	-13.0	39.73	218.00	Vertical	Vertical	N/A
891.214	-51.84	4.48	-13.0	38.84	51.00	Vertical	Vertical	N/A
1698.400	-49.73	-4.87	-13.0	36.73	202.00	Vertical	Vertical	Pass
3509.000	-44.13	12.29	-13.0	31.13	251.00	Vertical	Vertical	Pass
7961.250	-31.24	24.97	-13.0	18.24	23.00	Vertical	Vertical	Pass
13371.338	-39.19	16.74	-13.0	26.19	228.00	Vertical	Vertical	Pass

Band: NSA DC_26A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_n78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
848.729	-48.44	5.55	-13.0	35.44	219.00	Vertical	Horizontal	N/A
890.099	-54.41	4.53	-13.0	41.41	53.00	Vertical	Horizontal	N/A
1698.200	-55.84	-4.87	-13.0	42.84	85.00	Vertical	Horizontal	Pass
3479.750	-43.70	12.38	-13.0	30.70	190.00	Vertical	Horizontal	Pass
7235.250	-31.26	23.53	-13.0	18.26	304.00	Vertical	Horizontal	Pass
11921.125	-39.39	13.97	-13.0	26.39	359.00	Vertical	Horizontal	Pass

6.82DC_26A_n78A (3700-3800MHz)

Band:NSA DC_26A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA 5A_n78A(Mid) & 26A_n78A(Mid) _814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.391	-51.28	4.99	-13.0	38.28	231.00	Horizontal	Horizontal	N/A
861.823	-44.97	4.40	-13.0	31.97	247.00	Horizontal	Horizontal	N/A
1629.600	-48.91	-5.94	-13.0	35.91	320.00	Horizontal	Horizontal	Pass
3701.750	-40.77	13.14	-13.0	27.77	313.00	Horizontal	Horizontal	N/A
7990.500	-31.40	23.59	-13.0	18.40	354.00	Horizontal	Horizontal	Pass
13345.087	-38.68	16.35	-13.0	25.68	321.00	Horizontal	Horizontal	Pass

Band: NSA DC_26A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.391	-52.40	4.99	-13.0	39.40	29.00	Horizontal	Vertical	N/A
861.630	-47.16	4.41	-13.0	34.16	264.00	Horizontal	Vertical	N/A
1629.300	-53.61	-5.95	-13.0	40.61	223.00	Horizontal	Vertical	Pass
3642.750	-43.13	13.04	-13.0	30.13	350.00	Horizontal	Vertical	Pass
7970.500	-31.43	24.22	-13.0	18.43	360.00	Horizontal	Vertical	Pass
13383.937	-39.70	16.86	-13.0	26.70	115.00	Horizontal	Vertical	Pass

Band: NSA DC_26A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.391	-51.39	4.99	-13.0	38.39	146.00	Vertical	Vertical	N/A
861.630	-44.28	4.41	-13.0	31.28	50.00	Vertical	Vertical	N/A
1629.300	-50.88	-5.95	-13.0	37.88	41.00	Vertical	Vertical	Pass
3789.750	-41.75	13.69	-13.0	28.75	18.00	Vertical	Vertical	Pass
7967.500	-31.35	24.30	-13.0	18.35	360.00	Vertical	Vertical	Pass
13335.375	-39.16	15.96	-13.0	26.16	359.00	Vertical	Vertical	Pass

Band: NSA DC_26A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
814.342	-47.12	4.99	-13.0	34.12	219.00	Vertical	Horizontal	N/A
860.369	-46.26	4.40	-13.0	33.26	32.00	Vertical	Horizontal	N/A
1629.200	-50.08	-5.96	-13.0	37.08	129.00	Vertical	Horizontal	Pass
3789.250	-43.02	13.69	-13.0	30.02	172.00	Vertical	Horizontal	Pass
7875.750	-31.95	23.17	-13.0	18.95	319.00	Vertical	Horizontal	Pass
13353.750	-39.85	16.58	-13.0	26.85	313.00	Vertical	Horizontal	Pass

6.83DC_38A_n78A (3450-3550MHz)

Band: NSA DC_38A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
163.133	-68.89	-18.87	-25.0	43.89	287.00	Horizontal	Horizontal	Pass
1472.800	-52.48	-0.38	-25.0	27.48	160.00	Horizontal	Horizontal	Pass
3549.250	-39.69	12.09	-25.0	14.69	359.00	Horizontal	Horizontal	N/A
7965.250	-29.54	24.67	-25.0	4.54	23.00	Horizontal	Horizontal	Pass
11973.375	-39.35	13.92	-25.0	14.35	105.00	Horizontal	Horizontal	Pass
17958.525	-42.67	13.88	-25.0	17.67	359.00	Horizontal	Horizontal	Pass

Band:NSA DC_38A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.830	-66.87	-18.49	-25.0	41.87	83.00	Horizontal	Vertical	Pass
1424.900	-51.54	-0.08	-25.0	26.54	166.00	Horizontal	Vertical	Pass
3549.000	-43.05	12.09	-25.0	18.05	299.00	Horizontal	Vertical	N/A
7866.500	-30.31	23.29	-25.0	5.31	119.00	Horizontal	Vertical	Pass
13791.075	-39.00	16.41	-25.0	14.00	329.00	Horizontal	Vertical	Pass
17805.750	-40.67	13.04	-25.0	15.67	144.00	Horizontal	Vertical	Pass

Band: NSA DC_38A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.700	-67.43	-19.62	-25.0	42.43	241.00	Vertical	Vertical	Pass
1477.000	-50.10	-0.22	-25.0	25.10	211.00	Vertical	Vertical	Pass
3549.500	-42.27	12.09	-25.0	17.27	332.00	Vertical	Vertical	N/A
7859.250	-30.66	23.25	-25.0	5.66	216.00	Vertical	Vertical	Pass
13381.838	-39.07	16.84	-25.0	14.07	181.00	Vertical	Vertical	Pass
19760.400	-42.42	12.94	-25.0	17.42	9.00	Vertical	Vertical	Pass

Band: NSA DC_38A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.779	-68.28	-20.00	-25.0	43.28	295.00	Vertical	Horizontal	Pass
1540.900	-51.79	-0.20	-25.0	26.79	149.00	Vertical	Horizontal	Pass
3549.250	-36.44	12.09	-25.0	11.44	359.00	Vertical	Horizontal	N/A
7251.250	-31.49	23.97	-25.0	6.49	13.00	Vertical	Horizontal	Pass
13367.137	-39.28	16.70	-25.0	14.28	251.00	Vertical	Horizontal	Pass
17806.801	-42.21	13.02	-25.0	17.21	38.00	Vertical	Horizontal	Pass

6.84DC_38A_n78A (3700-3800MHz)

Band: NSA DC_38A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
170.456	-69.72	-18.33	-25.0	44.72	289.00	Horizontal	Horizontal	Pass
1709.100	-52.58	0.62	-25.0	27.58	150.00	Horizontal	Horizontal	Pass
2619.800	-44.89	9.23	-25.0	19.89	359.00	Horizontal	Horizontal	Pass
3701.500	-40.92	13.14	-25.0	15.92	133.00	Horizontal	Horizontal	N/A
7248.750	-31.73	24.31	-25.0	6.73	84.00	Horizontal	Horizontal	Pass
13368.713	-38.98	16.72	-25.0	13.98	1.00	Horizontal	Horizontal	Pass

Band: NSA DC_38A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
168.516	-70.78	-18.39	-25.0	45.78	81.00	Horizontal	Vertical	Pass
840.047	-67.49	-0.14	-25.0	42.49	137.00	Horizontal	Vertical	Pass
1708.100	-52.02	0.77	-25.0	27.02	1.00	Horizontal	Vertical	Pass
2989.600	-41.34	12.66	-25.0	16.34	1.00	Horizontal	Vertical	Pass
7831.500	-31.31	23.05	-25.0	6.31	359.00	Horizontal	Vertical	Pass
12488.750	-39.46	14.62	-25.0	14.46	363.00	Horizontal	Vertical	Pass

Band:NSA DC_38A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.409	-68.03	-19.73	-25.0	43.03	360.00	Vertical	Vertical	Pass
179.671	-71.67	-17.46	-25.0	46.67	326.00	Vertical	Vertical	Pass
1480.600	-51.36	-0.13	-25.0	26.36	199.00	Vertical	Vertical	Pass
2981.800	-41.63	12.48	-25.0	16.63	141.00	Vertical	Vertical	Pass
7967.250	-30.72	24.31	-25.0	5.72	74.00	Vertical	Vertical	Pass
13382.100	-39.54	16.84	-25.0	14.54	360.00	Vertical	Vertical	Pass

Band: NSA DC_38A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.362	-64.79	-20.34	-25.0	39.79	96.00	Vertical	Horizontal	Pass
1464.200	-51.61	-0.19	-25.0	26.61	216.00	Vertical	Horizontal	Pass
2994.000	-42.73	12.83	-25.0	17.73	273.00	Vertical	Horizontal	Pass
7236.250	-31.29	23.35	-25.0	6.29	359.00	Vertical	Horizontal	Pass
13358.737	-39.64	16.62	-25.0	14.64	134.00	Vertical	Horizontal	Pass
17807.849	-42.43	12.99	-25.0	17.43	359.00	Vertical	Horizontal	Pass

6.85DC_41A_n78A (3450-3550MHz)

Band: NSA DC_41A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
169.777	-71.38	-18.36	-25.0	46.38	288.00	Horizontal	Horizontal	Pass
1700.200	-52.58	0.66	-25.0	27.58	359.00	Horizontal	Horizontal	Pass
3549.250	-37.22	12.09	-25.0	12.22	137.00	Horizontal	Horizontal	N/A
7999.500	-30.89	23.43	-25.0	5.89	346.00	Horizontal	Horizontal	Pass
13381.049	-39.83	16.83	-25.0	14.83	101.00	Horizontal	Horizontal	Pass
17805.224	-42.40	13.06	-25.0	17.40	1.00	Horizontal	Horizontal	Pass

Band:NSA DC_41A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.636	-69.02	-18.51	-25.0	44.02	228.00	Horizontal	Vertical	Pass
1313.700	-52.91	0.31	-25.0	27.91	22.00	Horizontal	Vertical	Pass
2911.400	-42.93	10.82	-25.0	17.93	295.00	Horizontal	Vertical	Pass
7865.500	-31.54	22.96	-25.0	6.54	323.00	Horizontal	Vertical	Pass
13341.938	-39.35	16.22	-25.0	14.35	359.00	Horizontal	Vertical	Pass
19741.499	-42.61	12.94	-25.0	17.61	314.00	Horizontal	Vertical	Pass

Band: NSA DC_41A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.118	-68.09	-19.84	-25.0	43.09	238.00	Vertical	Vertical	Pass
2677.700	-44.16	8.60	-25.0	19.16	240.00	Vertical	Vertical	N/A
3549.000	-42.69	12.09	-25.0	17.69	322.00	Vertical	Vertical	N/A
7183.750	-30.59	22.35	-25.0	5.59	322.00	Vertical	Vertical	Pass
13361.887	-39.42	16.65	-25.0	14.42	359.00	Vertical	Vertical	Pass
17801.288	-42.01	13.16	-25.0	17.01	304.00	Vertical	Vertical	Pass

Band: NSA DC_41A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA 7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.651	-68.93	-19.64	-25.0	43.93	174.00	Vertical	Horizontal	Pass
1492.300	-51.26	-0.47	-25.0	26.26	214.00	Vertical	Horizontal	Pass
3549.000	-42.73	12.09	-25.0	17.73	281.00	Vertical	Horizontal	N/A
7959.500	-31.42	24.93	-25.0	6.42	60.00	Vertical	Horizontal	Pass
13372.387	-40.33	16.75	-25.0	15.33	130.00	Vertical	Horizontal	Pass
20337.302	-43.42	12.97	-25.0	18.42	260.00	Vertical	Horizontal	Pass

6.86DC_41A_n78A (3700-3800MHz)

Band: NSA DC_41A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA 7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.393	-69.55	-18.54	-25.0	44.55	269.00	Horizontal	Horizontal	Pass
1499.300	-52.21	-0.62	-25.0	27.21	206.00	Horizontal	Horizontal	Pass
3736.750	-42.01	13.47	-25.0	17.01	57.00	Horizontal	Horizontal	Pass
7969.250	-30.90	24.24	-25.0	5.90	1.00	Horizontal	Horizontal	Pass
12491.600	-39.51	14.64	-25.0	14.51	169.00	Horizontal	Horizontal	Pass
20232.901	-42.52	12.96	-25.0	17.52	17.00	Horizontal	Horizontal	Pass

Band:NSA DC_41A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.393	-70.74	-18.54	-25.0	45.74	303.00	Horizontal	Vertical	Pass
1417.600	-52.17	-0.14	-25.0	27.17	76.00	Horizontal	Vertical	Pass
3702.000	-40.72	13.14	-25.0	15.72	26.00	Horizontal	Vertical	N/A
7993.500	-30.94	23.67	-25.0	5.94	8.00	Horizontal	Vertical	Pass
13384.200	-39.42	16.86	-25.0	14.42	202.00	Horizontal	Vertical	Pass
17935.688	-42.08	13.75	-25.0	17.08	295.00	Horizontal	Vertical	Pass

Band: NSA DC_41A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA 7A_n78A & 41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
39.021	-68.32	-19.87	-25.0	43.32	94.00	Vertical	Vertical	Pass
1475.600	-51.56	-0.35	-25.0	26.56	212.00	Vertical	Vertical	Pass
3812.250	-43.24	13.79	-25.0	18.24	238.00	Vertical	Vertical	Pass
7247.000	-31.56	24.25	-25.0	6.56	13.00	Vertical	Vertical	Pass
13419.112	-39.19	16.59	-25.0	14.19	97.00	Vertical	Vertical	Pass
19620.448	-42.28	12.93	-25.0	17.28	77.00	Vertical	Vertical	Pass

Band: NSA DC_41A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_7A_n78A_&41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.342	-68.17	-20.24	-25.0	43.17	166.00	Vertical	Horizontal	Pass
1384.100	-51.96	-0.13	-25.0	26.96	204.00	Vertical	Horizontal	Pass
3615.250	-42.73	13.21	-25.0	17.73	359.00	Vertical	Horizontal	Pass
7934.250	-31.45	23.56	-25.0	6.45	271.00	Vertical	Horizontal	Pass
11942.500	-39.98	14.00	-25.0	14.98	356.00	Vertical	Horizontal	Pass
19803.150	-42.47	12.94	-25.0	17.47	360.00	Vertical	Horizontal	Pass

6.87DC_66A_n78A (3450-3550MHz)

Band:NSA DC_66A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
162.745	-66.71	-18.96	-13.0	53.71	313.00	Horizontal	Horizontal	Pass
1780.500	-30.46	0.91	-13.0	17.46	21.00	Horizontal	Horizontal	N/A
2177.000	-47.32	2.93	-13.0	34.32	137.00	Horizontal	Horizontal	N/A
4185.500	-42.54	13.18	-13.0	29.54	359.00	Horizontal	Horizontal	Pass
7968.250	-30.74	24.30	-13.0	17.74	359.00	Horizontal	Horizontal	Pass
12496.825	-39.77	14.69	-13.0	26.77	1.00	Horizontal	Horizontal	Pass

Band: NSA DC_66A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
167.110	-64.77	-18.35	-13.0	51.77	285.00	Horizontal	Vertical	Pass
1780.400	-31.62	0.84	-13.0	18.62	31.00	Horizontal	Vertical	N/A
3511.000	-43.24	12.28	-13.0	30.24	91.00	Horizontal	Vertical	Pass
7964.500	-30.63	24.78	-13.0	17.63	166.00	Horizontal	Vertical	Pass
12475.450	-39.78	14.50	-13.0	26.78	359.00	Horizontal	Vertical	Pass
19624.800	-41.50	12.93	-13.0	28.50	359.00	Horizontal	Vertical	Pass


Band: NSA DC_66A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Band:NSA DC_66A_n78A,Channel:HIGH range BW:5M+20M

RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.487	-70.22	-20.16	-13.0	57.22	149.00	Vertical	Horizontal	Pass
1780.500	-31.62	0.91	-13.0	18.62	10.00	Vertical	Horizontal	N/A
2178.700	-47.93	2.98	-13.0	34.93	140.00	Vertical	Horizontal	N/A
3549.000	-41.02	12.09	-13.0	28.02	188.00	Vertical	Horizontal	N/A
7874.500	-31.32	23.65	-13.0	18.32	74.00	Vertical	Horizontal	Pass
13349.812	-38.95	16.53	-13.0	25.95	136.00	Vertical	Horizontal	Pass

6.88DC_66A_n78A (3700-3800MHz)

Band:NSA DC_66A_n78A,Channel:LOW range BW:5M+20M


RSE(5G NSA FCC_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
164.345	-66.57	-18.55	-13.0	53.57	253.00	Horizontal	Horizontal	Pass
1711.200	-29.84	1.31	-13.0	16.84	148.00	Horizontal	Horizontal	N/A
2113.200	-43.16	2.47	-13.0	30.16	216.00	Horizontal	Horizontal	N/A
3837.250	-42.78	13.82	-13.0	29.78	107.00	Horizontal	Horizontal	Pass
7900.750	-30.13	23.37	-13.0	17.13	359.00	Horizontal	Horizontal	Pass
13402.313	-39.29	16.96	-13.0	26.29	312.00	Horizontal	Horizontal	Pass

Band: NSA DC_66A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
170.844	-68.04	-18.28	-13.0	55.04	273.00	Horizontal	Vertical	Pass
1711.200	-33.90	1.31	-13.0	20.90	156.00	Horizontal	Vertical	N/A
2113.100	-43.92	2.47	-13.0	30.92	235.00	Horizontal	Vertical	N/A
3737.250	-43.43	13.48	-13.0	30.43	33.00	Horizontal	Vertical	Pass
7989.500	-30.94	23.52	-13.0	17.94	271.00	Horizontal	Vertical	Pass
12730.526	-39.26	14.74	-13.0	26.26	1.00	Horizontal	Vertical	Pass

Band: NSA DC_66A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.779	-69.44	-20.00	-13.0	56.44	360.00	Vertical	Vertical	Pass
1711.100	-34.60	1.31	-13.0	21.60	93.00	Vertical	Vertical	N/A
2113.000	-36.46	2.47	-13.0	23.46	171.00	Vertical	Vertical	N/A
3702.000	-41.13	13.14	-13.0	28.13	202.00	Vertical	Vertical	Pass
7962.250	-31.14	24.03	-13.0	18.14	72.00	Vertical	Vertical	Pass
12485.425	-39.45	14.59	-13.0	26.45	322.00	Vertical	Vertical	Pass

Band: NSA DC_66A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.876	-70.56	-19.95	-13.0	57.56	280.00	Vertical	Horizontal	Pass
1711.100	-34.23	1.31	-13.0	21.23	31.00	Vertical	Horizontal	N/A
2112.800	-48.74	2.47	-13.0	35.74	137.00	Vertical	Horizontal	N/A
3836.250	-41.96	13.93	-13.0	28.96	334.00	Vertical	Horizontal	Pass
7965.750	-31.09	24.16	-13.0	18.09	220.00	Vertical	Horizontal	Pass
13378.688	-39.08	16.81	-13.0	26.08	359.00	Vertical	Horizontal	Pass

6.89DC_71A_n78A (3450-3550MHz)

Band: NSA DC_71A_n78A, Channel: HIGH range BW: 5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
651.576	-46.14	0.51	-13.0	33.14	222.00	Horizontal	Horizontal	N/A
697.651	-52.05	0.79	-13.0	39.05	316.00	Horizontal	Horizontal	N/A
1396.100	-16.13	-5.80	-13.0	3.13	194.00	Horizontal	Horizontal	Pass
2093.900	-16.23	-2.24	-13.0	3.23	194.00	Horizontal	Horizontal	Pass
2791.400	-17.00	1.67	-13.0	4.00	194.00	Horizontal	Horizontal	Pass
3549.000	-38.88	12.09	-13.0	25.88	346.00	Horizontal	Horizontal	N/A

Band:NSA DC_71A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
648.860	-46.41	0.43	-13.0	33.41	215.00	Horizontal	Vertical	N/A
697.700	-54.35	0.78	-13.0	41.35	92.00	Horizontal	Vertical	N/A
1396.200	-16.40	-5.81	-13.0	3.40	351.00	Horizontal	Vertical	Pass
2093.800	-16.82	-2.23	-13.0	3.82	329.00	Horizontal	Vertical	Pass
2791.400	-21.51	1.67	-13.0	8.51	360.00	Horizontal	Vertical	Pass
7955.500	-31.62	24.64	-13.0	18.62	0.00	Horizontal	Vertical	Pass

Band:NSA DC_71A_n78A,Channel:HIGH range BW:5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
650.849	-52.44	0.48	-13.0	39.44	178.00	Vertical	Vertical	N/A
697.651	-52.06	0.79	-13.0	39.06	250.00	Vertical	Vertical	N/A
1396.100	-16.13	-5.80	-13.0	3.13	313.00	Vertical	Vertical	Pass
2093.900	-16.27	-2.24	-13.0	3.27	323.00	Vertical	Vertical	Pass
2791.500	-16.61	1.66	-13.0	3.61	294.00	Vertical	Vertical	Pass
7974.500	-30.72	23.51	-13.0	17.72	96.00	Vertical	Vertical	Pass

Band: NSA DC_71A_n78A, Channel: HIGH range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
647.648	-44.15	0.09	-13.0	31.15	343.00	Vertical	Horizontal	N/A
697.748	-59.44	0.78	-13.0	46.44	99.00	Vertical	Horizontal	N/A
1396.200	-16.89	-5.81	-13.0	3.89	228.00	Vertical	Horizontal	Pass
2093.800	-17.87	-2.23	-13.0	4.87	179.00	Vertical	Horizontal	Pass
2791.500	-27.93	1.66	-13.0	14.93	189.00	Vertical	Horizontal	Pass
7877.000	-31.26	23.76	-13.0	18.26	363.00	Vertical	Horizontal	Pass

6.90DC_71A_n78A (3700-3800MHz)

Band: NSA DC_71A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
621.118	-45.09	-0.87	-13.0	32.09	220.00	Horizontal	Horizontal	N/A
663.313	-45.76	2.16	-13.0	32.76	239.00	Horizontal	Horizontal	N/A
1327.600	-16.10	-5.15	-13.0	3.10	193.00	Horizontal	Horizontal	Pass
1990.800	-24.09	-3.26	-13.0	11.09	193.00	Horizontal	Horizontal	Pass
2654.300	-36.33	0.20	-13.0	23.33	183.00	Horizontal	Horizontal	Pass
3702.000	-36.46	13.14	-13.0	23.46	25.00	Horizontal	Horizontal	N/A

Band: NSA DC_71A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA 2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
619.130	-50.56	-1.02	-13.0	37.56	53.00	Horizontal	Vertical	N/A
663.362	-46.71	2.15	-13.0	33.71	41.00	Horizontal	Vertical	N/A
1327.400	-16.48	-5.15	-13.0	3.48	11.00	Horizontal	Vertical	Pass
1991.000	-16.68	-3.28	-13.0	3.68	11.00	Horizontal	Vertical	Pass
2654.200	-16.42	0.20	-13.0	3.42	11.00	Horizontal	Vertical	Pass
7235.500	-31.51	23.26	-13.0	18.51	196.00	Horizontal	Vertical	Pass

Band: NSA DC_71A_n78A, Channel: LOW range BW: 5M+20M


RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
619.566	-44.08	-1.05	-13.0	31.08	16.00	Vertical	Vertical	N/A
663.362	-45.66	2.15	-13.0	32.66	10.00	Vertical	Vertical	N/A
1327.500	-16.50	-5.15	-13.0	3.50	133.00	Vertical	Vertical	Pass
1990.800	-16.42	-3.26	-13.0	3.42	125.00	Vertical	Vertical	Pass
2654.100	-17.77	0.20	-13.0	4.77	125.00	Vertical	Vertical	Pass
7963.500	-31.42	24.14	-13.0	18.42	122.00	Vertical	Vertical	Pass

Band: NSA DC_71A_n78A, Channel: LOW range BW: 5M+20M

RSE(5G NSA FCC)_NSA_2A_n78A(Mid)_1850-1920&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
617.529	-41.47	-1.01	-13.0	28.47	162.00	Vertical	Horizontal	N/A
658.899	-49.47	2.30	-13.0	36.47	58.00	Vertical	Horizontal	N/A
1327.400	-18.32	-5.15	-13.0	5.32	167.00	Vertical	Horizontal	Pass
1990.900	-29.62	-3.27	-13.0	16.62	158.00	Vertical	Horizontal	Pass
2654.100	-41.43	0.20	-13.0	28.43	158.00	Vertical	Horizontal	Pass
7238.750	-30.56	23.50	-13.0	17.56	123.00	Vertical	Horizontal	Pass

--BLANK BELOW--