

## 99% Bandwidth

### 1. 802.11a\_20M\_U-NII-1\_L

#### 1.1. A.2.2-99% Bandwidth(NTNV)



## 2. 802.11a\_20M\_U-NII-1\_M

### 2.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 16.336779 |  | N/A     |



### 3. 802.11a\_20M\_U-NII-1\_H

#### 3.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 16.340696 |  | N/A     |



## 4. 802.11n\_20M\_U-NII-1\_L

### 4.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.550035 |  | N/A     |



## 5. 802.11n\_20M\_U-NII-1\_M

### 5.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.556933 |  | N/A     |



## 6. 802.11n\_20M\_U-NII-1\_H

### 6.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.553556 |  | N/A     |



## 7. 802.11n\_40M\_U-NII-1\_L

### 7.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 35.991217 |  | N/A     |



## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.00319  |  | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.548243 |  | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.552469 |  | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.554838 |  | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 35.994527 |  | N/A     |



### 13. 802.11ac\_40M\_U-NII-1\_H

#### 13.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 35.99023  |  | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5210                   | 99            |  | 0.82      | Peak     | 0           | 75.367569 |  | N/A     |



## 15. 802.11ac\_160M\_U-NII-2A\_M

### 15.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5250                   | 99            |  | 1.6       | Peak     | 0           | 154.2023  |  | N/A     |



## 16. 802.11ax\_20M\_U-NII-1\_L

### 16.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 18.916009 |  | N/A     |



## 17. 802.11ax\_20M\_U-NII-1\_M

### 17.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 18.922586 |  | N/A     |





## 19. 802.11ax\_40M\_U-NII-1\_L

### 19.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 37.648719 |  | N/A     |



## 20. 802.11ax\_40M\_U-NII-1\_H

### 20.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 37.683522 |  | N/A     |



## 21. 802.11ax\_80M\_U-NII-1\_M

### 21.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5210                   | 99            |  | 0.82      | Peak     | 0           | 77.050812 |  | N/A     |



## 22. 802.11ax\_160M\_U-NII-2A\_M

### 22.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz)  |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|------------|--|---------|
| 5250                   | 99            |  | 1.6       | Peak     | 0           | 156.029228 |  | N/A     |



## 23. 802.11a\_20M\_U-NII-2A\_L

### 23.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 16.55784  |  | N/A     |



## 24. 802.11a\_20M\_U-NII-2A\_M

### 24.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 16.562131 |  | N/A     |



## 25. 802.11a\_20M\_U-NII-2A\_H

### 25.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 16.553247 |  | N/A     |



## 26. 802.11n\_20M\_U-NII-2A\_L

### 26.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 17.53706  |  | N/A     |



## 27. 802.11n\_20M\_U-NII-2A\_M

### 27.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 17.557577 |  | N/A     |



## 28. 802.11n\_20M\_U-NII-2A\_H

### 28.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 17.546993 |  | N/A     |



## 29. 802.11n\_40M\_U-NII-2A\_L

### 29.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 36.000961 |  | N/A     |



## 30. 802.11n\_40M\_U-NII-2A\_H

### 30.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 36.008693 |  | N/A     |



## 31. 802.11ac\_20M\_U-NII-2A\_L

### 31.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 17.549712 |  | N/A     |



## 32. 802.11ac\_20M\_U-NII-2A\_M

### 32.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 17.780748 |  | N/A     |



### 33. 802.11ac\_20M\_U-NII-2A\_H

#### 33.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 17.768925 |  | N/A     |



## 34. 802.11ac\_40M\_U-NII-2A\_L

### 34.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 36.536467 |  | N/A     |



## 35. 802.11ac\_40M\_U-NII-2A\_H

### 35.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 35.98431  |  | N/A     |



## 36. 802.11ac\_80M\_U-NII-2A\_M

### 36.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5290                   | 99            |  | 0.82      | Peak     | 0           | 75.451235 |  | N/A     |



## 37. 802.11ax\_20M\_U-NII-2A\_L

### 37.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 18.906767 |  | N/A     |



## 38. 802.11ax\_20M\_U-NII-2A\_M

### 38.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 18.91183  |  | N/A     |



## 39. 802.11ax\_20M\_U-NII-2A\_H

### 39.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 18.911772 |  | N/A     |



## 40. 802.11ax\_40M\_U-NII-2A\_L

### 40.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 37.676799 |  | N/A     |



## 41. 802.11ax\_40M\_U-NII-2A\_H

### 41.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 37.662517 |  | N/A     |



## 42. 802.11ax\_80M\_U-NII-2A\_M

### 42.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5290                   | 99            |  | 0.82      | Peak     | 0           | 77.139907 |  | N/A     |



## 43. 802.11a\_20M\_U-NII-2C\_L

### 43.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 16.588747 |  | N/A     |



## 44. 802.11a\_20M\_U-NII-2C\_M

### 44.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 16.574263 |  | N/A     |



## 45. 802.11a\_20M\_U-NII-2C\_H

### 45.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 16.581509 |  | N/A     |



## 46. 802.11n\_20M\_U-NII-2C\_L

### 46.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 17.549147 |  | N/A     |



## 47. 802.11n\_20M\_U-NII-2C\_M

### 47.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 17.541163 |  | N/A     |



## 48. 802.11n\_20M\_U-NII-2C\_H

### 48.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 17.556485 |  | N/A     |



## 49. 802.11n\_40M\_U-NII-2C\_L

### 49.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 36.027708 |  | N/A     |



## 50. 802.11n\_40M\_U-NII-2C\_M

### 50.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 35.985856 |  | N/A     |



## 51. 802.11n\_40M\_U-NII-2C\_H

### 51.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5670                   | 99            |  | 0.39      | Peak     | 0           | 36.017909 |  | N/A     |



## 52. 802.11ac\_20M\_U-NII-2C\_L

### 52.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 17.54423  |  | N/A     |



## 53. 802.11ac\_20M\_U-NII-2C\_M

### 53.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 17.5517   |  | N/A     |



## 54. 802.11ac\_20M\_U-NII-2C\_H

### 54.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 17.554871 |  | N/A     |



## 55. 802.11ac\_40M\_U-NII-2C\_L

### 55.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 35.988231 |  | N/A     |



## 56. 802.11ac\_40M\_U-NII-2C\_M

### 56.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 35.994184 |  | N/A     |



## 57. 802.11ac\_40M\_U-NII-2C\_H

### 57.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5670                   | 99            |  | 0.39      | Peak     | 0           | 36.01723  |  | N/A     |



## 58. 802.11ac\_80M\_U-NII-2C\_L

### 58.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5530                   | 99            |  | 0.82      | Peak     | 0           | 75.368174 |  | N/A     |



## 59. 802.11ac\_80M\_U-NII-2C\_M

### 59.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5610                   | 99            |  | 0.82      | Peak     | 0           | 75.471659 |  | N/A     |



## 60. 802.11ac\_160M\_U-NII-2C\_M

### 60.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz)  |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|------------|--|---------|
| 5570                   | 99            |  | 1.6       | Peak     | 0           | 154.482611 |  | N/A     |



## 61. 802.11ax\_20M\_U-NII-2C\_L

### 61.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 18.919387 |  | N/A     |



## 62. 802.11ax\_20M\_U-NII-2C\_M

### 62.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 18.913055 |  | N/A     |



## 63. 802.11ax\_20M\_U-NII-2C\_H

### 63.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 18.923802 |  | N/A     |



## 64. 802.11ax\_40M\_U-NII-2C\_L

### 64.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 37.626009 |  | N/A     |



## 65. 802.11ax\_40M\_U-NII-2C\_M

### 65.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 37.694771 |  | N/A     |



## 66. 802.11ax\_40M\_U-NII-2C\_H

### 66.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5670                   | 99            |  | 0.39      | Peak     | 0           | 37.672988 |  | N/A     |



## 67. 802.11ax\_80M\_U-NII-2C\_L

### 67.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5530                   | 99            |  | 0.82      | Peak     | 0           | 77.077059 |  | N/A     |



## 68. 802.11ax\_80M\_U-NII-2C\_M

### 68.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5610                   | 99            |  | 0.82      | Peak     | 0           | 77.204236 |  | N/A     |



## 69. 802.11ax\_160M\_U-NII-2C\_M

### 69.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz)  |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|------------|--|---------|
| 5570                   | 99            |  | 1.6       | Peak     | 0           | 156.463923 |  | N/A     |



## 70. 802.11a\_20M\_U-NII-3\_L

### 70.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 16.546769 |  | N/A     |



## 71. 802.11a\_20M\_U-NII-3\_M

### 71.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 16.536466 |  | N/A     |



## 72. 802.11a\_20M\_U-NII-3\_H

### 72.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 16.557707 |  | N/A     |



## 73. 802.11n\_20M\_U-NII-3\_L

### 73.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.54897  |  | N/A     |



## 74. 802.11n\_20M\_U-NII-3\_M

### 74.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.556147 |  | N/A     |



## 75. 802.11n\_20M\_U-NII-3\_H

### 75.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.559007 |  | N/A     |



## 76. 802.11n\_40M\_U-NII-3\_L

### 76.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.00911  |  | N/A     |



## 77. 802.11n\_40M\_U-NII-3\_H

### 77.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.031426 |  | N/A     |



## 78. 802.11ac\_20M\_U-NII-3\_L

### 78.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.556931 |  | N/A     |



## 79. 802.11ac\_20M\_U-NII-3\_M

### 79.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.566187 |  | N/A     |



## 80. 802.11ac\_20M\_U-NII-3\_H

### 80.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.565883 |  | N/A     |



## 81. 802.11ac\_40M\_U-NII-3\_L

### 81.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.018496 |  | N/A     |



## 82. 802.11ac\_40M\_U-NII-3\_H

### 82.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.031256 |  | N/A     |



## 83. 802.11ac\_80M\_U-NII-3\_M

### 83.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5775                   | 99            |  | 0.82      | Peak     | 0           | 75.510471 |  | N/A     |



## 84. 802.11ax\_20M\_U-NII-3\_L

### 84.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 18.922604 |  | N/A     |



## 85. 802.11ax\_20M\_U-NII-3\_M

### 85.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 18.921672 |  | N/A     |



## 86. 802.11ax\_20M\_U-NII-3\_H

### 86.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 18.923696 |  | N/A     |



## 87. 802.11ax\_40M\_U-NII-3\_L

### 87.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 37.69409  |  | N/A     |



## 88. 802.11ax\_40M\_U-NII-3\_H

### 88.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 37.679801 |  | N/A     |



## 89. 802.11ax\_80M\_U-NII-3\_M

### 89.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5775                   | 99            |  | 0.82      | Peak     | 0           | 77.188673 |  | N/A     |



--BLANK BELOW--