


802.11ax20, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5149.14	57.71	6.52	64.23	74.00	9.77	Peak
2	5149.14	38.65	6.52	45.17	54.00	8.83	Average
3	5150.00	50.70	6.53	57.23	74.00	16.77	Peak
4	5150.00	39.00	6.53	45.53	54.00	8.47	Average

802.11ax20, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 low channel 5180MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5147.00	59.08	6.52	65.60	74.00	8.40	Peak
2	5147.00	38.19	6.52	44.71	54.00	9.29	Average
3	5150.00	52.25	6.53	58.78	74.00	15.22	Peak
4	5150.00	38.48	6.53	45.01	54.00	8.99	Average

802.11ax20, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 high channel 5240MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	48.93	7.10	56.03	74.00	17.97	Peak
2	5350.00	37.06	7.10	44.16	54.00	9.84	Average

802.11ax20, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-1 high channel 5240MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	48.63	7.10	55.73	74.00	18.27	Peak
2	5350.00	37.07	7.10	44.17	54.00	9.83	Average

802.11ax40, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 low channel 5190MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.25	6.53	57.78	74.00	16.22	Peak
2	5150.00	39.62	6.53	46.15	54.00	7.85	Average

802.11ax40, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 low channel 5190MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	55.55	6.53	62.08	74.00	11.92	Peak
2	5150.00	43.88	6.53	50.41	54.00	3.59	Average

802.11ax40, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	51.52	7.10	58.62	74.00	15.38	Peak
2	5350.00	39.38	7.10	46.48	54.00	7.52	Average

802.11ax40, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-1 high channel 5230MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	51.18	7.10	58.28	74.00	15.72	Peak
2	5350.00	39.25	7.10	46.35	54.00	7.65	Average

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5148.36	52.00	6.52	58.52	74.00	15.48	Peak
2	5148.36	39.00	6.52	45.52	74.00	28.48	Average
3	5150.00	49.36	6.53	55.89	74.00	18.11	Peak
4	5150.00	39.26	6.53	45.79	74.00	28.21	Average
5	5350.00	51.03	7.10	58.13	74.00	15.87	Peak
6	5350.00	39.62	7.10	46.72	74.00	27.28	Average

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5135.52	57.55	6.46	64.01	74.00	9.99	Peak
2	5135.52	42.53	6.46	48.99	74.00	25.01	Average
3	5150.00	52.80	6.53	59.33	74.00	14.67	Peak
4	5150.00	42.23	6.53	48.76	74.00	25.24	Average
5	5350.00	50.85	7.10	57.95	74.00	16.05	Peak
6	5350.00	39.62	7.10	46.72	74.00	27.28	Average

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:20kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	48.77	6.53	55.30	74.00	18.70	Peak
2	5150.00	38.00	6.53	44.53	74.00	29.47	Average
3	5350.00	48.34	7.10	55.44	74.00	18.56	Peak
4	5350.00	37.43	7.10	44.53	74.00	29.47	Average

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:20kHz


Serial No.: 2XBQ-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.95	6.53	58.48	74.00	15.52	Peak
2	5150.00	39.27	6.53	45.80	74.00	28.20	Average
3	5350.00	49.39	7.10	56.49	74.00	17.51	Peak
4	5350.00	37.91	7.10	45.01	74.00	28.99	Average

5250-5350MHz:**Chain 0****802.11a,Low Channel, Bandedge, Horizontal**


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A low channel 5260MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.38	6.53	57.91	74.00	16.09	Peak
2	5150.00	39.37	6.53	45.90	54.00	8.10	Average

802.11a,Low Channel, Bandedge, Vertical


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A low channel 5260MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.10	6.53	57.63	74.00	16.37	Peak
2	5150.00	39.43	6.53	45.96	54.00	8.04	Average

802.11a,High Channel, Bandedge, Horizontal


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A high channel 5320MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.67	7.10	57.77	74.00	16.23	Peak
2	5350.00	39.53	7.10	46.63	54.00	7.37	Average

802.11a,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A high channel 5320MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	54.45	7.10	61.55	74.00	12.45	Peak
2	5350.00	40.24	7.10	47.34	54.00	6.66	Average

Chain 1

802.11a, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.25	6.53	55.78	74.00	18.22	Peak
2	5150.00	39.78	6.53	46.31	54.00	7.69	Average

802.11a, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2A low channel 5260MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.65	6.53	56.18	74.00	17.82	Peak
2	5150.00	39.53	6.53	46.06	54.00	7.94	Average

802.11a, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-2A high channel 5320MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.35	7.10	56.45	74.00	17.55	Peak
2	5350.00	39.35	7.10	46.45	54.00	7.55	Average

802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-2A high channel 5320MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz


Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.63	7.10	57.73	74.00	16.27	Peak
2	5350.00	38.74	7.10	45.84	54.00	8.16	Average

Chain 0+Chain 1:


802.11n20, Low Channel, Bandedge, Horizontal




802.11n20,Low Channel, Bandedge, Vertical



802.11n20,High Channel, Bandedge, Horizontal




802.11n20,High Channel, Bandedge, Vertical



802.11n40,Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A low channel 5270MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.92	6.53	56.45	74.00	17.55	Peak
2	5150.00	39.45	6.53	45.98	54.00	8.02	Average

802.11n40,Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A low channel 5270MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.62	6.53	56.15	74.00	17.85	Peak
2	5150.00	39.37	6.53	45.90	54.00	8.10	Average

802.11n40,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A high channel 5310MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.50	7.10	56.60	74.00	17.40	Peak
2	5350.00	39.58	7.10	46.68	54.00	7.32	Average

802.11n40,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A high channel 5310MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	53.31	7.10	60.41	74.00	13.59	Peak
2	5350.00	40.19	7.10	47.29	54.00	6.71	Average

802.11ax20,Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A low channel 5260MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	48.83	6.53	55.36	74.00	18.64	Peak
2	5150.00	36.98	6.53	43.51	54.00	10.49	Average

802.11ax20,Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A low channel 5260MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	48.43	6.53	54.96	74.00	19.04	Peak
2	5150.00	37.48	6.53	44.01	54.00	9.99	Average

802.11ax20, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A high channel 5320MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	51.70	7.10	58.80	74.00	15.20	Peak
2	5350.00	39.70	7.10	46.80	54.00	7.20	Average

802.11ax20, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2A high channel 5320MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	56.28	7.10	63.38	74.00	10.62	Peak
2	5350.00	43.43	7.10	50.53	54.00	3.47	Average

802.11ax40, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2A low channel 5270MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.13	6.53	55.66	74.00	18.34	Peak
2	5150.00	39.11	6.53	45.64	54.00	8.36	Average

802.11ax40, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2A low channel 5270MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	48.76	6.53	55.29	74.00	18.71	Peak
2	5150.00	39.49	6.53	46.02	54.00	7.98	Average

802.11ax40, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2A high channel 5310MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.85	7.10	56.95	74.00	17.05	Peak
2	5350.00	40.19	7.10	47.29	54.00	6.71	Average
3	5355.34	54.13	7.13	61.26	74.00	12.74	Peak
4	5355.34	39.93	7.13	47.06	54.00	6.94	Average

802.11ax40, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2A high channel 5310MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	55.69	7.10	62.79	74.00	11.21	Peak
2	5350.00	43.90	7.10	51.00	54.00	3.00	Average
3	5352.14	58.60	7.11	65.71	74.00	8.29	Peak
4	5352.14	43.70	7.11	50.81	54.00	3.19	Average

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.96	6.53	56.49	74.00	17.51	Peak
2	5150.00	39.57	6.53	46.10	54.00	7.90	Average
3	5350.00	50.25	7.10	57.35	74.00	16.65	Peak
4	5350.00	39.51	7.10	46.61	54.00	7.39	Average
5	5355.24	54.59	7.13	61.72	74.00	12.28	Peak
6	5355.24	40.89	7.13	48.02	54.00	5.98	Average

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	51.50	6.53	58.03	74.00	15.97	Peak
2	5150.00	41.54	6.53	48.07	54.00	5.93	Average
3	5350.00	52.76	7.10	59.86	74.00	14.14	Peak
4	5350.00	42.17	7.10	49.27	54.00	4.73	Average
5	5356.20	61.73	7.13	68.86	74.00	5.14	Peak
6	5356.20	43.76	7.13	50.89	54.00	3.11	Average

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:20kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.01	6.53	55.54	74.00	18.46	Peak
2	5150.00	37.61	6.53	44.14	54.00	9.86	Average
3	5350.00	48.20	7.10	55.30	74.00	18.70	Peak
4	5350.00	38.14	7.10	45.24	54.00	8.76	Average

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:20kHz


Serial No.: 2XBQ-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.29	6.53	55.82	74.00	18.18	Peak
2	5150.00	37.68	6.53	44.21	54.00	9.79	Average
3	5350.00	51.39	7.10	58.49	74.00	15.51	Peak
4	5350.00	40.28	7.10	47.38	54.00	6.62	Average

**5470-5725MHz:
Chain 0****802.11a,Low Channel, Bandedge, Horizontal**


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5KHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	48.77	7.33	56.10	74.00	17.90	Peak
2	5460.00	39.08	7.33	46.41	54.00	7.59	Average
3	5470.00	49.11	7.34	56.45	68.20	11.75	Peak

802.11a,Low Channel, Bandedge, Vertical


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5KHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.15	7.33	57.48	74.00	16.52	Peak
2	5460.00	39.63	7.33	46.96	54.00	7.04	Average
3	5470.00	50.38	7.34	57.72	68.20	10.48	Peak

802.11a, High Channel, Bandedge, Horizontal


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.70	8.03	57.73	68.20	10.47	Peak

802.11a,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	53.21	8.03	61.24	68.20	6.96	Peak

Chain 1

802.11a, Low Channel, Bandedge, Horizontal


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-2C low channel 5500MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5KHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.06	7.33	56.39	74.00	17.61	Peak
2	5460.00	39.28	7.33	46.61	54.00	7.39	Average
3	5470.00	49.87	7.34	57.21	68.20	10.99	Peak

802.11a, Low Channel, Bandedge, Vertical


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-2C low channel 5500MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave:RBW:1MHz, VBW:5KHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.39	7.33	56.72	74.00	17.28	Peak
2	5460.00	39.23	7.33	46.56	54.00	7.44	Average
3	5470.00	49.73	7.34	57.07	68.20	11.13	Peak

802.11a, High Channel, Bandedge, Horizontal


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-2C high channel 5700MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	48.71	8.03	56.74	68.20	11.46	Peak

802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-2C high channel 5700MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	52.88	8.03	60.91	68.20	7.29	Peak
2	5731.19	53.96	8.04	62.00	68.20	6.20	Peak


Chain 0+Chain 1:

802.11n20, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-14




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.05	7.33	57.38	74.00	16.62	Peak
2	5460.00	39.09	7.33	46.42	54.00	7.58	Average
3	5470.00	49.57	7.34	56.91	68.20	11.29	Peak

802.11n20, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-14




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.24	7.33	57.57	74.00	16.43	Peak
2	5460.00	39.64	7.33	46.97	54.00	7.03	Average
3	5470.00	50.88	7.34	57.42	68.20	10.78	Peak

802.11n20, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-14




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.32	8.03	58.35	68.20	9.85	Peak

802.11n20, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-14




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	52.32	8.03	60.35	68.20	7.85	Peak

802.11n40, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.29	7.33	56.62	74.00	17.38	Peak
2	5460.00	39.68	7.33	47.01	54.00	6.99	Average
3	5470.00	50.08	7.34	57.42	68.20	10.78	Peak

802.11n40, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.98	7.33	57.31	74.00	16.69	Peak
2	5460.00	40.35	7.33	47.68	54.00	6.32	Average
3	5470.00	54.77	7.34	62.11	68.20	6.09	Peak

802.11n40, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.91	8.03	57.94	68.20	10.26	Peak

802.11n40, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	52.50	8.03	60.53	68.20	7.67	Peak

802.11ax20, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.46	7.33	56.79	74.00	17.21	Peak
2	5460.00	38.12	7.33	45.45	54.00	8.55	Average
3	5466.26	53.41	7.33	60.74	68.20	7.46	Peak
4	5470.00	51.89	7.34	59.23	68.20	8.97	Peak

802.11ax20,Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:10kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.41	7.33	57.74	74.00	16.26	Peak
2	5460.00	37.77	7.33	45.10	54.00	8.90	Average
3	5465.14	55.65	7.34	62.99	68.20	5.21	Peak
4	5470.00	52.59	7.34	59.93	68.20	8.27	Peak

802.11ax20,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.50	8.03	58.53	68.20	9.67	Peak
2	5730.26	53.45	8.04	61.49	68.20	6.71	Peak

802.11ax20,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	55.07	8.03	63.10	68.20	5.10	Peak
2	5726.68	58.44	8.03	66.47	68.20	1.73	Peak

802.11ax40, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:12MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.31	7.33	56.64	74.00	17.36	Peak
2	5460.00	39.44	7.33	46.77	54.00	7.23	Average
3	5470.00	49.92	7.34	57.26	68.20	10.94	Peak

802.11ax40, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:12MHz, VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	50.26	7.33	57.59	74.00	16.41	Peak
2	5460.00	41.35	7.33	48.68	54.00	5.32	Average
3	5469.66	55.14	7.34	62.48	68.20	5.72	Peak
4	5470.00	54.70	7.34	62.04	68.20	6.16	Peak

802.11ax40, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	52.18	8.03	60.21	68.20	7.99	Peak

802.11ax40, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40, U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	54.23	8.03	62.26	68.20	5.94	Peak

802.11ac80, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C low channel 5530MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:10MHz,VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.57	7.33	56.90	74.00	17.10	Peak
2	5460.00	40.29	7.33	47.62	54.00	6.38	Average
3	5470.00	50.69	7.34	58.03	68.20	10.17	Peak

802.11ac80, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C low channel 5530MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:10MHz,VBW:5kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	53.37	7.33	60.70	74.00	13.30	Peak
2	5460.00	42.49	7.33	49.82	54.00	4.18	Average
3	5461.00	57.05	7.34	64.39	68.20	3.81	Peak
4	5470.00	52.98	7.34	60.32	68.20	7.88	Peak

802.11ac80,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C high channel 5610MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	54.47	8.03	62.50	68.20	5.70	Peak

802.11ac80,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C high channel 5610MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	58.01	8.03	66.04	68.20	2.16	Peak

802.11ax80, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:20kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.57	7.33	56.90	74.00	17.10	Peak
2	5460.00	38.20	7.33	45.53	54.00	8.47	Average
3	5470.00	50.16	7.34	57.50	68.20	10.70	Peak

802.11ax80, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:20kHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.93	7.33	57.26	74.00	16.74	Peak
2	5460.00	39.59	7.33	46.92	54.00	7.08	Average
3	5470.00	50.54	7.34	57.88	68.20	10.32	Peak

802.11ax80, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.55	8.03	57.58	68.20	10.62	Peak

802.11ax80, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:30Hz


Serial No.: 2XBQ-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	56.39	8.03	64.42	68.20	3.78	Peak

5725-5850MHz:**Chain 0****802.11a,Low Channel, Bandedge, Horizontal**


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-3 low channel 5745MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.71	7.89	56.60	68.20	11.60	Peak
2	5700.00	58.17	7.98	66.15	105.20	39.05	Peak
3	5720.00	67.58	8.02	75.60	110.80	35.20	Peak
4	5725.00	71.03	8.03	79.06	122.20	43.14	Peak

802.11a,Low Channel, Bandedge, Vertical


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-3 low channel 5745MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.08	7.89	57.97	68.20	10.23	Peak
2	5700.00	64.01	7.98	71.99	105.20	33.21	Peak
3	5720.00	73.59	8.02	81.61	110.80	29.19	Peak
4	5725.00	77.93	8.03	85.96	122.20	36.24	Peak

802.11a,High Channel, Bandedge, Horizontal


Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Horizontal Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-3 high channel 5825MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	71.87	8.20	80.07	122.20	42.13	Peak
2	5855.00	67.60	8.21	75.81	110.80	34.99	Peak
3	5875.00	59.87	8.28	68.15	105.20	37.05	Peak
4	5925.00	48.29	8.40	56.69	68.20	11.51	Peak

802.11a,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF Serial No.: 2XBQ-2
Polarization: Vertical Tester: Leo Xiao
Test Mode: Transmitting
Note: 802.11a U-NII-3 high channel 5825MHz Chain 0
Peak:RBW:1MHz,VBW:3MHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	76.03	8.20	84.23	122.20	37.97	Peak
2	5855.00	71.28	8.21	79.49	110.80	31.31	Peak
3	5875.00	63.23	8.28	71.51	105.20	33.69	Peak
4	5925.00	50.30	8.40	58.70	68.20	9.50	Peak
5	5940.91	54.88	8.40	63.28	68.20	4.92	Peak

Chain 1

802.11a,Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain 1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.12	7.89	57.01	68.20	11.19	Peak
2	5700.00	49.01	7.98	56.99	105.20	48.21	Peak
3	5720.00	49.09	8.02	57.11	110.80	53.69	Peak
4	5725.00	51.86	8.03	59.89	122.20	62.31	Peak

802.11a,Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain 1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.07	7.89	55.96	68.20	12.24	Peak
2	5700.00	49.40	7.98	57.38	105.20	47.82	Peak
3	5720.00	49.88	8.02	57.90	110.80	52.90	Peak
4	5725.00	54.60	8.03	62.63	122.20	59.57	Peak

802.11a,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain 1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	49.29	8.20	57.49	122.20	64.71	Peak
2	5855.00	49.15	8.21	57.36	110.80	53.44	Peak
3	5875.00	49.11	8.28	57.39	105.20	47.81	Peak
4	5925.00	48.77	8.40	57.17	68.20	11.03	Peak

802.11a,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain 1
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	49.42	8.20	57.62	122.20	64.58	Peak
2	5855.00	48.69	8.21	56.90	110.80	53.90	Peak
3	5875.00	49.04	8.28	57.32	105.20	47.88	Peak
4	5925.00	49.77	8.40	58.17	68.20	10.03	Peak

Chain 0+Chain 1:

802.11n20,Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.59	7.89	56.48	68.20	11.72	Peak
2	5700.00	57.00	7.98	64.98	105.20	40.22	Peak
3	5720.00	67.90	8.02	75.92	110.80	34.88	Peak
4	5725.00	70.83	8.03	78.86	122.20	43.34	Peak

802.11n20,Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	52.16	7.89	60.05	68.20	8.15	Peak
2	5700.00	65.03	7.98	73.01	105.20	32.19	Peak
3	5720.00	73.64	8.02	81.66	110.80	29.14	Peak
4	5725.00	77.86	8.03	85.89	122.20	36.31	Peak

802.11n20,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	71.41	8.20	79.61	122.20	42.59	Peak
2	5855.00	67.94	8.21	76.15	110.80	34.65	Peak
3	5875.00	57.69	8.28	65.97	105.20	39.23	Peak
4	5925.00	49.44	8.40	57.84	68.20	10.36	Peak

802.11n20,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	78.05	8.20	86.25	122.20	35.95	Peak
2	5855.00	73.92	8.21	82.13	110.80	28.67	Peak
3	5875.00	62.95	8.28	71.23	105.20	33.97	Peak
4	5925.00	52.73	8.40	61.13	68.20	7.07	Peak

802.11n40,Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.71	7.89	56.60	68.20	11.60	Peak
2	5700.00	52.81	7.98	60.79	105.20	44.41	Peak
3	5720.00	65.50	8.02	73.52	110.80	37.28	Peak
4	5725.00	64.72	8.03	72.75	122.20	49.45	Peak

802.11n40,Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.43	7.89	57.32	68.20	10.88	Peak
2	5700.00	56.98	7.98	64.96	105.20	40.24	Peak
3	5720.00	70.75	8.02	78.77	110.80	32.03	Peak
4	5725.00	71.35	8.03	79.38	122.20	42.82	Peak

802.11n40,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	54.03	8.20	62.23	122.20	59.97	Peak
2	5855.00	53.44	8.21	61.65	110.80	49.15	Peak
3	5875.00	48.57	8.28	56.85	105.20	48.35	Peak
4	5925.00	49.39	8.40	57.79	68.20	10.41	Peak

802.11n40,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	56.89	8.20	65.09	122.20	57.11	Peak
2	5855.00	54.94	8.21	63.15	110.80	47.65	Peak
3	5875.00	49.10	8.28	57.38	105.20	47.82	Peak
4	5925.00	48.29	8.40	56.69	68.20	11.51	Peak

802.11ax20, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.58	7.89	57.47	68.20	10.73	Peak
2	5700.00	49.10	7.98	57.08	105.20	48.12	Peak
3	5720.00	58.79	8.02	66.81	110.80	43.99	Peak
4	5725.00	61.06	8.03	69.09	122.20	53.11	Peak

802.11ax20, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.58	7.89	56.47	68.20	11.73	Peak
2	5700.00	53.71	7.98	61.69	105.20	43.51	Peak
3	5720.00	62.15	8.02	70.17	110.80	40.63	Peak
4	5725.00	68.79	8.03	76.82	122.20	45.38	Peak

802.11ax20,High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	64.20	8.20	72.40	122.20	49.80	Peak
2	5855.00	55.84	8.21	64.05	110.80	46.75	Peak
3	5875.00	49.24	8.28	57.52	105.20	47.68	Peak
4	5925.00	48.25	8.40	56.65	68.20	11.55	Peak

802.11ax20,High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	67.59	8.20	75.79	122.20	46.41	Peak
2	5855.00	60.00	8.21	68.21	110.80	42.59	Peak
3	5875.00	50.53	8.28	58.81	105.20	46.39	Peak
4	5925.00	49.01	8.40	57.41	68.20	10.79	Peak

802.11ax40, Low Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.29	7.89	56.18	68.20	12.02	Peak
2	5700.00	52.50	7.98	60.48	105.20	44.72	Peak
3	5720.00	69.91	8.02	77.93	110.80	32.87	Peak
4	5725.00	65.83	8.03	73.86	122.20	48.34	Peak

802.11ax40, Low Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.41	7.89	57.30	68.20	10.90	Peak
2	5700.00	59.06	7.98	67.04	105.20	38.16	Peak
3	5720.00	69.71	8.02	77.73	110.80	33.07	Peak
4	5724.99	72.58	8.03	80.61	122.18	41.57	Peak

802.11ax40, High Channel, Bandedge, Horizontal

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	57.18	8.20	65.38	122.20	56.82	Peak
2	5855.00	54.84	8.21	63.05	110.80	47.75	Peak
3	5875.00	49.60	8.28	57.88	105.20	47.32	Peak
4	5925.00	48.78	8.40	57.18	68.20	11.02	Peak

802.11ax40, High Channel, Bandedge, Vertical

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	58.97	8.20	67.17	122.20	55.03	Peak
2	5855.00	58.38	8.21	66.59	110.80	44.21	Peak
3	5875.00	50.53	8.28	58.81	105.20	46.39	Peak
4	5925.00	48.57	8.40	56.97	68.20	11.23	Peak

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-13




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.28	7.89	57.17	68.20	11.03	Peak
2	5700.00	56.94	7.98	64.92	105.20	40.28	Peak
3	5720.00	60.62	8.02	68.64	110.80	42.16	Peak
4	5725.00	56.60	8.03	64.63	122.20	57.57	Peak
5	5850.00	58.20	8.20	66.40	122.20	55.80	Peak
6	5855.00	55.64	8.21	63.85	110.80	46.95	Peak
7	5875.00	53.83	8.28	62.11	105.20	43.09	Peak
8	5925.00	48.34	8.40	56.74	68.20	11.46	Peak

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-13




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5643.40	55.78	7.88	63.66	68.20	4.54	Peak
2	5650.00	51.58	7.89	59.47	68.20	8.73	Peak
3	5700.00	63.31	7.98	71.29	105.20	33.91	Peak
4	5720.00	65.47	8.02	73.49	110.80	37.31	Peak
5	5725.00	61.56	8.03	69.59	122.20	52.61	Peak
6	5850.00	61.54	8.20	69.74	122.20	52.46	Peak
7	5855.00	59.38	8.21	67.59	110.80	43.21	Peak
8	5875.00	54.51	8.28	62.79	105.20	42.41	Peak
9	5925.00	49.33	8.40	57.73	68.20	10.47	Peak

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P28824E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-13




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.83	7.89	56.72	68.20	11.48	Peak
2	5700.00	59.19	7.98	67.17	105.20	38.03	Peak
3	5720.00	64.90	8.02	72.92	110.80	37.88	Peak
4	5725.00	62.06	8.03	70.09	122.20	52.11	Peak
5	5850.00	59.93	8.20	68.13	122.20	54.07	Peak
6	5855.00	57.41	8.21	65.62	110.80	45.18	Peak
7	5875.00	52.37	8.28	60.65	105.20	44.55	Peak
8	5925.00	48.76	8.40	57.16	68.20	11.04	Peak

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P28824E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-3 middle channel 5775MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2XBQ-2
Tester: Leo Xiao

Date: 2025-03-13



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5630.10	56.92	7.87	64.79	68.20	3.41	Peak
2	5650.00	54.76	7.89	62.65	68.20	5.55	Peak
3	5700.00	63.15	7.98	71.13	105.20	34.07	Peak
4	5720.00	66.42	8.02	74.44	110.80	36.36	Peak
5	5725.00	66.92	8.03	74.95	122.20	47.25	Peak
6	5850.00	64.26	8.20	72.46	122.20	49.74	Peak
7	5855.00	64.18	8.21	72.39	110.80	38.41	Peak
8	5875.00	55.47	8.28	63.75	105.20	41.45	Peak
9	5925.00	49.79	8.40	58.19	68.20	10.01	Peak

5.3 26dB attenuated below the channel power**Test Information:**

Serial No.:	2XBQ-1	Test Date:	2025/04/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Karl Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.7~23.3	Relative Humidity: (%)	37~40	ATM Pressure: (kPa)	101.0~101.8
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------


Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM502	2024/06/07	2025/06/06
R&S	Spectrum Analyzer	FSV40	101947	2024/09/05	2025/09/04

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*


Test Data:
5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:16:24

802.11a_5200MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:19:43

802.11a_5240MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:21:50

802.11a_5180MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:25:37

802.11a_5200MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:27:43

802.11a_5240MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:29:47

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:43:17

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:45:39

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:47:59

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:34:57

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:37:22

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:39:59

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:00:34

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:02:39

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:56:09

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 17:58:12

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:05:23

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:07:59

802.11ax20_5180MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:26:34

802.11ax20_5200MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:29:00

802.11ax20_5240MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:04:31

802.11ax20_5180MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:12:45

802.11ax20_5200MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:15:16

802.11ax20_5240MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 18:23:47

802.11ax40_5190MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:07:58

802.11ax40_5230MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:10:04

802.11ax40_5190MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:12:44

802.11ax40_5230MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:14:53

802.11ax80_5210MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:22:28

802.11ax80_5210MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.APR.2025 19:17:42

5.4 Emission Bandwidth

Test Information:

Serial No.:	2XBQ-1	Test Date:	2025/02/14~2025/02/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Karl Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.7~23.3	Relative Humidity: (%)	37~40	ATM Pressure: (kPa)	101.0~101.8
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM502	2024/06/07	2025/06/06
R&S	Spectrum Analyzer	FSV40	101947	2024/09/05	2025/09/04

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	21.097
		5200	21.364
		5240	21.042
	Chain 1	5180	21.156
		5200	21.157
		5240	21.050
802.11n20	Chain 0	5180	21.354
		5200	21.561
		5240	21.882
	Chain 1	5180	21.095
		5200	21.410
		5240	21.502
802.11n40	Chain 0	5190	66.309
		5230	64.859
	Chain 1	5190	80.746
		5230	94.235
802.11ac80	Chain 0	5210	82.082
	Chain 1	5210	181.070
802.11ax20	Chain 0	5180	28.456
		5200	27.039
		5240	22.915
	Chain 1	5180	40.860
		5200	45.649
		5240	43.966
802.11ax40	Chain 0	5190	55.565
		5230	60.468
	Chain 1	5190	88.559
		5230	53.889
802.11ax80	Chain 0	5210	157.230
	Chain 1	5210	173.817

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	21.260
		5280	21.151
		5320	21.363
	Chain 1	5260	21.261
		5280	20.998
		5320	21.259
802.11n20	Chain 0	5260	24.667
		5280	22.568
		5320	29.550
	Chain 1	5260	21.089
		5280	21.351
		5320	20.940
802.11n40	Chain 0	5270	80.428
		5310	77.169
	Chain 1	5270	94.366
		5310	96.428
802.11ac80	Chain 0	5290	124.127
	Chain 1	5290	189.248
802.11ax20_RU_Full	Chain 0	5260	25.008
		5280	35.223
		5320	31.747
	Chain 1	5260	43.899
		5280	41.030
		5320	47.560
802.11ax40_RU_Full	Chain 0	5270	69.038
		5310	68.823
	Chain 1	5270	76.412
		5310	77.193
802.11ax80_RU_Full	Chain 0	5290	127.036
	Chain 1	5290	168.772

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	21.514
		5580	21.205
		5700	21.204
		5720	23.632
	Chain 1	5500	21.049
		5580	21.102
		5700	21.208
		5720	21.153
802.11n20	Chain 0	5500	21.136
		5580	24.414
		5700	27.086
		5720	21.825
	Chain 1	5500	21.204
		5580	21.076
		5700	21.248
		5720	20.987
802.11n40	Chain 0	5510	87.394
		5550	85.862
		5670	86.331
		5710	86.356
	Chain 1	5510	82.741
		5550	81.179
		5670	79.982
		5710	82.563
802.11ac80	Chain 0	5530	165.631
		5610	141.322
		5690	133.019
	Chain 1	5530	90.451
		5610	91.692
		5690	166.422
802.11ax20_RU_Full	Chain 0	5500	34.228
		5580	27.247
		5700	26.040

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20_RU_Full	Chain 0	5720	28.860
	Chain 1	5500	40.518
		5580	21.664
		5700	32.132
		5720	32.281
802.11ax40_RU_Full	Chain 0	5510	71.919
		5550	72.032
		5670	71.906
		5710	68.136
	Chain 1	5510	64.785
		5550	63.592
		5670	47.648
		5710	55.218
802.11ax80_RU_Full	Chain 0	5530	141.979
		5610	180.559
		5690	151.247
	Chain 1	5530	156.000
		5610	130.906
		5690	128.727


6dB Emission Bandwidth
5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	15.265	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.215	0.5	Pass
		5785	15.165	0.5	Pass
		5825	15.265	0.5	Pass
802.11n20	Chain 0	5745	15.215	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.215	0.5	Pass
	Chain 1	5745	15.215	0.5	Pass
		5785	15.265	0.5	Pass

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11n20	Chain 1	5825	15.265	0.5	Pass
802.11n40	Chain 0	5755	36.537	0.5	Pass
		5795	35.936	0.5	Pass
	Chain 1	5755	36.537	0.5	Pass
		5795	36.036	0.5	Pass
802.11ac80	Chain 0	5775	76.276	0.5	Pass
	Chain 1	5775	76.276	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	19.119	0.5	Pass
		5785	19.119	0.5	Pass
		5825	19.119	0.5	Pass
	Chain 1	5745	19.119	0.5	Pass
		5785	19.169	0.5	Pass
		5825	19.119	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	37.538	0.5	Pass
		5795	37.137	0.5	Pass
	Chain 1	5755	37.137	0.5	Pass
		5795	37.237	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	77.077	0.5	Pass
	Chain 1	5775	76.877	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 20:52:13

802.11a_5200MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 20:56:09

802.11a_5240MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:02:30

802.11a_5180MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:14:05

802.11a_5200MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:18:35

802.11a_5240MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:23:01

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:42:06

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:47:06

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:51:03

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 21:55:41

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 22:00:05

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 22:03:56

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 22:17:25

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 22:20:57

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 22:27:23

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 22:32:33

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:16:57

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:10:08

802.11ax20_5180MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:25:37

802.11ax20_5200MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:29:14

802.11ax20_5240MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:32:46

802.11ax20_5180MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:42:29

802.11ax20_5200MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:45:59

802.11ax20_5240MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:49:57

802.11ax40_5190MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:54:45

802.11ax40_5230MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 14.FEB.2025 23:57:54

802.11ax40_5190MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:01:34

802.11ax40_5230MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 17.FEB.2025 20:59:53

802.11ax80_5210MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:20:37


802.11ax80_5210MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:24:46


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:38:25

802.11a_5280MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:42:11

802.11a_5320MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:34:35

802.11a_5260MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:46:44

802.11a_5280MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:50:13

802.11a_5320MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 15.FEB.2025 00:54:00

802.11n20_5260MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 17.FEB.2025 21:07:51

802.11n20_5280MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 17.FEB.2025 21:09:29

802.11n20_5320MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 17.FEB.2025 21:11:06

802.11n20_5260MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:33:01

802.11n20_5280MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:35:18

802.11n20_5320MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:38:29

802.11n40_5270MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:44:57

802.11n40_5310MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:46:08

802.11n40_5270MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:41:34

802.11n40_5310MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:42:45

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:48:29

802.11ac80_5290MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 17:56:09

802.11ax20_5260MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:12:31

802.11ax20_5280MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:14:22

802.11ax20_5320MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:16:09

802.11ax20_5260MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:04:11

802.11ax20_5280MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:10:35

802.11ax20_5320MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:09:07

802.11ax40_5270MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:20:47

802.11ax40_5310MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:21:53

802.11ax40_5270MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:23:49

802.11ax40_5310MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 18:25:01

802.11ax80_5290MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:08:48


802.11ax80_5290MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:07:05

5470-5725MHz


802.11a_5500MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang

Date: 16.FEB.2025 19:11:19


802.11a_5580MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang

Date: 16.FEB.2025 19:13:11


802.11a_5700MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang

Date: 16.FEB.2025 19:14:49


802.11a_5720MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang

Date: 16.FEB.2025 19:16:37


802.11a_5500MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang

Date: 16.FEB.2025 19:20:27


802.11a_5580MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang


Date: 16.FEB.2025 19:22:13

802.11a_5700MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:25:29

802.11a_5720MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:27:45

802.11n20_5500MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:45:14

802.11n20_5580MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:50:54

802.11n20_5700MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:50:52

802.11n20_5720MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:00:37

802.11n20_5500MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:30:53

802.11n20_5580MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:32:37

802.11n20_5700MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:30:33

802.11n20_5720MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 19:40:09

802.11n40_5510MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:04:13

802.11n40_5550MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:05:49

802.11n40_5670MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:08:32

802.11n40_5710MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:10:07

802.11n40_5510MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:19:07

802.11n40_5550MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:20:30

802.11n40_5670MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:21:45

802.11n40_5710MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:22:52

802.11ac80_5530MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:43:03

802.11ac80_5610MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:45:00

802.11ac80_5690MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:46:21

802.11ac80_5530MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:29:56

802.11ac80_5610MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:31:55

802.11ac80_5690MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:40:56

802.11ax20_5500MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:53:10

802.11ax20_5580MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:54:49

802.11ax20_5700MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:56:43

802.11ax20_5720MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 20:58:20

802.11ax20_5500MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:03:01

802.11ax20_5580MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:04:53

802.11ax20_5700MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:06:37

802.11ax20_5720MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:08:18

802.11ax40_5510MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:30:16

802.11ax40_5550MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:40:13

802.11ax40_5670MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:42:00

802.11ax40_5710MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:44:01

802.11ax40_5510MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:23:57

802.11ax40_5550MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:26:11

802.11ax40_5670MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:34:45

802.11ax40_5710MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:36:03

802.11ax80_5530MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:46:41

802.11ax80_5610MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 17.FEB.2025 21:17:34

802.11ax80_5690MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:49:39

802.11ax80_5530MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:53:02

802.11ax80_5610MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:54:39


802.11ax80_5690MHz_Chain 1



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:56:24


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:04:32

802.11a_5785MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:06:05

802.11a_5825MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:07:43

802.11a_5745MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 21:58:43

802.11a_5785MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:00:19

802.11a_5825MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:01:57

802.11n20_5745MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:13:54

802.11n20_5785MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:15:24

802.11n20_5825MHz_Chain 0




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:16:47

802.11n20_5745MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:18:39

802.11n20_5785MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:20:38

802.11n20_5825MHz_Chain 1




ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:22:08

802.11n40_5755MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:29:52

802.11n40_5795MHz_Chain 0



ProjectNo.:2502P28824E-RF Tester:Karl Liang
Date: 16.FEB.2025 22:30:57