2AA NEDA 15A IEC LR6

WARNING
TO AVOID ELECTRICAL
SHOCK REMOVE TEST
LEADS BEFORE OPENING
CASE OR BATTERY DOOR.
3AA NEDA 15A IEC LR6
USE EXACT
REPLACEMENT FUSE
F 11A 1000V
MIN INTERRUPT
RATING 17000A
FCC ID: T68-F233
IC: 6627A-F233
PATENTS PENDING
FLUKE CORPORATION
EVERETT, WA MADE IN USA
www.fluke.com
MODEL 233

FCC ID: T68-F233
IC: 6627A-F233

FLUKE
233 REMOTE DISPLAY
TRUE RMS MULTIMETER
HOLD
MIN MAX
RANGE
mV
Ω
V
Hz V
A Hz
A
OFF
A
COM
VΩ
10 A
FUSED
CAT IV
600 V
CAT III
1000 V

HOLD
MIN MAX
RANGE
mV
Ω
V
Hz V
A Hz
A
OFF
A
COM
VΩ
10 A
FUSED
CAT IV
600 V
CAT III
1000 V

FOR USE WITH FLUKE
TOOLS, MACHINERY
HANDLING ACCESSORY
Not for
Resale
0019

WARNING
TO AVOID ELECTRICAL
SHOCK REMOVE TEST
LEADS BEFORE OPENING
CASE OR BATTERY COVER.
4 AA NEDA 15A IEC LR6
USE EXACT
REPLACEMENT FUSE
F 110 100V
MIN INTERRUPT
RATING 17000A
PATENTS PENDING
FLUKE CORPORATION
EVERETT, WA USA 98203
FOR USE WITH FLUKE
TOOLS, MACHINERY
HANDLING ACCESSORY
Not for
Resale
0019

FLUKE
233 REMOTE DISPLAY
TRUE RMS MULTIMETER
HOLD
MIN MAX
RANGE
OFF
COM
A
10 A
FUSED
CAT IV
600 V
CAT III
1000 V