

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.




Figure 8.3-101: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None




Figure 8.3-102: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None



Figure 8.3-103: Conducted emission at the upper frequency block edge of low channel

Frequency: 622 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None



Figure 8.3-104: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 622.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Figure 8.3-105: Conducted emission at the upper band edge

Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None



Figure 8.3-106: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None



Figure 8.3-107: Conducted emission at the lower frequency block edge of top channel

Frequency: 647 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None



Figure 8.3-108: Conducted emission 100 kHz away from the lower frequency block edge of top channel

Frequency: 646.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 5 MHz
Notes: None


Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None



Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None



Frequency: 627 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None



Frequency: 627.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Figure 8.3-113: Conducted emission at the upper band edge

Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None



Figure 8.3-114: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None




Figure 8.3-115: Conducted emission at lower frequency block edge of top channel

Frequency: 642 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None





Figure 8.3-116: Conducted emission 100 kHz away from lower frequency block edge of top channel

Frequency: 641.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 10 MHz
Notes: None


Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.




Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None



Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None



Frequency: 632 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None



Frequency: 632.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.



Figure 8.3-121: Conducted emission at the upper band edge

Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None



Figure 8.3-122: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None



Figure 8.3-123: Conducted emission at lower frequency block edge of top channel

Frequency: 637 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None




Figure 8.3-124: Conducted emission 100 kHz away from lower frequency block edge of top channel

Frequency: 636.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 15 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.




Figure 8.3-125: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None




Figure 8.3-126: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None



Figure 8.3-127: Conducted emission at the upper frequency block edge of low channel

Frequency: 637 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None




Figure 8.3-128: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 637.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.



Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None



Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None



Frequency: 632 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None



Frequency: 631.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.




Figure 8.3-133: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None




Figure 8.3-134: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None



Figure 8.3-135: Conducted emission at the upper frequency block edge of low channel

Frequency: 642 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None



Figure 8.3-136: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 642.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.



Figure 8.3-137: Conducted emission at the upper band edge

Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None



Figure 8.3-138: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None



Figure 8.3-139: Conducted emission at lower frequency block edge of top channel

Frequency: 627 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None




Figure 8.3-140: Conducted emission 100 kHz away from lower frequency block edge of top channel

Frequency: 626.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 25 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.




Figure 8.3-141: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None




Figure 8.3-142: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None



Figure 8.3-143: Conducted emission at the upper frequency block edge of low channel

Frequency: 647 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None




Figure 8.3-144: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 647.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.



Figure 8.3-145: Conducted emission at the upper band edge

Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None




Figure 8.3-146: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None



Figure 8.3-147: Conducted emission at lower frequency block edge of top channel

Frequency: 622 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None



Figure 8.3-148: Conducted emission 100 kHz away from lower frequency block edge of top channel

Frequency: 621.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.




Figure 8.3-149: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 35 MHz
Notes: None




Figure 8.3-150: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 35 MHz
Notes: None




Figure 8.3-151: Conducted emission at the upper band edge

Frequency: 652 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: Single-carrier operation
Tech.: NR 35 MHz
Notes: None



Figure 8.3-152: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: Single-carrier operation
Tech.: NR 35 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -16 dBm and lower.




Figure 8.3-153: Conducted emission at the lower band edge

Frequency: 617 MHz	Mode: Single-carrier operation
Meas. BW: 30 kHz	Tech.: IoT SA
Limit: -16 dBm/30 kHz	Notes: None




Figure 8.3-154: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz	Mode: Single-carrier operation
Meas. BW: 100 kHz	Tech.: IoT SA
Limit: -16 dBm/100 kHz	Notes: None

Note: Due to the narrow bandwidth of the IoT standalone channel (400 kHz) relative to the 5 MHz frequency block, emissions at the upper block edge for the low channel were not tested. These emissions are expected to be significantly lower than those observed at the lower band edge, and therefore not considered critical for evaluation.




Figure 8.3-155: Conducted emission at the upper band edge

Frequency: 652 MHz	Mode: Single-carrier operation
Meas. BW: 30 kHz	Tech.: IoT SA
Limit: -16 dBm/30 kHz	Notes: None



Figure 8.3-156: Conducted emission 100 kHz away from the upper band edge

Frequency: 652.1 MHz	Mode: Single-carrier operation
Meas. BW: 100 kHz	Tech.: IoT SA
Limit: -16 dBm/100 kHz	Notes: None

Note: Due to the narrow bandwidth of the IoT standalone channel (400 kHz) relative to the 5 MHz frequency block, emissions at the lower block edge for the top channel were not tested. These emissions are expected to be significantly lower than those observed at the upper band edge, and therefore not considered critical for evaluation.


Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.




Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 5 MHz
Notes: Contiguous



Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 5 MHz
Notes: Contiguous



Frequency: 627 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 5 MHz
Notes: Contiguous



Frequency: 627.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 5 MHz
Notes: Contiguous

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Figure 8.3-161: Conducted emission at the upper band edge

Frequency: 652 MHz Mode: 2-carrier operation
Meas. BW: 30 kHz Tech.: 2xLTE 5 MHz
Limit: -19 dBm/30 kHz Notes: Contiguous



Figure 8.3-162: Conducted emission 100 kHz away from the band edge

Frequency: 652.1 MHz Mode: 2-carrier operation
Meas. BW: 100 kHz Tech.: 2xLTE 5 MHz
Limit: -19 dBm/100 kHz Notes: Contiguous



Figure 8.3-163: Conducted emission at the lower frequency block edge of top channel

Frequency: 642 MHz Mode: 2-carrier operation
Meas. BW: 30 kHz Tech.: 2xLTE 5 MHz
Limit: -19 dBm/30 kHz Notes: Contiguous



Figure 8.3-164: Conducted emission 100 kHz away from the lower frequency block edge of top channel

Frequency: 641.9 MHz Mode: 2-carrier operation
Meas. BW: 100 kHz Tech.: 2xLTE 5 MHz
Limit: -19 dBm/100 kHz Notes: Contiguous

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Figure 8.3-165: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 15 MHz
Notes: Contiguous



Figure 8.3-166: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 15 MHz
Notes: Contiguous



Figure 8.3-167: Conducted emission at the upper frequency block edge of low channel

Frequency: 647 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 15 MHz
Notes: Contiguous




Figure 8.3-168: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 647.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 2-carrier operation
Tech.: 2xLTE 15 MHz
Notes: Contiguous

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be -19 dBm and lower.




Figure 8.3-173: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 6-carrier operation
Tech.: 6xLTE 5 MHz
Notes: Contiguous



Figure 8.3-174: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 6-carrier operation
Tech.: 6xLTE 5 MHz
Notes: Contiguous



Figure 8.3-175: Conducted emission at the upper frequency block edge of low channel

Frequency: 647 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 6-carrier operation
Tech.: 6xLTE 5 MHz
Notes: Contiguous



Figure 8.3-176: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 647.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 6-carrier operation
Tech.: 6xLTE 5 MHz
Notes: Contiguous

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Figure 8.3-177: Conducted emission at the upper band edge

Frequency: 652 MHz Mode: 6-carrier operation
Meas. BW: 30 kHz Tech.: 6xLTE 5 MHz
Limit: -19 dBm/30 kHz Notes: Contiguous



Figure 8.3-178: Conducted emission 100 kHz away from the band edge

Frequency: 652.1 MHz Mode: 6-carrier operation
Meas. BW: 100 kHz Tech.: 6xLTE 5 MHz
Limit: -19 dBm/100 kHz Notes: Contiguous



Figure 8.3-179: Conducted emission at the lower frequency block edge of top channel

Frequency: 622 MHz Mode: 6-carrier operation
Meas. BW: 30 kHz Tech.: 6xLTE 5 MHz
Limit: -19 dBm/30 kHz Notes: Contiguous




Figure 8.3-180: Conducted emission 100 kHz away from the lower frequency block edge of top channel

Frequency: 621.9 MHz Mode: 6-carrier operation
Meas. BW: 100 kHz Tech.: 6xLTE 5 MHz
Limit: -19 dBm/100 kHz Notes: Contiguous

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.




Figure 8.3-181: Conducted emission at the lower band edge

Frequency: 617 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 2-carrier operation
Tech.: 2xNR 5 MHz
Notes: Contiguous



Figure 8.3-182: Conducted emission 100 kHz away from the lower band edge

Frequency: 616.9 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 2-carrier operation
Tech.: 2xNR 5 MHz
Notes: Contiguous




Figure 8.3-183: Conducted emission at the upper frequency block edge of low channel

Frequency: 627 MHz
Meas. BW: 30 kHz
Limit: -19 dBm/30 kHz

Mode: 2-carrier operation
Tech.: 2xNR 5 MHz
Notes: Contiguous



Figure 8.3-184: Conducted emission 100 kHz away from the upper frequency block edge of low channel

Frequency: 627.1 MHz
Meas. BW: 100 kHz
Limit: -19 dBm/100 kHz

Mode: 2-carrier operation
Tech.: 2xNR 5 MHz
Notes: Contiguous

Test data, continued

On the plots below the measured *Channel Power* value in the “*Total Channel Power*” column must be **-19 dBm** and lower.



Figure 8.3-185: Conducted emission at the upper band edge

Frequency: 652 MHz Mode: 2-carrier operation
Meas. BW: 30 kHz Tech.: 2xNR 5 MHz
Limit: -19 dBm/30 kHz Notes: Contiguous



Figure 8.3-186: Conducted emission 100 kHz away from the band edge

Frequency: 652.1 MHz Mode: 2-carrier operation
Meas. BW: 100 kHz Tech.: 2xNR 5 MHz
Limit: -19 dBm/100 kHz Notes: Contiguous




Figure 8.3-187: Conducted emission at the lower frequency block edge of top channel

Frequency: 642 MHz Mode: 2-carrier operation
Meas. BW: 30 kHz Tech.: 2xNR 5 MHz
Limit: -19 dBm/30 kHz Notes: Contiguous



Figure 8.3-188: Conducted emission 100 kHz away from the lower frequency block edge of top channel

Frequency: 641.9 MHz Mode: 2-carrier operation
Meas. BW: 100 kHz Tech.: 2xNR 5 MHz
Limit: -19 dBm/100 kHz Notes: Contiguous