

Test data, continued



Figure 8.2-141: Conducted spurious emissions 4200 to 4400 MHz of NR 20 MHz two contiguous low channels, two-carrier operation




Figure 8.2-142: Conducted spurious emissions 4200 to 4400 MHz of NR 20 MHz two contiguous mid channels, two-carrier operation



Figure 8.2-143: Conducted spurious emissions 4200 to 4400 MHz of NR 20 MHz two contiguous top channels, two-carrier operation








Figure 8.2-144: Conducted spurious emissions 4200 to 4400 MHz of NR 20 MHz two contiguous top channels, two-carrier operation [ISED]

Test data, continued



Test data, continued




Figure 8.2-149: Conducted spurious emissions 4200 to 4400 MHz of NR 30 MHz six contiguous low channels, six-carrier operation




Figure 8.2-150: Conducted spurious emissions 4200 to 4400 MHz of NR 30 MHz six contiguous mid channels, six-carrier operation




Figure 8.2-151: Conducted spurious emissions 4200 to 4400 MHz of NR 30 MHz six contiguous top channels, six-carrier operation




Figure 8.2-152: Conducted spurious emissions 4200 to 4400 MHz of NR 30 MHz six contiguous top channels, six-carrier operation [ISED]

Test data, continued




Figure 8.2-153: Conducted spurious emissions 4200 to 4400 MHz of NR 100 MHz two contiguous low channels, two-carrier operation [ISED Top Channel]




Figure 8.2-154: Conducted spurious emissions 4200 to 4400 MHz of NR 100 MHz two contiguous mid channels, two-carrier operation




Figure 8.2-155: Conducted spurious emissions 4200 to 4400 MHz of NR 100 MHz two contiguous top channels, two-carrier operation




Figure 8.2-156: Conducted spurious emissions 4200 to 4400 MHz of NR 100 MHz two contiguous top channels, two-carrier operation

Test data, continued



Figure 8.2-157: Conducted spurious emissions 30 MHz to 15 GHz of NR 20 MHz mid channel, single carrier operation [Worst case]



Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-160: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 200 kHz Tech.: NR 20 MHz
Limit: -19 dBm/200 kHz Notes: None



Figure 8.2-161: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 20 MHz
Limit: -19 dBm/1 MHz Notes: None




Figure 8.2-162: Conducted emission at the upper frequency block edge of low channel

Frequency: 3720 MHz Mode: Single-carrier operation
Meas. BW: 200 kHz Tech.: NR 20 MHz
Limit: -19 dBm/200 kHz Notes: None



Figure 8.2-163: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3721 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 20 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-164: Conducted emission at the upper band edge

Frequency: 3980 MHz Mode: Single-carrier operation
Meas. BW: 200 kHz Tech.: NR 20 MHz
Limit: -19 dBm/200 kHz Notes: None



Figure 8.2-165: Conducted emission 1 MHz away from the upper band edge

Frequency: 3981 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 20 MHz
Limit: -19 dBm/1 MHz Notes: None




Figure 8.2-166: Conducted emission at the lower frequency block edge of top channel

Frequency: 3960 MHz Mode: Single-carrier operation
Meas. BW: 200 kHz Tech.: NR 20 MHz
Limit: -19 dBm/200 kHz Notes: None



Figure 8.2-167: Conducted emission 1 MHz away from the lower frequency block edge of top channel

Frequency: 3959 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 20 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-168: Conducted emission at the upper band edge [ISED]

Frequency: 3900 MHz
Meas. BW: 200 kHz
Limit: -19 dBm/200 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None




Figure 8.2-169: Conducted emission 1 MHz away from the upper band edge [ISED]

Frequency: 3901 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None



Figure 8.2-170: Conducted emission at the lower frequency block edge of top channel [ISED]

Frequency: 3880 MHz
Meas. BW: 200 kHz
Limit: -19 dBm/200 kHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None



Figure 8.2-171: Conducted emission 1 MHz away from the lower frequency block edge of top channel [ISED]

Frequency: 3879 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 20 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-172: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 300 kHz Tech.: NR 30 MHz
Limit: -19 dBm/300 kHz Notes: None



Figure 8.2-173: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 30 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-174: Conducted emission at the upper frequency block edge of low channel

Frequency: 3730 MHz Mode: Single-carrier operation
Meas. BW: 300 kHz Tech.: NR 30 MHz
Limit: -19 dBm/300 kHz Notes: None



Figure 8.2-175: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3731 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 30 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-176: Conducted emission at the upper band edge

Frequency: 3980 MHz Mode: Single-carrier operation
Meas. BW: 300 kHz Tech.: NR 30 MHz
Limit: -19 dBm/300 kHz Notes: None



Figure 8.2-177: Conducted emission 1MHz away from the upper band edge

Frequency: 3981 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 30 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-178: Conducted emission at the lower frequency block edge of top channel

Frequency: 3950 MHz Mode: Single-carrier operation
Meas. BW: 300 kHz Tech.: NR 30 MHz
Limit: -19 dBm/300 kHz Notes: None



Figure 8.2-179: Conducted emission 1 MHz away from the lower frequency block edge of top channel

Frequency: 3949 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 30 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-180: Conducted emission at the upper band edge [ISED]

Frequency: 3900 MHz
Meas. BW: 300 kHz
Limit: -19 dBm/300 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None



Figure 8.2-181: Conducted emission 1 MHz away from the upper band edge [ISED]

Frequency: 3901 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None



Figure 8.2-182: Conducted emission at the lower frequency block edge of top channel [ISED]

Frequency: 3870 MHz
Meas. BW: 300 kHz
Limit: -19 dBm/300 kHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None




Figure 8.2-183: Conducted emission 1 MHz away from the lower frequency block edge of top channel [ISED]

Frequency: 3869 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 30 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.




Figure 8.2-184: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 400 kHz Tech.: NR 40 MHz
Limit: -19 dBm/400 kHz Notes: None



Figure 8.2-185: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 40 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-186: Conducted emission at the upper frequency block edge of low channel

Frequency: 3740 MHz Mode: Single-carrier operation
Meas. BW: 400 kHz Tech.: NR 40 MHz
Limit: -19 dBm/400 kHz Notes: None



Figure 8.2-187: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3741 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 40 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-188: Conducted emission at the upper band edge

Frequency: 3980 MHz Mode: Single-carrier operation
Meas. BW: 400 kHz Tech.: NR 40 MHz
Limit: -19 dBm/400 kHz Notes: None



Figure 8.2-189: Conducted emission 1 MHz away from the upper band edge

Frequency: 3981 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 40 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-190: Conducted emission at the lower frequency block edge of top channel

Frequency: 3940 MHz Mode: Single-carrier operation
Meas. BW: 400 kHz Tech.: NR 40 MHz
Limit: -19 dBm/400 kHz Notes: None




Figure 8.2-191: Conducted emission 1 MHz away from the lower frequency block edge of top channel

Frequency: 3939 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 40 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-192: Conducted emission at the upper band edge [ISED]

Frequency: 3900 MHz
Meas. BW: 400 kHz
Limit: -19 dBm/400 kHz

Mode: Single-carrier operation
Tech.: NR 40 MHz
Notes: None



Figure 8.2-193: Conducted emission 1 MHz away from the upper band edge [ISED]

Frequency: 3901 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 40 MHz
Notes: None



Figure 8.2-194: Conducted emission at the lower frequency block edge of top channel [ISED]

Frequency: 3860 MHz
Meas. BW: 400 kHz
Limit: -19 dBm/400 kHz

Mode: Single-carrier operation
Tech.: NR 40 MHz
Notes: None



Figure 8.2-195: Conducted emission 1 MHz away from the lower frequency block edge of top channel [ISED]

Frequency: 3859 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 40 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-196: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 500 kHz Tech.: NR 50 MHz
Limit: -19 dBm/500 kHz Notes: None



Figure 8.2-197: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 50 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-198: Conducted emission at the upper frequency block edge of low channel

Frequency: 3750 MHz Mode: Single-carrier operation
Meas. BW: 500 kHz Tech.: NR 50 MHz
Limit: -19 dBm/500 kHz Notes: None



Figure 8.2-199: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3751 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 50 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-200: Conducted emission at the upper band edge

Frequency: 3980 MHz Mode: Single-carrier operation
Meas. BW: 500 kHz Tech.: NR 50 MHz
Limit: -19 dBm/500 kHz Notes: None



Figure 8.2-201: Conducted emission 1 MHz away from the upper band edge

Frequency: 3981 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 50 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-202: Conducted emission at the lower frequency block edge of top channel

Frequency: 3930 MHz Mode: Single-carrier operation
Meas. BW: 500 kHz Tech.: NR 50 MHz
Limit: -19 dBm/500 kHz Notes: None



Figure 8.2-203: Conducted emission 1 MHz away from the lower frequency block edge of top channel

Frequency: 3929 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 50 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-204: Conducted emission at the upper band edge [ISED]

Frequency: 3900 MHz
Meas. BW: 500 kHz
Limit: -19 dBm/500 kHz

Mode: Single-carrier operation
Tech.: NR 50 MHz
Notes: None



Figure 8.2-205: Conducted emission 1 MHz away from the upper band edge [ISED]

Frequency: 3901 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 50 MHz
Notes: None




Figure 8.2-206: Conducted emission at the lower frequency block edge of top channel [ISED]

Frequency: 3850 MHz
Meas. BW: 500 kHz
Limit: -19 dBm/500 kHz

Mode: Single-carrier operation
Tech.: NR 50 MHz
Notes: None



Figure 8.2-207: Conducted emission 1 MHz away from the lower frequency block edge of top channel [ISED]

Frequency: 3849 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 50 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-208: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 600 kHz Tech.: NR 60 MHz
Limit: -19 dBm/600 kHz Notes: None



Figure 8.2-209: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 60 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-210: Conducted emission at the upper frequency block edge of low channel

Frequency: 3760 MHz Mode: Single-carrier operation
Meas. BW: 600 kHz Tech.: NR 60 MHz
Limit: -19 dBm/600 kHz Notes: None



Figure 8.2-211: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3761 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 60 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-212: Conducted emission at the upper band edge

Frequency: 3980 MHz Mode: Single-carrier operation
Meas. BW: 600 kHz Tech.: NR 60 MHz
Limit: -19 dBm/600 kHz Notes: None



Figure 8.2-213: Conducted emission 1MHz away from the upper band edge

Frequency: 3981 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 60 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-214: Conducted emission at the lower frequency block edge of top channel

Frequency: 3920 MHz Mode: Single-carrier operation
Meas. BW: 600 kHz Tech.: NR 60 MHz
Limit: -19 dBm/600 kHz Notes: None



Figure 8.2-215: Conducted emission 1 MHz away from the lower frequency block edge of top channel

Frequency: 3919 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 60 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-216: Conducted emission at the upper band edge [ISED]

Frequency: 3900 MHz
Meas. BW: 600 kHz
Limit: -19 dBm/600 kHz

Mode: Single-carrier operation
Tech.: NR 60 MHz
Notes: None




Figure 8.2-217: Conducted emission 1 MHz away from the upper band edge [ISED]

Frequency: 3901 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 60 MHz
Notes: None



Figure 8.2-218: Conducted emission at the lower frequency block edge of top channel [ISED]

Frequency: 3840 MHz
Meas. BW: 600 kHz
Limit: -19 dBm/600 kHz

Mode: Single-carrier operation
Tech.: NR 60 MHz
Notes: None



Figure 8.2-219: Conducted emission 1 MHz away from the lower frequency block edge of top channel [ISED]

Frequency: 3839 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 60 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-220: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 700 kHz Tech.: NR 70 MHz
Limit: -19 dBm/700 kHz Notes: None



Figure 8.2-221: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 70 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-222: Conducted emission at the upper frequency block edge of low channel

Frequency: 3770 MHz Mode: Single-carrier operation
Meas. BW: 700 kHz Tech.: NR 70 MHz
Limit: -19 dBm/700 kHz Notes: None



Figure 8.2-223: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3771 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 70 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-224: Conducted emission at the upper band edge

Frequency: 3980 MHz Mode: Single-carrier operation
Meas. BW: 700 kHz Tech.: NR 70 MHz
Limit: -19 dBm/700 kHz Notes: None



Figure 8.2-225: Conducted emission 1 MHz away from the upper band edge

Frequency: 3981 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 70 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-226: Conducted emission at the lower frequency block edge of top channel

Frequency: 3910 MHz Mode: Single-carrier operation
Meas. BW: 700 kHz Tech.: NR 70 MHz
Limit: -19 dBm/700 kHz Notes: None



Figure 8.2-227: Conducted emission 1 MHz away from the lower frequency block edge of top channel

Frequency: 3909 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 70 MHz
Limit: -19 dBm/1 MHz Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-228: Conducted emission at the upper band edge [ISED]

Frequency: 3900 MHz
Meas. BW: 700 kHz
Limit: -19 dBm/700 kHz

Mode: Single-carrier operation
Tech.: NR 70 MHz
Notes: None



Figure 8.2-229: Conducted emission 1 MHz away from the upper band edge [ISED]

Frequency: 3901 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 70 MHz
Notes: None




Figure 8.2-230: Conducted emission at the lower frequency block edge of top channel [ISED]

Frequency: 3830 MHz
Meas. BW: 700 kHz
Limit: -19 dBm/700 kHz

Mode: Single-carrier operation
Tech.: NR 70 MHz
Notes: None




Figure 8.2-231: Conducted emission 1 MHz away from the lower frequency block edge of top channel [ISED]

Frequency: 3829 MHz
Meas. BW: 1 MHz
Limit: -19 dBm/1 MHz

Mode: Single-carrier operation
Tech.: NR 70 MHz
Notes: None

Test data, continued

On the plots below the measured *Channel Power* value in the “Total Channel Power” column must be -19 dBm and lower.



Figure 8.2-232: Conducted emission at the lower band edge

Frequency: 3700 MHz Mode: Single-carrier operation
Meas. BW: 800 kHz Tech.: NR 80 MHz
Limit: -19 dBm/800 kHz Notes: None



Figure 8.2-233: Conducted emission 1 MHz away from the lower band edge

Frequency: 3699 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 80 MHz
Limit: -19 dBm/1 MHz Notes: None



Figure 8.2-234: Conducted emission at the upper frequency block edge of low channel

Frequency: 3780 MHz Mode: Single-carrier operation
Meas. BW: 800 kHz Tech.: NR 80 MHz
Limit: -19 dBm/800 kHz Notes: None



Figure 8.2-235: Conducted emission 1 MHz away from the upper frequency block edge of low channel

Frequency: 3781 MHz Mode: Single-carrier operation
Meas. BW: 1 MHz Tech.: NR 80 MHz
Limit: -19 dBm/1 MHz Notes: None