




**TEST REPORT**

Configuration LTE-MIMO-3C

Antenna Port	Channel Position	Modulation	Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	64QAM	10	1000	-19.02




## TEST REPORT





## TEST REPORT

Antenna Port	Channel Position	Modulation	Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	64QAM	15	1000	-19.02




## TEST REPORT





## TEST REPORT

Configuration NR+LTE-MIMO-MC-1

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	256QAM	64QAM	30	10	1000	-19.02




## TEST REPORT





## TEST REPORT

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	256QAM	64QAM	80	20	1000	-19.02




## TEST REPORT





## TEST REPORT

## Configuration NR+LTE-MIMO-MC2

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	256QAM	64QAM	20	10	1000	-19.02




## TEST REPORT





## TEST REPORT

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	256QAM	64QAM	80	10	1000	-19.02

## Channel Position M




## TEST REPORT





## TEST REPORT

Configuration NR+LTE-MIMO-MC-3

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	M	256QAM	64QAM	20	10	1000	-19.02



## TEST REPORT



**TEST REPORT**

## 7 Radiated Unwanted Emission

**Test result:** Pass

### 7.1 Limit

The field strength of the carrier has been calculated assuming that the power is to be fed to a half-wave tuned dipoles as per 2.1053 (a).

$$E(V/m) = (30 \times G_i \times P_o)^{0.5} / d$$

Where

$G_i$  is the antenna gain of ideal half-wave dipoles,

$P_o$  is the power out of the transceiver in W,

$d$  is the measurement distance in meter.

As per FCC Part 27, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10\log(P)$  dB.

Therefore, the limit at 3m measurement distance is:

$$E(V/m) = 84.4 \text{ dB}\mu\text{V/m}$$

These limits have been used to determine Pass or Fail for the harmonics measured and detailed in the following results.

### 7.2 Measurement Procedure

This measurement is carried out in semi-anechoic chamber.

A preliminary profile of the Spurious Radiated Emissions was obtained by operating the EUT on a remotely controlled turntable within the chamber. Measurements of emissions from the EUT were obtained with the measurement antenna in both horizontal and vertical polarizations.

Emissions identified within the range 30MHz to 27GHz were then formally measured using a peak detector as the worst case.

The limits for outside a licensee's frequency band(s) of operation the power of the spurious emissions have been calculated, as shown below using the following formula:

$$\text{Field Strength of Carrier} - (43 + 10\log(P)) \text{ dB}$$

Where:

Field Strength is measured in  $\text{dB}\mu\text{V/m}$

P is measured Transmitter Power in Watts

The EUT was measured with the antenna height varied between 1 and 4 m with the turntable rotated between 0 and 360 degrees. The emission of any outside a licensee's frequencies within 20dB of the limit were measured with the substitution method used according to the standard.

The measurements were performed at a 3m distance unless otherwise stated.

**TEST REPORT****7.3 Measurement result**

Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
NR-MIMO-1C	B	1 Carrier	40MHz	256QAM

No emissions were detected within 20dB of the limit.

Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
NR-MIMO-1C	T	1 Carrier	40MHz	256QAM


No emissions were detected within 20dB of the limit.



Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
NR-MIMO-1C	M	1 Carrier	40MHz	256QAM

No emissions were detected within 20dB of the limit.

## 30-1000MHz, Horizontal and Vertical


## Full Spectrum



**TEST REPORT****1-3GHz, Horizontal and Vertical  
Full Spectrum****3-18GHz, Horizontal and Vertical  
Full Spectrum**

**TEST REPORT**

18-27GHz, Horizontal and Vertical  
Full Spectrum




**TEST REPORT**



Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
NR-MIMO-2C	M	2 Carriers	20MHz	256QAM


No emissions were detected within 20dB of the limit.

30-1000MHz, Horizontal and Vertical

Full Spectrum



**TEST REPORT****1-3GHz, Horizontal and Vertical****Full Spectrum****3-18GHz, Horizontal and Vertical****Full Spectrum**

**TEST REPORT****18-27GHz, Horizontal and Vertical****Full Spectrum**


**TEST REPORT**



Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
NR-MIMO-3C	M	3 Carriers	30MHz	256QAM

No emissions were detected within 20dB of the limit.

30-1000MHz, Horizontal and Vertical

Full Spectrum




**TEST REPORT****1-3GHz, Horizontal and Vertical****Full Spectrum****3-18GHz, Horizontal and Vertical****Full Spectrum**

**TEST REPORT**

18-27GHz, Horizontal and Vertical

Full Spectrum



**TEST REPORT**

Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
LTE-MIMO-1C	B	1 Carrier	20MHz	64QAM

No emissions were detected within 20dB of the limit.

Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
LTE-MIMO-1C	M	1 Carrier	20MHz	64QAM


No emissions were detected within 20dB of the limit.



Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
LTE-MIMO-1C	T	1 Carrier	20MHz	64QAM


No emissions were detected within 20dB of the limit.

## 30-1000MHz, Horizontal and Vertical

## Full Spectrum



**TEST REPORT****1-3GHz, Horizontal and Vertical  
Full Spectrum****3-18GHz, Horizontal and Vertical  
Full Spectrum**

**TEST REPORT****18-27GHz, Horizontal and Vertical****Full Spectrum**


**TEST REPORT**



Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
LTE-MIMO-2C	M	2 Carriers	20MHz	64QAM


No emissions were detected within 20dB of the limit.

30-1000MHz, Horizontal and Vertical

Full Spectrum



**TEST REPORT****1-3GHz, Horizontal and Vertical  
Full Spectrum****3-18GHz, Horizontal and Vertical  
Full Spectrum**

**TEST REPORT****18-27GHz, Horizontal and Vertical****Full Spectrum**


**TEST REPORT**



Configuration	Channel Position	Carrier	Carrier Bandwidth	Modulation
LTE-MIMO-6C	M	6 Carriers	15MHz	64QAM


No emissions were detected within 20dB of the limit.

## 30-1000MHz, Horizontal and Vertical

## Full Spectrum



**TEST REPORT****1-3GHz, Horizontal and Vertical  
Full Spectrum****3-18GHz, Horizontal and Vertical  
Full Spectrum**

**TEST REPORT****18-27GHz, Horizontal and Vertical****Full Spectrum**


**TEST REPORT**



Configuration	Channel Position	Carrier	NR Carrier Bandwidth	LTE Carrier Bandwidth	NR Modulation	LTE Modulation
NR+LTE-MIMO-MC-1	M	1NR+1LTE	30MHz	10MHz	256QAM	64QAM

No emissions were detected within 20dB of the limit.

## 30-1000MHz, Horizontal and Vertical

## Full Spectrum




**TEST REPORT****1-3GHz, Horizontal and Vertical****Full Spectrum****3-18GHz, Horizontal and Vertical****Full Spectrum**

**TEST REPORT**

18-27GHz, Horizontal and Vertical

Full Spectrum




**TEST REPORT**



Configuration	Channel Position	Carrier	NR Carrier Bandwidth	LTE Carrier Bandwidth	NR Modulation	LTE Modulation
NR+LTE-MIMO-MC-2	M	1NR+2LTE	20MHz	10MHz	256QAM	64QAM


No emissions were detected within 20dB of the limit.

30-1000MHz, Horizontal and Vertical

Full Spectrum



**TEST REPORT****1-3GHz, Horizontal and Vertical****Full Spectrum****3-18GHz, Horizontal and Vertical****Full Spectrum**

**TEST REPORT****18-27GHz, Horizontal and Vertical****Full Spectrum**


**TEST REPORT**



Configuration	Channel Position	Carrier	NR Carrier Bandwidth	LTE Carrier Bandwidth	NR Modulation	LTE Modulation
NR+LTE-MIMO-MC-3	M	3NR+3LTE	20MHz	10MHz	256QAM	64QAM

No emissions were detected within 20dB of the limit.

30-1000MHz, Horizontal and Vertical

Full Spectrum




**TEST REPORT****1-3GHz, Horizontal and Vertical****Full Spectrum****3-18GHz, Horizontal and Vertical****Full Spectrum**

**TEST REPORT**

18-27GHz, Horizontal and Vertical

Full Spectrum



**TEST REPORT**

## 8 Frequency Stability

**Test result:**      **Tested**

### 8.1 Limit

The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

### 8.2 Measurement Procedure

#### Temperature Variation

The EUT was tested over the temperature range -30°C to +50°C in 10°C steps with -48 VDC Power Supply. At each temperature step, the Base Station was configured to transmit at maximum power on the middle channel of the operating band.

#### Voltage Variation

The EUT was tested at the supplied voltages varied from 85 to 115 percent of the nominal values of -48 VDC. At +20°C, the Base Station was configured to transmit at maximum power on the middle channel of the frequency block.

**TEST REPORT**

### 8.3 Measurement result

#### Frequency Error – Temperature Variation

##### Configuration NR-MIMO-1C

Antenna Port	Channel Bandwidth	Modulation	Temperature (°C)	Frequency Stability (Hz)		
				Channel Position B	Channel Position M	Channel Position T
B	100MHz	256QAM	-30	-16.24	-16.82	-17.05
			-20	-16.23	-16.28	-16.83
			-10	-16.69	-16.37	-16.48
			0	-16.24	-16.82	-16.15
			10	-16.45	-16.36	-16.75
			20	-16.24	-16.98	-16.42
			30	-16.86	-15.96	-16.32
			40	-16.48	-16.06	-16.36
			50	-16.54	-16.65	-16.21

##### Configuration LTE-MIMO-1C

Antenna Port	Channel Bandwidth	Modulation	Temperature (°C)	Frequency Stability (Hz)		
				Channel Position B	Channel Position M	Channel Position T
B	20MHz	256QAM	-30	-5.59	-5.73	-5.28
			-20	-5.29	-5.87	-5.27
			-10	-5.37	-5.98	-5.83
			0	-5.75	-5.27	-5.82
			10	-5.95	-5.79	-5.58
			20	-5.67	-5.54	-5.34
			30	-5.85	-5.62	-5.75
			40	-5.35	-5.82	-5.64
			50	-5.44	-5.61	-5.54

**TEST REPORT****Frequency Error – Voltage Variation****Configuration NR-MIMO-1C**

Antenna Port	Channel Bandwidth	Modulation	Temperature (°C)	Supply Voltage (V)	Frequency Stability (Hz)		
					Channel Position B	Channel Position M	Channel Position T
B	100MHz	256QAM	20	-40.8	-16.59	-16.20	-16.41
				-48.0	-16.24	-16.98	-16.42
				-55.2	-16.34	-16.58	-16.47

**Configuration LTE-MIMO-1C**

Antenna Port	Channel Bandwidth	Modulation	Temperature (°C)	Supply Voltage (V)	Frequency Stability (Hz)		
					Channel Position B	Channel Position M	Channel Position T
B	20MHz	64QAM	20	-40.8	-5.69	-5.47	-5.62
				-48.0	-5.67	-5.54	-5.34
				-55.2	-5.86	-5.67	-5.89

\*\*\*\*\* END \*\*\*\*\*