



Reference No.: PSU-QSU2312140113RF11



11AX20MIMO Ant6 5300 52Tone RU38



11AX20MIMO Ant6 5300 106Tone RU53



11AX20MIMO_Ant6 5300 242Tone RU61



11AX20MIMO_Ant5 5320 26Tone RU8




11AX20MIMO Ant5 5320 52Tone RU40



11AX20MIMO Ant5 5320 106Tone RU54



11AX20MIMO_Ant5_5320_242Tone_RU61



11AX20MIMO_Ant6_5320_26Tone_RU8



11AX20MIMO Ant6 5320 52Tone RU40



11AX20MIMO Ant6 5320 106Tone RU54



11AX20MIMO_Ant6_5320_242Tone_RU61



11AX20MIMO_Ant5_5500_26Tone_RU0

Reference No.: PSU-QSU2312140113RF11




11AX20MIMO Ant5 5500 52Tone RU37



11AX20MIMO Ant5 5500 106Tone RU53



11AX20MIMO_Ant5_5500_242Tone_RU61



11AX20MIMO_Ant6_5500_26Tone_RU0



11AX20MIMO Ant6 5500 52Tone RU37



11AX20MIMO Ant6 5500 106Tone RU53



11AX20MIMO_Ant6_5500_242Tone_RU61



11AX20MIMO_Ant5_5580_26Tone_RU4




Reference No.: PSU-QSU2312140113RF11





11AX20MIMO_Ant5_5580_242Tone_RU61



11AX20MIMO_Ant6_5580_26Tone_RU4



Reference No.: PSU-QSU2312140113RF11




11AX20MIMO Ant6 5580 52Tone RU38



11AX20MIMO Ant6 5580 106Tone RU53



11AX20MIMO_Ant6_5580_242Tone_RU61



11AX20MIMO_Ant5_5700_26Tone_RU8



11AX20MIMO Ant5 5700 52Tone RU40



11AX20MIMO Ant5 5700 106Tone RU54



11AX20MIMO_Ant5_5700_242Tone_RU61



11AX20MIMO_Ant6_5700_26Tone_RU8




11AX20MIMO Ant6 5700 52Tone RU40



11AX20MIMO Ant6 5700 106Tone RU54




11AX20MIMO_Ant6_5700_242Tone_RU61



11AX20MIMO_Ant5_5745_26Tone_RU0




11AX20MIMO Ant5 5745 52Tone RU37



11AX20MIMO Ant5 5745 106Tone RU53



11AX20MIMO_Ant5_5745_242Tone_RU61



11AX20MIMO_Ant6_5745_26Tone_RU0



Reference No.: PSU-QSU2312140113RF11



11AX20MIMO Ant6 5745 52Tone RU37




11AX20MIMO Ant6 5745 106Tone RU53

Reference No.: PSU-QSU2312140113RF11



11AX20MIMO_Ant6_5745_242Tone_RU61



11AX20MIMO_Ant5_5785_26Tone_RU4




11AX20MIMO Ant5 5785 52Tone RU38




11AX20MIMO Ant5 5785 106Tone RU53



Reference No.: PSU-QSU2312140113RF11



11AX20MIMO_Ant5_5785_242Tone_RU61



11AX20MIMO_Ant6_5785_26Tone_RU4



11AX20MIMO Ant6 5785 52Tone RU38



11AX20MIMO Ant6 5785 106Tone RU53



11AX20MIMO_Ant6_5785_242Tone_RU61



11AX20MIMO_Ant5_5825_26Tone_RU8




11AX20MIMO Ant5 5825 52Tone RU40



11AX20MIMO Ant5 5825 106Tone RU54




11AX20MIMO_Ant5_5825_242Tone_RU61



11AX20MIMO_Ant6_5825_26Tone_RU8




11AX20MIMO Ant6 5825 52Tone RU40



11AX20MIMO Ant6 5825 106Tone RU54



11AX20MIMO Ant6 5825 242Tone RU61



MIN EMISSION BANDWIDTH TEST RESULT

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	6db BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20 MIMO	Ant5	5745	26Tone	RU0	2.120	5735.360	5737.480	0.5	PASS
			52Tone	RU37	17.080	5735.360	5752.440	0.5	PASS
			106Tone	RU53	17.080	5735.320	5752.400	0.5	PASS
			242Tone	RU61	19.040	5735.360	5754.400	0.5	PASS
	Ant6	5745	26Tone	RU0	2.120	5735.360	5737.480	0.5	PASS
			52Tone	RU37	17.040	5735.360	5752.400	0.5	PASS
			106Tone	RU53	17.680	5735.320	5753.000	0.5	PASS
			242Tone	RU61	19.000	5735.400	5754.400	0.5	PASS
	Ant5	5785	26Tone	RU4	2.640	5783.560	5786.200	0.5	PASS
			52Tone	RU38	13.840	5777.320	5791.160	0.5	PASS
			106Tone	RU53	18.080	5775.320	5793.400	0.5	PASS
			242Tone	RU61	19.040	5775.360	5794.400	0.5	PASS
	Ant6	5785	26Tone	RU4	2.640	5783.560	5786.200	0.5	PASS
			52Tone	RU38	15.080	5777.320	5792.400	0.5	PASS
			106Tone	RU53	17.120	5775.320	5792.440	0.5	PASS
			242Tone	RU61	19.080	5775.320	5794.400	0.5	PASS
	Ant5	5825	26Tone	RU8	2.040	5832.320	5834.360	0.5	PASS
			52Tone	RU40	16.960	5817.400	5834.360	0.5	PASS
			106Tone	RU54	17.120	5817.320	5834.440	0.5	PASS
			242Tone	RU61	19.000	5815.360	5834.360	0.5	PASS
	Ant6	5825	26Tone	RU8	2.040	5832.320	5834.360	0.5	PASS
			52Tone	RU40	17.040	5817.320	5834.360	0.5	PASS



BUREAU
VERITAS

Reference No.: PSU-QSU2312140113RF11

			106Tone	RU54	17.360	5817.08 0	5834.44 0	0.5	PASS
			242Tone	RU61	19.080	5815.32 0	5834.40 0	0.5	PASS



Reference No.: PSU-QSU2312140113RF11

TEST GRAPHS





Reference No.: PSU-QSU2312140113RF11





Reference No.: PSU-QSU2312140113RF11






Reference No.: PSU-QSU2312140113RF11






Reference No.: PSU-QSU2312140113RF11





11AX20MIMO Ant5 5785 242Tone RU61



11AX20MIMO Ant6 5785 26Tone RU4




Reference No.: PSU-QSU2312140113RF11





11AX20MIMO Ant6 5785 242Tone RU61



11AX20MIMO Ant5 5825 26Tone RU8



Reference No.: PSU-QSU2312140113RF11



11AX20MIMO Ant5 5825 52Tone RU40



11AX20MIMO Ant5 5825 106Tone RU54




Reference No.: PSU-QSU2312140113RF11






Reference No.: PSU-QSU2312140113RF11



11AX20MIMO Ant6 5825 52Tone RU40



11AX20MIMO Ant6 5825 106Tone RU54



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

BV Power Table For U-NII-1											
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5180	Ant5	11.92	≤24.00		11.82	≤23.00	Pass	Default
				Ant6	12.21	≤24.00		12.11	≤23.00	Pass	Default
				Total	15.08	≤24.00		14.98	≤23.00	Pass	Default
		26/4	5200	Ant5	11.57	≤24.00		11.47	≤23.00	Pass	Default
				Ant6	12.28	≤24.00		12.18	≤23.00	Pass	Default
				Total	14.95	≤24.00		14.85	≤23.00	Pass	Default
		26/8	5240	Ant5	11.68	≤24.00		11.58	≤23.00	Pass	Default
				Ant6	12.03	≤24.00		11.93	≤23.00	Pass	Default
				Total	14.87	≤24.00		14.77	≤23.00	Pass	Default
	MIMO	52/37	5180	Ant5	11.79	≤24.00		11.69	≤23.00	Pass	Default
				Ant6	12.16	≤24.00		12.06	≤23.00	Pass	Default
				Total	14.99	≤24.00		14.89	≤23.00	Pass	Default
		52/38	5200	Ant5	11.73	≤24.00		11.63	≤23.00	Pass	Default
				Ant6	12.24	≤24.00		12.14	≤23.00	Pass	Default
				Total	15.00	≤24.00		14.9	≤23.00	Pass	Default
		52/40	5240	Ant5	11.85	≤24.00		11.75	≤23.00	Pass	Default
				Ant6	12.43	≤24.00		12.33	≤23.00	Pass	Default
				Total	15.16	≤24.00		15.06	≤23.00	Pass	Default
	MIMO	106/53	5180	Ant5	11.87	≤24.00		11.77	≤23.00	Pass	Default
				Ant6	12.09	≤24.00		11.99	≤23.00	Pass	Default
				Total	14.99	≤24.00		14.89	≤23.00	Pass	Default
		106/53	5200	Ant5	11.76	≤24.00		11.66	≤23.00	Pass	Default
				Ant6	12.18	≤24.00		12.08	≤23.00	Pass	Default
				Total	14.99	≤24.00		14.89	≤23.00	Pass	Default
		106/54	5240	Ant5	11.81	≤24.00		11.71	≤23.00	Pass	Default
				Ant6	12.38	≤24.00		12.28	≤23.00	Pass	Default
				Total	15.11	≤24.00		15.01	≤23.00	Pass	Default
	MIMO	FULL	5180	Ant5	11.85	≤24.00		11.75	≤23.00	Pass	Default
				Ant6	12.17	≤24.00		12.07	≤23.00	Pass	Default
				Total	15.02	≤24.00		14.92	≤23.00	Pass	Default
		FULL	5200	Ant5	11.70	≤24.00		11.6	≤23.00	Pass	Default
				Ant6	12.25	≤24.00		12.15	≤23.00	Pass	Default
				Total	14.99	≤24.00		14.89	≤23.00	Pass	Default



Reference No.: PSU-QSU2312140113RF11

		FULL	5240	Ant5	11.60	≤24.00		11.5	≤23.00	Pass	Default
				Ant6	12.51	≤24.00		12.41	≤23.00	Pass	Default
				Total	15.09	≤24.00		14.99	≤23.00	Pass	Default
11AX40	MIMO	FULL	5190	Ant5	11.57	≤24.00		11.47	≤23.00	Pass	Default
				Ant6	11.50	≤24.00		11.4	≤23.00	Pass	Default
		FULL	5230	Ant5	11.50	≤24.00		11.4	≤23.00	Pass	Default
				Ant6	12.40	≤24.00		12.3	≤23.00	Pass	Default
11AX80	MIMO	FULL	5210	Total	14.98	≤24.00		14.88	≤23.00	Pass	Default
				Ant5	12.01	≤24.00		11.91	≤23.00	Pass	Default
				Ant6	12.46	≤24.00		12.36	≤23.00	Pass	Default
	MIMO	FULL	5250	Total	15.25	≤24.00		15.15	≤23.00	Pass	Default
				Ant5	11.86	≤24.00		11.76	≤23.00	Pass	Default
				Ant6	12.26	≤24.00		12.16	≤23.00	Pass	Default
				Total	15.07	≤24.00		14.97	≤23.00	Pass	Default

Note: The Maximum Conducted Power with duty cycle factor.



Reference No.: PSU-QSU2312140113RF11

BV Power Table For U-NII-2A												
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5260	Ant5	11.85	≤24.00	≤23.27	11.75	≤30.00	≤29.27	Pass	Default
				Ant6	12.28	≤24.00	≤23.27	12.18	≤30.00	≤29.27	Pass	Default
				Total	15.08	≤24.00	≤23.27	14.98	≤30.00	≤29.27	Pass	Default
		26/4	5300	Ant5	11.74	≤24.00	≤23.27	11.64	≤30.00	≤29.27	Pass	Default
				Ant6	12.33	≤24.00	≤23.27	12.23	≤30.00	≤29.27	Pass	Default
				Total	15.06	≤24.00	≤23.27	14.96	≤30.00	≤29.27	Pass	Default
		26/8	5320	Ant5	11.55	≤24.00	≤23.27	11.45	≤30.00	≤29.27	Pass	Default
				Ant6	12.25	≤24.00	≤23.27	12.15	≤30.00	≤29.27	Pass	Default
				Total	14.92	≤24.00	≤23.27	14.82	≤30.00	≤29.27	Pass	Default
	MIMO	52/37	5260	Ant5	11.77	≤24.00	≤23.27	11.67	≤30.00	≤29.27	Pass	Default
				Ant6	12.67	≤24.00	≤23.27	12.57	≤30.00	≤29.27	Pass	Default
				Total	15.25	≤24.00	≤23.27	15.15	≤30.00	≤29.27	Pass	Default
		52/38	5300	Ant5	11.72	≤24.00	≤23.27	11.62	≤30.00	≤29.27	Pass	Default
				Ant4	16.67	≤24.00	≤23.27	16.57	≤30.00	≤29.27	Pass	Default
				Total	15.26	≤24.00	≤23.27	15.16	≤30.00	≤29.27	Pass	Default
		52/40	5320	Ant5	11.61	≤24.00	≤23.27	11.51	≤30.00	≤29.27	Pass	Default
				Ant6	12.64	≤24.00	≤23.27	12.54	≤30.00	≤29.27	Pass	Default
				Total	15.17	≤24.00	≤23.27	15.07	≤30.00	≤29.27	Pass	Default
	MIMO	106/53	5260	Ant5	11.84	≤24.00	≤23.27	11.74	≤30.00	≤29.27	Pass	Default
				Ant6	12.69	≤24.00	≤23.27	12.59	≤30.00	≤29.27	Pass	Default
				Total	15.30	≤24.00	≤23.27	15.2	≤30.00	≤29.27	Pass	Default
		106/53	5300	Ant5	11.77	≤24.00	≤23.27	11.67	≤30.00	≤29.27	Pass	Default
				Ant6	12.72	≤24.00	≤23.27	12.62	≤30.00	≤29.27	Pass	Default
				Total	15.28	≤24.00	≤23.27	15.18	≤30.00	≤29.27	Pass	Default
		106/54	5320	Ant5	11.67	≤24.00	≤23.27	11.57	≤30.00	≤29.27	Pass	Default
				Ant6	12.67	≤24.00	≤23.27	12.57	≤30.00	≤29.27	Pass	Default
				Total	15.21	≤24.00	≤23.27	15.11	≤30.00	≤29.27	Pass	Default
	MIMO	FULL	5260	Ant5	11.78	≤24.00	≤23.27	11.68	≤30.00	≤29.27	Pass	Default
				Ant6	12.74	≤24.00	≤23.27	12.64	≤30.00	≤29.27	Pass	Default
				Total	15.30	≤24.00	≤23.27	15.2	≤30.00	≤29.27	Pass	Default
		FULL	5300	Ant5	11.43	≤24.00	≤23.27	11.33	≤30.00	≤29.27	Pass	Default
				Ant6	12.79	≤24.00	≤23.27	12.69	≤30.00	≤29.27	Pass	Default
				Total	15.17	≤24.00	≤23.27	15.07	≤30.00	≤29.27	Pass	Default
		FULL	5320	Ant5	11.37	≤24.00	≤23.27	11.27	≤30.00	≤29.27	Pass	Default
				Ant6	12.72	≤24.00	≤23.27	12.62	≤30.00	≤29.27	Pass	Default
				Total	15.11	≤24.00	≤23.27	15.01	≤30.00	≤29.27	Pass	Default
11AX40	MIMO	FULL	5270	Ant5	11.62	≤24.00	≤24.00	11.52	≤30.00	≤30	Pass	Default
				Ant6	12.45	≤24.00	≤24.00	12.35	≤30.00	≤30	Pass	Default



Reference No.: PSU-QSU2312140113RF11

				Total	15.07	≤24.00	≤24.00	14.97	≤30.00	≤30	Pass	Default
		FULL	5310	Ant5	11.06	≤24.00	≤24.00	10.96	≤30.00	≤30	Pass	Default
				Ant6	12.51	≤24.00	≤24.00	12.41	≤30.00	≤30	Pass	Default
				Total	14.86	≤24.00	≤24.00	14.76	≤30.00	≤30	Pass	Default
11AX80	MIMO	FULL	5290	Ant5	11.65	≤24.00	≤24.00	11.55	≤30.00	≤30	Pass	Default
				Ant6	12.65	≤24.00	≤24.00	12.55	≤30.00	≤30	Pass	Default
				Total	15.19	≤24.00	≤24.00	15.09	≤30.00	≤30	Pass	Default
Note:The Maximum Conducted Power with duty cycle factor.												

BV Power Table For U-NII-2C												
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5500	Ant5	12.28	≤24.00	≤23.25	12.18	≤30.00	≤29.25	Pass	Default
				Ant6	12.98	≤24.00	≤23.25	12.88	≤30.00	≤29.25	Pass	Default
				Total	15.65	≤24.00	≤23.25	15.55	≤30.00	≤29.25	Pass	Default
		26/4	5580	Ant5	12.15	≤24.00	≤23.25	12.05	≤30.00	≤29.25	Pass	Default
				Ant6	13.31	≤24.00	≤23.25	13.21	≤30.00	≤29.25	Pass	Default
				Total	15.78	≤24.00	≤23.25	15.68	≤30.00	≤29.25	Pass	Default
		26/8	5700	Ant5	11.70	≤24.00	≤23.25	11.6	≤30.00	≤29.25	Pass	Default
				Ant6	13.39	≤24.00	≤23.25	13.29	≤30.00	≤29.25	Pass	Default
				Total	15.64	≤24.00	≤23.25	15.54	≤30.00	≤29.25	Pass	Default
	MIMO	52/37	5500	Ant5	12.29	≤24.00	≤23.25	12.19	≤30.00	≤29.25	Pass	Default
				Ant6	13.28	≤24.00	≤23.25	13.18	≤30.00	≤29.25	Pass	Default
				Total	15.82	≤24.00	≤23.25	15.72	≤30.00	≤29.25	Pass	Default
		52/38	5580	Ant5	12.25	≤24.00	≤23.25	12.15	≤30.00	≤29.25	Pass	Default
				Ant6	13.58	≤24.00	≤23.25	13.48	≤30.00	≤29.25	Pass	Default
				Total	15.98	≤24.00	≤23.25	15.88	≤30.00	≤29.25	Pass	Default
		52/40	5700	Ant5	11.63	≤24.00	≤23.25	11.53	≤30.00	≤29.25	Pass	Default
				Ant6	13.50	≤24.00	≤23.25	13.4	≤30.00	≤29.25	Pass	Default
				Total	15.68	≤24.00	≤23.25	15.58	≤30.00	≤29.25	Pass	Default
	MIMO	106/53	5500	Ant5	11.77	≤24.00	≤23.25	11.67	≤30.00	≤29.25	Pass	Default
				Ant6	12.72	≤24.00	≤23.25	12.62	≤30.00	≤29.25	Pass	Default
				Total	15.28	≤24.00	≤23.25	15.18	≤30.00	≤29.25	Pass	Default
		106/53	5580	Ant5	12.23	≤24.00	≤23.25	12.13	≤30.00	≤29.25	Pass	Default
				Ant6	13.63	≤24.00	≤23.25	13.53	≤30.00	≤29.25	Pass	Default
				Total	16.00	≤24.00	≤23.25	15.9	≤30.00	≤29.25	Pass	Default
		106/54	5700	Ant5	12.02	≤24.00	≤23.25	11.92	≤30.00	≤29.25	Pass	Default
				Ant6	13.57	≤24.00	≤23.25	13.47	≤30.00	≤29.25	Pass	Default
				Total	15.87	≤24.00	≤23.25	15.77	≤30.00	≤29.25	Pass	Default
	MIMO	FULL	5500	Ant5	11.84	≤24.00	≤23.25	11.74	≤30.00	≤29.25	Pass	Default
				Ant6	13.27	≤24.00	≤23.25	13.17	≤30.00	≤29.25	Pass	Default
				Total	15.62	≤24.00	≤23.25	15.52	≤30.00	≤29.25	Pass	Default
		FULL	5580	Ant5	11.85	≤24.00	≤23.25	11.75	≤30.00	≤29.25	Pass	Default
				Ant6	13.62	≤24.00	≤23.25	13.52	≤30.00	≤29.25	Pass	Default
				Total	15.83	≤24.00	≤23.25	15.73	≤30.00	≤29.25	Pass	Default
		FULL	5700	Ant5	11.48	≤24.00	≤23.25	11.38	≤30.00	≤29.25	Pass	Default
				Ant6	13.55	≤24.00	≤23.25	13.45	≤30.00	≤29.25	Pass	Default
				Total	15.65	≤24.00	≤23.25	15.55	≤30.00	≤29.25	Pass	Default
11AX40	MIMO	FULL	5510	Ant5	11.66	≤24.00	≤24	11.56	≤30.00	≤30	Pass	Default
				Ant6	12.99	≤24.00	≤24	12.89	≤30.00	≤30	Pass	Default



Reference No.: PSU-QSU2312140113RF11

		FULL	5550	Total	15.39	≤ 24.00	≤ 24	15.29	≤ 30.00	≤ 30	Pass	Default
				Ant5	11.57	≤ 24.00	≤ 24	11.47	≤ 30.00	≤ 30	Pass	Default
				Ant6	12.91	≤ 24.00	≤ 24	12.81	≤ 30.00	≤ 30	Pass	Default
				Total	15.30	≤ 24.00	≤ 24	15.2	≤ 30.00	≤ 30	Pass	Default
		FULL	5670	Ant5	11.31	≤ 24.00	≤ 24	11.21	≤ 30.00	≤ 30	Pass	Default
				Ant6	13.18	≤ 24.00	≤ 24	13.08	≤ 30.00	≤ 30	Pass	Default
				Total	15.36	≤ 24.00	≤ 24	15.26	≤ 30.00	≤ 30	Pass	Default
11AX80	MIMO	FULL	5530	Ant5	11.90	≤ 24.00	≤ 24	11.8	≤ 30.00	≤ 30	Pass	Default
				Ant6	13.03	≤ 24.00	≤ 24	12.93	≤ 30.00	≤ 30	Pass	Default
				Total	15.51	≤ 24.00	≤ 24	15.41	≤ 30.00	≤ 30	Pass	Default
11AX160	MIMO	FULL	5570	Ant5	11.76	≤ 24.00	≤ 24	11.66	≤ 30.00	≤ 30	Pass	Default
				Ant6	13.19	≤ 24.00	≤ 24	13.09	≤ 30.00	≤ 30	Pass	Default
				Total	15.54	≤ 24.00	≤ 24	15.44	≤ 30.00	≤ 30	Pass	Default

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-3										
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5745	Ant5	11.46	≤30.00	11.36	≤36.00	Pass	Default
				Ant6	13.03	≤30.00	12.93	≤36.00	Pass	Default
				Total	15.33	≤30.00	15.23	≤36.00	Pass	Default
		26/4	5785	Ant5	11.57	≤30.00	11.47	≤36.00	Pass	Default
				Ant6	13.22	≤30.00	13.12	≤36.00	Pass	Default
				Total	15.48	≤30.00	15.38	≤36.00	Pass	Default
		26/8	5825	Ant5	11.77	≤30.00	11.67	≤36.00	Pass	Default
				Ant6	12.98	≤30.00	12.88	≤36.00	Pass	Default
				Total	15.43	≤30.00	15.33	≤36.00	Pass	Default
	MIMO	52/37	5745	Ant5	11.51	≤30.00	11.41	≤36.00	Pass	Default
				Ant6	13.05	≤30.00	12.95	≤36.00	Pass	Default
				Total	15.36	≤30.00	15.26	≤36.00	Pass	Default
		52/38	5785	Ant5	11.73	≤30.00	11.63	≤36.00	Pass	Default
				Ant4	0.00	≤30.00	-0.1	≤36.00	Pass	Default
				Total	15.57	≤30.00	15.47	≤36.00	Pass	Default
		52/40	5825	Ant5	11.72	≤30.00	11.62	≤36.00	Pass	Default
				Ant6	13.01	≤30.00	12.91	≤36.00	Pass	Default
				Total	15.42	≤30.00	15.32	≤36.00	Pass	Default
	MIMO	106/53	5745	Ant5	11.21	≤30.00	11.11	≤36.00	Pass	Default
				Ant6	13.12	≤30.00	13.02	≤36.00	Pass	Default
				Total	15.28	≤30.00	15.18	≤36.00	Pass	Default
		106/53	5785	Ant5	11.47	≤30.00	11.37	≤36.00	Pass	Default
				Ant6	13.33	≤30.00	13.23	≤36.00	Pass	Default
				Total	15.51	≤30.00	15.41	≤36.00	Pass	Default
		106/54	5825	Ant5	11.59	≤30.00	11.49	≤36.00	Pass	Default
				Ant6	13.08	≤30.00	12.98	≤36.00	Pass	Default
				Total	15.41	≤30.00	15.31	≤36.00	Pass	Default
11AX40	MIMO	FULL	5745	Ant5	11.16	≤30.00	11.06	≤36.00	Pass	Default
				Ant6	13.12	≤30.00	13.02	≤36.00	Pass	Default
				Total	15.26	≤30.00	15.16	≤36.00	Pass	Default
		FULL	5785	Ant5	11.40	≤30.00	11.3	≤36.00	Pass	Default
				Ant6	13.31	≤30.00	13.21	≤36.00	Pass	Default
				Total	15.47	≤30.00	15.37	≤36.00	Pass	Default
		FULL	5825	Ant5	11.50	≤30.00	11.4	≤36.00	Pass	Default
				Ant6	13.09	≤30.00	12.99	≤36.00	Pass	Default
				Total	15.38	≤30.00	15.28	≤36.00	Pass	Default
	MIMO	FULL	5755	Ant5	11.38	≤30.00	11.28	≤36.00	Pass	Default
				Ant6	12.85	≤30.00	12.75	≤36.00	Pass	Default



BUREAU
VERITAS

Reference No.: PSU-QSU2312140113RF11

11AX80	MIMO	FULL		Total	15.19	≤30.00	15.09	≤36.00	Pass	Default
			5795	Ant5	11.33	≤30.00	11.23	≤36.00	Pass	Default
				Ant6	12.68	≤30.00	12.58	≤36.00	Pass	Default
				Total	15.07	≤30.00	14.97	≤36.00	Pass	Default
		FULL	5775	Ant5	11.75	≤30.00	11.65	≤36.00	Pass	Default
				Ant6	13.26	≤30.00	13.16	≤36.00	Pass	Default
				Total	15.58	≤30.00	15.48	≤36.00	Pass	Default
Note:The Maximum Conducted Power with duty cyle factor.										

Note : The Duty Cycle Factor is compensated in the graph.