

MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT PEAK

TestMode	TX Mod.	Frequency [MHz]	Peak power [dBm]			MAX Peak power [mw]	Limit [dBm]	Verdict	Power Setting ANT5	Power Setting ANT6
			Ant5	Ant6	Total					
11B	SISO	2412	21.30	16.25	-	134.96	≤30.00	PASS	default	17
		2437	21.38	16.13	-	137.53	≤30.00	PASS	default	17
		2462	22.37	17.37	-	172.54	≤30.00	PASS	default	17
	CDD	2437	20.91	19.95	23.46	222.07	≤30.00	PASS	default	default
		2437	21.05	21.05	24.06	254.50	≤30.00	PASS	default	default
		2437	21.97	21.60	24.80	302.12	≤30.00	PASS	default	default
11g	SISO	2412	21.46	16.29	-	139.89	≤30.00	PASS	default	17
		2437	21.58	17.56	-	143.88	≤30.00	PASS	default	17
		2462	22.56	18.47	-	180.22	≤30.00	PASS	default	17
	CDD	2437	21.14	20.05	23.64	231.18	≤30.00	PASS	default	default
		2437	21.09	21.28	24.20	262.83	≤30.00	PASS	default	default
		2437	22.16	21.66	24.92	310.80	≤30.00	PASS	default	default
11N20	SISO	2412	24.62	19.52	-	289.73	≤30.00	PASS	default	17
		2437	24.50	19.39	-	281.84	≤30.00	PASS	default	17
		2462	25.05	19.88	-	319.60	≤30.00	PASS	default	17
	MIMO	2437	24.49	23.27	26.93	493.17	≤30.00	PASS	default	default
		2437	24.51	24.25	27.39	548.19	≤30.00	PASS	default	default
		2437	25.28	24.50	27.92	618.98	≤30.00	PASS	default	default
11N40	SISO	2422	24.78	19.49	-	300.33	≤30.00	PASS	default	17
		2437	25.09	19.83	-	323.00	≤30.00	PASS	default	17
		2452	25.12	20.01	-	325.39	≤30.00	PASS	default	17
	MIMO	2422	24.73	24.22	27.49	561.07	≤30.00	PASS	default	default
		2437	24.93	24.26	27.62	577.86	≤30.00	PASS	default	default
		2452	25.07	24.37	27.74	594.82	≤30.00	PASS	default	default
11AC20	SISO	2412	24.64	19.37	-	290.87	≤30.00	PASS	default	17
		2437	24.66	19.51	-	292.42	≤30.00	PASS	default	17
		2462	25.39	20.15	-	346.02	≤30.00	PASS	default	17
	MIMO	2437	24.47	23.13	26.86	485.39	≤30.00	PASS	default	default
		2437	24.40	24.00	27.21	526.61	≤30.00	PASS	default	default
		2437	25.21	24.52	27.89	614.84	≤30.00	PASS	default	default
11AC40	SISO	2422	24.76	19.56	-	299.23	≤30.00	PASS	default	17
		2437	24.83	19.56	-	304.09	≤30.00	PASS	default	17



BUREAU
VERITAS

Reference No.: PSU-QSU2312140113RF10

		2452	24.81	19.67	-	302.48	≤30.00	PASS	default	17
	MIMO	2422	24.59	24.21	27.41	550.74	≤30.00	PASS	default	default
		2437	24.60	24.23	27.43	553.19	≤30.00	PASS	default	default
		2452	24.81	24.15	27.50	562.83	≤30.00	PASS	default	default

TEST RESULT AVERAGE

TestMode	TX Mod.	Freq. [MHz]	Avg.power [dBm]			Power Setting ANT5	Power Setting ANT6
			Ant5	Ant6	Total		
11B	SISO	2412	17.23	11.92	-	default	17
		2437	17.43	12.95	-	default	17
		2462	18.08	13.12	-	default	17
	CDD	2437	16.92	16.04	19.52	default	default
		2437	16.91	17.04	19.99	default	default
		2437	17.75	17.12	20.45	default	default
11g	SISO	2412	17.28	0.00	-	default	17
		2437	17.41	11.99	-	default	17
		2462	18.23	13.05	-	default	17
	CDD	2437	17.07	16.04	19.59	default	default
		2437	17.06	17.14	20.11	default	default
		2437	17.86	17.26	20.58	default	default
11N20	SISO	2412	15.43	0.00	-	default	17
		2437	15.25	9.74	-	default	17
		2462	15.77	10.83	-	default	17
	MIMO	2437	15.41	13.91	17.73	default	default
		2437	15.21	14.79	18.01	default	default
		2437	15.69	14.88	18.31	default	default
11N40	SISO	2422	15.76	19.49	-	default	17
		2437	15.42	19.83	-	default	17
		2452	15.52	20.01	-	default	17
	MIMO	2422	15.91	14.66	18.34	default	default
		2437	15.47	14.78	18.15	default	default
		2452	15.53	14.75	18.17	default	default
11AC20	SISO	2412	15.39	9.90	-	default	17
		2437	15.10	10.63	-	default	17
		2462	15.79	10.83	-	default	17
	MIMO	2437	15.38	13.89	17.71	default	default
		2437	15.18	14.72	17.97	default	default
		2437	15.65	14.86	18.28	default	default
11AC40	SISO	2422	15.88	10.52	-	default	17
		2437	15.53	10.62	-	default	17
		2452	15.56	10.71	-	default	17
	MIMO	2422	15.87	14.58	18.28	default	default
		2437	15.45	14.76	18.13	default	default



Reference No.: PSU-QSU2312140113RF10

		2452	15.50	14.73	18.14	default	default
--	--	------	-------	-------	-------	---------	---------


MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT


TestMode	Antenna	Frequency[MHz]	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11N20-MIMO	Ant5	2412	-9.44	≤8.00	PASS
	Ant6	2412	-9.59	≤8.00	PASS
	total	2412	-6.50	≤8.00	PASS
	Ant5	2437	-10.02	≤8.00	PASS
	Ant6	2437	-9.27	≤8.00	PASS
	total	2437	-6.62	≤8.00	PASS
	Ant5	2462	-9.18	≤8.00	PASS
	Ant6	2462	-9.27	≤8.00	PASS
	total	2462	-6.21	≤8.00	PASS
11N40-MIMO	Ant5	2422	-12.17	≤8.00	PASS
	Ant6	2422	-9.27	≤8.00	PASS
	total	2422	-7.47	≤8.00	PASS
	Ant5	2437	-12.69	≤8.00	PASS
	Ant6	2437	-9.27	≤8.00	PASS
	total	2437	-7.64	≤8.00	PASS
	Ant5	2452	-12.17	≤8.00	PASS
	Ant6	2452	-13.26	≤8.00	PASS
	total	2452	-9.67	≤8.00	PASS

TEST GRAPHS


11N20_Ant5_2412



11N20_Ant6_2412




11N20_Ant5_2437




01:27:57 AM 05/13/2024

11N20_Ant6_2437




05:39:08 AM 03/11/2024

11N20_Ant5_2462




09:22:22 AM 02/26/2024

11N20_Ant6_2462




05:42:41 AM 03/11/2024

11N40_Ant5_2422




09:23:51 AM 02/26/2024

11N40_Ant6_2422




05:45:33 AM 03/11/2024

11N40_Ant5_2437



11N40_Ant6_2437




11N40_Ant5_2452




BUREAU
VERITAS

Reference No.: PSU-QSU2312140113RF10



09:36:19 AM 02/26/2024

11N40_Ant6_2452



09:40:58 AM 02/26/2024


BAND EDGE MEASUREMENTS

TEST RESULT


TestMode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N20-MIMO	Ant5	Low	2412	See test graph	See test graph	See test graph	PASS
	Ant5	High	2462	See test graph	See test graph	See test graph	PASS
	Ant6	Low	2412	See test graph	See test graph	See test graph	PASS
	Ant6	High	2462	See test graph	See test graph	See test graph	PASS
11N40-MIMO	Ant5	Low	2412	See test graph	See test graph	See test graph	PASS
	Ant5	High	2462	See test graph	See test graph	See test graph	PASS
	Ant6	Low	2412	See test graph	See test graph	See test graph	PASS
	Ant6	High	2462	See test graph	See test graph	See test graph	PASS

TEST GRAPHS


11N20MIMO_Ant5_Low_2412




11N20MIMO_Ant5_High_2462




11N20MIMO_Ant6_Low_2412






11N40MIMO Ant6 Low 2412



11N40MIMO Ant6 High 2462



20M
RBW 100.000 kHz



Reference No.: PSU-QSU2312140113RF10

VBW 300.000 kHz
40M
RBW 100.000 kHz
VBW 300.000 kHz


CONDUCTED SPURIOUS EMISSION

TEST RESULT


TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N20-MIMO	Ant5	2412	30~26000	See test graph	See test graph	See test graph	PASS
	Ant6	2412	30~26000	See test graph	See test graph	See test graph	PASS
	Ant5	2437	30~26000	See test graph	See test graph	See test graph	PASS
	Ant6	2437	30~26000	See test graph	See test graph	See test graph	PASS
	Ant5	2462	30~26000	See test graph	See test graph	See test graph	PASS
	Ant6	2462	30~26000	See test graph	See test graph	See test graph	PASS
11N40-MIMO	Ant5	2422	30~26000	See test graph	See test graph	See test graph	PASS
	Ant6	2422	30~26000	See test graph	See test graph	See test graph	PASS
	Ant5	2437	30~26000	See test graph	See test graph	See test graph	PASS
	Ant6	2437	30~26000	See test graph	See test graph	See test graph	PASS
	Ant5	2452	30~26000	See test graph	See test graph	See test graph	PASS
	Ant6	2452	30~26000	See test graph	See test graph	See test graph	PASS

TEST GRAPHS

11N20_Ant5_2412_30~26000




11N20_Ant6_2412_30~26000




11N20_Ant5_2437_30~26000

Spurious




11N20_Ant6_2437_30~26000

Spurious




11N20_Ant5_2462_30~26000

Spurious




11N20_Ant6_2462_30~26000

Spurious




11N40_Ant5_2422_30~26000

Spurious




11N40_Ant5_2422_30~26000

Spurious




11N40_Ant5_2437_30~26000

Spurious




11N40 Ant6 2437 30~26000

Spurious



11N40 Ant5 2452 30~26000

Spurious




11N40 Ant6 2452 30~26000



BUREAU
VERITAS

Reference No.: PSU-QSU2312140113RF10



20M
RBW 100.000 kHz
VBW 300.000 kHz
40M
RBW 100.000 kHz
VBW 300.000 kHz




Reference No.: PSU-QSU2312140113RF10

DUTY CYCLE

TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11N20-MIMO	Ant5	2412	/	/	100.00%	0
11N40-MIMO	Ant5	2422	/	/	100.00%	0


TEST GRAPHS





BUREAU
VERITAS

Reference No.: PSU-QSU2312140113RF10





Reference No.: PSU-QSU2312140113RF10


WLAN 2.4G SU MODE

DTS BANDWIDTH TEST RESULT


TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11AX20MIMO	Ant5	2412	18.800	2402.560	2421.360	0.5	PASS
	Ant6	2412	18.720	2402.760	2421.480	0.5	PASS
	Ant5	2437	18.880	2427.520	2446.400	0.5	PASS
	Ant6	2437	19.040	2427.400	2446.440	0.5	PASS
	Ant5	2462	18.520	2452.600	2471.120	0.5	PASS
	Ant6	2462	18.680	2452.640	2471.320	0.5	PASS
11AX40MIMO	Ant5	2422	35.040	2403.920	2438.960	0.5	PASS
	Ant6	2422	37.600	2403.120	2440.720	0.5	PASS
	Ant5	2437	37.440	2418.200	2455.640	0.5	PASS
	Ant6	2437	37.680	2418.040	2455.720	0.5	PASS
	Ant5	2452	37.920	2432.960	2470.880	0.5	PASS
	Ant6	2452	37.440	2433.040	2470.480	0.5	PASS

TEST GRAPHS






11AX20MIMO_Ant6_2437



11AX20MIMO_Ant5_2462




11AX20MIMO_Ant6_2462



11AX40MIMO_Ant5_2422



Reference No.: PSU-QSU2312140113RF10




11AX40MIMO_Ant6_2422




11AX40MIMO_Ant5_2437




Reference No.: PSU-QSU2312140113RF10




11AX40MIMO_Ant6_2437



11AX40MIMO_Ant5_2452



11AX40MIMO_Ant6_2452



OCCUPIED CHANNEL BANDWIDTH TEST RESULT


TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11AX20MIMO	Ant5	2412	19.094	2402.4440	2421.5380	---	---
	Ant6	2412	19.095	2402.4707	2421.5657	---	---
	Ant5	2437	19.029	2427.4340	2446.4630	---	---
	Ant6	2437	19.102	2427.4011	2446.5031	---	---
	Ant5	2462	19.317	2452.3137	2471.6307	---	---
	Ant6	2462	18.970	2452.4870	2471.4570	---	---
11AX40MIMO	Ant5	2422	37.898	2402.9903	2440.8883	---	---
	Ant6	2422	37.865	2403.0096	2440.8746	---	---
	Ant5	2437	38.048	2417.9259	2455.9739	---	---
	Ant6	2437	38.146	2417.9399	2456.0859	---	---
	Ant5	2452	38.083	2432.8790	2470.9620	---	---
	Ant6	2452	37.996	2432.9842	2470.9802	---	---

TEST GRAPHS






Reference No.: PSU-QSU2312140113RF10



11AX20MIMO_Ant6_2437




11AX20MIMO_Ant5_2462


Reference No.: PSU-QSU2312140113RF10




11AX20MIMO_Ant6_2462



11AX40MIMO_Ant5_2422




11AX40MIMO_Ant6_2422




11AX40MIMO_Ant5_2437

Reference No.: PSU-QSU2312140113RF10




11AX40MIMO_Ant6_2437




11AX40MIMO_Ant5_2452

Reference No.: PSU-QSU2312140113RF10



11AX40MIMO_Ant6_2452




MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT


Test Mode	TX Mod.	Freq. [MHz]	Ant.	Average power [dBm]	Peak power [dBm]	Peak power [mw]	Conducted Power Limit [dBm]	EIRP power [dBm]	EIRP power [mw]	EIRP Limit [dBm]	Verdict	Power Setting
11AX20	MIMO	2412	ANT5	14.9	22.5	179.1	≤30.00	21.53	142.23	≤36.00	PASS	
			ANT6	14.5	23.5	222.8	≤30.00	22.48	177.01	≤36.00	PASS	
			Total	17.7	26.0	401.9	≤30.00	25.04	319.24	≤36.00	PASS	
		2437	ANT5	15.2	22.7	184.1	≤30.00	21.65	146.22	≤36.00	PASS	
			ANT6	14.8	22.4	172.2	≤30.00	21.36	136.77	≤36.00	PASS	
			Total	18.0	25.5	356.3	≤30.00	24.52	282.99	≤36.00	PASS	
		2462	ANT5	15.3	23.1	205.6	≤30.00	22.13	163.31	≤36.00	PASS	
			ANT6	15.3	23.1	203.2	≤30.00	22.08	161.44	≤36.00	PASS	
			Total	18.3	26.1	408.8	≤30.00	25.12	324.74	≤36.00	PASS	
11AX40	MIMO	2422	ANT5	15.2	22.4	174.6	≤30.00	21.42	138.68	≤36.00	PASS	
			ANT6	15.0	22.3	170.6	≤30.00	21.32	135.52	≤36.00	PASS	
			Total	18.1	25.4	345.2	≤30.00	24.38	274.19	≤36.00	PASS	
		2437	ANT5	15.2	22.8	188.8	≤30.00	21.76	149.97	≤36.00	PASS	
			ANT6	14.8	22.3	171.4	≤30.00	21.34	136.14	≤36.00	PASS	
			Total	18.0	25.6	360.2	≤30.00	24.57	286.11	≤36.00	PASS	
		2452	ANT5	14.9	22.7	186.6	≤30.00	21.71	148.25	≤36.00	PASS	
			ANT6	14.8	22.6	182.8	≤30.00	21.62	145.21	≤36.00	PASS	
			Total	17.9	25.7	369.4	≤30.00	24.68	293.46	≤36.00	PASS	

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11AX20MIMO	Ant5	2412	-10.34	≤8.00	PASS
	Ant6	2412	-11.11	≤8.00	PASS
	total	2412	-7.70	≤8.00	PASS
	Ant5	2437	-10.20	≤8.00	PASS
	Ant6	2437	-11.27	≤8.00	PASS
	total	2437	-7.69	≤8.00	PASS
	Ant5	2462	-10.12	≤8.00	PASS
	Ant6	2462	-9.69	≤8.00	PASS
	total	2462	-6.89	≤8.00	PASS
11AX40MIMO	Ant5	2422	-11.93	≤8.00	PASS
	Ant6	2422	-11.80	≤8.00	PASS
	total	2422	-8.85	≤8.00	PASS
	Ant5	2437	-13.35	≤8.00	PASS
	Ant6	2437	-12.30	≤8.00	PASS
	total	2437	-9.78	≤8.00	PASS
	Ant5	2452	-12.48	≤8.00	PASS
	Ant6	2452	-11.87	≤8.00	PASS
	total	2452	-9.15	≤8.00	PASS

TEST GRAPHS







11AX20MIMO_Ant6_2437



11AX20MIMO_Ant5_2462



11AX20MIMO_Ant6_2462



11AX40MIMO_Ant5_2422




11AX40MIMO_Ant6_2422




11AX40MIMO_Ant5_2437




11AX40MIMO_Ant6_2437



11AX40MIMO_Ant5_2452



11AX40MIMO_Ant6_2452





Reference No.: PSU-QSU2312140113RF10


BAND EDGE MEASUREMENTS TEST RESULT


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11AX20MIMO	Ant5	Low	2412	2.92	-28.75	≤ -17.08	PASS
	Ant6	Low	2412	3.57	-33.28	≤ -16.43	PASS
	Ant5	High	2462	1.90	-35.26	≤ -18.1	PASS
	Ant6	High	2462	3.70	-34.66	≤ -16.3	PASS
11AX40MIMO	Ant5	Low	2422	1.67	-32.1	≤ -18.33	PASS
	Ant6	Low	2422	0.81	-34.9	≤ -19.2	PASS
	Ant5	High	2452	-1.57	-35.19	≤ -21.57	PASS
	Ant6	High	2452	0.43	-35.72	≤ -19.57	PASS




Reference No.: PSU-QSU2312140113RF10

TEST GRAPHS






11AX20MIMO_Ant6_High_2462




11AX40MIMO_Ant5_Low_2422



Reference No.: PSU-QSU2312140113RF10



11AX40MIMO_Ant6_Low_2422




11AX40MIMO_Ant5_High_2452



Reference No.: PSU-QSU2312140113RF10




11AX40MIMO_Ant6_High_2452



CONDUCTED SPURIOUS EMISSION TEST RESULT

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant5	2412	Reference	0.25	0.25	---	PASS
			30~1000	0.25	-54.91	≤-19.75	PASS
			1000~26500	0.25	-35.31	≤-19.75	PASS
	Ant6	2412	Reference	0.95	0.95	---	PASS
			30~1000	0.95	-54.33	≤-19.05	PASS
			1000~26500	0.95	-34.71	≤-19.05	PASS
	Ant5	2437	Reference	1.06	1.06	---	PASS
			30~1000	1.06	-54.97	≤-18.94	PASS
			1000~26500	1.06	-35	≤-18.94	PASS
	Ant6	2437	Reference	0.11	0.11	---	PASS
			30~1000	0.11	-54.8	≤-19.89	PASS
			1000~26500	0.11	-35.81	≤-19.89	PASS
	Ant5	2462	Reference	0.11	0.11	---	PASS
			30~1000	0.11	-54.69	≤-19.89	PASS
			1000~26500	0.11	-35.68	≤-19.89	PASS
	Ant6	2462	Reference	1.52	1.52	---	PASS
			30~1000	1.52	-54.17	≤-18.48	PASS
			1000~26500	1.52	-35.31	≤-18.48	PASS
11AX40MIMO	Ant5	2422	Reference	0.07	0.07	---	PASS
			30~1000	0.07	-54.87	≤-19.93	PASS
			1000~26500	0.07	-35.37	≤-19.93	PASS
	Ant6	2422	Reference	-1.55	-1.55	---	PASS
			30~1000	-1.55	-54.64	≤-21.55	PASS
			1000~26500	-1.55	-34.79	≤-21.55	PASS
	Ant5	2437	Reference	-2.65	-2.65	---	PASS
			30~1000	-2.65	-54.72	≤-22.65	PASS
			1000~26500	-2.65	-35.31	≤-22.65	PASS
	Ant6	2437	Reference	-1.22	-1.22	---	PASS
			30~1000	-1.22	-54.56	≤-21.22	PASS
			1000~26500	-1.22	-35.61	≤-21.22	PASS
	Ant5	2452	Reference	-2.73	-2.73	---	PASS
			30~1000	-2.73	-54.95	≤-22.73	PASS
			1000~26500	-2.73	-35.01	≤-22.73	PASS
	Ant6	2452	Reference	-1.52	-1.52	---	PASS
			30~1000	-1.52	-54.27	≤-21.52	PASS
			1000~26500	-1.52	-35.14	≤-21.52	PASS

TEST GRAPHS





11AX20MIMO_Ant6_2412_0~Reference




11AX20MIMO_Ant6_2412_30~1000



Reference No.: PSU-QSU2312140113RF10





11AX20MIMO Ant5 2437 30~1000



11AX20MIMO Ant5 2437 1000~26500


Reference No.: PSU-QSU2312140113RF10



11AX20MIMO_Ant6_2437_0~Reference



11AX20MIMO_Ant6_2437_30~1000





11AX20MIMO Ant5 2462 30~1000



11AX20MIMO Ant5 2462 1000~26500





Reference No.: PSU-QSU2312140113RF10

