










HEADSET MODE / DIGITAL MUSIC



HANDSFREE DIGITAL MUSIC STEREO R-CHANNEL






HANDSFREE MONO / DIGITAL MUSIC STEREO L-CHANNEL



For Mono Speaker: (differential input)
R219.1,2 short / C230=0.1uF / R220=24K / R221=100K

For Stereo Speaker: (single input)
R219.2,3 short / C230 nc / R220 nc / R221= 0






AMD series :
64+64+64 AM50DL128CG (88-ball)
64+8 AM41DL6408G (73-ball)
64+8 AM49DL6408H (73-ball)

64+64+64 S71JL128HC0 (88-ball)
64+8 S71JL064H80 (73-ball)
64+16 S71JL064HA0 (73-ball)
64+32 S71JL064HB0 (73-ball)
64+64+32 S71JL128HB0 (73-ball)


FUJI series :
64+64+64 MB84VP24591HK-70 (73-ball)
64+64+32 MB84VP24491HK-70 (73-ball)
128+32 MB84VP24481HK-70 (73-ball)
64+16 MB84VD23381HJ-70 (56-ball)


Coremagic :
64+16 CMM6416AA (73-ball)



Ya Hsin Industrial Co., Ltd.

Title			
FP2128			
Size	Document Number	Rev	
A3	Memory,Key,IO	1.1	
Date:	Tuesday, February 22, 2005	Sheet	3 of 6





NAND FLASH ROM

