


## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2427MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 2.39G        | 64.73             | 74.00             | -9.27          | 32.14          | 3           | Vertical  | 8              | 1.40          | -        |
| AV   | 2.39G        | 53.98             | 54.00             | -0.02          | 32.14          | 3           | Vertical  | 8              | 1.40          | -        |
| PK   | 2.4318G      | 112.24            | Inf               | -Inf           | 32.27          | 3           | Vertical  | 8              | 1.40          | -        |
| AV   | 2.4118G      | 103.10            | Inf               | -Inf           | 32.21          | 3           | Vertical  | 8              | 1.40          | -        |
| PK   | 2.4862G      | 61.76             | 74.00             | -12.24         | 32.43          | 3           | Vertical  | 8              | 1.40          | -        |
| AV   | 2.4835G      | 49.81             | 54.00             | -4.19          | 32.42          | 3           | Vertical  | 8              | 1.40          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2427MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 2.3742G      | 56.20             | 74.00             | -17.80         | 32.09          | 3           | Horizontal | 353            | 1.20          | -        |
| AV   | 2.3558G      | 45.37             | 54.00             | -8.63          | 32.04          | 3           | Horizontal | 353            | 1.20          | -        |
| PK   | 2.4166G      | 95.35             | Inf               | -Inf           | 32.22          | 3           | Horizontal | 353            | 1.20          | -        |
| AV   | 2.4166G      | 86.71             | Inf               | -Inf           | 32.22          | 3           | Horizontal | 353            | 1.20          | -        |
| PK   | 2.4998G      | 56.15             | 74.00             | -17.85         | 32.47          | 3           | Horizontal | 353            | 1.20          | -        |
| AV   | 2.4854G      | 45.41             | 54.00             | -8.59          | 32.43          | 3           | Horizontal | 353            | 1.20          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2427MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 4.86252G     | 47.42             | 74.00             | -26.58         | 6.64           | 3           | Vertical  | 201            | 1.29          | -        |
| AV   | 4.86744G     | 36.97             | 54.00             | -17.03         | 6.65           | 3           | Vertical  | 201            | 1.29          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2427MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 4.85898G     | 46.83             | 74.00             | -27.17         | 6.63           | 3           | Horizontal | 240            | 1.44          | -        |
| AV   | 4.85712G     | 36.36             | 54.00             | -17.64         | 6.63           | 3           | Horizontal | 240            | 1.44          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2432MHz\_TX




EUT Y\_4TX  
Setting 15  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 2.3896G      | 64.69             | 74.00             | -9.31          | 32.14          | 3           | Vertical  | 8              | 1.18          | -        |
| AV   | 2.3896G      | 53.94             | 54.00             | -0.06          | 32.14          | 3           | Vertical  | 8              | 1.18          | -        |
| PK   | 2.4168G      | 112.55            | Inf               | -Inf           | 32.22          | 3           | Vertical  | 8              | 1.18          | -        |
| AV   | 2.4176G      | 104.00            | Inf               | -Inf           | 32.22          | 3           | Vertical  | 8              | 1.18          | -        |
| PK   | 2.4835G      | 60.76             | 74.00             | -13.24         | 32.42          | 3           | Vertical  | 8              | 1.18          | -        |
| AV   | 2.484G       | 50.29             | 54.00             | -3.71          | 32.42          | 3           | Vertical  | 8              | 1.18          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2432MHz\_TX




EUT Y\_4TX  
Setting 15  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 2.3896G      | 55.40             | 74.00             | -18.60         | 32.14          | 3           | Horizontal | 356            | 1.21          | -        |
| AV   | 2.3768G      | 45.19             | 54.00             | -8.81          | 32.10          | 3           | Horizontal | 356            | 1.21          | -        |
| PK   | 2.4208G      | 96.28             | Inf               | -Inf           | 32.24          | 3           | Horizontal | 356            | 1.21          | -        |
| AV   | 2.4216G      | 87.24             | Inf               | -Inf           | 32.24          | 3           | Horizontal | 356            | 1.21          | -        |
| PK   | 2.484G       | 56.54             | 74.00             | -17.46         | 32.42          | 3           | Horizontal | 356            | 1.21          | -        |
| AV   | 2.4976G      | 45.58             | 54.00             | -8.42          | 32.46          | 3           | Horizontal | 356            | 1.21          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2437MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 2.2986G      | 58.24             | 74.00             | -15.76         | 31.87          | 3           | Vertical  | 10             | 1.08          | -        |
| AV   | 2.2954G      | 48.33             | 54.00             | -5.67          | 31.86          | 3           | Vertical  | 10             | 1.08          | -        |
| PK   | 2.3874G      | 65.05             | 74.00             | -8.95          | 32.13          | 3           | Vertical  | 10             | 1.08          | -        |
| AV   | 2.3874G      | 53.94             | 54.00             | -0.06          | 32.13          | 3           | Vertical  | 10             | 1.08          | -        |
| PK   | 2.4226G      | 115.17            | Inf               | -Inf           | 32.24          | 3           | Vertical  | 10             | 1.08          | -        |
| AV   | 2.4218G      | 105.31            | Inf               | -Inf           | 32.24          | 3           | Vertical  | 10             | 1.08          | -        |
| PK   | 2.4914G      | 62.54             | 74.00             | -11.46         | 32.45          | 3           | Vertical  | 10             | 1.08          | -        |
| AV   | 2.4954G      | 51.66             | 54.00             | -2.34          | 32.46          | 3           | Vertical  | 10             | 1.08          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2437MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 2.273G       | 56.38             | 74.00             | -17.62         | 31.79          | 3           | Horizontal | 353            | 1.48          | -        |
| AV   | 2.2778G      | 45.47             | 54.00             | -8.53          | 31.80          | 3           | Horizontal | 353            | 1.48          | -        |
| PK   | 2.3882G      | 56.32             | 74.00             | -17.68         | 32.13          | 3           | Horizontal | 353            | 1.48          | -        |
| AV   | 2.3898G      | 45.24             | 54.00             | -8.76          | 32.14          | 3           | Horizontal | 353            | 1.48          | -        |
| PK   | 2.4274G      | 95.97             | Inf               | -Inf           | 32.25          | 3           | Horizontal | 353            | 1.48          | -        |
| AV   | 2.4282G      | 87.71             | Inf               | -Inf           | 32.25          | 3           | Horizontal | 353            | 1.48          | -        |
| PK   | 2.4978G      | 56.36             | 74.00             | -17.64         | 32.47          | 3           | Horizontal | 353            | 1.48          | -        |
| AV   | 2.5G         | 45.50             | 54.00             | -8.50          | 32.47          | 3           | Horizontal | 353            | 1.48          | -        |

### VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

#### 2437MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 4.86368G     | 48.71             | 74.00             | -25.29         | 8.01           | 3           | Vertical  | 255            | 2.09          | -        |
| AV   | 4.8716G      | 37.80             | 54.00             | -16.20         | 8.02           | 3           | Vertical  | 255            | 2.09          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2437MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 4.86638G     | 48.66             | 74.00             | -25.34         | 8.01           | 3           | Horizontal | 197            | 1.76          | -        |
| AV   | 4.8869G      | 37.98             | 54.00             | -16.02         | 8.06           | 3           | Horizontal | 197            | 1.76          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2447MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 2.3806G      | 63.78             | 74.00             | -10.22         | 32.12          | 3           | Vertical  | 7              | 1.05          | -        |
| AV   | 2.3774G      | 53.32             | 54.00             | -0.68          | 32.10          | 3           | Vertical  | 7              | 1.05          | -        |
| PK   | 2.4518G      | 113.12            | Inf               | -Inf           | 32.32          | 3           | Vertical  | 7              | 1.05          | -        |
| AV   | 2.4326G      | 104.37            | Inf               | -Inf           | 32.27          | 3           | Vertical  | 7              | 1.05          | -        |
| PK   | 2.4835G      | 63.74             | 74.00             | -10.26         | 32.42          | 3           | Vertical  | 7              | 1.05          | -        |
| AV   | 2.4835G      | 53.77             | 54.00             | -0.23          | 32.42          | 3           | Vertical  | 7              | 1.05          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2447MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 2.3862G      | 55.47             | 74.00             | -18.53         | 32.13          | 3           | Horizontal | 208            | 1.15          | -        |
| AV   | 2.375G       | 45.04             | 54.00             | -8.96          | 32.09          | 3           | Horizontal | 208            | 1.15          | -        |
| PK   | 2.4318G      | 95.61             | Inf               | -Inf           | 32.27          | 3           | Horizontal | 208            | 1.15          | -        |
| AV   | 2.4326G      | 87.05             | Inf               | -Inf           | 32.27          | 3           | Horizontal | 208            | 1.15          | -        |
| PK   | 2.4854G      | 56.20             | 74.00             | -17.80         | 32.43          | 3           | Horizontal | 208            | 1.15          | -        |
| AV   | 2.4862G      | 45.79             | 54.00             | -8.21          | 32.43          | 3           | Horizontal | 208            | 1.15          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2447MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 4.90426G     | 48.25             | 74.00             | -25.75         | 6.73           | 3           | Vertical  | 323            | 1.37          | -        |
| AV   | 4.89616G     | 37.25             | 54.00             | -16.75         | 6.71           | 3           | Vertical  | 323            | 1.37          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2447MHz\_TX




EUT Y\_4TX  
Setting 15.5  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 4.9069G      | 48.24             | 74.00             | -25.76         | 6.73           | 3           | Horizontal | 220            | 1.60          | -        |
| AV   | 4.89214G     | 36.94             | 54.00             | -17.06         | 6.71           | 3           | Horizontal | 220            | 1.60          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2452MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 2.3896G      | 62.49             | 74.00             | -11.51         | 32.14          | 3           | Vertical  | 9              | 1.43          | -        |
| AV   | 2.3888G      | 52.14             | 54.00             | -1.86          | 32.13          | 3           | Vertical  | 9              | 1.43          | -        |
| PK   | 2.4368G      | 110.86            | Inf               | -Inf           | 32.28          | 3           | Vertical  | 9              | 1.43          | -        |
| AV   | 2.4368G      | 102.12            | Inf               | -Inf           | 32.28          | 3           | Vertical  | 9              | 1.43          | -        |
| PK   | 2.4835G      | 65.61             | 74.00             | -8.39          | 32.42          | 3           | Vertical  | 9              | 1.43          | -        |
| AV   | 2.4835G      | 53.86             | 54.00             | -0.14          | 32.42          | 3           | Vertical  | 9              | 1.43          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2452MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 2.3144G      | 56.34             | 74.00             | -17.66         | 31.91          | 3           | Horizontal | 201            | 1.11          | -        |
| AV   | 2.3816G      | 45.09             | 54.00             | -8.91          | 32.12          | 3           | Horizontal | 201            | 1.11          | -        |
| PK   | 2.468G       | 93.79             | Inf               | -Inf           | 32.38          | 3           | Horizontal | 201            | 1.11          | -        |
| AV   | 2.468G       | 85.16             | Inf               | -Inf           | 32.38          | 3           | Horizontal | 201            | 1.11          | -        |
| PK   | 2.484G       | 56.02             | 74.00             | -17.98         | 32.42          | 3           | Horizontal | 201            | 1.11          | -        |
| AV   | 2.4896G      | 45.87             | 54.00             | -8.13          | 32.45          | 3           | Horizontal | 201            | 1.11          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2452MHz\_TX




EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| PK   | 4.9016G      | 47.88             | 74.00             | -26.12         | 6.72           | 3           | Vertical  | 118            | 1.40          | -        |
| AV   | 4.90244G     | 36.95             | 54.00             | -17.05         | 6.72           | 3           | Vertical  | 118            | 1.40          | -        |

## VHT40\_Nss1,(MCS8)\_4TX

30/10/2018

### 2452MHz\_TX



EUT Y\_4TX  
Setting 14  
06-C-4  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| PK   | 4.89932G     | 48.41             | 74.00             | -25.59         | 6.72           | 3           | Horizontal | 80             | 1.77          | -        |
| AV   | 4.8953G      | 37.14             | 54.00             | -16.86         | 6.71           | 3           | Horizontal | 80             | 1.77          | -        |



## RSE Co-location Result

## Appendix G

