



ANT 2:

Test Mode: IEEE 802.11b TX


Test CH1: 2412MHz



Test CH6: 2437MHz




Test CH11: 2462MHz




Test Mode: IEEE 802.11g TX


Test CH1: 2412MHz



Test CH6: 2437MHz




Test CH11: 2462MHz




Test Mode: IEEE 802.11n HT20 TX


Test CH1: 2412MHz



Test CH6: 2437MHz




Test CH11: 2462MHz



Test Mode: IEEE 802.11n HT40 TX


Test CH1: 2422MHz



Test CH4: 2437MHz



Test CH7: 2452MHz




UNII Band4:


ANT 0:

Test Mode: IEEE 802.11a TX


Test CH149: 5745MHz



Test CH157: 5785MHz




Test CH165: 5825MHz




Test Mode: IEEE 802.11n HT20 TX


Test CH149: 5745MHz



Test CH157: 5785MHz



Test CH165: 5825MHz




Test Mode: IEEE 802.11n HT40 TX

Test CH151: 5755MHz




Test CH159: 5795MHz




Test Mode: IEEE 802.11ac VHT20 TX


Test CH149: 5745MHz



Test CH157: 5785MHz




Test CH165: 5825MHz



Test Mode: IEEE 802.11ac VHT40TX

Test CH151: 5755MHz




Test CH159: 5795MHz



Test Mode: IEEE 802.11ac VHT80TX



Test CH155: 5775MHz




ANT 1:

Test Mode: IEEE 802.11a TX

Test CH149: 5745MHz



Test CH157: 5785MHz


Test CH165: 5825MHz



Test Mode: IEEE 802.11n HT20 TX


Test CH149: 5745MHz



Test CH157: 5785MHz



Test CH165: 5825MHz




Test Mode: IEEE 802.11n HT40 TX


Test CH151: 5755MHz




Test CH159: 5795MHz




Test Mode: IEEE 802.11ac VHT20 TX
Test CH149: 5745MHz



Test CH157: 5785MHz




Test CH165: 5825MHz




Test Mode: IEEE 802.11ac VHT40TX

Test CH151: 5755MHz




Test CH159: 5795MHz



Test Mode: IEEE 802.11ac VHT80TX


Test CH155: 5775MHz




ANT 2:

Test Mode: IEEE 802.11a TX


Test CH149: 5745MHz



Test CH157: 5785MHz




Test CH165: 5825MHz




Test Mode: IEEE 802.11n HT20 TX


Test CH149: 5745MHz



Test CH157: 5785MHz




Test CH165: 5825MHz




Test Mode: IEEE 802.11n HT40 TX

Test CH151: 5755MHz




Test CH159: 5795MHz




Test Mode: IEEE 802.11ac VHT20 TX


Test CH149: 5745MHz



Test CH157: 5785MHz



Test CH165: 5825MHz



Test Mode: IEEE 802.11ac VHT40TX

Test CH151: 5755MHz




Test CH159: 5795MHz



Test Mode: IEEE 802.11ac VHT80TX

Test CH155: 5775MHz



10. ANTENNA REQUIREMENT

10.1. STANDARD APPLICABLE

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. And according to FCC 47 CFR Section 15.247 (b), if transmitting antennas of directional gain greater than 6dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6dBi.

10.2. ANTENNA CONNECTED CONSTRUCTION

The antennas used for this product are dipole antenna that no antenna other than that furnished by the responsible party shall be used with the device, the maximum peak gain of the transmit antenna is 5.0dBi.

11.DEVIATION TO TEST SPECIFICATIONS

[NONE]