



Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.02	36.40
46	5230	40.70	36.80



CH38




CH46
26 dB Bandwidth




99 % Emission Bandwidth



Test Mode	UNII-1_TX AC(VHT80) Mode		
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.60	76.00



Date: 10.JUL.2020 11:30:43




Date: 10.JUL.2020 11:29:45


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.19	17.50	500	Complies
157	5785	16.09	17.60	500	Complies
165	5825	16.01	17.60	500	Complies

CH149




Date: 10.JUL.2020 10:46:51

CH157
6 dB Bandwidth



Date: 10.JUL.2020 10:48:47

CH165




Date: 10.JUL.2020 10:50:42


99 % Emission Bandwidth



Date: 10.JUL.2020 10:45:53



Date: 10.JUL.2020 10:47:44




Date: 10.JUL.2020 10:49:45

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	33.40	36.20	500	Complies
159	5795	34.20	36.20	500	Complies

CH151




Date: 10.JUL.2020 11:16:35

CH159 6 dB Bandwidth




Date: 10.JUL.2020 11:18:17

99 % Emission Bandwidth



Date: 10.JUL.2020 11:15:36




Date: 10.JUL.2020 11:17:19

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	77.00	76.00	500	Complies

CH155 6 dB Bandwidth



Date: 10.JUL.2020 11:32:26

99 % Emission Bandwidth




Date: 10.JUL.2020 11:31:23

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.65	19.00
40	5200	21.99	19.10
48	5240	21.50	19.10

CH36




Date: 10.JUL.2020 13:51:35

CH40
26 dB Bandwidth




Date: 10.JUL.2020 13:54:07

CH48




Date: 10.JUL.2020 13:55:45


99 % Emission Bandwidth



Date: 10.JUL.2020 13:50:46




Date: 10.JUL.2020 13:53:17




Date: 10.JUL.2020 13:54:55

Test Mode	UNII-1_TX AX(HE80) Mode		
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	83.21	77.60



Date: 10.JUL.2020 11:43:16




Date: 10.JUL.2020 11:42:16


Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.49	18.70	500	Complies
157	5785	18.90	19.00	500	Complies
165	5825	19.05	19.10	500	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Emission Bandwidth



Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.81	37.60	500	Complies
159	5795	35.50	38.00	500	Complies

CH151




Date: 10_JUL2020 11:59:01

CH159 6 dB Bandwidth




Date: 10_JUL2020 12:00:44

99 % Emission Bandwidth



Date: 10_JUL2020 11:58:06




Date: 10_JUL2020 11:59:47

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.40	76.80	500	Complies

CH155 6 dB Bandwidth



Date: 10.JUL.2020 11:45:15

99 % Emission Bandwidth



Date: 10.JUL.2020 11:44:11

APPENDIX F – MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.81	0.26	20.07	30.00	1.00	Complies
40	5200	19.82	0.26	20.08	30.00	1.00	Complies
48	5240	19.62	0.26	19.88	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.82	0.26	20.08	30.00	1.00	Complies
40	5200	19.29	0.26	19.55	30.00	1.00	Complies
48	5240	19.72	0.26	19.98	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.76	0.26	20.02	30.00	1.00	Complies
40	5200	19.38	0.26	19.64	30.00	1.00	Complies
48	5240	19.41	0.26	19.67	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.68	0.26	19.94	30.00	1.00	Complies
40	5200	19.64	0.26	19.90	30.00	1.00	Complies
48	5240	19.45	0.26	19.71	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.04	28.89	0.77	Complies
40	5200	25.81	28.89	0.77	Complies
48	5240	25.83	28.89	0.77	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.36	0.26	21.62	30.00	1.00	Complies
157	5785	21.95	0.26	22.21	30.00	1.00	Complies
165	5825	21.77	0.26	22.03	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.06	0.26	21.32	30.00	1.00	Complies
157	5785	20.71	0.26	20.97	30.00	1.00	Complies
165	5825	20.90	0.26	21.16	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.97	0.26	22.23	30.00	1.00	Complies
157	5785	21.75	0.26	22.01	30.00	1.00	Complies
165	5825	21.33	0.26	21.59	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.06	0.26	22.32	30.00	1.00	Complies
157	5785	21.76	0.26	22.02	30.00	1.00	Complies
165	5825	21.52	0.26	21.78	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.91	28.53	0.71	Complies
157	5785	27.84	28.53	0.71	Complies
165	5825	27.67	28.53	0.71	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.98	0.21	20.19	30.00	1.00	Complies
40	5200	19.52	0.21	19.73	30.00	1.00	Complies
48	5240	19.63	0.21	19.84	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.65	0.21	19.86	30.00	1.00	Complies
40	5200	20.01	0.21	20.22	30.00	1.00	Complies
48	5240	20.11	0.21	20.32	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.58	0.21	19.79	30.00	1.00	Complies
40	5200	19.86	0.21	20.07	30.00	1.00	Complies
48	5240	20.05	0.21	20.26	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.57	0.21	19.78	30.00	1.00	Complies
40	5200	19.79	0.21	20.00	30.00	1.00	Complies
48	5240	20.16	0.21	20.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.93	28.89	0.77	Complies
40	5200	26.03	28.89	0.77	Complies
48	5240	26.22	28.89	0.77	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.09	0.20	20.29	30.00	1.00	Complies
46	5230	21.44	0.20	21.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.15	0.20	20.35	30.00	1.00	Complies
46	5230	22.20	0.20	22.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.44	0.20	19.64	30.00	1.00	Complies
46	5230	21.59	0.20	21.79	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.81	0.20	20.01	30.00	1.00	Complies
46	5230	21.53	0.20	21.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.10	28.89	0.77	Complies
46	5230	27.92	28.89	0.77	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.55	0.44	18.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.97	0.44	19.41	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.25	0.44	18.69	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.31	0.44	18.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.99	28.89	0.77	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.13	0.21	21.34	30.00	1.00	Complies
157	5785	21.76	0.21	21.97	30.00	1.00	Complies
165	5825	22.29	0.21	22.50	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.03	0.21	20.24	30.00	1.00	Complies
157	5785	21.22	0.21	21.43	30.00	1.00	Complies
165	5825	20.55	0.21	20.76	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.23	0.21	22.44	30.00	1.00	Complies
157	5785	21.84	0.21	22.05	30.00	1.00	Complies
165	5825	20.66	0.21	20.87	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.64	0.21	22.85	30.00	1.00	Complies
157	5785	21.76	0.21	21.97	30.00	1.00	Complies
165	5825	21.42	0.21	21.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.85	28.53	0.71	Complies
157	5785	27.88	28.53	0.71	Complies
165	5825	27.52	28.53	0.71	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.94	0.20	22.14	30.00	1.00	Complies
159	5795	21.98	0.20	22.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.48	0.20	20.68	30.00	1.00	Complies
159	5795	20.66	0.20	20.86	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.39	0.20	21.59	30.00	1.00	Complies
159	5795	20.93	0.20	21.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.03	0.20	22.23	30.00	1.00	Complies
159	5795	21.71	0.20	21.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.72	28.53	0.71	Complies
159	5795	27.57	28.53	0.71	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.66	0.44	22.10	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.28	0.44	20.72	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.03	0.44	21.47	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.86	0.44	22.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.71	28.53	0.71	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.02	0.17	20.19	30.00	1.00	Complies
40	5200	19.83	0.17	20.00	30.00	1.00	Complies
48	5240	19.66	0.17	19.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.86	0.17	20.03	30.00	1.00	Complies
40	5200	19.85	0.17	20.02	30.00	1.00	Complies
48	5240	20.02	0.17	20.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.88	0.17	20.05	30.00	1.00	Complies
40	5200	19.34	0.17	19.51	30.00	1.00	Complies
48	5240	19.82	0.17	19.99	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.82	0.17	19.99	30.00	1.00	Complies
40	5200	19.61	0.17	19.78	30.00	1.00	Complies
48	5240	19.79	0.17	19.96	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.09	28.89	0.77	Complies
40	5200	25.86	28.89	0.77	Complies
48	5240	26.02	28.89	0.77	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.36	0.19	20.55	30.00	1.00	Complies
46	5230	21.03	0.19	21.22	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.41	0.19	20.60	30.00	1.00	Complies
46	5230	21.94	0.19	22.13	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.74	0.19	19.93	30.00	1.00	Complies
46	5230	20.85	0.19	21.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.03	0.19	20.22	30.00	1.00	Complies
46	5230	20.78	0.19	20.97	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.35	28.89	0.77	Complies
46	5230	27.38	28.89	0.77	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.25	0.19	19.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.85	0.19	19.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.92	0.19	19.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.33	0.19	19.52	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.30	28.89	0.77	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.91	0.17	21.08	30.00	1.00	Complies
157	5785	21.53	0.17	21.70	30.00	1.00	Complies
165	5825	21.91	0.17	22.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.25	0.17	19.42	30.00	1.00	Complies
157	5785	20.68	0.17	20.85	30.00	1.00	Complies
165	5825	20.25	0.17	20.42	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.01	0.17	22.18	30.00	1.00	Complies
157	5785	21.77	0.17	21.94	30.00	1.00	Complies
165	5825	21.45	0.17	21.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.79	0.17	21.96	30.00	1.00	Complies
157	5785	21.80	0.17	21.97	30.00	1.00	Complies
165	5825	20.91	0.17	21.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.31	28.53	0.71	Complies
157	5785	27.66	28.53	0.71	Complies
165	5825	27.37	28.53	0.71	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.26	0.19	21.45	30.00	1.00	Complies
159	5795	21.96	0.19	22.15	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.11	0.19	20.30	30.00	1.00	Complies
159	5795	20.26	0.19	20.45	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.06	0.19	21.25	30.00	1.00	Complies
159	5795	20.97	0.19	21.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.74	0.19	21.93	30.00	1.00	Complies
159	5795	21.88	0.19	22.07	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.29	28.53	0.71	Complies
159	5795	27.53	28.53	0.71	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.78	0.19	21.97	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.11	0.19	20.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.26	0.19	21.45	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.94	0.19	22.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.54	28.53	0.71	Complies

Beamforming

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.97	0.21	20.18	30.00	1.00	Complies
40	5200	19.60	0.21	19.81	30.00	1.00	Complies
48	5240	19.34	0.21	19.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.89	0.21	20.10	30.00	1.00	Complies
40	5200	20.00	0.21	20.21	30.00	1.00	Complies
48	5240	20.52	0.21	20.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.80	0.21	20.01	30.00	1.00	Complies
40	5200	19.88	0.21	20.09	30.00	1.00	Complies
48	5240	19.55	0.21	19.76	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.81	0.21	20.02	30.00	1.00	Complies
40	5200	19.87	0.21	20.08	30.00	1.00	Complies
48	5240	19.60	0.21	19.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.10	28.53	0.71	Complies
40	5200	26.07	28.53	0.71	Complies
48	5240	26.01	28.53	0.71	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.05	0.20	22.25	30.00	1.00	Complies
46	5230	21.62	0.20	21.82	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.01	0.20	22.21	30.00	1.00	Complies
46	5230	22.01	0.20	22.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.18	0.20	21.38	30.00	1.00	Complies
46	5230	21.63	0.20	21.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.63	0.20	21.83	30.00	1.00	Complies
46	5230	21.28	0.20	21.48	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	27.95	28.53	0.71	Complies
46	5230	27.86	28.53	0.71	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.29	0.44	21.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.98	0.44	22.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.88	0.44	21.32	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.96	0.44	21.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.76	28.53	0.71	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.02	0.21	21.23	30.00	1.00	Complies
157	5785	21.25	0.21	21.46	30.00	1.00	Complies
165	5825	22.18	0.21	22.39	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.18	0.21	20.39	30.00	1.00	Complies
157	5785	21.42	0.21	21.63	30.00	1.00	Complies
165	5825	20.49	0.21	20.70	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.11	0.21	22.32	30.00	1.00	Complies
157	5785	22.05	0.21	22.26	30.00	1.00	Complies
165	5825	20.41	0.21	20.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.43	0.21	22.64	30.00	1.00	Complies
157	5785	21.68	0.21	21.89	30.00	1.00	Complies
165	5825	21.63	0.21	21.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.76	28.01	0.63	Complies
157	5785	27.84	28.01	0.63	Complies
165	5825	27.48	28.01	0.63	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.05	0.20	22.25	30.00	1.00	Complies
159	5795	21.82	0.20	22.02	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.65	0.20	20.85	30.00	1.00	Complies
159	5795	20.49	0.20	20.69	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.17	0.20	21.37	30.00	1.00	Complies
159	5795	21.15	0.20	21.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.86	0.20	22.06	30.00	1.00	Complies
159	5795	21.64	0.20	21.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.69	28.01	0.63	Complies
159	5795	27.52	28.01	0.63	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.45	0.44	21.89	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.62	0.44	21.06	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.18	0.44	21.62	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.81	0.44	22.25	30.00	1.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.75	28.01	0.63	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.96	0.17	20.13	30.00	1.00	Complies
40	5200	19.95	0.17	20.12	30.00	1.00	Complies
48	5240	20.02	0.17	20.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.95	0.17	20.12	30.00	1.00	Complies
40	5200	19.78	0.17	19.95	30.00	1.00	Complies
48	5240	20.50	0.17	20.67	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.05	0.17	20.22	30.00	1.00	Complies
40	5200	20.08	0.17	20.25	30.00	1.00	Complies
48	5240	19.49	0.17	19.66	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.83	0.17	20.00	30.00	1.00	Complies
40	5200	19.43	0.17	19.60	30.00	1.00	Complies
48	5240	19.32	0.17	19.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.14	28.53	0.71	Complies
40	5200	26.01	28.53	0.71	Complies
48	5240	26.05	28.53	0.71	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.83	0.19	22.02	30.00	1.00	Complies
46	5230	20.89	0.19	21.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.71	0.19	21.90	30.00	1.00	Complies
46	5230	21.88	0.19	22.07	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.88	0.19	21.07	30.00	1.00	Complies
46	5230	20.72	0.19	20.91	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.26	0.19	21.45	30.00	1.00	Complies
46	5230	20.86	0.19	21.05	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	27.64	28.53	0.71	Complies
46	5230	27.32	28.53	0.71	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.27	0.19	21.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.98	0.19	22.17	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.11	0.19	21.30	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.15	0.19	21.34	30.00	1.00	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.60	28.53	0.71	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.99	0.17	21.16	30.00	1.00	Complies
157	5785	21.62	0.17	21.79	30.00	1.00	Complies
165	5825	21.84	0.17	22.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.95	0.17	20.12	30.00	1.00	Complies
157	5785	20.77	0.17	20.94	30.00	1.00	Complies
165	5825	20.75	0.17	20.92	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.86	0.17	22.03	30.00	1.00	Complies
157	5785	21.96	0.17	22.13	30.00	1.00	Complies
165	5825	21.35	0.17	21.52	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.79	0.17	21.96	30.00	1.00	Complies
157	5785	21.58	0.17	21.75	30.00	1.00	Complies
165	5825	21.05	0.17	21.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.41	28.01	0.63	Complies
157	5785	26.30	28.01	0.63	Complies
165	5825	27.46	28.01	0.63	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.06	0.19	21.25	30.00	1.00	Complies
159	5795	21.79	0.19	21.98	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.42	0.19	20.61	30.00	1.00	Complies
159	5795	20.53	0.19	20.72	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.89	0.19	21.08	30.00	1.00	Complies
159	5795	21.35	0.19	21.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.55	0.19	21.74	30.00	1.00	Complies
159	5795	21.75	0.19	21.94	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.21	28.01	0.63	Complies
159	5795	27.59	28.01	0.63	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.89	0.19	22.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.36	0.19	20.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.35	0.19	21.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.85	0.19	22.04	30.00	1.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.61	28.01	0.63	Complies


APPENDIX G – POWER SPECTRAL DENSITY

Non Beamforming


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.51	0.26	9.77	17.00	Complies
40	5200	9.21	0.26	9.47	17.00	Complies
48	5240	9.31	0.26	9.57	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.34	0.26	9.60	17.00	Complies
40	5200	8.96	0.26	9.22	17.00	Complies
48	5240	9.17	0.26	9.43	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.35	0.26	9.61	17.00	Complies
40	5200	9.00	0.26	9.26	17.00	Complies
48	5240	8.83	0.26	9.09	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.30	0.26	9.56	17.00	Complies
40	5200	8.68	0.26	8.94	17.00	Complies
48	5240	8.44	0.26	8.70	17.00	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.65	15.89	Complies
40	5200	15.24	15.89	Complies
48	5240	15.23	15.89	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.77	0.26	8.03	30.00	Complies
157	5785	6.60	0.26	6.86	30.00	Complies
165	5825	6.54	0.26	6.80	30.00	Complies



Date: 10.JUL.2020 09:34:43




Date: 10.JUL.2020 09:36:18




Date: 10.JUL.2020 09:40:32

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.16	0.26	7.42	30.00	Complies
157	5785	5.95	0.26	6.21	30.00	Complies
165	5825	5.91	0.26	6.17	30.00	Complies



Date: 10.JUL.2020 09:44:58




Date: 10.JUL.2020 09:44:22




Date: 10.JUL.2020 09:43:16

Test Mode UNII-3_TX A Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.23	0.26	5.49	30.00	Complies
157	5785	4.78	0.26	5.04	30.00	Complies
165	5825	4.95	0.26	5.21	30.00	Complies



Date: 10.JUL.2020 09:50:43




Date: 10.JUL.2020 09:52:02




Date: 10.JUL.2020 09:52:56

Test Mode UNII-3_TX A Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.62	0.26	5.88	30.00	Complies
157	5785	5.12	0.26	5.38	30.00	Complies
165	5825	5.23	0.26	5.49	30.00	Complies



Date: 10.JUL.2020 09:56:45



Date: 10.JUL.2020 09:57:24




Date: 10.JUL.2020 09:58:16

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.85	28.53	Complies
157	5785	11.95	28.53	Complies
165	5825	11.98	28.53	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.19	0.21	9.40	17.00	Complies
40	5200	9.37	0.21	9.58	17.00	Complies
48	5240	9.47	0.21	9.68	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.03	0.21	9.24	17.00	Complies
40	5200	8.89	0.21	9.10	17.00	Complies
48	5240	9.36	0.21	9.57	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.77	0.21	8.98	17.00	Complies
40	5200	8.94	0.21	9.15	17.00	Complies
48	5240	9.12	0.21	9.33	17.00	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.96	0.21	9.17	17.00	Complies
40	5200	9.22	0.21	9.43	17.00	Complies
48	5240	7.93	0.21	8.14	17.00	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.22	15.89	Complies
40	5200	15.34	15.89	Complies
48	5240	15.24	15.89	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.35	0.20	5.55	17.00	Complies
46	5230	6.13	0.20	6.33	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.16	0.20	5.36	17.00	Complies
46	5230	6.71	0.20	6.91	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.92	0.20	5.12	17.00	Complies
46	5230	5.60	0.20	5.80	17.00	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.41	0.20	4.61	17.00	Complies
46	5230	5.19	0.20	5.39	17.00	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.19	15.89	Complies
46	5230	11.97	15.89	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.05	0.44	1.49	17.00	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.73	0.44	2.17	17.00	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.08	0.44	0.36	17.00	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.12	0.44	0.56	17.00	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.23	15.89	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.99	0.21	10.20	30.00	Complies
157	5785	9.05	0.21	9.26	30.00	Complies
165	5825	8.86	0.21	9.07	30.00	Complies



Date: 10.JUL.2020 10:47:06




Date: 10.JUL.2020 10:49:02




Date: 10.JUL.2020 10:50:57

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.03	0.21	8.24	30.00	Complies
157	5785	9.72	0.21	9.93	30.00	Complies
165	5825	8.60	0.21	8.81	30.00	Complies



Date: 10.JUL.2020 10:54:32




Date: 10.JUL.2020 10:55:47




Date: 10.JUL.2020 10:56:47

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.39	0.21	8.60	30.00	Complies
157	5785	7.95	0.21	8.16	30.00	Complies
165	5825	7.25	0.21	7.46	30.00	Complies



Date: 10.JUL.2020 11:00:49




Date: 10.JUL.2020 11:01:21




Date: 10.JUL.2020 11:02:26

Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.69	0.21	8.90	30.00	Complies
157	5785	8.74	0.21	8.95	30.00	Complies
165	5825	7.64	0.21	7.85	30.00	Complies



Date: 10.JUL.2020 11:06:28



Date: 10.JUL.2020 11:07:06




Date: 10.JUL.2020 11:07:45

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.07	28.53	Complies
157	5785	15.14	28.53	Complies
165	5825	14.37	28.53	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.33	0.20	6.53	30.00	Complies
159	5795	5.74	0.20	5.94	30.00	Complies




Date: 10.JUL.2020 11:26:23




Date: 10.JUL.2020 11:25:37

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.62	0.20	5.82	30.00	Complies
159	5795	5.89	0.20	6.09	30.00	Complies



Date: 10.JUL.2020 11:23:58



Date: 10.JUL.2020 11:24:44