



Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.46	17.00
40	5200	20.55	17.00
48	5240	20.50	17.00



Date: 15.APR.2020 10:36:36



Date: 15.APR.2020 10:37:51




Date: 15.APR.2020 10:39:51

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.60	17.00
60	5300	20.59	17.10
64	5320	20.45	17.10

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.



Date: 15.APR.2020 10:41:09



Date: 15.APR.2020 10:42:27




Date: 15.APR.2020 10:43:50

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.51	17.00
116	5580	20.60	17.00
140	5700	20.50	17.10

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.



Date: 15.APR.2020 10:45:04



Date: 15.APR.2020 10:46:30




Date: 15.APR.2020 10:48:14

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.45	17.10	500	Complies
157	5785	16.65	17.00	500	Complies
165	5825	16.49	17.10	500	Complies

CH149




Date: 15.APR.2020 10:49:38

CH157
6 dB Bandwidth




Date: 15.APR.2020 10:50:54

CH165




Date: 15.APR.2020 10:52:01


99 % Emission Bandwidth



Date: 15.APR.2020 11:47:42




Date: 15.APR.2020 11:48:51




Date: 15.APR.2020 11:49:54

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.95	18.00
40	5200	20.85	18.00
48	5240	20.95	18.00



Date: 15.APR.2020 10:58:11




Date: 15.APR.2020 10:59:40




Date: 15.APR.2020 11:00:57

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.70	36.80
46	5230	41.60	36.80




Date: 15.APR.2020 11:17:19



Date: 15.APR.2020 11:19:25

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	83.00	76.00




Date: 15.APR.2020 11:33:55

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.00	18.10
60	5300	20.85	18.00
64	5320	20.90	18.10

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.



Date: 15.APR.2020 11:02:48



Date: 15.APR.2020 11:04:22




Date: 15.APR.2020 11:05:36

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	41.90	36.80
62	5310	41.70	36.80

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.



Date: 15.APR.2020 11:20:41




Date: 15.APR.2020 11:22:39

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	83.40	76.00

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.




Date: 15.APR.2020 11:35:11

Test Mode UNII-2C_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.85	18.00
116	5580	20.79	18.00
140	5700	21.05	18.10

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.




Test Mode UNII-2C_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.22	36.80
110	5550	41.70	36.80
134	5670	41.70	36.80

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.




Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.79	76.00
122	5610	83.19	76.00

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

CH106



Date: 15.APR.2020 11:36:41

CH122




Date: 15.APR.2020 11:38:20

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	18.00	500	Complies
157	5785	17.65	18.00	500	Complies
165	5825	17.80	18.10	500	Complies

CH149




Date: 15.APR.2020 11:10:46

CH157
6 dB Bandwidth




Date: 15.APR.2020 11:12:28

CH165




Date: 15.APR.2020 11:13:47


99 % Emission Bandwidth



Date: 15.APR.2020 11:50:34



Date: 15.APR.2020 11:51:01




Date: 15.APR.2020 11:51:30

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	36.80	500	Complies
159	5795	36.50	37.00	500	Complies

CH151




Date: 15.APR.2020 11:30:17

CH159
6 dB Bandwidth




Date: 15.APR.2020 11:31:28

99 % Emission Bandwidth



Date: 15.APR.2020 11:53:33




Date: 15.APR.2020 11:55:13

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.81	76.00	500	Complies

CH155 6 dB Bandwidth



Date: 15.APR.2020 11:39:54

99 % Emission Bandwidth



Date: 15.APR.2020 11:56:16

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.82	0.21	13.03	24.00	0.25	Complies
40	5200	12.93	0.21	13.14	24.00	0.25	Complies
48	5240	13.01	0.21	13.22	24.00	0.25	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.22	0.21	13.43	24.00	0.25	Complies
40	5200	13.12	0.21	13.33	24.00	0.25	Complies
48	5240	13.35	0.21	13.56	24.00	0.25	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.25	24.00	0.25	Complies
40	5200	16.25	24.00	0.25	Complies
48	5240	16.41	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.49	0.21	18.70	24.00	0.25	Complies
60	5300	19.92	0.21	20.13	24.00	0.25	Complies
64	5320	16.11	0.21	16.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.13	0.21	18.34	24.00	0.25	Complies
60	5300	19.78	0.21	19.99	24.00	0.25	Complies
64	5320	15.72	0.21	15.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.54	24.00	0.25	Complies
60	5300	23.07	24.00	0.25	Complies
64	5320	19.14	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.81	0.21	21.02	24.00	0.25	Complies
116	5580	20.21	0.21	20.42	24.00	0.25	Complies
140	5700	20.53	0.21	20.74	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.32	0.21	20.53	24.00	0.25	Complies
116	5580	20.44	0.21	20.65	24.00	0.25	Complies
140	5700	20.51	0.21	20.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.79	24.00	0.25	Complies
116	5580	23.55	24.00	0.25	Complies
140	5700	23.74	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.03	0.21	20.24	30.00	1.00	Complies
157	5785	20.12	0.21	20.33	30.00	1.00	Complies
165	5825	20.05	0.21	20.26	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.44	0.21	20.65	30.00	1.00	Complies
157	5785	20.51	0.21	20.72	30.00	1.00	Complies
165	5825	20.47	0.21	20.68	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.46	30.00	1.00	Complies
157	5785	23.54	30.00	1.00	Complies
165	5825	23.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.66	0.00	12.66	24.00	0.25	Complies
40	5200	12.63	0.00	12.63	24.00	0.25	Complies
48	5240	12.73	0.00	12.73	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.93	0.00	12.93	24.00	0.25	Complies
40	5200	12.95	0.00	12.95	24.00	0.25	Complies
48	5240	13.14	0.00	13.14	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.81	24.00	0.25	Complies
40	5200	15.80	24.00	0.25	Complies
48	5240	15.95	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.02	0.13	16.15	24.00	0.25	Complies
46	5230	15.93	0.13	16.06	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.04	0.13	16.17	24.00	0.25	Complies
46	5230	16.15	0.13	16.28	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.17	24.00	0.25	Complies
46	5230	19.19	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.12	0.27	16.39	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.99	0.27	16.26	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.34	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.61	0.00	18.61	24.00	0.25	Complies
60	5300	20.76	0.00	20.76	24.00	0.25	Complies
64	5320	16.21	0.00	16.21	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.22	0.00	18.22	24.00	0.25	Complies
60	5300	20.39	0.00	20.39	24.00	0.25	Complies
64	5320	15.63	0.00	15.63	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.43	24.00	0.25	Complies
60	5300	23.59	24.00	0.25	Complies
64	5320	18.94	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.53	0.13	20.66	24.00	0.25	Complies
62	5310	16.22	0.13	16.35	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.11	0.13	20.24	24.00	0.25	Complies
62	5310	15.88	0.13	16.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.47	24.00	0.25	Complies
62	5310	19.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.47	0.27	18.74	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.17	0.27	18.44	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.61	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.39	0.00	20.39	24.00	0.25	Complies
116	5580	20.37	0.00	20.37	24.00	0.25	Complies
140	5700	20.46	0.00	20.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.55	0.00	20.55	24.00	0.25	Complies
116	5580	20.41	0.00	20.41	24.00	0.25	Complies
140	5700	20.48	0.00	20.48	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.48	24.00	0.25	Complies
116	5580	23.40	24.00	0.25	Complies
140	5700	23.48	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.89	0.13	18.02	24.00	0.25	Complies
110	5550	20.36	0.13	20.49	24.00	0.25	Complies
134	5670	20.33	0.13	20.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.95	0.13	18.08	24.00	0.25	Complies
110	5550	20.52	0.13	20.65	24.00	0.25	Complies
134	5670	20.39	0.13	20.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.06	24.00	0.25	Complies
110	5550	23.59	24.00	0.25	Complies
134	5670	23.50	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.97	0.27	20.24	24.00	0.25	Complies
122	5610	19.21	0.27	19.48	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.95	0.27	20.22	24.00	0.25	Complies
122	5610	19.05	0.27	19.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.24	24.00	0.25	Complies
122	5610	22.42	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.18	0.00	20.18	30.00	1.00	Complies
157	5785	20.15	0.00	20.15	30.00	1.00	Complies
165	5825	20.21	0.00	20.21	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.46	0.00	20.46	30.00	1.00	Complies
157	5785	20.49	0.00	20.49	30.00	1.00	Complies
165	5825	20.54	0.00	20.54	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.33	30.00	1.00	Complies
157	5785	23.33	30.00	1.00	Complies
165	5825	23.39	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.54	0.13	20.67	30.00	1.00	Complies
159	5795	20.33	0.13	20.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.65	0.13	20.78	30.00	1.00	Complies
159	5795	20.43	0.13	20.56	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.74	30.00	1.00	Complies
159	5795	23.52	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.43	0.27	20.70	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.54	0.27	20.81	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.77	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.07	0.21	-1.86	11.00	Complies
40	5200	-1.56	0.21	-1.35	11.00	Complies
48	5240	-2.12	0.21	-1.91	11.00	Complies



Date: 13.APR.2020 17:31:59




Date: 13.APR.2020 17:32:35




Date: 13.APR.2020 17:33:07

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.63	0.21	-1.42	11.00	Complies
40	5200	-1.47	0.21	-1.26	11.00	Complies
48	5240	-1.46	0.21	-1.25	11.00	Complies



Date: 14.APR.2020 16:54:51



Date: 14.APR.2020 16:56:20




Date: 14.APR.2020 16:57:19

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.38	11.00	Complies
40	5200	1.71	11.00	Complies
48	5240	1.45	11.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.36	0.21	4.57	11.00	Complies
60	5300	5.71	0.21	5.92	11.00	Complies
64	5320	2.11	0.21	2.32	11.00	Complies



Date: 13.APR.2020 17:33:52




Date: 15.APR.2020 14:06:49




Date: 13.APR.2020 17:35:06

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.10	0.21	4.31	11.00	Complies
60	5300	5.36	0.21	5.57	11.00	Complies
64	5320	1.50	0.21	1.71	11.00	Complies



Date: 14.APR.2020 16:57:58



Date: 14.APR.2020 17:01:53




Date: 14.APR.2020 17:02:53

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.45	11.00	Complies
60	5300	8.76	11.00	Complies
64	5320	5.04	11.00	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.41	0.21	6.62	11.00	Complies
116	5580	4.66	0.21	4.87	11.00	Complies
140	5700	5.45	0.21	5.66	11.00	Complies



Date: 15.APR.2020 14:10:30




Date: 13.APR.2020 17:39:10




Date: 13.APR.2020 17:39:50

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.40	0.21	6.61	11.00	Complies
116	5580	4.91	0.21	5.12	11.00	Complies
140	5700	5.94	0.21	6.15	11.00	Complies



Date: 15.APR.2020 14:08:04



Date: 14.APR.2020 17:05:38




Date: 14.APR.2020 17:06:12

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.63	11.00	Complies
116	5580	8.01	11.00	Complies
140	5700	8.92	11.00	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.21	0.21	3.42	30.00	Complies
157	5785	3.00	0.21	3.21	30.00	Complies
165	5825	3.32	0.21	3.53	30.00	Complies



Date: 13.APR.2020 17:40:19




Date: 13.APR.2020 17:41:03




Date: 13.APR.2020 17:41:41

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.77	0.21	2.98	30.00	Complies
157	5785	2.84	0.21	3.05	30.00	Complies
165	5825	2.54	0.21	2.75	30.00	Complies



Date: 14.APR.2020 17:14:18



Date: 14.APR.2020 17:11:42




Date: 14.APR.2020 17:12:11

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.22	30.00	Complies
157	5785	6.14	30.00	Complies
165	5825	6.17	30.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.86	0.00	-0.86	11.00	Complies
40	5200	-2.08	0.00	-2.08	11.00	Complies
48	5240	-1.21	0.00	-1.21	11.00	Complies



Date: 15.APR.2020 14:11:42




Date: 13.APR.2020 17:46:17




Date: 14.APR.2020 17:40:26

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.30	0.00	-0.30	11.00	Complies
40	5200	-1.15	0.00	-1.15	11.00	Complies
48	5240	-0.28	0.00	-0.28	11.00	Complies



Date: 14.APR.2020 17:33:42



Date: 14.APR.2020 17:20:38




Date: 14.APR.2020 17:36:16

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.44	11.00	Complies
40	5200	1.42	11.00	Complies
48	5240	2.29	11.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.06	0.13	0.19	11.00	Complies
46	5230	-0.27	0.13	-0.14	11.00	Complies




Date: 15.APR.2020 09:25:22




Date: 15.APR.2020 09:27:16

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.84	0.13	0.97	11.00	Complies
46	5230	0.41	0.13	0.54	11.00	Complies



Date: 15.APR.2020 09:13:51



Date: 15.APR.2020 09:14:57


Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.61	11.00	Complies
46	5230	3.23	11.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.03	0.27	-2.76	11.00	Complies

CH42




Date: 14.APR.2020 16:31:29

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.37	0.27	-3.10	11.00	Complies

CH42




Date: 15.APR.2020 10:21:46

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.09	11.00	Complies

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.86	0.00	3.86	11.00	Complies
60	5300	6.58	0.00	6.58	11.00	Complies
64	5320	1.73	0.00	1.73	11.00	Complies



Date: 13.APR.2020 17:47:34




Date: 13.APR.2020 17:48:10




Date: 13.APR.2020 17:49:03

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.36	0.00	4.36	11.00	Complies
60	5300	6.12	0.00	6.12	11.00	Complies
64	5320	1.58	0.00	1.58	11.00	Complies



Date: 14.APR.2020 17:23:15



Date: 14.APR.2020 17:23:50




Date: 14.APR.2020 17:24:32

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.13	11.00	Complies
60	5300	9.37	11.00	Complies
64	5320	4.67	11.00	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.99	0.13	5.12	11.00	Complies
62	5310	0.49	0.13	0.62	11.00	Complies




Date: 15.APR.2020 09:28:25




Date: 15.APR.2020 09:29:34

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.05	0.13	5.18	11.00	Complies
62	5310	0.82	0.13	0.95	11.00	Complies



Date: 15.APR.2020 09:15:48



Date: 15.APR.2020 09:16:33


Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.16	11.00	Complies
62	5310	3.80	11.00	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.49	0.27	-0.22	11.00	Complies

CH58




Date: 14.APR.2020 16:32:39

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.13	0.27	-0.86	11.00	Complies

CH58




Date: 15.APR.2020 10:23:12

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.49	11.00	Complies

Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.17	0.00	6.17	11.00	Complies
116	5580	5.17	0.00	5.17	11.00	Complies
140	5700	5.19	0.00	5.19	11.00	Complies



Date: 15.APR.2020 14:12:25




Date: 14.APR.2020 17:43:22




Date: 13.APR.2020 17:52:09

Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.21	0.00	6.21	11.00	Complies
116	5580	5.62	0.00	5.62	11.00	Complies
140	5700	5.78	0.00	5.78	11.00	Complies



Date: 14.APR.2020 17:25:03



Date: 14.APR.2020 17:25:32




Date: 14.APR.2020 17:26:03

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.20	11.00	Complies
116	5580	8.41	11.00	Complies
140	5700	8.51	11.00	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.01	0.13	1.14	11.00	Complies
110	5550	2.71	0.13	2.84	11.00	Complies
134	5670	2.76	0.13	2.89	11.00	Complies



Date: 15.APR.2020 09:57:14




Date: 15.APR.2020 10:14:20




Date: 15.APR.2020 10:15:24

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.99	0.13	2.12	11.00	Complies
110	5550	2.75	0.13	2.88	11.00	Complies
134	5670	3.42	0.13	3.55	11.00	Complies



Date: 15.APR.2020 09:57:55



Date: 15.APR.2020 10:12:01




Date: 15.APR.2020 10:17:40

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.67	11.00	Complies
110	5550	5.87	11.00	Complies
134	5670	6.25	11.00	Complies


Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.10	0.27	0.17	11.00	Complies
122	5610	-0.69	0.27	-0.42	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.66	0.27	0.93	11.00	Complies
122	5610	0.15	0.27	0.42	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.58	11.00	Complies
122	5610	3.03	11.00	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.99	0.00	2.99	30.00	Complies
157	5785	2.89	0.00	2.89	30.00	Complies
165	5825	3.42	0.00	3.42	30.00	Complies



Date: 13.APR.2020 17:52:53




Date: 13.APR.2020 17:53:31




Date: 13.APR.2020 17:54:14

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.70	0.00	2.70	30.00	Complies
157	5785	2.78	0.00	2.78	30.00	Complies
165	5825	2.75	0.00	2.75	30.00	Complies



Date: 14.APR.2020 17:26:54



Date: 14.APR.2020 17:27:52




Date: 14.APR.2020 17:28:36

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.86	30.00	Complies
157	5785	5.85	30.00	Complies
165	5825	6.11	30.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.53	0.13	0.66	30.00	Complies
159	5795	0.87	0.13	1.00	30.00	Complies




Date: 13.APR.2020 18:00:39




Date: 13.APR.2020 18:01:09

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.15	0.13	1.28	30.00	Complies
159	5795	1.52	0.13	1.65	30.00	Complies



Date: 15.APR.2020 10:18:58




Date: 15.APR.2020 10:19:37

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.00	30.00	Complies
159	5795	4.35	30.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.74	0.27	-1.47	30.00	Complies



Date: 14.APR.2020 16:35:43

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.54	0.27	-1.27	30.00	Complies



Date: 15.APR.2020 10:28:03

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.65	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9712
120	5179.9712
102	5179.9712
Maximum Deviation (MHz)	0.0288
Maximum Deviation (ppm)	5.5598

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9712
10	5179.9712
20	5179.9712
30	5179.9712
40	5179.9712
Maximum Deviation (MHz)	0.0288
Maximum Deviation (ppm)	5.5598

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
138	5259.9760
120	5259.9752
102	5259.9728
Maximum Deviation (MHz)	0.0272
Maximum Deviation (ppm)	5.1711

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9720
10	5259.9716
20	5259.9716
30	5259.9716
40	5259.9716
Maximum Deviation (MHz)	0.0284
Maximum Deviation (ppm)	5.3992

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
138	5499.9708
120	5499.9708
102	5499.9708
Maximum Deviation (MHz)	0.0292
Maximum Deviation (ppm)	5.3091

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9708
10	5499.9704
20	5499.9704
30	5499.9704
40	5499.9704
Maximum Deviation (MHz)	0.0296
Maximum Deviation (ppm)	5.3818

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9696
120	5744.9696
102	5744.9696
Maximum Deviation (MHz)	0.0304
Maximum Deviation (ppm)	5.2916

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9696
10	5744.9696
20	5744.9692
30	5744.9692
40	5744.9692
Maximum Deviation (MHz)	0.0308
Maximum Deviation (ppm)	5.3612

End of Test Report