


A.6 Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	498.148	-52.25	-27	Pass	9700
1000	5150	0.1	Peak	5148.5	-50.09	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	1.84	24	Pass	2000
5350	10300	0.1	Peak	6947.85	-49.59	-27	Pass	49499
10300	10700	0.1	Peak	10673.693	-51.37	-27	Pass	4000
10700	25000	0.1	Peak	15537.251	-48.57	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	659.665	-52	-27	Pass	9700
1000	5150	0.1	Peak	5140.098	-48.96	-27	Pass	41499
5150	5350	0.1	Peak	5222.436	1.51	24	Pass	2000
5350	10300	0.1	Peak	6917.249	-48.77	-27	Pass	49499
10300	10700	0.1	Peak	10403.326	-51.39	-27	Pass	4000
10700	25000	0.1	Peak	15654.755	-49.06	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	619.061	-52.21	-27	Pass	9700
1000	5150	0.1	Peak	5125.495	-50.48	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	2.33	24	Pass	2000
5350	10300	0.1	Peak	6905.949	-49.31	-27	Pass	49499
10300	10700	0.1	Peak	10478.745	-51.07	-27	Pass	4000
10700	25000	0.1	Peak	15719.857	-48.22	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	954.295	-52.08	-27	Pass	9700
1000	5650	1	Peak	5397.946	-39.85	-27	Pass	4650
5650	5700	1	Peak	5650.072	-39.8	-26.95	Pass	691
5700	5720	1	Peak	5701.565	-38.13	10.44	Pass	691
5720	5725	1	Peak	5723.906	-24.64	24.51	Pass	691
5725	5850	1	Peak	5746.739	10.2	30	Pass	691
5850	5855	1	Peak	5854.949	-39.39	15.72	Pass	691
5855	5875	1	Peak	5874.304	-39.12	10.19	Pass	691
5875	5925	1	Peak	5924.058	-39.69	-26.3	Pass	691
5925	25000	1	Peak	6913.052	-37.61	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	944.894	-52.33	-27	Pass	9700
1000	5650	1	Peak	5435.954	-40.07	-27	Pass	4650
5650	5700	1	Peak	5650.29	-40.58	-26.79	Pass	691
5700	5720	1	Peak	5700.29	-39	10.08	Pass	691
5720	5725	1	Peak	5720.101	-39.15	15.83	Pass	691
5725	5850	1	Peak	5787.319	10.39	30	Pass	691
5850	5855	1	Peak	5854.87	-38.2	15.9	Pass	691
5855	5875	1	Peak	5874.971	-38.38	10.01	Pass	691
5875	5925	1	Peak	5924.348	-40.04	-26.52	Pass	691
5925	25000	1	Peak	6913.052	-38.52	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	811.081	-52.47	-27	Pass	9700
1000	5650	1	Peak	4588.772	-39.96	-27	Pass	4650
5650	5700	1	Peak	5650.58	-40.07	-26.57	Pass	691
5700	5720	1	Peak	5700.377	-39.57	10.11	Pass	691
5720	5725	1	Peak	5720.094	-39.18	15.81	Pass	691
5725	5850	1	Peak	5825.725	10.01	30	Pass	691
5850	5855	1	Peak	5854.906	-37.5	15.81	Pass	691
5855	5875	1	Peak	5870.739	-36.72	11.19	Pass	691
5875	5925	1	Peak	5924.275	-39.18	-26.46	Pass	691
5925	25000	1	Peak	6903.051	-39.07	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	852.985	-52.03	-27	Pass	9700
1000	5150	0.1	Peak	5123.594	-49.57	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	2.17	24	Pass	2000
5350	10300	0.1	Peak	6954.65	-49.36	-27	Pass	49499
10300	10700	0.1	Peak	10362.816	-51.22	-27	Pass	4000
10700	25000	0.1	Peak	15535.151	-48.33	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	962.996	-52.25	-27	Pass	9700
1000	5150	0.1	Peak	5137.497	-48.67	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	2.34	24	Pass	2000
5350	10300	0.1	Peak	6906.049	-49.61	-27	Pass	49499
10300	10700	0.1	Peak	10697.299	-51.39	-27	Pass	4000
10700	25000	0.1	Peak	15655.955	-48.19	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	461.945	-52.66	-27	Pass	9700
1000	5150	0.1	Peak	5082.786	-50.21	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	2.36	24	Pass	2000
5350	10300	0.1	Peak	5455.003	-49.96	-27	Pass	49499
10300	10700	0.1	Peak	10482.846	-51.74	-27	Pass	4000
10700	25000	0.1	Peak	15717.757	-46.82	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	799.079	-52.19	-27	Pass	9700
1000	5650	1	Peak	5442.955	-39.13	-27	Pass	4650
5650	5700	1	Peak	5650	-40.32	-27	Pass	691
5700	5720	1	Peak	5700.087	-37.85	10.02	Pass	691
5720	5725	1	Peak	5721.355	-28.59	18.69	Pass	691
5725	5850	1	Peak	5748.007	9.9	30	Pass	691
5850	5855	1	Peak	5854.957	-38.32	15.7	Pass	691
5855	5875	1	Peak	5872.304	-37.75	10.75	Pass	691
5875	5925	1	Peak	5924.565	-40.1	-26.68	Pass	691
5925	25000	1	Peak	6939.053	-38.59	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	873.587	-52.46	-27	Pass	9700
1000	5650	1	Peak	5300.925	-40.5	-27	Pass	4650
5650	5700	1	Peak	5650.362	-40.88	-26.73	Pass	691
5700	5720	1	Peak	5701.449	-38.79	10.41	Pass	691
5720	5725	1	Peak	5720.022	-38.13	15.65	Pass	691
5725	5850	1	Peak	5787.681	10.5	30	Pass	691
5850	5855	1	Peak	5854.848	-38.17	15.95	Pass	691
5855	5875	1	Peak	5873.87	-38.92	10.32	Pass	691
5875	5925	1	Peak	5924.783	-39.51	-26.84	Pass	691
5925	25000	1	Peak	6932.053	-39	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	619.561	-52.27	-27	Pass	9700
1000	5650	1	Peak	5402.947	-40.18	-27	Pass	4650
5650	5700	1	Peak	5650.072	-40.61	-26.95	Pass	691
5700	5720	1	Peak	5700.667	-39.43	10.19	Pass	691
5720	5725	1	Peak	5720.036	-39.26	15.68	Pass	691
5725	5850	1	Peak	5826.449	9.82	30	Pass	691
5850	5855	1	Peak	5854.957	-37.44	15.7	Pass	691
5855	5875	1	Peak	5874.739	-37.96	10.07	Pass	691
5875	5925	1	Peak	5923.986	-38.51	-26.25	Pass	691
5925	25000	1	Peak	17473.605	-38.22	-27	Pass	19075



13. 802.11n_40M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	890.589	-52.48	-27	Pass	9700
1000	5150	0.1	Peak	5149.5	-44.24	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-2.82	24	Pass	2000
5350	10300	0.1	Peak	6946.65	-49.39	-27	Pass	49499
10300	10700	0.1	Peak	10624.281	-51.81	-27	Pass	4000
10700	25000	0.1	Peak	16387.378	-49.68	-27	Pass	142999



14. 802.11n_40M_Band1_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	963.596	-52.4	-27	Pass	9700
1000	5150	0.1	Peak	5058.781	-50.85	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-3.02	24	Pass	2000
5350	10300	0.1	Peak	6911.649	-48.93	-27	Pass	49499
10300	10700	0.1	Peak	10441.835	-51.38	-27	Pass	4000
10700	25000	0.1	Peak	16366.877	-50.16	-27	Pass	142999



15. 802.11n_40M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	806.98	-52.16	-27	Pass	9700
1000	5650	1	Peak	5363.938	-40.05	-27	Pass	4650
5650	5700	1	Peak	5650.58	-40.69	-26.57	Pass	691
5700	5720	1	Peak	5719.652	-23.01	15.5	Pass	691
5720	5725	1	Peak	5720.051	-22.99	15.72	Pass	691
5725	5850	1	Peak	5760.87	5.58	30	Pass	691
5850	5855	1	Peak	5854.993	-38.01	15.62	Pass	691
5855	5875	1	Peak	5874.246	-38.19	10.21	Pass	691
5875	5925	1	Peak	5924.42	-38.95	-26.57	Pass	691
5925	25000	1	Peak	6893.051	-39.48	-27	Pass	19075



16. 802.11n_40M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	972.797	-51.7	-27	Pass	9700
1000	5650	1	Peak	5221.908	-40.08	-27	Pass	4650
5650	5700	1	Peak	5650.217	-40.97	-26.84	Pass	691
5700	5720	1	Peak	5700.928	-38.82	10.26	Pass	691
5720	5725	1	Peak	5720.232	-38.67	16.13	Pass	691
5725	5850	1	Peak	5801.449	5.56	30	Pass	691
5850	5855	1	Peak	5854.942	-37.49	15.73	Pass	691
5855	5875	1	Peak	5874.449	-38.82	10.15	Pass	691
5875	5925	1	Peak	5924.71	-39.87	-26.79	Pass	691
5925	25000	1	Peak	6909.052	-38.66	-27	Pass	19075



END