



Test Mode TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.00	0.23	9.23	29.11	Complies
157	5785	8.03	0.23	8.26	29.11	Complies
165	5825	8.31	0.23	8.54	29.11	Complies


CH149



CH157




CH165




Test Mode TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.95	0.23	10.18	29.11	Complies
157	5785	9.03	0.23	9.26	29.11	Complies
165	5825	8.27	0.23	8.50	29.11	Complies


CH149



CH157




CH165




Test Mode TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.05	0.23	9.28	29.11	Complies
157	5785	8.74	0.23	8.97	29.11	Complies
165	5825	7.97	0.23	8.20	29.11	Complies



Test Mode TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.96	0.23	9.19	29.11	Complies
157	5785	8.73	0.23	8.96	29.11	Complies
165	5825	8.03	0.23	8.27	29.11	Complies




Test Mode TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.51	29.11	Complies
157	5785	14.90	29.11	Complies
165	5825	14.40	29.11	Complies


Test Mode	TX AC (VHT20) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.85	0.20	9.05	29.11	Complies
157	5785	7.99	0.20	8.19	29.11	Complies
165	5825	8.54	0.20	8.74	29.11	Complies


CH149



CH157




CH165




Test Mode	TX AC (VHT20) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.30	0.20	9.50	29.11	Complies
157	5785	8.89	0.20	9.09	29.11	Complies
165	5825	8.11	0.20	8.31	29.11	Complies


CH149



CH157




CH165




Test Mode TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.67	0.20	8.87	29.11	Complies
157	5785	8.42	0.20	8.62	29.11	Complies
165	5825	7.85	0.20	8.05	29.11	Complies



Test Mode TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.97	0.20	9.17	29.11	Complies
157	5785	7.58	0.20	7.78	29.11	Complies
165	5825	9.52	0.20	9.72	29.11	Complies




Test Mode TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.17	29.11	Complies
157	5785	14.47	29.11	Complies
165	5825	14.77	29.11	Complies


Test Mode	TX AC (VHT40) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.85	0.18	6.03	29.11	Complies
159	5795	5.44	0.18	5.62	29.11	Complies

CH151




CH159




Test Mode	TX AC (VHT40) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.18	0.18	6.36	29.11	Complies
159	5795	5.97	0.18	6.15	29.11	Complies

CH151




CH159




Test Mode	TX AC (VHT40) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.86	0.18	6.04	29.11	Complies
159	5795	5.48	0.18	5.66	29.11	Complies

CH151




CH159




Test Mode	TX AC (VHT40) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.15	0.18	6.33	29.11	Complies
159	5795	5.64	0.18	5.82	29.11	Complies

CH151



CH159




Test Mode	TX AC (VHT40) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.21	29.11	Complies
159	5795	11.83	29.11	Complies

Test Mode	TX AC (VHT80) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.78	0.19	2.97	29.11	Complies


CH155



Test Mode	TX AC (VHT80) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.13	0.19	3.32	29.11	Complies


CH155



Test Mode	TX AC (VHT80) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.20	0.19	2.39	29.11	Complies


CH155



Test Mode	TX AC (VHT80) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.56	0.19	2.75	29.11	Complies

CH155




Test Mode	TX AC (VHT80) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.89	29.11	Complies


Test Mode TX AX (HEW20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.24	0.16	8.40	29.11	Complies
157	5785	7.84	0.16	8.00	29.11	Complies
165	5825	7.98	0.16	8.14	29.11	Complies


CH149



CH157




CH165




Test Mode TX AX (HEW20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.94	0.16	9.10	29.11	Complies
157	5785	8.44	0.16	8.60	29.11	Complies
165	5825	7.50	0.16	7.66	29.11	Complies


CH149



CH157




CH165




Test Mode TX AX (HEW20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.47	0.16	8.63	29.11	Complies
157	5785	7.48	0.16	7.64	29.11	Complies
165	5825	8.66	0.16	8.82	29.11	Complies


CH149



CH157




CH165




Test Mode TX AX (HEW20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.76	0.16	8.92	29.11	Complies
157	5785	8.46	0.16	8.62	29.11	Complies
165	5825	8.79	0.16	8.95	29.11	Complies


CH149



CH157



CH165




Test Mode TX AX (HEW20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.79	29.11	Complies
157	5785	14.25	29.11	Complies
165	5825	14.44	29.11	Complies


Test Mode	TX AX (HEW40) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.44	0.16	5.60	29.11	Complies
159	5795	4.78	0.16	4.94	29.11	Complies

CH151




CH159




Test Mode	TX AX (HEW40) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.54	0.16	6.70	29.11	Complies
159	5795	5.42	0.16	5.59	29.11	Complies

CH151




CH159




Test Mode	TX AX (HEW40) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.31	0.16	6.47	29.11	Complies
159	5795	5.28	0.16	5.44	29.11	Complies

CH151




CH159




Test Mode	TX AX (HEW40) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.41	0.16	5.57	29.11	Complies
159	5795	5.58	0.16	5.74	29.11	Complies

CH151



CH159




Test Mode	TX AX (HEW40) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.13	29.11	Complies
159	5795	11.46	29.11	Complies

Test Mode	TX AX (HEW80) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.60	0.20	2.80	29.11	Complies


CH155



Test Mode	TX AX (HEW80) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.39	0.20	3.59	29.11	Complies


CH155



Test Mode	TX AX (HEW80) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.39	0.20	2.59	29.11	Complies


CH155



Test Mode	TX AX (HEW80) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.83	0.20	3.03	29.11	Complies

CH155



Test Mode	TX AX (HEW80) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.04	29.11	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9364
120	5744.9368
102	5744.9368
Maximum Deviation (MHz)	0.0636
Maximum Deviation (ppm)	11.0705

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9400
10	5744.9400
20	5744.9550
30	5744.9350
40	5744.9400
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3120

End of Test Report