

| Mode                                         | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|----------------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5510MHz_TX                                   | Pass   | PK   | 5.4964G   | 98.33          | Inf            | -Inf        | 3        | Vertical   | 133         | 1.06       |
| 5510MHz_TX                                   | Pass   | AV   | 5.45G     | 49.46          | 54.00          | -4.54       | 3        | Horizontal | 268         | 1.03       |
| 5510MHz_TX                                   | Pass   | AV   | 5.494G    | 92.15          | Inf            | -Inf        | 3        | Horizontal | 268         | 1.03       |
| 5510MHz_TX                                   | Pass   | PK   | 5.4588G   | 63.43          | 74.00          | -10.57      | 3        | Horizontal | 268         | 1.03       |
| 5510MHz_TX                                   | Pass   | PK   | 5.468G    | 62.31          | 68.20          | -5.89       | 3        | Horizontal | 268         | 1.03       |
| 5510MHz_TX                                   | Pass   | PK   | 5.5048G   | 105.36         | Inf            | -Inf        | 3        | Horizontal | 268         | 1.03       |
| 5510MHz_TX                                   | Pass   | AV   | 11.00208G | 36.39          | 54.00          | -17.61      | 3        | Vertical   | 171         | 3.00       |
| 5510MHz_TX                                   | Pass   | PK   | 10.9976G  | 49.00          | 74.00          | -25.00      | 3        | Vertical   | 171         | 3.00       |
| 5510MHz_TX                                   | Pass   | PK   | 16.55352G | 49.59          | 68.20          | -18.61      | 3        | Vertical   | 198         | 1.30       |
| 5510MHz_TX                                   | Pass   | AV   | 11.00128G | 36.08          | 54.00          | -17.92      | 3        | Horizontal | 213         | 2.25       |
| 5510MHz_TX                                   | Pass   | PK   | 11.02864G | 48.24          | 74.00          | -25.76      | 3        | Horizontal | 213         | 2.25       |
| 5510MHz_TX                                   | Pass   | PK   | 16.4892G  | 50.09          | 68.20          | -18.11      | 3        | Horizontal | 259         | 2.10       |
| 802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5670MHz_TX                                   | Pass   | AV   | 5.6754G   | 89.50          | Inf            | -Inf        | 3        | Vertical   | 133         | 2.90       |
| 5670MHz_TX                                   | Pass   | PK   | 5.6754G   | 102.14         | Inf            | -Inf        | 3        | Vertical   | 133         | 2.90       |
| 5670MHz_TX                                   | Pass   | PK   | 5.8086G   | 64.08          | 68.20          | -4.12       | 3        | Vertical   | 133         | 2.90       |
| 5670MHz_TX                                   | Pass   | AV   | 5.685G    | 95.22          | Inf            | -Inf        | 3        | Horizontal | 285         | 1.14       |
| 5670MHz_TX                                   | Pass   | PK   | 5.6844G   | 107.67         | Inf            | -Inf        | 3        | Horizontal | 285         | 1.14       |
| 5670MHz_TX                                   | Pass   | PK   | 5.778G    | 63.86          | 68.20          | -4.34       | 3        | Horizontal | 285         | 1.14       |
| 5670MHz_TX                                   | Pass   | AV   | 11.35872G | 39.11          | 54.00          | -14.89      | 3        | Vertical   | 357         | 1.01       |
| 5670MHz_TX                                   | Pass   | PK   | 11.36144G | 51.01          | 74.00          | -22.99      | 3        | Vertical   | 357         | 1.01       |
| 5670MHz_TX                                   | Pass   | PK   | 17.03952G | 52.04          | 68.20          | -16.16      | 3        | Vertical   | 212         | 2.60       |
| 5670MHz_TX                                   | Pass   | AV   | 11.35952G | 39.96          | 54.00          | -14.04      | 3        | Horizontal | 68          | 3.00       |
| 5670MHz_TX                                   | Pass   | PK   | 11.36016G | 52.47          | 74.00          | -21.53      | 3        | Horizontal | 68          | 3.00       |
| 5670MHz_TX                                   | Pass   | PK   | 17.064G   | 50.18          | 68.20          | -18.02      | 3        | Horizontal | 128         | 3.00       |
| 802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5755MHz_TX                                   | Pass   | AV   | 5.4574G   | 49.05          | 54.00          | -4.95       | 3        | Vertical   | 132         | 3.00       |
| 5755MHz_TX                                   | Pass   | AV   | 5.7394G   | 92.76          | Inf            | -Inf        | 3        | Vertical   | 132         | 3.00       |
| 5755MHz_TX                                   | Pass   | PK   | 5.6434G   | 64.12          | 68.20          | -4.08       | 3        | Vertical   | 132         | 3.00       |
| 5755MHz_TX                                   | Pass   | PK   | 5.7394G   | 106.54         | Inf            | -Inf        | 3        | Vertical   | 132         | 3.00       |
| 5755MHz_TX                                   | Pass   | PK   | 6.0094G   | 64.08          | 68.20          | -4.12       | 3        | Vertical   | 132         | 3.00       |
| 5755MHz_TX                                   | Pass   | AV   | 5.4586G   | 49.14          | 54.00          | -4.86       | 3        | Horizontal | 292         | 1.00       |
| 5755MHz_TX                                   | Pass   | AV   | 5.7502G   | 99.28          | Inf            | -Inf        | 3        | Horizontal | 292         | 1.00       |
| 5755MHz_TX                                   | Pass   | PK   | 5.5618G   | 62.78          | 68.20          | -5.42       | 3        | Horizontal | 292         | 1.00       |
| 5755MHz_TX                                   | Pass   | PK   | 5.7526G   | 111.84         | Inf            | -Inf        | 3        | Horizontal | 292         | 1.00       |
| 5755MHz_TX                                   | Pass   | PK   | 5.9854G   | 64.57          | 68.20          | -3.63       | 3        | Horizontal | 292         | 1.00       |
| 5755MHz_TX                                   | Pass   | AV   | 11.49048G | 44.18          | 54.00          | -9.82       | 3        | Vertical   | 337         | 2.95       |
| 5755MHz_TX                                   | Pass   | PK   | 11.49272G | 56.06          | 74.00          | -17.94      | 3        | Vertical   | 337         | 2.95       |
| 5755MHz_TX                                   | Pass   | PK   | 17.24844G | 55.95          | 68.20          | -12.25      | 3        | Vertical   | 207         | 2.75       |
| 5755MHz_TX                                   | Pass   | AV   | 11.49064G | 40.16          | 54.00          | -13.84      | 3        | Horizontal | 193         | 2.90       |
| 5755MHz_TX                                   | Pass   | PK   | 11.48104G | 53.48          | 74.00          | -20.52      | 3        | Horizontal | 193         | 2.90       |
| 5755MHz_TX                                   | Pass   | PK   | 17.24052G | 56.42          | 68.20          | -11.78      | 3        | Horizontal | 194         | 1.00       |
| 802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5795MHz_TX                                   | Pass   | AV   | 5.801G    | 93.94          | Inf            | -Inf        | 3        | Vertical   | 132         | 2.18       |
| 5795MHz_TX                                   | Pass   | PK   | 5.507G    | 62.64          | 68.20          | -5.56       | 3        | Vertical   | 132         | 2.18       |
| 5795MHz_TX                                   | Pass   | PK   | 5.7998G   | 106.33         | Inf            | -Inf        | 3        | Vertical   | 132         | 2.18       |
| 5795MHz_TX                                   | Pass   | PK   | 5.9714G   | 63.87          | 68.20          | -4.33       | 3        | Vertical   | 132         | 2.18       |
| 5795MHz_TX                                   | Pass   | AV   | 5.7998G   | 99.89          | Inf            | -Inf        | 3        | Horizontal | 292         | 1.00       |
| 5795MHz_TX                                   | Pass   | PK   | 5.6066G   | 63.44          | 68.20          | -4.76       | 3        | Horizontal | 292         | 1.00       |
| 5795MHz_TX                                   | Pass   | PK   | 5.7998G   | 113.37         | Inf            | -Inf        | 3        | Horizontal | 292         | 1.00       |
| 5795MHz_TX                                   | Pass   | PK   | 5.9822G   | 64.91          | 68.20          | -3.29       | 3        | Horizontal | 292         | 1.00       |
| 5795MHz_TX                                   | Pass   | AV   | 11.60824G | 44.63          | 54.00          | -9.37       | 3        | Vertical   | 341         | 2.63       |
| 5795MHz_TX                                   | Pass   | PK   | 11.61G    | 56.98          | 74.00          | -17.02      | 3        | Vertical   | 341         | 2.63       |
| 5795MHz_TX                                   | Pass   | PK   | 17.41548G | 58.72          | 68.20          | -9.48       | 3        | Vertical   | 179         | 2.11       |
| 5795MHz_TX                                   | Pass   | AV   | 11.60856G | 39.42          | 54.00          | -14.58      | 3        | Horizontal | 192         | 2.23       |
| 5795MHz_TX                                   | Pass   | PK   | 11.61256G | 51.31          | 74.00          | -22.69      | 3        | Horizontal | 192         | 2.23       |
| 5795MHz_TX                                   | Pass   | PK   | 17.421G   | 59.96          | 68.20          | -8.24       | 3        | Horizontal | 195         | 1.03       |
| 802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5875MHz_TX                                   | Pass   | AV   | 5.8702G   | 92.99          | Inf            | -Inf        | 3        | Vertical   | 133         | 2.23       |
| 5875MHz_TX                                   | Pass   | AV   | 6.0718G   | 51.27          | 68.20          | -16.93      | 3        | Vertical   | 133         | 2.23       |
| 5875MHz_TX                                   | Pass   | PK   | 5.6422G   | 62.02          | 68.20          | -6.18       | 3        | Vertical   | 133         | 2.23       |
| 5875MHz_TX                                   | Pass   | PK   | 5.8702G   | 107.06         | Inf            | -Inf        | 3        | Vertical   | 133         | 2.23       |


| Mode                                        | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---------------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5875MHz_TX                                  | Pass   | PK   | 5.9242G   | 69.77          | 88.79          | -19.02      | 3        | Vertical   | 133         | 2.23       |
| 5875MHz_TX                                  | Pass   | AV   | 5.8594G   | 98.64          | Inf            | -Inf        | 3        | Horizontal | 291         | 1.01       |
| 5875MHz_TX                                  | Pass   | AV   | 5.9254G   | 51.70          | 68.20          | -16.50      | 3        | Horizontal | 291         | 1.01       |
| 5875MHz_TX                                  | Pass   | PK   | 5.6242G   | 62.81          | 68.20          | -5.39       | 3        | Horizontal | 291         | 1.01       |
| 5875MHz_TX                                  | Pass   | PK   | 5.8582G   | 111.29         | Inf            | -Inf        | 3        | Horizontal | 291         | 1.01       |
| 5875MHz_TX                                  | Pass   | PK   | 5.917G    | 75.08          | 94.07          | -18.99      | 3        | Horizontal | 291         | 1.01       |
| 5875MHz_TX                                  | Pass   | AV   | 11.73064G | 43.00          | 54.00          | -11.00      | 3        | Vertical   | 352         | 2.92       |
| 5875MHz_TX                                  | Pass   | AV   | 17.59404G | 45.30          | 68.20          | -22.90      | 3        | Vertical   | 181         | 2.35       |
| 5875MHz_TX                                  | Pass   | PK   | 11.72888G | 55.39          | 74.00          | -18.61      | 3        | Vertical   | 352         | 2.92       |
| 5875MHz_TX                                  | Pass   | PK   | 17.60268G | 58.78          | 88.20          | -29.42      | 3        | Vertical   | 181         | 2.35       |
| 5875MHz_TX                                  | Pass   | AV   | 11.73176G | 38.18          | 54.00          | -15.82      | 3        | Horizontal | 175         | 1.08       |
| 5875MHz_TX                                  | Pass   | AV   | 17.59836G | 46.03          | 68.20          | -22.17      | 3        | Horizontal | 199         | 1.00       |
| 5875MHz_TX                                  | Pass   | PK   | 11.74168G | 50.30          | 74.00          | -23.70      | 3        | Horizontal | 175         | 1.08       |
| 5875MHz_TX                                  | Pass   | PK   | 17.595G   | 60.84          | 88.20          | -27.36      | 3        | Horizontal | 199         | 1.00       |
| 802.11ax HEW40_Nss1,(MCS0),RU 242#RU 62_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5875MHz_TX                                  | Pass   | AV   | 5.8798G   | 93.30          | Inf            | -Inf        | 3        | Vertical   | 131         | 2.17       |
| 5875MHz_TX                                  | Pass   | AV   | 5.9254G   | 51.49          | 68.20          | -16.71      | 3        | Vertical   | 131         | 2.17       |
| 5875MHz_TX                                  | Pass   | PK   | 5.575G    | 62.26          | 68.20          | -5.94       | 3        | Vertical   | 131         | 2.17       |
| 5875MHz_TX                                  | Pass   | PK   | 5.8882G   | 105.77         | Inf            | -Inf        | 3        | Vertical   | 131         | 2.17       |
| 5875MHz_TX                                  | Pass   | PK   | 5.9266G   | 69.96          | 88.20          | -18.24      | 3        | Vertical   | 131         | 2.17       |
| 5875MHz_TX                                  | Pass   | AV   | 5.8798G   | 96.75          | Inf            | -Inf        | 3        | Horizontal | 215         | 1.10       |
| 5875MHz_TX                                  | Pass   | AV   | 5.8954G   | 73.79          | 89.91          | -16.12      | 3        | Horizontal | 215         | 1.10       |
| 5875MHz_TX                                  | Pass   | PK   | 5.6374G   | 63.05          | 68.20          | -5.15       | 3        | Horizontal | 215         | 1.10       |
| 5875MHz_TX                                  | Pass   | PK   | 5.8846G   | 109.24         | Inf            | -Inf        | 3        | Horizontal | 215         | 1.10       |
| 5875MHz_TX                                  | Pass   | PK   | 5.9374G   | 73.08          | 88.20          | -15.12      | 3        | Horizontal | 215         | 1.10       |
| 5875MHz_TX                                  | Pass   | AV   | 11.76888G | 41.75          | 54.00          | -12.25      | 3        | Vertical   | 354         | 3.00       |
| 5875MHz_TX                                  | Pass   | AV   | 17.65188G | 45.42          | 68.20          | -22.78      | 3        | Vertical   | 184         | 2.27       |
| 5875MHz_TX                                  | Pass   | PK   | 11.77064G | 53.43          | 74.00          | -20.57      | 3        | Vertical   | 354         | 3.00       |
| 5875MHz_TX                                  | Pass   | PK   | 17.661G   | 58.89          | 88.20          | -29.31      | 3        | Vertical   | 184         | 2.27       |
| 5875MHz_TX                                  | Pass   | AV   | 11.76952G | 38.08          | 54.00          | -15.92      | 3        | Horizontal | 176         | 1.21       |
| 5875MHz_TX                                  | Pass   | AV   | 17.65092G | 46.98          | 68.20          | -21.22      | 3        | Horizontal | 198         | 1.04       |
| 5875MHz_TX                                  | Pass   | PK   | 11.7644G  | 50.45          | 74.00          | -23.55      | 3        | Horizontal | 176         | 1.21       |
| 5875MHz_TX                                  | Pass   | PK   | 17.66172G | 60.80          | 88.20          | -27.40      | 3        | Horizontal | 198         | 1.04       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5210MHz_TX                                  | Pass   | AV   | 5.019G    | 49.90          | 54.00          | -4.10       | 3        | Vertical   | 58          | 2.31       |
| 5210MHz_TX                                  | Pass   | AV   | 5.178G    | 82.08          | Inf            | -Inf        | 3        | Vertical   | 58          | 2.31       |
| 5210MHz_TX                                  | Pass   | AV   | 5.367G    | 49.91          | 54.00          | -4.09       | 3        | Vertical   | 58          | 2.31       |
| 5210MHz_TX                                  | Pass   | PK   | 5.038G    | 62.49          | 74.00          | -11.51      | 3        | Vertical   | 58          | 2.31       |
| 5210MHz_TX                                  | Pass   | PK   | 5.171G    | 94.66          | Inf            | -Inf        | 3        | Vertical   | 58          | 2.31       |
| 5210MHz_TX                                  | Pass   | PK   | 5.446G    | 63.29          | 74.00          | -10.71      | 3        | Vertical   | 58          | 2.31       |
| 5210MHz_TX                                  | Pass   | AV   | 5.022G    | 49.81          | 54.00          | -4.19       | 3        | Horizontal | 283         | 1.00       |
| 5210MHz_TX                                  | Pass   | AV   | 5.188G    | 85.14          | Inf            | -Inf        | 3        | Horizontal | 283         | 1.00       |
| 5210MHz_TX                                  | Pass   | AV   | 5.369G    | 49.84          | 54.00          | -4.16       | 3        | Horizontal | 283         | 1.00       |
| 5210MHz_TX                                  | Pass   | PK   | 5.134G    | 62.58          | 74.00          | -11.42      | 3        | Horizontal | 283         | 1.00       |
| 5210MHz_TX                                  | Pass   | PK   | 5.181G    | 98.63          | Inf            | -Inf        | 3        | Horizontal | 283         | 1.00       |
| 5210MHz_TX                                  | Pass   | PK   | 5.35G     | 62.99          | 74.00          | -11.01      | 3        | Horizontal | 283         | 1.00       |
| 5210MHz_TX                                  | Pass   | AV   | 15.58968G | 37.72          | 54.00          | -16.28      | 3        | Vertical   | 64          | 1.50       |
| 5210MHz_TX                                  | Pass   | PK   | 10.4168G  | 49.61          | 68.20          | -18.59      | 3        | Vertical   | 114         | 2.59       |
| 5210MHz_TX                                  | Pass   | PK   | 15.63864G | 50.24          | 74.00          | -23.76      | 3        | Vertical   | 64          | 1.50       |
| 5210MHz_TX                                  | Pass   | AV   | 15.59304G | 37.80          | 54.00          | -16.20      | 3        | Horizontal | 3           | 1.50       |
| 5210MHz_TX                                  | Pass   | PK   | 10.4232G  | 48.55          | 68.20          | -19.65      | 3        | Horizontal | 279         | 1.50       |
| 5210MHz_TX                                  | Pass   | PK   | 15.64104G | 50.40          | 74.00          | -23.60      | 3        | Horizontal | 3           | 1.50       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5290MHz_TX                                  | Pass   | AV   | 5.144G    | 49.52          | 54.00          | -4.48       | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | AV   | 5.305G    | 80.49          | Inf            | -Inf        | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | AV   | 5.353G    | 49.79          | 54.00          | -4.21       | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | PK   | 5.144G    | 62.06          | 74.00          | -11.94      | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | PK   | 5.299G    | 93.28          | Inf            | -Inf        | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | PK   | 5.4G      | 63.20          | 74.00          | -10.80      | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | PK   | 5.481G    | 62.91          | 68.20          | -5.29       | 3        | Vertical   | 79          | 1.19       |
| 5290MHz_TX                                  | Pass   | AV   | 5.147G    | 49.36          | 54.00          | -4.64       | 3        | Horizontal | 276         | 1.00       |
| 5290MHz_TX                                  | Pass   | AV   | 5.316G    | 87.20          | Inf            | -Inf        | 3        | Horizontal | 276         | 1.00       |

| Mode                                         | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|----------------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5290MHz_TX                                   | Pass   | AV   | 5.358G    | 50.10          | 54.00          | -3.90       | 3        | Horizontal | 276         | 1.00       |
| 5290MHz_TX                                   | Pass   | PK   | 5.117G    | 63.12          | 74.00          | -10.88      | 3        | Horizontal | 276         | 1.00       |
| 5290MHz_TX                                   | Pass   | PK   | 5.322G    | 100.24         | Inf            | -Inf        | 3        | Horizontal | 276         | 1.00       |
| 5290MHz_TX                                   | Pass   | PK   | 5.373G    | 62.75          | 74.00          | -11.25      | 3        | Horizontal | 276         | 1.00       |
| 5290MHz_TX                                   | Pass   | PK   | 5.524G    | 63.25          | 68.20          | -4.95       | 3        | Horizontal | 276         | 1.00       |
| 5290MHz_TX                                   | Pass   | AV   | 10.6104G  | 36.20          | 54.00          | -17.80      | 3        | Vertical   | 11          | 1.51       |
| 5290MHz_TX                                   | Pass   | AV   | 15.75672G | 37.26          | 54.00          | -16.74      | 3        | Vertical   | 304         | 1.50       |
| 5290MHz_TX                                   | Pass   | PK   | 10.65776G | 48.80          | 74.00          | -25.20      | 3        | Vertical   | 11          | 1.51       |
| 5290MHz_TX                                   | Pass   | PK   | 15.75544G | 51.03          | 74.00          | -22.97      | 3        | Vertical   | 304         | 1.50       |
| 5290MHz_TX                                   | Pass   | AV   | 10.66752G | 36.30          | 54.00          | -17.70      | 3        | Horizontal | 0           | 1.50       |
| 5290MHz_TX                                   | Pass   | AV   | 15.75192G | 37.29          | 54.00          | -16.71      | 3        | Horizontal | 178         | 1.50       |
| 5290MHz_TX                                   | Pass   | PK   | 10.66592G | 48.89          | 74.00          | -25.11      | 3        | Horizontal | 0           | 1.50       |
| 5290MHz_TX                                   | Pass   | PK   | 15.77928G | 50.65          | 74.00          | -23.35      | 3        | Horizontal | 178         | 1.50       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5530MHz_TX                                   | Pass   | AV   | 5.35G     | 49.20          | 54.00          | -4.80       | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | AV   | 5.386G    | 49.55          | 54.00          | -4.45       | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | AV   | 5.508G    | 80.40          | Inf            | -Inf        | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | PK   | 5.28G     | 62.58          | 68.20          | -5.62       | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | PK   | 5.36G     | 62.35          | 74.00          | -11.65      | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | PK   | 5.464G    | 62.14          | 68.20          | -6.06       | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | PK   | 5.507G    | 92.70          | Inf            | -Inf        | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | PK   | 5.771G    | 63.49          | 68.20          | -4.71       | 3        | Vertical   | 134         | 1.20       |
| 5530MHz_TX                                   | Pass   | AV   | 5.35G     | 49.22          | 54.00          | -4.78       | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | AV   | 5.404G    | 49.49          | 54.00          | -4.51       | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | AV   | 5.525G    | 87.55          | Inf            | -Inf        | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | PK   | 5.333G    | 62.37          | 68.20          | -5.83       | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | PK   | 5.41G     | 62.53          | 74.00          | -11.47      | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | PK   | 5.461G    | 62.56          | 68.20          | -5.64       | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | PK   | 5.522G    | 100.62         | Inf            | -Inf        | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | PK   | 5.758G    | 63.55          | 68.20          | -4.65       | 3        | Horizontal | 275         | 1.11       |
| 5530MHz_TX                                   | Pass   | AV   | 11.0168G  | 35.86          | 54.00          | -18.14      | 3        | Vertical   | 186         | 3.00       |
| 5530MHz_TX                                   | Pass   | PK   | 10.98544G | 48.26          | 74.00          | -25.74      | 3        | Vertical   | 186         | 3.00       |
| 5530MHz_TX                                   | Pass   | PK   | 16.5084G  | 50.23          | 68.20          | -17.97      | 3        | Vertical   | 154         | 2.06       |
| 5530MHz_TX                                   | Pass   | AV   | 11.0168G  | 35.81          | 54.00          | -18.19      | 3        | Horizontal | 10          | 1.50       |
| 5530MHz_TX                                   | Pass   | PK   | 11.12304G | 48.61          | 74.00          | -25.39      | 3        | Horizontal | 10          | 1.50       |
| 5530MHz_TX                                   | Pass   | PK   | 16.64568G | 51.04          | 68.20          | -17.16      | 3        | Horizontal | 131         | 1.94       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5610MHz_TX                                   | Pass   | AV   | 5.433G    | 49.46          | 54.00          | -4.54       | 3        | Vertical   | 133         | 3.00       |
| 5610MHz_TX                                   | Pass   | AV   | 5.632G    | 86.08          | Inf            | -Inf        | 3        | Vertical   | 133         | 3.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.4G      | 63.86          | 74.00          | -10.14      | 3        | Vertical   | 133         | 3.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.461G    | 62.72          | 68.20          | -5.48       | 3        | Vertical   | 133         | 3.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.639G    | 98.44          | Inf            | -Inf        | 3        | Vertical   | 133         | 3.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.832G    | 64.28          | 68.20          | -3.92       | 3        | Vertical   | 133         | 3.00       |
| 5610MHz_TX                                   | Pass   | AV   | 5.397G    | 49.40          | 54.00          | -4.60       | 3        | Horizontal | 282         | 1.00       |
| 5610MHz_TX                                   | Pass   | AV   | 5.619G    | 92.57          | Inf            | -Inf        | 3        | Horizontal | 282         | 1.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.437G    | 62.75          | 74.00          | -11.25      | 3        | Horizontal | 282         | 1.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.468G    | 61.68          | 68.20          | -6.52       | 3        | Horizontal | 282         | 1.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.643G    | 105.09         | Inf            | -Inf        | 3        | Horizontal | 282         | 1.00       |
| 5610MHz_TX                                   | Pass   | PK   | 5.756G    | 64.19          | 68.20          | -4.01       | 3        | Horizontal | 282         | 1.00       |
| 5610MHz_TX                                   | Pass   | AV   | 11.26064G | 38.02          | 54.00          | -15.98      | 3        | Vertical   | 2           | 1.00       |
| 5610MHz_TX                                   | Pass   | PK   | 11.27024G | 49.75          | 74.00          | -24.25      | 3        | Vertical   | 2           | 1.00       |
| 5610MHz_TX                                   | Pass   | PK   | 16.88664G | 49.86          | 68.20          | -18.34      | 3        | Vertical   | 270         | 2.93       |
| 5610MHz_TX                                   | Pass   | AV   | 11.26288G | 37.70          | 54.00          | -16.30      | 3        | Horizontal | 45          | 3.00       |
| 5610MHz_TX                                   | Pass   | PK   | 11.1896G  | 50.28          | 74.00          | -23.72      | 3        | Horizontal | 45          | 3.00       |
| 5610MHz_TX                                   | Pass   | PK   | 16.76856G | 49.84          | 68.20          | -18.36      | 3        | Horizontal | 177         | 1.00       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5775MHz_TX                                   | Pass   | AV   | 5.7522G   | 84.93          | Inf            | -Inf        | 3        | Vertical   | 133         | 1.50       |
| 5775MHz_TX                                   | Pass   | PK   | 5.5866G   | 63.06          | 68.20          | -5.14       | 3        | Vertical   | 133         | 1.50       |
| 5775MHz_TX                                   | Pass   | PK   | 5.7498G   | 97.87          | Inf            | -Inf        | 3        | Vertical   | 133         | 1.50       |
| 5775MHz_TX                                   | Pass   | PK   | 5.9346G   | 64.47          | 68.20          | -3.73       | 3        | Vertical   | 133         | 1.50       |
| 5775MHz_TX                                   | Pass   | AV   | 5.7594G   | 91.81          | Inf            | -Inf        | 3        | Horizontal | 291         | 1.00       |
| 5775MHz_TX                                   | Pass   | PK   | 5.5338G   | 63.24          | 68.20          | -4.96       | 3        | Horizontal | 291         | 1.00       |

| Mode                                          | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|-----------------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5775MHz_TX                                    | Pass   | PK   | 5.7558G   | 105.02         | Inf            | -Inf        | 3        | Horizontal | 291         | 1.00       |
| 5775MHz_TX                                    | Pass   | PK   | 6.0318G   | 64.34          | 68.20          | -3.86       | 3        | Horizontal | 291         | 1.00       |
| 5775MHz_TX                                    | Pass   | AV   | 11.50968G | 38.65          | 54.00          | -15.35      | 3        | Vertical   | 340         | 2.95       |
| 5775MHz_TX                                    | Pass   | PK   | 11.50968G | 50.72          | 74.00          | -23.28      | 3        | Vertical   | 340         | 2.95       |
| 5775MHz_TX                                    | Pass   | PK   | 17.42244G | 50.28          | 68.20          | -17.92      | 3        | Vertical   | 51          | 1.50       |
| 5775MHz_TX                                    | Pass   | AV   | 11.526G   | 37.10          | 54.00          | -16.90      | 3        | Horizontal | 31          | 1.50       |
| 5775MHz_TX                                    | Pass   | PK   | 11.566G   | 50.11          | 74.00          | -23.89      | 3        | Horizontal | 31          | 1.50       |
| 5775MHz_TX                                    | Pass   | PK   | 17.40804G | 49.90          | 68.20          | -18.30      | 3        | Horizontal | 140         | 1.69       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484, #RU 66_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5775MHz_TX                                    | Pass   | AV   | 5.7906G   | 85.85          | Inf            | -Inf        | 3        | Vertical   | 132         | 2.29       |
| 5775MHz_TX                                    | Pass   | PK   | 5.517G    | 62.77          | 68.20          | -5.43       | 3        | Vertical   | 132         | 2.29       |
| 5775MHz_TX                                    | Pass   | PK   | 5.7906G   | 98.38          | Inf            | -Inf        | 3        | Vertical   | 132         | 2.29       |
| 5775MHz_TX                                    | Pass   | PK   | 5.9346G   | 64.07          | 68.20          | -4.13       | 3        | Vertical   | 132         | 2.29       |
| 5775MHz_TX                                    | Pass   | AV   | 5.8038G   | 91.89          | Inf            | -Inf        | 3        | Horizontal | 292         | 1.01       |
| 5775MHz_TX                                    | Pass   | PK   | 5.6058G   | 62.99          | 68.20          | -5.21       | 3        | Horizontal | 292         | 1.01       |
| 5775MHz_TX                                    | Pass   | PK   | 5.8074G   | 104.93         | Inf            | -Inf        | 3        | Horizontal | 292         | 1.01       |
| 5775MHz_TX                                    | Pass   | PK   | 5.973G    | 64.64          | 68.20          | -3.56       | 3        | Horizontal | 292         | 1.01       |
| 5775MHz_TX                                    | Pass   | AV   | 11.58808G | 39.10          | 54.00          | -14.90      | 3        | Vertical   | 341         | 2.75       |
| 5775MHz_TX                                    | Pass   | PK   | 11.59384G | 50.79          | 74.00          | -23.21      | 3        | Vertical   | 341         | 2.75       |
| 5775MHz_TX                                    | Pass   | PK   | 17.41812G | 49.69          | 68.20          | -18.51      | 3        | Vertical   | 128         | 1.50       |
| 5775MHz_TX                                    | Pass   | AV   | 11.5244G  | 37.10          | 54.00          | -16.90      | 3        | Horizontal | 352         | 2.43       |
| 5775MHz_TX                                    | Pass   | PK   | 11.5724G  | 49.75          | 74.00          | -24.25      | 3        | Horizontal | 352         | 2.43       |
| 5775MHz_TX                                    | Pass   | PK   | 17.3898G  | 51.19          | 68.20          | -17.01      | 3        | Horizontal | 195         | 1.00       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484, #RU 65_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5855MHz_TX                                    | Pass   | AV   | 5.843G    | 89.14          | Inf            | -Inf        | 3        | Vertical   | 133         | 2.12       |
| 5855MHz_TX                                    | Pass   | AV   | 5.9402G   | 51.31          | 68.20          | -16.89      | 3        | Vertical   | 133         | 2.12       |
| 5855MHz_TX                                    | Pass   | PK   | 5.6222G   | 63.20          | 68.20          | -5.00       | 3        | Vertical   | 133         | 2.12       |
| 5855MHz_TX                                    | Pass   | PK   | 5.8394G   | 101.27         | Inf            | -Inf        | 3        | Vertical   | 133         | 2.12       |
| 5855MHz_TX                                    | Pass   | PK   | 6.0242G   | 65.35          | 88.20          | -22.85      | 3        | Vertical   | 133         | 2.12       |
| 5855MHz_TX                                    | Pass   | AV   | 5.8466G   | 95.05          | Inf            | -Inf        | 3        | Horizontal | 293         | 1.05       |
| 5855MHz_TX                                    | Pass   | AV   | 5.927G    | 51.81          | 68.20          | -16.39      | 3        | Horizontal | 293         | 1.05       |
| 5855MHz_TX                                    | Pass   | PK   | 5.6354G   | 63.11          | 68.20          | -5.09       | 3        | Horizontal | 293         | 1.05       |
| 5855MHz_TX                                    | Pass   | PK   | 5.8226G   | 108.02         | Inf            | -Inf        | 3        | Horizontal | 293         | 1.05       |
| 5855MHz_TX                                    | Pass   | PK   | 5.9258G   | 65.54          | 88.20          | -22.66      | 3        | Horizontal | 293         | 1.05       |
| 5855MHz_TX                                    | Pass   | AV   | 11.6716G  | 41.10          | 54.00          | -12.90      | 3        | Vertical   | 338         | 2.87       |
| 5855MHz_TX                                    | Pass   | AV   | 17.49828G | 42.52          | 68.20          | -25.68      | 3        | Vertical   | 181         | 2.23       |
| 5855MHz_TX                                    | Pass   | PK   | 11.6648G  | 53.03          | 74.00          | -20.97      | 3        | Vertical   | 338         | 2.87       |
| 5855MHz_TX                                    | Pass   | PK   | 17.49828G | 55.44          | 88.20          | -32.76      | 3        | Vertical   | 181         | 2.23       |
| 5855MHz_TX                                    | Pass   | AV   | 11.66744G | 38.17          | 54.00          | -15.83      | 3        | Horizontal | 174         | 1.00       |
| 5855MHz_TX                                    | Pass   | AV   | 17.50548G | 43.57          | 68.20          | -24.63      | 3        | Horizontal | 195         | 1.00       |
| 5855MHz_TX                                    | Pass   | PK   | 11.66872G | 51.03          | 74.00          | -22.97      | 3        | Horizontal | 174         | 1.00       |
| 5855MHz_TX                                    | Pass   | PK   | 17.52228G | 57.00          | 88.20          | -31.20      | 3        | Horizontal | 195         | 1.00       |
| 802.11ax HEW80_Nss1,(MCS0),RU 484, #RU 66_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5855MHz_TX                                    | Pass   | AV   | 5.867G    | 88.36          | Inf            | -Inf        | 3        | Vertical   | 133         | 1.50       |
| 5855MHz_TX                                    | Pass   | AV   | 5.9258G   | 51.34          | 68.20          | -16.86      | 3        | Vertical   | 133         | 1.50       |
| 5855MHz_TX                                    | Pass   | PK   | 5.6006G   | 63.42          | 68.20          | -4.78       | 3        | Vertical   | 133         | 1.50       |
| 5855MHz_TX                                    | Pass   | PK   | 5.8622G   | 100.41         | Inf            | -Inf        | 3        | Vertical   | 133         | 1.50       |
| 5855MHz_TX                                    | Pass   | PK   | 5.9342G   | 65.56          | 88.20          | -22.64      | 3        | Vertical   | 133         | 1.50       |
| 5855MHz_TX                                    | Pass   | AV   | 5.8634G   | 94.66          | Inf            | -Inf        | 3        | Horizontal | 292         | 1.01       |
| 5855MHz_TX                                    | Pass   | AV   | 5.9258G   | 52.57          | 68.20          | -15.63      | 3        | Horizontal | 292         | 1.01       |
| 5855MHz_TX                                    | Pass   | PK   | 5.6462G   | 63.00          | 68.20          | -5.20       | 3        | Horizontal | 292         | 1.01       |
| 5855MHz_TX                                    | Pass   | PK   | 5.8598G   | 106.98         | Inf            | -Inf        | 3        | Horizontal | 292         | 1.01       |
| 5855MHz_TX                                    | Pass   | PK   | 5.9342G   | 70.85          | 88.20          | -17.35      | 3        | Horizontal | 292         | 1.01       |
| 5855MHz_TX                                    | Pass   | AV   | 11.7532G  | 38.00          | 54.00          | -16.00      | 3        | Vertical   | 0           | 3.00       |
| 5855MHz_TX                                    | Pass   | AV   | 17.62404G | 39.60          | 68.20          | -28.60      | 3        | Vertical   | 354         | 2.13       |
| 5855MHz_TX                                    | Pass   | PK   | 11.7696G  | 50.38          | 74.00          | -23.62      | 3        | Vertical   | 0           | 3.00       |
| 5855MHz_TX                                    | Pass   | PK   | 17.6202G  | 52.52          | 88.20          | -35.68      | 3        | Vertical   | 354         | 2.13       |
| 5855MHz_TX                                    | Pass   | AV   | 11.66712G | 36.71          | 54.00          | -17.29      | 3        | Horizontal | 195         | 1.50       |
| 5855MHz_TX                                    | Pass   | AV   | 17.62164G | 42.80          | 68.20          | -25.40      | 3        | Horizontal | 198         | 1.05       |
| 5855MHz_TX                                    | Pass   | PK   | 11.662G   | 49.14          | 74.00          | -24.86      | 3        | Horizontal | 195         | 1.50       |
| 5855MHz_TX                                    | Pass   | PK   | 17.6226G  | 55.02          | 88.20          | -33.18      | 3        | Horizontal | 198         | 1.05       |


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

5180MHz\_TX




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

5180MHz\_TX




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

5180MHz\_TX




5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

5180MHz\_TX



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX


5190MHz\_TX



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| AV   | 5.148G   | 49.53    | 54.00 | -4.47  | 11.25  | 3    | Vertical  | 59      | 2.04   | 38.28  | 33.49 | 4.81 | 27.05 |
| AV   | 5.186G   | 85.79    | Inf   | -Inf   | 11.13  | 3    | Vertical  | 59      | 2.04   | 74.66  | 33.36 | 4.83 | 27.06 |
| PK   | 5.1392G  | 63.67    | 74.00 | -10.33 | 11.20  | 3    | Vertical  | 59      | 2.04   | 52.47  | 33.44 | 4.81 | 27.05 |
| PK   | 5.1892G  | 99.13    | Inf   | -Inf   | 11.10  | 3    | Vertical  | 59      | 2.04   | 88.03  | 33.34 | 4.83 | 27.07 |

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX


5190MHz\_TX



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| AV   | 5.15G    | 49.52    | 54.00 | -4.48  | 11.26  | 3    | Horizontal | 283     | 1.00   | 38.26  | 33.50 | 4.81 | 27.05 |
| AV   | 5.1848G  | 90.59    | Inf   | -Inf   | 11.13  | 3    | Horizontal | 283     | 1.00   | 79.46  | 33.36 | 4.83 | 27.06 |
| PK   | 5.1124G  | 63.45    | 74.00 | -10.55 | 11.03  | 3    | Horizontal | 283     | 1.00   | 52.42  | 33.27 | 4.79 | 27.03 |
| PK   | 5.1836G  | 103.63   | Inf   | -Inf   | 11.14  | 3    | Horizontal | 283     | 1.00   | 92.49  | 33.37 | 4.83 | 27.06 |


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX

5190MHz\_TX




5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 61\_1TX

5190MHz\_TX



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX

5210MHz\_TX




5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX

5210MHz\_TX




5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX

5210MHz\_TX




5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 65\_1TX

5210MHz\_TX



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5320MHz\_TX




EUT Z  
Setting 11.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| AV   | 5.3276G      | 91.76             | Inf               | -Inf           | 80.88         | 3           | Vertical  | 134            | 1.03          | -       | 33.10      | 4.90       | 27.12      |
| AV   | 5.3534G      | 49.44             | 54.00             | -4.56          | 38.57         | 3           | Vertical  | 134            | 1.03          | -       | 33.09      | 4.91       | 27.13      |
| PK   | 5.326G       | 104.18            | Inf               | -Inf           | 93.30         | 3           | Vertical  | 134            | 1.03          | -       | 33.10      | 4.90       | 27.12      |
| PK   | 5.359G       | 62.46             | 74.00             | -11.54         | 51.60         | 3           | Vertical  | 134            | 1.03          | -       | 33.08      | 4.91       | 27.13      |

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5320MHz\_TX




EUT Z  
Setting 11.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| AV   | 5.328G       | 99.61             | Inf               | -Inf           | 88.73         | 3           | Horizontal | 278            | 1.02          | -       | 33.10      | 4.90       | 27.12      |
| AV   | 5.3526G      | 49.54             | 54.00             | -4.46          | 38.67         | 3           | Horizontal | 278            | 1.02          | -       | 33.09      | 4.91       | 27.13      |
| PK   | 5.327G       | 112.77            | Inf               | -Inf           | 101.89        | 3           | Horizontal | 278            | 1.02          | -       | 33.10      | 4.90       | 27.12      |
| PK   | 5.3664G      | 62.72             | 74.00             | -11.28         | 51.88         | 3           | Horizontal | 278            | 1.02          | -       | 33.07      | 4.91       | 27.14      |

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5320MHz\_TX




EUT Z  
Setting 11.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| AV   | 10.65464G    | 39.52             | 54.00             | -14.48         | 34.98         | 3           | Vertical  | 174            | 1.06          | -       | 39.20      | 7.42       | 42.08      |  |  |  |
| AV   | 15.96672G    | 37.14             | 54.00             | -16.86         | 32.75         | 3           | Vertical  | 77             | 1.50          | -       | 37.77      | 10.06      | 43.44      |  |  |  |
| PK   | 10.65482G    | 52.93             | 74.00             | -21.07         | 48.38         | 3           | Vertical  | 174            | 1.06          | -       | 39.20      | 7.43       | 42.08      |  |  |  |
| PK   | 15.96984G    | 51.26             | 74.00             | -22.74         | 46.89         | 3           | Vertical  | 77             | 1.50          | -       | 37.76      | 10.06      | 43.45      |  |  |  |

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5320MHz\_TX




EUT Z  
Setting 11.5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| AV   | 10.65446G    | 39.36             | 54.00             | -14.64         | 34.82         | 3           | Horizontal | 201            | 1.02          | -       | 39.20      | 7.42       | 42.08      |  |  |  |
| AV   | 15.9788G     | 37.12             | 54.00             | -16.88         | 32.77         | 3           | Horizontal | 202            | 1.50          | -       | 37.74      | 10.07      | 43.46      |  |  |  |
| PK   | 10.6541G     | 52.73             | 74.00             | -21.27         | 48.19         | 3           | Horizontal | 201            | 1.02          | -       | 39.20      | 7.42       | 42.08      |  |  |  |
| PK   | 15.95304G    | 49.66             | 74.00             | -24.34         | 45.24         | 3           | Horizontal | 202            | 1.50          | -       | 37.79      | 10.06      | 43.43      |  |  |  |


5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5310MHz\_TX




5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5310MHz\_TX



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5310MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 10.63894G    | 39.13             | 54.00             | -14.87         | 4.53           | 3           | Vertical  | 184            | 2.68          | 34.60         | 39.18      | 7.42       | 42.07      |
| AV   | 15.8988G     | 37.05             | 54.00             | -16.95         | 4.57           | 3           | Vertical  | 200            | 1.50          | 32.48         | 37.90      | 10.03      | 43.36      |
| PK   | 10.64126G    | 54.54             | 74.00             | -19.46         | 4.53           | 3           | Vertical  | 184            | 2.68          | 50.01         | 39.18      | 7.42       | 42.07      |
| PK   | 15.94392G    | 49.48             | 74.00             | -24.52         | 4.45           | 3           | Vertical  | 200            | 1.50          | 45.03         | 37.81      | 10.05      | 43.41      |

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5310MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 10.63982G    | 37.66             | 54.00             | -16.34         | 4.53           | 3           | Horizontal | 292            | 1.00          | 33.13         | 39.18      | 7.42       | 42.07      |
| AV   | 15.89448G    | 37.14             | 54.00             | -16.86         | 4.56           | 3           | Horizontal | 360            | 1.66          | 32.58         | 37.89      | 10.03      | 43.36      |
| PK   | 10.63614G    | 51.83             | 74.00             | -22.17         | 4.53           | 3           | Horizontal | 292            | 1.00          | 47.30         | 39.17      | 7.42       | 42.06      |
| PK   | 15.91992G    | 49.56             | 74.00             | -24.44         | 4.51           | 3           | Horizontal | 360            | 1.66          | 45.05         | 37.86      | 10.04      | 43.39      |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5290MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.144G    | 49.52          | 54.00          | -4.48       | 11.22       | 3        | Vertical  | 79          | 1.19       | 38.30      | 33.46   | 4.81    | 27.05   |
| AV   | 5.305G    | 80.49          | Inf            | -Inf        | 10.88       | 3        | Vertical  | 79          | 1.19       | 69.61      | 33.10   | 4.89    | 27.11   |
| AV   | 5.353G    | 49.79          | 54.00          | -4.21       | 10.87       | 3        | Vertical  | 79          | 1.19       | 38.92      | 33.09   | 4.91    | 27.13   |
| PK   | 5.144G    | 62.06          | 74.00          | -11.94      | 11.22       | 3        | Vertical  | 79          | 1.19       | 50.84      | 33.46   | 4.81    | 27.05   |
| PK   | 5.299G    | 93.28          | Inf            | -Inf        | 10.87       | 3        | Vertical  | 79          | 1.19       | 82.41      | 33.10   | 4.88    | 27.11   |
| PK   | 5.4G      | 63.20          | 74.00          | -10.80      | 10.78       | 3        | Vertical  | 79          | 1.19       | 52.42      | 33.00   | 4.93    | 27.15   |
| PK   | 5.481G    | 62.91          | 68.20          | -5.29       | 10.96       | 3        | Vertical  | 79          | 1.19       | 51.95      | 33.19   | 4.95    | 27.18   |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5290MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.147G    | 49.36          | 54.00          | -4.64       | 11.24       | 3        | Horizontal | 276         | 1.00       | 38.12      | 33.48   | 4.81    | 27.05   |
| AV   | 5.316G    | 87.20          | Inf            | -Inf        | 10.87       | 3        | Horizontal | 276         | 1.00       | 76.33      | 33.10   | 4.89    | 27.12   |
| AV   | 5.358G    | 50.10          | 54.00          | -3.90       | 10.86       | 3        | Horizontal | 276         | 1.00       | 39.24      | 33.08   | 4.91    | 27.13   |
| PK   | 5.117G    | 63.12          | 74.00          | -10.88      | 11.05       | 3        | Horizontal | 276         | 1.00       | 52.07      | 33.30   | 4.79    | 27.04   |
| PK   | 5.322G    | 100.24         | Inf            | -Inf        | 10.87       | 3        | Horizontal | 276         | 1.00       | 89.37      | 33.10   | 4.89    | 27.12   |
| PK   | 5.373G    | 62.75          | 74.00          | -11.25      | 10.83       | 3        | Horizontal | 276         | 1.00       | 51.92      | 33.05   | 4.92    | 27.14   |
| PK   | 5.524G    | 63.25          | 68.20          | -4.95       | 11.01       | 3        | Horizontal | 276         | 1.00       | 52.24      | 33.25   | 4.96    | 27.20   |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5290MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 10.6104G     | 36.20             | 54.00             | -17.80         | 4.49           | 3           | Vertical  | 11             | 1.51          | 31.71         | 39.12      | 7.41       | 42.04      |
| AV   | 15.75672G    | 37.26             | 54.00             | -16.74         | 5.03           | 3           | Vertical  | 304            | 1.50          | 32.23         | 38.27      | 9.96       | 43.20      |
| PK   | 10.65776G    | 48.80             | 74.00             | -25.20         | 4.55           | 3           | Vertical  | 11             | 1.51          | 44.25         | 39.20      | 7.43       | 42.08      |
| PK   | 15.75544G    | 51.03             | 74.00             | -22.97         | 5.04           | 3           | Vertical  | 304            | 1.50          | 45.99         | 38.28      | 9.96       | 43.20      |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5290MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 10.66752G    | 36.30             | 54.00             | -17.70         | 4.54           | 3           | Horizontal | 0              | 1.50          | 31.76         | 39.20      | 7.43       | 42.09      |
| AV   | 15.75192G    | 37.29             | 54.00             | -16.71         | 5.05           | 3           | Horizontal | 178            | 1.50          | 32.24         | 38.29      | 9.95       | 43.19      |
| PK   | 10.66592G    | 48.89             | 74.00             | -25.11         | 4.54           | 3           | Horizontal | 0              | 1.50          | 44.35         | 39.20      | 7.43       | 42.09      |
| PK   | 15.77928G    | 50.65             | 74.00             | -23.35         | 4.93           | 3           | Horizontal | 178            | 1.50          | 45.72         | 38.18      | 9.97       | 43.22      |


5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5700MHz\_TX




5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5700MHz\_TX




5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5700MHz\_TX




5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5700MHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5670MHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5670MHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5670MHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5670MHz\_TX




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5610MHz\_TX




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5610MHz\_TX




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5610MHz\_TX




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5610MHz\_TX



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


5825MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.8334G      | 97.05             | Inf               | -Inf           | 12.11          | 3           | Vertical  | 131            | 2.24          | 84.94         | 34.27      | 5.16       | 27.32      |
| PK   | 5.5478G      | 62.26             | 68.20             | -5.94          | 10.96          | 3           | Vertical  | 131            | 2.24          | 51.30         | 33.20      | 4.97       | 27.21      |
| PK   | 5.8334G      | 109.40            | Inf               | -Inf           | 12.11          | 3           | Vertical  | 131            | 2.24          | 97.29         | 34.27      | 5.16       | 27.32      |
| PK   | 6.0194G      | 65.23             | 68.20             | -2.97          | 12.09          | 3           | Vertical  | 131            | 2.24          | 53.14         | 34.40      | 5.09       | 27.40      |

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


5825MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.8334G      | 102.65            | Inf               | -Inf           | 12.11          | 3           | Horizontal | 293            | 1.00          | 90.54         | 34.27      | 5.16       | 27.32      |
| PK   | 5.615G       | 63.06             | 68.20             | -5.14          | 11.03          | 3           | Horizontal | 293            | 1.00          | 52.03         | 33.26      | 5.00       | 27.23      |
| PK   | 5.8322G      | 115.29            | Inf               | -Inf           | 12.10          | 3           | Horizontal | 293            | 1.00          | 103.19        | 34.26      | 5.16       | 27.32      |
| PK   | 6.005G       | 64.47             | 68.20             | -3.73          | 12.08          | 3           | Horizontal | 293            | 1.00          | 52.39         | 34.40      | 5.07       | 27.39      |


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5825MHz\_TX




5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

5825MHz\_TX



5.725-5.85GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5795MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.801G       | 93.94             | Inf               | -Inf           | 12.08          | 3           | Vertical  | 132            | 2.18          | 81.86         | 34.20      | 5.18       | 27.30      |
| PK   | 5.507G       | 62.64             | 68.20             | -5.56          | 11.06          | 3           | Vertical  | 132            | 2.18          | 51.58         | 33.29      | 4.96       | 27.19      |
| PK   | 5.7998G      | 106.33            | Inf               | -Inf           | 12.08          | 3           | Vertical  | 132            | 2.18          | 94.25         | 34.20      | 5.18       | 27.30      |
| PK   | 5.9714G      | 63.87             | 68.20             | -4.33          | 12.12          | 3           | Vertical  | 132            | 2.18          | 51.75         | 34.40      | 5.09       | 27.37      |

5.725-5.85GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5795MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.7998G      | 99.89             | Inf               | -Inf           | 12.08          | 3           | Horizontal | 292            | 1.00          | 87.81         | 34.20      | 5.18       | 27.30      |
| PK   | 5.6066G      | 63.44             | 68.20             | -4.76          | 10.99          | 3           | Horizontal | 292            | 1.00          | 52.45         | 33.23      | 4.99       | 27.23      |
| PK   | 5.7998G      | 113.37            | Inf               | -Inf           | 12.08          | 3           | Horizontal | 292            | 1.00          | 101.29        | 34.20      | 5.18       | 27.30      |
| PK   | 5.9822G      | 64.91             | 68.20             | -3.29          | 12.11          | 3           | Horizontal | 292            | 1.00          | 52.80         | 34.40      | 5.08       | 27.37      |


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5795MHz\_TX




5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX

5795MHz\_TX



5.725-5.85GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5775MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.7906G      | 85.85             | Inf               | -Inf           | 12.03          | 3           | Vertical  | 132            | 2.29          | 73.82         | 34.16      | 5.17       | 27.30      |
| PK   | 5.517G       | 62.77             | 68.20             | -5.43          | 11.03          | 3           | Vertical  | 132            | 2.29          | 51.74         | 33.27      | 4.96       | 27.20      |
| PK   | 5.7906G      | 98.38             | Inf               | -Inf           | 12.03          | 3           | Vertical  | 132            | 2.29          | 86.35         | 34.16      | 5.17       | 27.30      |
| PK   | 5.9346G      | 64.07             | 68.20             | -4.13          | 12.18          | 3           | Vertical  | 132            | 2.29          | 51.89         | 34.43      | 5.11       | 27.36      |

5.725-5.85GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5775MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.8038G      | 91.89             | Inf               | -Inf           | 12.08          | 3           | Horizontal | 292            | 1.01          | 79.81         | 34.21      | 5.18       | 27.31      |
| PK   | 5.6058G      | 62.99             | 68.20             | -5.21          | 10.98          | 3           | Horizontal | 292            | 1.01          | 52.01         | 33.22      | 4.99       | 27.23      |
| PK   | 5.8074G      | 104.93            | Inf               | -Inf           | 12.08          | 3           | Horizontal | 292            | 1.01          | 92.85         | 34.21      | 5.18       | 27.31      |
| PK   | 5.973G       | 64.64             | 68.20             | -3.56          | 12.11          | 3           | Horizontal | 292            | 1.01          | 52.53         | 34.40      | 5.08       | 27.37      |


5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5775MHz\_TX




5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5775MHz\_TX



5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


5865MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.8626G      | 92.98             | Inf               | -Inf           | 12.17          | 3           | Vertical  | 133            | 1.50          | 80.81         | 34.35      | 5.15       | 27.33      |
| AV   | 6.0054G      | 51.14             | 68.20             | -17.06         | 12.08          | 3           | Vertical  | 133            | 1.50          | 39.06         | 34.40      | 5.07       | 27.39      |
| PK   | 5.6286G      | 62.00             | 68.20             | -6.20          | 11.08          | 3           | Vertical  | 133            | 1.50          | 50.92         | 33.31      | 5.01       | 27.24      |
| PK   | 5.8578G      | 104.98            | Inf               | -Inf           | 12.15          | 3           | Vertical  | 133            | 1.50          | 92.83         | 34.33      | 5.15       | 27.33      |
| PK   | 6.0186G      | 64.88             | 88.20             | -23.32         | 12.08          | 3           | Vertical  | 133            | 1.50          | 52.80         | 34.40      | 5.08       | 27.40      |

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


5865MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.8566G      | 99.12             | Inf               | -Inf           | 12.15          | 3           | Horizontal | 291            | 1.08          | 86.97         | 34.33      | 5.15       | 27.33      |
| AV   | 6.021G       | 51.27             | 68.20             | -16.93         | 12.08          | 3           | Horizontal | 291            | 1.08          | 39.19         | 34.40      | 5.09       | 27.41      |
| PK   | 5.6118G      | 63.17             | 68.20             | -5.03          | 11.01          | 3           | Horizontal | 291            | 1.08          | 52.16         | 33.25      | 4.99       | 27.23      |
| PK   | 5.8626G      | 110.03            | Inf               | -Inf           | 12.17          | 3           | Horizontal | 291            | 1.08          | 97.86         | 34.35      | 5.15       | 27.33      |
| PK   | 6.1122G      | 64.73             | 88.20             | -23.47         | 11.99          | 3           | Horizontal | 291            | 1.08          | 52.74         | 34.35      | 5.16       | 27.52      |

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


5865MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.7197G     | 42.89             | 54.00             | -11.11         | 4.89           | 3           | Vertical  | 354            | 2.70          | 38.00         | 39.00      | 7.87       | 41.98      |
| AV   | 17.57907G    | 43.06             | 68.20             | -25.14         | 5.59           | 3           | Vertical  | 183            | 2.12          | 37.47         | 38.30      | 10.48      | 43.19      |
| PK   | 11.72012G    | 57.77             | 74.00             | -16.23         | 4.89           | 3           | Vertical  | 354            | 2.70          | 52.88         | 39.00      | 7.87       | 41.98      |
| PK   | 17.58711G    | 60.38             | 88.20             | -27.82         | 5.58           | 3           | Vertical  | 183            | 2.12          | 54.80         | 38.30      | 10.48      | 43.20      |

5.85-5.895GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


5865MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.71928G    | 38.91             | 54.00             | -15.09         | 4.89           | 3           | Horizontal | 173            | 1.07          | 34.02         | 39.00      | 7.87       | 41.98      |
| AV   | 17.57889G    | 44.75             | 68.20             | -23.45         | 5.59           | 3           | Horizontal | 197            | 1.00          | 39.16         | 38.30      | 10.48      | 43.19      |
| PK   | 11.72138G    | 52.14             | 74.00             | -21.86         | 4.89           | 3           | Horizontal | 173            | 1.07          | 47.25         | 39.00      | 7.87       | 41.98      |
| PK   | 17.58807G    | 61.78             | 88.20             | -26.42         | 5.58           | 3           | Horizontal | 197            | 1.00          | 56.20         | 38.30      | 10.48      | 43.20      |

5.85-5.895GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5875MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|--|--|--|--|
| AV   | 5.8798G      | 93.30             | Inf               | -Inf           | 12.23          | 3           | Vertical  | 131            | 2.17          | 81.07         | 34.42      | 5.14       | 27.33      |  |  |  |  |
| AV   | 5.9254G      | 51.49             | 68.20             | -16.71         | 12.21          | 3           | Vertical  | 131            | 2.17          | 39.28         | 34.45      | 5.11       | 27.35      |  |  |  |  |
| PK   | 5.575G       | 62.26             | 68.20             | -5.94          | 10.95          | 3           | Vertical  | 131            | 2.17          | 51.31         | 33.20      | 4.97       | 27.22      |  |  |  |  |
| PK   | 5.8882G      | 105.77            | Inf               | -Inf           | 12.24          | 3           | Vertical  | 131            | 2.17          | 93.53         | 34.45      | 5.13       | 27.34      |  |  |  |  |
| PK   | 5.9266G      | 69.96             | 88.20             | -18.24         | 12.21          | 3           | Vertical  | 131            | 2.17          | 57.75         | 34.45      | 5.11       | 27.35      |  |  |  |  |

5.85-5.895GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5875MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|--|--|--|--|
| AV   | 5.8798G      | 96.75             | Inf               | -Inf           | 12.23          | 3           | Horizontal | 215            | 1.10          | 84.52         | 34.42      | 5.14       | 27.33      |  |  |  |  |
| AV   | 5.8954G      | 73.79             | 89.91             | -16.12         | 12.27          | 3           | Horizontal | 215            | 1.10          | 61.52         | 34.48      | 5.13       | 27.34      |  |  |  |  |
| PK   | 5.6374G      | 63.05             | 68.20             | -5.15          | 11.13          | 3           | Horizontal | 215            | 1.10          | 51.92         | 33.35      | 5.02       | 27.24      |  |  |  |  |
| PK   | 5.8846G      | 109.24            | Inf               | -Inf           | 12.23          | 3           | Horizontal | 215            | 1.10          | 97.01         | 34.44      | 5.13       | 27.34      |  |  |  |  |
| PK   | 5.9374G      | 73.08             | 88.20             | -15.12         | 12.17          | 3           | Horizontal | 215            | 1.10          | 60.91         | 34.43      | 5.10       | 27.36      |  |  |  |  |

5.85-5.895GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5875MHz\_TX



| Type | Freq      | Level    | Limit | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL    | PA    |
|------|-----------|----------|-------|--------|--------|------|-----------|---------|--------|--------|-------|-------|-------|
| (Hz) | (dBuV/m)  | (dBuV/m) | (dB)  | (dB)   | (m)    |      |           | (°)     | (m)    | (dBuV) | (dB)  | (dB)  | (dB)  |
| AV   | 11.76888G | 41.75    | 54.00 | -12.25 | 4.82   | 3    | Vertical  | 354     | 3.00   | 36.93  | 38.96 | 7.89  | 42.03 |
| AV   | 17.65188G | 45.42    | 68.20 | -22.78 | 5.77   | 3    | Vertical  | 184     | 2.27   | 39.65  | 38.52 | 10.50 | 43.25 |
| PK   | 11.77064G | 53.43    | 74.00 | -20.57 | 4.82   | 3    | Vertical  | 354     | 3.00   | 48.61  | 38.96 | 7.89  | 42.03 |
| PK   | 17.661G   | 58.89    | 88.20 | -29.31 | 5.83   | 3    | Vertical  | 184     | 2.27   | 53.06  | 38.59 | 10.50 | 43.26 |

5.85-5.895GHz\_802.11ax\_HEW40\_Nss1,(MCS0),RU 242,#RU 62\_1TX


5875MHz\_TX



| Type | Freq      | Level    | Limit | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL    | PA    |
|------|-----------|----------|-------|--------|--------|------|------------|---------|--------|--------|-------|-------|-------|
| (Hz) | (dBuV/m)  | (dBuV/m) | (dB)  | (dB)   | (m)    |      |            | (°)     | (m)    | (dBuV) | (dB)  | (dB)  | (dB)  |
| AV   | 11.76952G | 38.08    | 54.00 | -15.92 | 4.82   | 3    | Horizontal | 176     | 1.21   | 33.26  | 38.96 | 7.89  | 42.03 |
| AV   | 17.65092G | 46.98    | 68.20 | -21.22 | 5.76   | 3    | Horizontal | 198     | 1.04   | 41.22  | 38.51 | 10.50 | 43.25 |
| PK   | 11.7644G  | 50.45    | 74.00 | -23.55 | 4.84   | 3    | Horizontal | 176     | 1.21   | 45.61  | 38.97 | 7.89  | 42.02 |
| PK   | 17.66172G | 60.80    | 88.20 | -27.40 | 5.83   | 3    | Horizontal | 198     | 1.04   | 54.97  | 38.59 | 10.50 | 43.26 |

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5855MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.867G    | 88.36          | Inf            | -Inf        | 12.18       | 3        | Vertical  | 133         | 1.50       | 76.18      | 34.37   | 5.14    | 27.33   |
| AV   | 5.9258G   | 51.34          | 68.20          | -16.86      | 12.21       | 3        | Vertical  | 133         | 1.50       | 39.13      | 34.45   | 5.11    | 27.35   |
| PK   | 5.6006G   | 63.42          | 68.20          | -4.78       | 10.95       | 3        | Vertical  | 133         | 1.50       | 52.47      | 33.20   | 4.98    | 27.23   |
| PK   | 5.8622G   | 100.41         | Inf            | -Inf        | 12.17       | 3        | Vertical  | 133         | 1.50       | 88.24      | 34.35   | 5.15    | 27.33   |
| PK   | 5.9342G   | 65.56          | 88.20          | -22.64      | 12.19       | 3        | Vertical  | 133         | 1.50       | 53.37      | 34.43   | 5.11    | 27.35   |

5.85-5.895GHz\_802.11ax HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5855MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.8634G   | 94.66          | Inf            | -Inf        | 12.17       | 3        | Horizontal | 292         | 1.01       | 82.49      | 34.35   | 5.15    | 27.33   |
| AV   | 5.9258G   | 52.57          | 68.20          | -15.63      | 12.21       | 3        | Horizontal | 292         | 1.01       | 40.36      | 34.45   | 5.11    | 27.35   |
| PK   | 5.6462G   | 63.00          | 68.20          | -5.20       | 11.16       | 3        | Horizontal | 292         | 1.01       | 51.84      | 33.38   | 5.03    | 27.25   |
| PK   | 5.8598G   | 106.98         | Inf            | -Inf        | 12.16       | 3        | Horizontal | 292         | 1.01       | 94.82      | 34.34   | 5.15    | 27.33   |
| PK   | 5.9342G   | 70.85          | 88.20          | -17.35      | 12.19       | 3        | Horizontal | 292         | 1.01       | 58.66      | 34.43   | 5.11    | 27.35   |

5.85-5.895GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX


5855MHz\_TX



| Type | Freq      | Level    | Limit | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL    | PA    |
|------|-----------|----------|-------|--------|--------|------|-----------|---------|--------|--------|-------|-------|-------|
| (Hz) | (dBuV/m)  | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB)  | (dB)  |
| AV   | 11.7532G  | 38.00    | 54.00 | -16.00 | 4.87   | 3    | Vertical  | 0       | 3.00   | 33.13  | 38.99 | 7.89  | 42.01 |
| AV   | 17.62404G | 39.60    | 68.20 | -28.60 | 5.66   | 3    | Vertical  | 354     | 2.13   | 33.94  | 38.40 | 10.49 | 43.23 |
| PK   | 11.76696G | 50.38    | 74.00 | -23.62 | 4.84   | 3    | Vertical  | 0       | 3.00   | 45.54  | 38.97 | 7.89  | 42.02 |
| PK   | 17.6202G  | 52.52    | 88.20 | -35.68 | 5.64   | 3    | Vertical  | 354     | 2.13   | 46.88  | 38.38 | 10.49 | 43.23 |

5.85-5.895GHz\_802.11ax\_HEW80\_Nss1,(MCS0),RU 484,#RU 66\_1TX

5855MHz\_TX



| Type | Freq      | Level    | Limit | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL    | PA    |
|------|-----------|----------|-------|--------|--------|------|------------|---------|--------|--------|-------|-------|-------|
| (Hz) | (dBuV/m)  | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB)  | (dB)  |
| AV   | 11.66712G | 36.71    | 54.00 | -17.29 | 4.78   | 3    | Horizontal | 195     | 1.50   | 31.93  | 38.87 | 7.85  | 41.94 |
| AV   | 17.62164G | 42.80    | 68.20 | -25.40 | 5.65   | 3    | Horizontal | 198     | 1.05   | 37.15  | 38.39 | 10.49 | 43.23 |
| PK   | 11.662G   | 49.14    | 74.00 | -24.86 | 4.77   | 3    | Horizontal | 195     | 1.50   | 44.37  | 38.85 | 7.85  | 41.93 |
| PK   | 17.6226G  | 55.02    | 88.20 | -33.18 | 5.65   | 3    | Horizontal | 198     | 1.05   | 49.37  | 38.39 | 10.49 | 43.23 |