

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.445G	58.77	74.00	-15.23	3	Horizontal	312	1.38
5580MHz	Pass	PK	5.4666G	59.54	68.20	-8.66	3	Horizontal	312	1.38
5580MHz	Pass	PK	5.5776G	110.97	Inf	-Inf	3	Horizontal	312	1.38
5580MHz	Pass	PK	5.7276G	59.82	68.20	-8.38	3	Horizontal	312	1.38
5580MHz	Pass	AV	11.16376G	38.39	54.00	-15.61	3	Vertical	0	2.43
5580MHz	Pass	PK	11.16424G	53.16	74.00	-20.84	3	Vertical	0	2.43
5580MHz	Pass	AV	11.1638G	38.41	54.00	-15.59	3	Horizontal	353	1.50
5580MHz	Pass	PK	11.1626G	52.31	74.00	-21.69	3	Horizontal	353	1.50
5700MHz	Pass	AV	5.694G	101.70	Inf	-Inf	3	Vertical	21	2.57
5700MHz	Pass	PK	5.6936G	112.03	Inf	-Inf	3	Vertical	21	2.57
5700MHz	Pass	PK	5.7764G	61.85	68.20	-6.35	3	Vertical	21	2.57
5700MHz	Pass	AV	5.7012G	100.87	Inf	-Inf	3	Horizontal	308	1.15
5700MHz	Pass	PK	5.696G	111.39	Inf	-Inf	3	Horizontal	308	1.15
5700MHz	Pass	PK	5.7532G	61.15	68.20	-7.05	3	Horizontal	308	1.15
5700MHz	Pass	AV	11.40252G	38.71	54.00	-15.29	3	Vertical	61	1.50
5700MHz	Pass	PK	11.40524G	53.68	74.00	-20.32	3	Vertical	61	1.50
5700MHz	Pass	AV	11.40044G	38.77	54.00	-15.23	3	Horizontal	358	1.50
5700MHz	Pass	PK	11.39608G	53.11	74.00	-20.89	3	Horizontal	358	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	45.76	54.00	-8.24	3	Vertical	22	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	100.96	Inf	-Inf	3	Vertical	22	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	59.81	74.00	-14.19	3	Vertical	22	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.63	68.20	-8.57	3	Vertical	22	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	111.30	Inf	-Inf	3	Vertical	22	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8808G	62.07	68.20	-6.13	3	Vertical	22	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	45.81	54.00	-8.19	3	Horizontal	310	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	100.61	Inf	-Inf	3	Horizontal	310	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	58.78	74.00	-15.22	3	Horizontal	310	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.27	68.20	-9.93	3	Horizontal	310	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	110.91	Inf	-Inf	3	Horizontal	310	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	62.28	68.20	-5.92	3	Horizontal	310	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4318G	38.50	54.00	-15.50	3	Vertical	245	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4456G	52.78	74.00	-21.22	3	Vertical	245	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43236G	38.53	54.00	-15.47	3	Horizontal	255	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43416G	52.68	74.00	-21.32	3	Horizontal	255	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1466G	45.09	54.00	-8.91	3	Vertical	7	2.37
5260MHz	Pass	AV	5.2528G	100.89	Inf	-Inf	3	Vertical	7	2.37
5260MHz	Pass	AV	5.4094G	46.33	54.00	-7.67	3	Vertical	7	2.37
5260MHz	Pass	PK	5.1274G	58.11	74.00	-15.89	3	Vertical	7	2.37
5260MHz	Pass	PK	5.2522G	113.88	Inf	-Inf	3	Vertical	7	2.37
5260MHz	Pass	PK	5.3554G	60.18	74.00	-13.82	3	Vertical	7	2.37
5260MHz	Pass	AV	5.1466G	45.27	54.00	-8.73	3	Horizontal	311	1.69
5260MHz	Pass	AV	5.2582G	101.25	Inf	-Inf	3	Horizontal	311	1.69
5260MHz	Pass	AV	5.3986G	46.39	54.00	-7.61	3	Horizontal	311	1.69
5260MHz	Pass	PK	5.1442G	58.83	74.00	-15.17	3	Horizontal	311	1.69
5260MHz	Pass	PK	5.2546G	114.47	Inf	-Inf	3	Horizontal	311	1.69
5260MHz	Pass	PK	5.4076G	60.13	74.00	-13.87	3	Horizontal	311	1.69
5260MHz	Pass	PK	10.51524G	52.11	68.20	-16.09	3	Vertical	178	2.02
5260MHz	Pass	PK	10.51656G	52.07	68.20	-16.13	3	Horizontal	137	2.24
5300MHz	Pass	AV	5.2932G	100.30	Inf	-Inf	3	Vertical	10	2.20
5300MHz	Pass	AV	5.3608G	45.58	54.00	-8.42	3	Vertical	10	2.20
5300MHz	Pass	PK	5.294G	113.42	Inf	-Inf	3	Vertical	10	2.20
5300MHz	Pass	PK	5.3884G	59.34	74.00	-14.66	3	Vertical	10	2.20
5300MHz	Pass	AV	5.2972G	100.71	Inf	-Inf	3	Horizontal	315	1.50
5300MHz	Pass	AV	5.3508G	45.68	54.00	-8.32	3	Horizontal	315	1.50
5300MHz	Pass	PK	5.2944G	113.51	Inf	-Inf	3	Horizontal	315	1.50
5300MHz	Pass	PK	5.3832G	59.57	74.00	-14.43	3	Horizontal	315	1.50
5300MHz	Pass	AV	10.60752G	38.23	54.00	-15.77	3	Vertical	154	1.50
5300MHz	Pass	PK	10.59976G	52.75	68.20	-15.45	3	Vertical	154	1.50
5300MHz	Pass	AV	10.607G	38.24	54.00	-15.76	3	Horizontal	85	2.43
5300MHz	Pass	PK	10.5958G	52.32	68.20	-15.88	3	Horizontal	85	2.43
5320MHz	Pass	AV	5.3112G	100.46	Inf	-Inf	3	Vertical	6	2.33



RSE TX above 1GHz Non-Beamforming Radio 2 Full RU

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3516G	45.92	54.00	-8.08	3	Vertical	6	2.33
5320MHz	Pass	PK	5.3132G	113.48	Inf	-Inf	3	Vertical	6	2.33
5320MHz	Pass	PK	5.3532G	59.85	74.00	-14.15	3	Vertical	6	2.33
5320MHz	Pass	AV	5.3178G	100.80	Inf	-Inf	3	Horizontal	312	1.73
5320MHz	Pass	AV	5.3542G	45.77	54.00	-8.23	3	Horizontal	312	1.73
5320MHz	Pass	PK	5.3166G	113.93	Inf	-Inf	3	Horizontal	312	1.73
5320MHz	Pass	PK	5.354G	59.41	74.00	-14.59	3	Horizontal	312	1.73
5320MHz	Pass	AV	10.64028G	38.25	54.00	-15.75	3	Vertical	360	1.50
5320MHz	Pass	PK	10.63984G	52.84	74.00	-21.16	3	Vertical	360	1.50
5320MHz	Pass	AV	10.64032G	38.26	54.00	-15.74	3	Horizontal	156	1.50
5320MHz	Pass	PK	10.6378G	52.57	74.00	-21.43	3	Horizontal	156	1.50
5500MHz	Pass	AV	5.4598G	45.96	54.00	-8.04	3	Vertical	5	2.33
5500MHz	Pass	AV	5.4916G	102.35	Inf	-Inf	3	Vertical	5	2.33
5500MHz	Pass	PK	5.4502G	59.64	74.00	-14.36	3	Vertical	5	2.33
5500MHz	Pass	PK	5.4696G	60.05	68.20	-8.15	3	Vertical	5	2.33
5500MHz	Pass	PK	5.4922G	115.16	Inf	-Inf	3	Vertical	5	2.33
5500MHz	Pass	AV	5.4576G	46.01	54.00	-7.99	3	Horizontal	314	1.40
5500MHz	Pass	AV	5.4938G	101.45	Inf	-Inf	3	Horizontal	314	1.40
5500MHz	Pass	PK	5.4554G	60.14	74.00	-13.86	3	Horizontal	314	1.40
5500MHz	Pass	PK	5.4634G	59.32	68.20	-8.88	3	Horizontal	314	1.40
5500MHz	Pass	PK	5.4932G	114.38	Inf	-Inf	3	Horizontal	314	1.40
5500MHz	Pass	AV	10.99108G	38.26	54.00	-15.74	3	Vertical	162	1.40
5500MHz	Pass	PK	11.007G	52.59	74.00	-21.41	3	Vertical	162	1.40
5500MHz	Pass	AV	10.99124G	38.18	54.00	-15.82	3	Horizontal	314	2.49
5500MHz	Pass	PK	10.99104G	52.33	74.00	-21.67	3	Horizontal	314	2.49
5580MHz	Pass	AV	5.4576G	45.82	54.00	-8.18	3	Vertical	22	2.45
5580MHz	Pass	AV	5.5722G	102.06	Inf	-Inf	3	Vertical	22	2.45
5580MHz	Pass	PK	5.433G	59.02	74.00	-14.98	3	Vertical	22	2.45
5580MHz	Pass	PK	5.4642G	59.38	68.20	-8.82	3	Vertical	22	2.45
5580MHz	Pass	PK	5.5722G	114.71	Inf	-Inf	3	Vertical	22	2.45
5580MHz	Pass	PK	5.7258G	61.09	68.20	-7.11	3	Vertical	22	2.45
5580MHz	Pass	AV	5.4594G	45.84	54.00	-8.16	3	Horizontal	313	1.35
5580MHz	Pass	AV	5.571G	100.91	Inf	-Inf	3	Horizontal	313	1.35
5580MHz	Pass	PK	5.451G	59.81	74.00	-14.19	3	Horizontal	313	1.35
5580MHz	Pass	PK	5.4624G	59.11	68.20	-9.09	3	Horizontal	313	1.35
5580MHz	Pass	PK	5.5728G	114.53	Inf	-Inf	3	Horizontal	313	1.35
5580MHz	Pass	PK	5.73G	60.11	68.20	-8.09	3	Horizontal	313	1.35
5580MHz	Pass	AV	11.1638G	38.43	54.00	-15.57	3	Vertical	320	1.50
5580MHz	Pass	PK	11.15312G	52.65	74.00	-21.35	3	Vertical	320	1.50
5580MHz	Pass	AV	11.16012G	38.44	54.00	-15.56	3	Horizontal	278	1.50
5580MHz	Pass	PK	11.1664G	53.03	74.00	-20.97	3	Horizontal	278	1.50
5700MHz	Pass	AV	5.6928G	101.73	Inf	-Inf	3	Vertical	19	2.62
5700MHz	Pass	PK	5.6924G	115.13	Inf	-Inf	3	Vertical	19	2.62
5700MHz	Pass	PK	5.7332G	61.14	68.20	-7.06	3	Vertical	19	2.62
5700MHz	Pass	AV	5.7068G	100.89	Inf	-Inf	3	Horizontal	310	1.24
5700MHz	Pass	PK	5.7088G	113.70	Inf	-Inf	3	Horizontal	310	1.24
5700MHz	Pass	PK	5.7252G	61.82	68.20	-6.38	3	Horizontal	310	1.24
5700MHz	Pass	AV	11.40192G	38.78	54.00	-15.22	3	Vertical	289	1.89
5700MHz	Pass	PK	11.4016G	52.86	74.00	-21.14	3	Vertical	289	1.89
5700MHz	Pass	AV	11.40148G	38.75	54.00	-15.25	3	Horizontal	118	1.50
5700MHz	Pass	PK	11.40232G	52.82	74.00	-21.18	3	Horizontal	118	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	45.91	54.00	-8.09	3	Vertical	35	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	101.18	Inf	-Inf	3	Vertical	35	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	59.47	74.00	-14.53	3	Vertical	35	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.67	68.20	-9.53	3	Vertical	35	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	113.51	Inf	-Inf	3	Vertical	35	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9624G	62.56	68.20	-5.64	3	Vertical	35	2.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	45.81	54.00	-8.19	3	Horizontal	311	1.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	100.66	Inf	-Inf	3	Horizontal	311	1.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	59.70	74.00	-14.30	3	Horizontal	311	1.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.38	68.20	-8.82	3	Horizontal	311	1.11
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	113.37	Inf	-Inf	3	Horizontal	311	1.11



RSE TX above 1GHz Non-Beamforming Radio 2 Full RU

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9372G	62.27	68.20	-5.93	3	Horizontal	311	1.11
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43192G	38.53	54.00	-15.47	3	Vertical	109	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43092G	52.90	74.00	-21.10	3	Vertical	109	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43104G	38.53	54.00	-15.47	3	Horizontal	214	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4464G	53.07	74.00	-20.93	3	Horizontal	214	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2776G	96.69	Inf	-Inf	3	Vertical	349	2.02
5270MHz	Pass	AV	5.3604G	46.24	54.00	-7.76	3	Vertical	349	2.02
5270MHz	Pass	PK	5.2784G	109.57	Inf	-Inf	3	Vertical	349	2.02
5270MHz	Pass	PK	5.3684G	59.56	74.00	-14.44	3	Vertical	349	2.02
5270MHz	Pass	AV	5.2676G	98.47	Inf	-Inf	3	Horizontal	313	1.62
5270MHz	Pass	AV	5.3504G	46.45	54.00	-7.55	3	Horizontal	313	1.62
5270MHz	Pass	PK	5.266G	112.31	Inf	-Inf	3	Horizontal	313	1.62
5270MHz	Pass	PK	5.3528G	60.44	74.00	-13.56	3	Horizontal	313	1.62
5270MHz	Pass	PK	10.5516G	52.01	68.20	-16.19	3	Vertical	149	2.02
5270MHz	Pass	PK	10.53536G	52.43	68.20	-15.77	3	Horizontal	305	1.50
5310MHz	Pass	AV	5.3048G	97.22	Inf	-Inf	3	Vertical	8	2.50
5310MHz	Pass	AV	5.35G	46.15	54.00	-7.85	3	Vertical	8	2.50
5310MHz	Pass	PK	5.3272G	109.90	Inf	-Inf	3	Vertical	8	2.50
5310MHz	Pass	PK	5.374G	59.62	74.00	-14.38	3	Vertical	8	2.50
5310MHz	Pass	AV	5.3064G	97.82	Inf	-Inf	3	Horizontal	313	1.61
5310MHz	Pass	AV	5.35G	46.78	54.00	-7.22	3	Horizontal	313	1.61
5310MHz	Pass	PK	5.3092G	110.96	Inf	-Inf	3	Horizontal	313	1.61
5310MHz	Pass	PK	5.352G	60.94	74.00	-13.06	3	Horizontal	313	1.61
5310MHz	Pass	AV	10.63928G	38.26	54.00	-15.74	3	Vertical	160	1.50
5310MHz	Pass	PK	10.6356G	52.59	74.00	-21.41	3	Vertical	160	1.50
5310MHz	Pass	AV	10.6084G	38.28	54.00	-15.72	3	Horizontal	165	1.50
5310MHz	Pass	PK	10.61768G	52.58	74.00	-21.42	3	Horizontal	165	1.50
5510MHz	Pass	AV	5.46G	46.16	54.00	-7.84	3	Vertical	5	2.34
5510MHz	Pass	AV	5.5008G	98.54	Inf	-Inf	3	Vertical	5	2.34
5510MHz	Pass	PK	5.44G	59.85	74.00	-14.15	3	Vertical	5	2.34
5510MHz	Pass	PK	5.4656G	60.62	68.20	-7.58	3	Vertical	5	2.34
5510MHz	Pass	PK	5.5012G	111.70	Inf	-Inf	3	Vertical	5	2.34
5510MHz	Pass	AV	5.4516G	46.04	54.00	-7.96	3	Horizontal	317	1.54
5510MHz	Pass	AV	5.5072G	98.27	Inf	-Inf	3	Horizontal	317	1.54
5510MHz	Pass	PK	5.4484G	59.37	74.00	-14.63	3	Horizontal	317	1.54
5510MHz	Pass	PK	5.4688G	59.77	68.20	-8.43	3	Horizontal	317	1.54
5510MHz	Pass	PK	5.508G	111.61	Inf	-Inf	3	Horizontal	317	1.54
5510MHz	Pass	AV	11.01992G	38.29	54.00	-15.71	3	Vertical	290	2.99
5510MHz	Pass	PK	11.0268G	52.42	74.00	-21.58	3	Vertical	290	2.99
5510MHz	Pass	AV	11.02024G	38.20	54.00	-15.80	3	Horizontal	134	3.00
5510MHz	Pass	PK	11.00344G	52.37	74.00	-21.63	3	Horizontal	134	3.00
5550MHz	Pass	AV	5.4592G	45.77	54.00	-8.23	3	Vertical	355	1.71
5550MHz	Pass	AV	5.5384G	97.34	Inf	-Inf	3	Vertical	355	1.71
5550MHz	Pass	PK	5.46G	59.52	74.00	-14.48	3	Vertical	355	1.71
5550MHz	Pass	PK	5.464G	60.06	68.20	-8.14	3	Vertical	355	1.71
5550MHz	Pass	PK	5.5376G	111.70	Inf	-Inf	3	Vertical	355	1.71
5550MHz	Pass	AV	5.4588G	45.95	54.00	-8.05	3	Horizontal	314	1.45
5550MHz	Pass	AV	5.5636G	97.78	Inf	-Inf	3	Horizontal	314	1.45
5550MHz	Pass	PK	5.4504G	59.66	74.00	-14.34	3	Horizontal	314	1.45
5550MHz	Pass	PK	5.47G	59.20	68.20	-9.00	3	Horizontal	314	1.45
5550MHz	Pass	PK	5.562G	111.05	Inf	-Inf	3	Horizontal	314	1.45
5550MHz	Pass	AV	11.10008G	38.32	54.00	-15.68	3	Vertical	79	1.50
5550MHz	Pass	PK	11.10568G	52.71	74.00	-21.29	3	Vertical	79	1.50
5550MHz	Pass	AV	11.08392G	38.26	54.00	-15.74	3	Horizontal	111	1.50
5550MHz	Pass	PK	11.09416G	52.53	74.00	-21.47	3	Horizontal	111	1.50
5670MHz	Pass	AV	5.6736G	98.40	Inf	-Inf	3	Vertical	11	2.60
5670MHz	Pass	PK	5.6748G	112.06	Inf	-Inf	3	Vertical	11	2.60
5670MHz	Pass	PK	5.8164G	60.66	68.20	-7.54	3	Vertical	11	2.60
5670MHz	Pass	AV	5.6772G	97.46	Inf	-Inf	3	Horizontal	313	2.37
5670MHz	Pass	PK	5.6778G	110.91	Inf	-Inf	3	Horizontal	313	2.37
5670MHz	Pass	PK	5.811G	61.20	68.20	-7.00	3	Horizontal	313	2.37



RSE TX above 1GHz Non-Beamforming Radio 2 Full RU

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	AV	11.35336G	38.82	54.00	-15.18	3	Vertical	219	1.84
5670MHz	Pass	PK	11.3536G	53.73	74.00	-20.27	3	Vertical	219	1.84
5670MHz	Pass	AV	11.3532G	38.79	54.00	-15.21	3	Horizontal	27	1.50
5670MHz	Pass	PK	11.35544G	52.98	74.00	-21.02	3	Horizontal	27	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	45.70	54.00	-8.30	3	Vertical	10	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	98.65	Inf	-Inf	3	Vertical	10	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4184G	59.48	74.00	-14.52	3	Vertical	10	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.55	68.20	-9.65	3	Vertical	10	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	111.62	Inf	-Inf	3	Vertical	10	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9728G	61.93	68.20	-6.27	3	Vertical	10	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	45.75	54.00	-8.25	3	Horizontal	313	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6968G	97.66	Inf	-Inf	3	Horizontal	313	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.428G	58.82	74.00	-15.18	3	Horizontal	313	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.97	68.20	-9.23	3	Horizontal	313	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	110.62	Inf	-Inf	3	Horizontal	313	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9788G	62.10	68.20	-6.10	3	Horizontal	313	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40112G	38.73	54.00	-15.27	3	Vertical	315	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43536G	53.19	74.00	-20.81	3	Vertical	315	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40248G	38.76	54.00	-15.24	3	Horizontal	158	2.86
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42664G	53.12	74.00	-20.88	3	Horizontal	158	2.86
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	46.04	54.00	-7.96	3	Vertical	7	2.48
5290MHz	Pass	AV	5.285G	94.57	Inf	-Inf	3	Vertical	7	2.48
5290MHz	Pass	AV	5.363G	47.97	54.00	-6.03	3	Vertical	7	2.48
5290MHz	Pass	PK	5.143G	59.89	74.00	-14.11	3	Vertical	7	2.48
5290MHz	Pass	PK	5.323G	107.83	Inf	-Inf	3	Vertical	7	2.48
5290MHz	Pass	PK	5.422G	61.16	74.00	-12.84	3	Vertical	7	2.48
5290MHz	Pass	PK	5.521G	61.45	68.20	-6.75	3	Vertical	7	2.48
5290MHz	Pass	AV	5.15G	46.27	54.00	-7.73	3	Horizontal	314	1.65
5290MHz	Pass	AV	5.268G	95.06	Inf	-Inf	3	Horizontal	314	1.65
5290MHz	Pass	AV	5.35G	48.27	54.00	-5.73	3	Horizontal	314	1.65
5290MHz	Pass	PK	5.125G	60.55	74.00	-13.45	3	Horizontal	314	1.65
5290MHz	Pass	PK	5.268G	109.48	Inf	-Inf	3	Horizontal	314	1.65
5290MHz	Pass	PK	5.449G	61.64	74.00	-12.36	3	Horizontal	314	1.65
5290MHz	Pass	PK	5.482G	61.17	68.20	-7.03	3	Horizontal	314	1.65
5290MHz	Pass	AV	10.61056G	38.25	54.00	-15.75	3	Vertical	357	2.22
5290MHz	Pass	PK	10.58096G	52.34	68.20	-15.86	3	Vertical	357	2.22
5290MHz	Pass	AV	10.60816G	38.21	54.00	-15.79	3	Horizontal	27	1.50
5290MHz	Pass	PK	10.59136G	52.90	68.20	-15.30	3	Horizontal	27	1.50
5530MHz	Pass	AV	5.35G	40.63	54.00	-13.37	3	Vertical	7	2.43
5530MHz	Pass	AV	5.447G	41.91	54.00	-12.09	3	Vertical	7	2.43
5530MHz	Pass	AV	5.544G	95.72	Inf	-Inf	3	Vertical	7	2.43
5530MHz	Pass	PK	5.321G	53.92	68.20	-14.28	3	Vertical	7	2.43
5530MHz	Pass	PK	5.445G	55.51	74.00	-18.49	3	Vertical	7	2.43
5530MHz	Pass	PK	5.467G	56.41	68.20	-11.79	3	Vertical	7	2.43
5530MHz	Pass	PK	5.546G	109.00	Inf	-Inf	3	Vertical	7	2.43
5530MHz	Pass	PK	5.738G	55.24	68.20	-12.96	3	Vertical	7	2.43
5530MHz	Pass	AV	5.35G	40.81	54.00	-13.19	3	Horizontal	315	1.54
5530MHz	Pass	AV	5.449G	42.38	54.00	-11.62	3	Horizontal	315	1.54
5530MHz	Pass	AV	5.506G	95.04	Inf	-Inf	3	Horizontal	315	1.54
5530MHz	Pass	PK	5.342G	54.35	68.20	-13.85	3	Horizontal	315	1.54
5530MHz	Pass	PK	5.447G	55.19	74.00	-18.81	3	Horizontal	315	1.54
5530MHz	Pass	PK	5.464G	56.41	68.20	-11.79	3	Horizontal	315	1.54
5530MHz	Pass	PK	5.565G	108.17	Inf	-Inf	3	Horizontal	315	1.54
5530MHz	Pass	PK	5.735G	55.70	68.20	-12.50	3	Horizontal	315	1.54
5530MHz	Pass	AV	11.02128G	38.28	54.00	-15.72	3	Vertical	282	1.50
5530MHz	Pass	PK	11.03936G	52.48	74.00	-21.52	3	Vertical	282	1.50
5530MHz	Pass	AV	11.02096G	38.23	54.00	-15.77	3	Horizontal	316	1.30
5530MHz	Pass	PK	11.04896G	52.85	74.00	-21.15	3	Horizontal	316	1.30
5610MHz	Pass	AV	5.453G	40.97	54.00	-13.03	3	Vertical	352	2.46
5610MHz	Pass	AV	5.609G	94.41	Inf	-Inf	3	Vertical	352	2.46
5610MHz	Pass	PK	5.452G	54.53	74.00	-19.47	3	Vertical	352	2.46


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.465G	54.47	68.20	-13.73	3	Vertical	352	2.46
5610MHz	Pass	PK	5.63G	108.10	Inf	-Inf	3	Vertical	352	2.46
5610MHz	Pass	PK	5.855G	55.78	68.20	-12.42	3	Vertical	352	2.46
5610MHz	Pass	AV	5.453G	41.29	54.00	-12.71	3	Horizontal	314	1.45
5610MHz	Pass	AV	5.603G	94.33	Inf	-Inf	3	Horizontal	314	1.45
5610MHz	Pass	PK	5.458G	54.93	74.00	-19.07	3	Horizontal	314	1.45
5610MHz	Pass	PK	5.464G	54.64	68.20	-13.56	3	Horizontal	314	1.45
5610MHz	Pass	PK	5.602G	107.65	Inf	-Inf	3	Horizontal	314	1.45
5610MHz	Pass	PK	5.777G	56.18	68.20	-12.02	3	Horizontal	314	1.45
5610MHz	Pass	AV	11.25968G	38.54	54.00	-15.46	3	Vertical	294	1.64
5610MHz	Pass	PK	11.24576G	53.22	74.00	-20.78	3	Vertical	294	1.64
5610MHz	Pass	AV	11.25824G	38.55	54.00	-15.45	3	Horizontal	270	1.50
5610MHz	Pass	PK	11.22128G	52.97	74.00	-21.03	3	Horizontal	270	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4188G	40.92	54.00	-13.08	3	Vertical	10	2.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	95.32	Inf	-Inf	3	Vertical	10	2.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4176G	54.35	74.00	-19.65	3	Vertical	10	2.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	53.87	68.20	-14.33	3	Vertical	10	2.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	108.49	Inf	-Inf	3	Vertical	10	2.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9588G	56.28	68.20	-11.92	3	Vertical	10	2.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4092G	40.78	54.00	-13.22	3	Horizontal	307	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	94.62	Inf	-Inf	3	Horizontal	307	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3924G	54.41	74.00	-19.59	3	Horizontal	307	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	54.61	68.20	-13.59	3	Horizontal	307	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	107.56	Inf	-Inf	3	Horizontal	307	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9432G	56.03	68.20	-12.17	3	Horizontal	307	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35504G	38.87	54.00	-15.13	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34G	53.44	74.00	-20.56	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35632G	38.83	54.00	-15.17	3	Horizontal	31	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34928G	52.78	74.00	-21.22	3	Horizontal	31	1.49
802.11be EHT160_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1408G	47.56	54.00	-6.44	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2416G	91.62	Inf	-Inf	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4228G	50.13	54.00	-3.87	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1168G	60.39	74.00	-13.61	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.28G	104.76	Inf	-Inf	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4408G	63.54	74.00	-10.46	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	62.18	68.20	-6.02	3	Vertical	5	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	48.20	54.00	-5.80	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.208G	92.74	Inf	-Inf	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4252G	50.05	54.00	-3.95	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.07G	62.12	74.00	-11.88	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.232G	105.52	Inf	-Inf	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4444G	63.83	74.00	-10.17	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	63.46	68.20	-4.74	3	Horizontal	315	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48336G	52.75	68.20	-15.45	3	Vertical	25	2.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57776G	51.92	68.20	-16.28	3	Horizontal	92	2.40
5570MHz	Pass	AV	5.4284G	45.85	54.00	-8.15	3	Vertical	9	2.70
5570MHz	Pass	AV	5.5676G	92.40	Inf	-Inf	3	Vertical	9	2.70
5570MHz	Pass	PK	5.348G	56.38	68.20	-11.82	3	Vertical	9	2.70
5570MHz	Pass	PK	5.4284G	59.69	74.00	-14.31	3	Vertical	9	2.70
5570MHz	Pass	PK	5.4668G	59.88	68.20	-8.32	3	Vertical	9	2.70
5570MHz	Pass	PK	5.528G	105.19	Inf	-Inf	3	Vertical	9	2.70
5570MHz	Pass	PK	5.7296G	63.11	68.20	-5.09	3	Vertical	9	2.70
5570MHz	Pass	AV	5.4452G	46.52	54.00	-7.48	3	Horizontal	315	1.50
5570MHz	Pass	AV	5.5436G	91.97	Inf	-Inf	3	Horizontal	315	1.50
5570MHz	Pass	PK	5.348G	57.15	68.20	-11.05	3	Horizontal	315	1.50
5570MHz	Pass	PK	5.4008G	60.18	74.00	-13.82	3	Horizontal	315	1.50
5570MHz	Pass	PK	5.4656G	59.92	68.20	-8.28	3	Horizontal	315	1.50
5570MHz	Pass	PK	5.504G	105.37	Inf	-Inf	3	Horizontal	315	1.50
5570MHz	Pass	PK	5.7392G	60.10	68.20	-8.10	3	Horizontal	315	1.50
5570MHz	Pass	AV	11.25808G	38.49	54.00	-15.51	3	Vertical	2	1.50
5570MHz	Pass	PK	11.25808G	52.56	74.00	-21.44	3	Vertical	2	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	11.25952G	38.50	54.00	-15.50	3	Horizontal	219	1.50
5570MHz	Pass	PK	11.1688G	52.63	74.00	-21.37	3	Horizontal	219	1.50


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	45.09	54.00	-8.91	-0.52	3	Vertical	7	2.37	45.61	33.29	4.37	38.18
AV	5.2528G	100.89	Inf	-Inf	-0.54	3	Vertical	7	2.37	101.43	33.20	4.45	38.19
AV	5.4094G	46.33	54.00	-7.67	-0.53	3	Vertical	7	2.37	46.86	33.02	4.64	38.19
PK	5.1274G	58.11	74.00	-15.89	-0.57	3	Vertical	7	2.37	58.68	33.25	4.36	38.18
PK	5.2522G	113.88	Inf	-Inf	-0.54	3	Vertical	7	2.37	114.42	33.20	4.45	38.19
PK	5.3554G	60.18	74.00	-13.82	-0.52	3	Vertical	7	2.37	60.70	33.09	4.58	38.19

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	45.27	54.00	-8.73	-0.52	3	Horizontal	311	1.69	45.79	33.29	4.37	38.18
AV	5.2582G	101.25	Inf	-Inf	-0.53	3	Horizontal	311	1.69	101.78	33.20	4.46	38.19
AV	5.3986G	46.39	54.00	-7.61	-0.56	3	Horizontal	311	1.69	46.95	33.00	4.63	38.19
PK	5.1442G	58.83	74.00	-15.17	-0.53	3	Horizontal	311	1.69	59.36	33.29	4.36	38.18
PK	5.2546G	114.47	Inf	-Inf	-0.53	3	Horizontal	311	1.69	115.00	33.20	4.46	38.19
PK	5.4076G	60.13	74.00	-13.87	-0.53	3	Horizontal	311	1.69	60.66	33.02	4.64	38.19


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.63	54.00	-13.37	-0.52	3	Vertical	7	2.43	41.15	33.10	4.57	38.19
AV	5.447G	41.91	54.00	-12.09	-0.41	3	Vertical	7	2.43	42.32	33.09	4.70	38.20
AV	5.544G	95.72	Inf	-Inf	-0.11	3	Vertical	7	2.43	95.83	33.20	4.85	38.16
PK	5.321G	53.92	68.20	-14.28	-0.49	3	Vertical	7	2.43	54.41	33.16	4.54	38.19
PK	5.445G	55.51	74.00	-18.49	-0.41	3	Vertical	7	2.43	55.92	33.09	4.70	38.20
PK	5.467G	56.41	68.20	-11.79	-0.34	3	Vertical	7	2.43	56.75	33.13	4.73	38.20
PK	5.546G	109.00	Inf	-Inf	-0.10	3	Vertical	7	2.43	109.10	33.20	4.86	38.16
PK	5.738G	55.24	68.20	-12.96	1.02	3	Vertical	7	2.43	54.22	34.05	4.97	38.00

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.81	54.00	-13.19	-0.52	3	Horizontal	315	1.54	41.33	33.10	4.57	38.19
AV	5.449G	42.38	54.00	-11.62	-0.39	3	Horizontal	315	1.54	42.77	33.10	4.71	38.20
AV	5.506G	95.04	Inf	-Inf	-0.20	3	Horizontal	315	1.54	95.24	33.20	4.79	38.19
PK	5.342G	54.35	68.20	-13.85	-0.51	3	Horizontal	315	1.54	54.86	33.12	4.56	38.19
PK	5.447G	55.19	74.00	-18.81	-0.41	3	Horizontal	315	1.54	55.60	33.09	4.70	38.20
PK	5.464G	56.41	68.20	-11.79	-0.34	3	Horizontal	315	1.54	56.75	33.13	4.73	38.20
PK	5.565G	108.17	Inf	-Inf	-0.09	3	Horizontal	315	1.54	108.26	33.17	4.89	38.15
PK	5.735G	55.70	68.20	-12.50	1.01	3	Horizontal	315	1.54	54.69	34.04	4.97	38.00


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.378G	66.32	74.00	-7.68	3	Horizontal	314	1.58
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	AV	5.4456G	48.72	54.00	-5.28	3	Horizontal	314	1.51
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.43G	69.12	74.00	-4.88	3	Horizontal	315	1.48
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	PK	5.7716G	62.63	68.20	-5.57	3	Vertical	6	2.57



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	40.03	54.00	-13.97	3	Vertical	7	2.65
5290MHz	Pass	AV	5.266G	93.55	Inf	-Inf	3	Vertical	7	2.65
5290MHz	Pass	AV	5.382G	42.50	54.00	-11.50	3	Vertical	7	2.65
5290MHz	Pass	PK	5.139G	56.02	74.00	-17.98	3	Vertical	7	2.65
5290MHz	Pass	PK	5.265G	105.71	Inf	-Inf	3	Vertical	7	2.65
5290MHz	Pass	PK	5.38G	63.32	74.00	-10.68	3	Vertical	7	2.65
5290MHz	Pass	PK	5.511G	54.42	68.20	-13.78	3	Vertical	7	2.65
5290MHz	Pass	AV	5.145G	40.37	54.00	-13.63	3	Horizontal	314	1.58
5290MHz	Pass	AV	5.268G	94.64	Inf	-Inf	3	Horizontal	314	1.58
5290MHz	Pass	AV	5.386G	42.43	54.00	-11.57	3	Horizontal	314	1.58
5290MHz	Pass	PK	5.15G	57.90	74.00	-16.10	3	Horizontal	314	1.58
5290MHz	Pass	PK	5.266G	108.09	Inf	-Inf	3	Horizontal	314	1.58
5290MHz	Pass	PK	5.378G	66.32	74.00	-7.68	3	Horizontal	314	1.58
5290MHz	Pass	PK	5.461G	55.21	68.20	-12.99	3	Horizontal	314	1.58
5290MHz	Pass	AV	10.616G	38.97	54.00	-15.03	3	Vertical	297	1.26
5290MHz	Pass	PK	10.61792G	51.42	74.00	-22.58	3	Vertical	297	1.26
5290MHz	Pass	AV	10.60976G	38.69	54.00	-15.31	3	Horizontal	167	1.76
5290MHz	Pass	PK	10.55664G	50.61	68.20	-17.59	3	Horizontal	167	1.76
5530MHz	Pass	AV	5.35G	39.75	54.00	-14.25	3	Vertical	8	2.40
5530MHz	Pass	AV	5.445G	42.59	54.00	-11.41	3	Vertical	8	2.40
5530MHz	Pass	AV	5.565G	94.91	Inf	-Inf	3	Vertical	8	2.40
5530MHz	Pass	PK	5.342G	53.18	68.20	-15.02	3	Vertical	8	2.40
5530MHz	Pass	PK	5.441G	64.91	74.00	-9.09	3	Vertical	8	2.40
5530MHz	Pass	PK	5.464G	60.66	68.20	-7.54	3	Vertical	8	2.40
5530MHz	Pass	PK	5.565G	107.08	Inf	-Inf	3	Vertical	8	2.40
5530MHz	Pass	PK	5.731G	54.09	68.20	-14.11	3	Vertical	8	2.40
5530MHz	Pass	AV	5.35G	39.97	54.00	-14.03	3	Horizontal	315	1.48
5530MHz	Pass	AV	5.447G	43.39	54.00	-10.61	3	Horizontal	315	1.48
5530MHz	Pass	AV	5.505G	94.25	Inf	-Inf	3	Horizontal	315	1.48
5530MHz	Pass	PK	5.35G	54.65	68.20	-13.55	3	Horizontal	315	1.48
5530MHz	Pass	PK	5.43G	69.12	74.00	-4.88	3	Horizontal	315	1.48
5530MHz	Pass	PK	5.464G	61.92	68.20	-6.28	3	Horizontal	315	1.48
5530MHz	Pass	PK	5.504G	106.98	Inf	-Inf	3	Horizontal	315	1.48
5530MHz	Pass	PK	5.725G	54.74	68.20	-13.46	3	Horizontal	315	1.48
5530MHz	Pass	AV	11.09184G	39.22	54.00	-14.78	3	Vertical	325	2.25
5530MHz	Pass	PK	11.05104G	50.76	74.00	-23.24	3	Vertical	325	2.25
5530MHz	Pass	AV	11.09296G	39.29	54.00	-14.71	3	Horizontal	144	1.47
5530MHz	Pass	PK	11.05696G	51.09	74.00	-22.91	3	Horizontal	144	1.47
5610MHz	Pass	AV	5.456G	40.86	54.00	-13.14	3	Vertical	352	1.73
5610MHz	Pass	AV	5.575G	93.37	Inf	-Inf	3	Vertical	352	1.73
5610MHz	Pass	PK	5.458G	59.38	74.00	-14.62	3	Vertical	352	1.73
5610MHz	Pass	PK	5.462G	56.79	68.20	-11.41	3	Vertical	352	1.73
5610MHz	Pass	PK	5.574G	106.51	Inf	-Inf	3	Vertical	352	1.73
5610MHz	Pass	PK	5.754G	60.54	68.20	-7.66	3	Vertical	352	1.73
5610MHz	Pass	AV	5.46G	41.22	54.00	-12.78	3	Horizontal	314	1.38
5610MHz	Pass	AV	5.581G	93.56	Inf	-Inf	3	Horizontal	314	1.38
5610MHz	Pass	PK	5.46G	60.10	74.00	-13.90	3	Horizontal	314	1.38
5610MHz	Pass	PK	5.466G	62.58	68.20	-5.62	3	Horizontal	314	1.38
5610MHz	Pass	PK	5.58G	106.10	Inf	-Inf	3	Horizontal	314	1.38
5610MHz	Pass	PK	5.741G	62.18	68.20	-6.02	3	Horizontal	314	1.38
5610MHz	Pass	AV	11.18528G	38.96	54.00	-15.04	3	Vertical	85	1.50
5610MHz	Pass	PK	11.21536G	51.37	74.00	-22.63	3	Vertical	85	1.50
5610MHz	Pass	AV	11.20448G	38.80	54.00	-15.20	3	Horizontal	191	1.08
5610MHz	Pass	PK	11.25136G	50.93	74.00	-23.07	3	Horizontal	191	1.08
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	40.38	54.00	-13.62	3	Vertical	20	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6624G	95.00	Inf	-Inf	3	Vertical	20	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	54.02	74.00	-19.98	3	Vertical	20	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	53.36	68.20	-14.84	3	Vertical	20	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6612G	107.25	Inf	-Inf	3	Vertical	20	2.62




RSE TX above 1GHz Non-Beamforming Radio 2 Multi-RU

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9312G	55.51	68.20	-12.69	3	Vertical	20	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4128G	40.15	54.00	-13.85	3	Horizontal	310	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	93.92	Inf	-Inf	3	Horizontal	310	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.408G	53.10	74.00	-20.90	3	Horizontal	310	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	52.68	68.20	-15.52	3	Horizontal	310	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	106.51	Inf	-Inf	3	Horizontal	310	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9324G	55.68	68.20	-12.52	3	Horizontal	310	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38912G	39.14	54.00	-14.86	3	Vertical	54	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41904G	51.64	74.00	-22.36	3	Vertical	54	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40544G	39.21	54.00	-14.79	3	Horizontal	331	2.80
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38912G	51.90	74.00	-22.10	3	Horizontal	331	2.80
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0496G	43.95	54.00	-10.05	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	90.80	Inf	-Inf	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4456G	47.77	54.00	-6.23	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0496G	57.30	74.00	-16.70	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3256G	103.22	Inf	-Inf	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.448G	62.12	74.00	-11.88	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	61.76	68.20	-6.44	3	Vertical	352	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0508G	45.73	54.00	-8.27	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.208G	92.60	Inf	-Inf	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4456G	48.72	54.00	-5.28	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.052G	59.06	74.00	-14.94	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1876G	106.37	Inf	-Inf	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4444G	62.57	74.00	-11.43	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	62.29	68.20	-5.91	3	Horizontal	314	1.51
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.47056G	50.90	68.20	-17.30	3	Vertical	159	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.55888G	50.97	68.20	-17.23	3	Horizontal	332	2.63
5570MHz	Pass	AV	5.384G	46.39	54.00	-7.61	3	Vertical	6	2.57
5570MHz	Pass	AV	5.5052G	92.30	Inf	-Inf	3	Vertical	6	2.57
5570MHz	Pass	PK	5.3456G	55.49	68.20	-12.71	3	Vertical	6	2.57
5570MHz	Pass	PK	5.378G	63.62	74.00	-10.38	3	Vertical	6	2.57
5570MHz	Pass	PK	5.4668G	58.14	68.20	-10.06	3	Vertical	6	2.57
5570MHz	Pass	PK	5.5232G	104.46	Inf	-Inf	3	Vertical	6	2.57
5570MHz	Pass	PK	5.7716G	62.63	68.20	-5.57	3	Vertical	6	2.57
5570MHz	Pass	AV	5.3852G	47.46	54.00	-6.54	3	Horizontal	314	1.47
5570MHz	Pass	AV	5.5052G	91.82	Inf	-Inf	3	Horizontal	314	1.47
5570MHz	Pass	PK	5.3492G	57.78	68.20	-10.42	3	Horizontal	314	1.47
5570MHz	Pass	PK	5.402G	64.54	74.00	-9.46	3	Horizontal	314	1.47
5570MHz	Pass	PK	5.4644G	58.08	68.20	-10.12	3	Horizontal	314	1.47
5570MHz	Pass	PK	5.504G	104.72	Inf	-Inf	3	Horizontal	314	1.47
5570MHz	Pass	PK	5.7656G	59.90	68.20	-8.30	3	Horizontal	314	1.47
5570MHz	Pass	AV	11.15056G	39.14	54.00	-14.86	3	Vertical	50	1.50
5570MHz	Pass	PK	11.21424G	51.90	74.00	-22.10	3	Vertical	50	1.50
5570MHz	Pass	AV	11.10224G	39.12	54.00	-14.88	3	Horizontal	176	2.09
5570MHz	Pass	PK	11.21872G	52.11	74.00	-21.89	3	Horizontal	176	2.09


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	39.75	54.00	-14.25	-0.52	3	Vertical	8	2.40	40.27	33.10	4.57	38.19
AV	5.445G	42.59	54.00	-11.41	-0.41	3	Vertical	8	2.40	43.00	33.09	4.70	38.20
AV	5.565G	94.91	Inf	-Inf	-0.09	3	Vertical	8	2.40	95.00	33.17	4.89	38.15
PK	5.342G	53.18	68.20	-15.02	-0.51	3	Vertical	8	2.40	53.69	33.12	4.56	38.19
PK	5.441G	64.91	74.00	-9.09	-0.43	3	Vertical	8	2.40	65.34	33.08	4.69	38.20
PK	5.464G	60.66	68.20	-7.54	-0.34	3	Vertical	8	2.40	61.00	33.13	4.73	38.20
PK	5.565G	107.08	Inf	-Inf	-0.09	3	Vertical	8	2.40	107.17	33.17	4.89	38.15
PK	5.731G	54.09	68.20	-14.11	0.98	3	Vertical	8	2.40	53.11	34.02	4.97	38.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	39.97	54.00	-14.03	-0.52	3	Horizontal	315	1.48	40.49	33.10	4.57	38.19
AV	5.447G	43.39	54.00	-10.61	-0.41	3	Horizontal	315	1.48	43.80	33.09	4.70	38.20
AV	5.505G	94.25	Inf	-Inf	-0.21	3	Horizontal	315	1.48	94.46	33.20	4.79	38.20
PK	5.35G	54.65	68.20	-13.55	-0.52	3	Horizontal	315	1.48	55.17	33.10	4.57	38.19
PK	5.43G	69.12	74.00	-4.88	-0.46	3	Horizontal	315	1.48	69.58	33.06	4.68	38.20
PK	5.464G	61.92	68.20	-6.28	-0.34	3	Horizontal	315	1.48	62.26	33.13	4.73	38.20
PK	5.504G	106.98	Inf	-Inf	-0.21	3	Horizontal	315	1.48	107.19	33.20	4.79	38.20
PK	5.725G	54.74	68.20	-13.46	0.96	3	Horizontal	315	1.48	53.78	34.00	4.97	38.01


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing

Appendix D.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	Pass	AV	5.35G	45.28	54.00	-8.72	3	Horizontal	316	1.74
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	Pass	PK	5.4792G	67.90	68.20	-0.30	3	Horizontal	312	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	PK	5.462G	57.84	68.20	-10.36	3	Vertical	6	2.42
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	Pass	PK	5.348G	67.60	68.20	-0.60	3	Horizontal	315	1.48

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.145G	40.35	54.00	-13.65	3	Vertical	354	1.23
5290MHz	Pass	AV	5.308G	93.60	Inf	-Inf	3	Vertical	354	1.23
5290MHz	Pass	AV	5.35G	44.73	54.00	-9.27	3	Vertical	354	1.23
5290MHz	Pass	PK	5.04G	53.73	74.00	-20.27	3	Vertical	354	1.23
5290MHz	Pass	PK	5.304G	106.62	Inf	-Inf	3	Vertical	354	1.23
5290MHz	Pass	PK	5.353G	59.64	74.00	-14.36	3	Vertical	354	1.23
5290MHz	Pass	PK	5.496G	54.90	68.20	-13.30	3	Vertical	354	1.23
5290MHz	Pass	AV	5.145G	40.87	54.00	-13.13	3	Horizontal	316	1.74
5290MHz	Pass	AV	5.309G	95.25	Inf	-Inf	3	Horizontal	316	1.74
5290MHz	Pass	AV	5.35G	45.28	54.00	-8.72	3	Horizontal	316	1.74
5290MHz	Pass	PK	5.084G	54.32	74.00	-19.68	3	Horizontal	316	1.74
5290MHz	Pass	PK	5.272G	108.61	Inf	-Inf	3	Horizontal	316	1.74
5290MHz	Pass	PK	5.35G	61.17	74.00	-12.83	3	Horizontal	316	1.74
5290MHz	Pass	PK	5.478G	55.61	68.20	-12.59	3	Horizontal	316	1.74
5290MHz	Pass	PK	10.5768G	50.62	68.20	-17.58	3	Vertical	35	2.64
5290MHz	Pass	PK	10.58592G	51.05	68.20	-17.15	3	Horizontal	24	2.89
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	40.60	54.00	-13.40	3	Vertical	6	2.42
5530MHz	Pass	AV	5.46G	42.92	54.00	-11.08	3	Vertical	6	2.42
5530MHz	Pass	AV	5.502G	95.36	Inf	-Inf	3	Vertical	6	2.42
5530MHz	Pass	PK	5.301G	54.04	68.20	-14.16	3	Vertical	6	2.42
5530MHz	Pass	PK	5.46G	56.15	74.00	-17.85	3	Vertical	6	2.42
5530MHz	Pass	PK	5.462G	57.84	68.20	-10.36	3	Vertical	6	2.42
5530MHz	Pass	PK	5.503G	108.35	Inf	-Inf	3	Vertical	6	2.42
5530MHz	Pass	PK	5.771G	56.01	68.20	-12.19	3	Vertical	6	2.42
5530MHz	Pass	AV	5.35G	40.79	54.00	-13.21	3	Horizontal	316	1.46
5530MHz	Pass	AV	5.448G	43.20	54.00	-10.80	3	Horizontal	316	1.46
5530MHz	Pass	AV	5.505G	94.68	Inf	-Inf	3	Horizontal	316	1.46
5530MHz	Pass	PK	5.291G	54.24	68.20	-13.96	3	Horizontal	316	1.46
5530MHz	Pass	PK	5.451G	57.47	74.00	-16.53	3	Horizontal	316	1.46
5530MHz	Pass	PK	5.467G	57.07	68.20	-11.13	3	Horizontal	316	1.46
5530MHz	Pass	PK	5.502G	107.70	Inf	-Inf	3	Horizontal	316	1.46
5530MHz	Pass	PK	5.769G	55.94	68.20	-12.26	3	Horizontal	316	1.46
5530MHz	Pass	AV	11.05652G	38.36	54.00	-15.64	3	Vertical	87	2.02
5530MHz	Pass	PK	11.06832G	50.86	74.00	-23.14	3	Vertical	87	2.02
5530MHz	Pass	AV	11.05724G	38.31	54.00	-15.69	3	Horizontal	135	1.50
5530MHz	Pass	PK	11.05564G	51.67	74.00	-22.33	3	Horizontal	135	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.459G	40.99	54.00	-13.01	3	Vertical	4	2.50
5610MHz	Pass	AV	5.583G	94.98	Inf	-Inf	3	Vertical	4	2.50
5610MHz	Pass	PK	5.442G	55.03	74.00	-18.97	3	Vertical	4	2.50
5610MHz	Pass	PK	5.467G	54.71	68.20	-13.49	3	Vertical	4	2.50
5610MHz	Pass	PK	5.581G	108.07	Inf	-Inf	3	Vertical	4	2.50
5610MHz	Pass	PK	5.835G	55.83	68.20	-12.37	3	Vertical	4	2.50
5610MHz	Pass	AV	5.458G	41.17	54.00	-12.83	3	Horizontal	312	1.38
5610MHz	Pass	AV	5.58G	93.95	Inf	-Inf	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.426G	55.01	74.00	-18.99	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.468G	55.16	68.20	-13.04	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.582G	107.13	Inf	-Inf	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.819G	56.30	68.20	-11.90	3	Horizontal	312	1.38
5610MHz	Pass	AV	11.21464G	38.04	54.00	-15.96	3	Vertical	0	1.50
5610MHz	Pass	PK	11.22436G	50.54	74.00	-23.46	3	Vertical	0	1.50
5610MHz	Pass	AV	11.21384G	38.07	54.00	-15.93	3	Horizontal	114	2.25
5610MHz	Pass	PK	11.21836G	50.88	74.00	-23.12	3	Horizontal	114	2.25
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3948G	41.23	54.00	-12.77	3	Vertical	24	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	95.43	Inf	-Inf	3	Vertical	24	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3972G	55.43	74.00	-18.57	3	Vertical	24	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	53.94	68.20	-14.26	3	Vertical	24	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	108.67	Inf	-Inf	3	Vertical	24	2.47



RSE TX above 1GHz Non-Beamforming Radio 2 Channel Puncturing

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9384G	56.33	68.20	-11.87	3	Vertical	24	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.39G	40.90	54.00	-13.10	3	Horizontal	308	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	94.60	Inf	-Inf	3	Horizontal	308	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4164G	54.02	74.00	-19.98	3	Horizontal	308	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.67	68.20	-13.53	3	Horizontal	308	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	107.82	Inf	-Inf	3	Horizontal	308	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8964G	57.04	68.20	-11.16	3	Horizontal	308	1.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37232G	38.47	54.00	-15.53	3	Vertical	185	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38756G	51.65	74.00	-22.35	3	Vertical	185	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37324G	38.45	54.00	-15.55	3	Horizontal	289	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3702G	51.03	74.00	-22.97	3	Horizontal	289	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1348G	43.97	54.00	-10.03	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1732G	90.56	Inf	-Inf	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4168G	46.08	54.00	-7.92	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	64.12	74.00	-9.88	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2548G	103.72	Inf	-Inf	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	68.29	74.00	-5.71	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4864G	64.26	68.20	-3.94	3	Vertical	18	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	45.50	54.00	-8.50	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2056G	91.94	Inf	-Inf	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.424G	47.77	54.00	-6.23	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	65.69	74.00	-8.31	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.208G	104.95	Inf	-Inf	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	66.46	74.00	-7.54	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4792G	67.90	68.20	-0.30	3	Horizontal	312	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49052G	51.65	68.20	-16.55	3	Vertical	149	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50264G	50.17	68.20	-18.03	3	Horizontal	77	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1396G	41.35	54.00	-12.65	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.238G	90.48	Inf	-Inf	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3568G	42.05	54.00	-11.95	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0712G	59.08	74.00	-14.92	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1972G	103.39	Inf	-Inf	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3676G	60.57	74.00	-13.43	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	64.70	68.20	-3.50	3	Vertical	22	2.40
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	42.04	54.00	-11.96	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.208G	91.13	Inf	-Inf	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	41.91	54.00	-12.09	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.07G	60.56	74.00	-13.44	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1888G	103.94	Inf	-Inf	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4432G	62.38	74.00	-11.62	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	64.65	68.20	-3.55	3	Horizontal	315	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49884G	50.97	68.20	-17.23	3	Vertical	232	1.28
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50216G	51.32	68.20	-16.88	3	Horizontal	270	2.83
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.444G	45.64	54.00	-8.36	3	Vertical	7	2.43
5570MHz	Pass	AV	5.504G	92.02	Inf	-Inf	3	Vertical	7	2.43
5570MHz	Pass	PK	5.348G	62.24	68.20	-5.96	3	Vertical	7	2.43
5570MHz	Pass	PK	5.4428G	68.31	74.00	-5.69	3	Vertical	7	2.43
5570MHz	Pass	PK	5.4656G	67.27	68.20	-0.93	3	Vertical	7	2.43
5570MHz	Pass	PK	5.6048G	105.15	Inf	-Inf	3	Vertical	7	2.43
5570MHz	Pass	PK	5.7644G	66.35	68.20	-1.85	3	Vertical	7	2.43
5570MHz	Pass	AV	5.4452G	46.39	54.00	-7.61	3	Horizontal	314	1.44
5570MHz	Pass	AV	5.504G	91.50	Inf	-Inf	3	Horizontal	314	1.44
5570MHz	Pass	PK	5.348G	62.50	68.20	-5.70	3	Horizontal	314	1.44
5570MHz	Pass	PK	5.4428G	68.73	74.00	-5.27	3	Horizontal	314	1.44
5570MHz	Pass	PK	5.4656G	65.21	68.20	-2.99	3	Horizontal	314	1.44
5570MHz	Pass	PK	5.564G	105.69	Inf	-Inf	3	Horizontal	314	1.44
5570MHz	Pass	PK	5.768G	62.68	68.20	-5.52	3	Horizontal	314	1.44
5570MHz	Pass	AV	11.13676G	38.33	54.00	-15.67	3	Vertical	189	1.51
5570MHz	Pass	PK	11.14972G	50.73	74.00	-23.27	3	Vertical	189	1.51




RSE TX above 1GHz_Non-Beamforming_Radio 2 Channel Puncturing

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	11.13536G	38.31	54.00	-15.69	3	Horizontal	313	2.24
5570MHz	Pass	PK	11.1378G	51.11	74.00	-22.89	3	Horizontal	313	2.24
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	46.17	54.00	-7.83	3	Vertical	5	2.42
5570MHz	Pass	AV	5.5016G	92.81	Inf	-Inf	3	Vertical	5	2.42
5570MHz	Pass	PK	5.348G	66.44	68.20	-1.76	3	Vertical	5	2.42
5570MHz	Pass	PK	5.4572G	69.73	74.00	-4.27	3	Vertical	5	2.42
5570MHz	Pass	PK	5.4632G	65.65	68.20	-2.55	3	Vertical	5	2.42
5570MHz	Pass	PK	5.5016G	106.14	Inf	-Inf	3	Vertical	5	2.42
5570MHz	Pass	PK	5.7428G	67.40	68.20	-0.80	3	Vertical	5	2.42
5570MHz	Pass	AV	5.3864G	46.39	54.00	-7.61	3	Horizontal	315	1.48
5570MHz	Pass	AV	5.504G	92.21	Inf	-Inf	3	Horizontal	315	1.48
5570MHz	Pass	PK	5.348G	67.60	68.20	-0.60	3	Horizontal	315	1.48
5570MHz	Pass	PK	5.4584G	68.45	74.00	-5.55	3	Horizontal	315	1.48
5570MHz	Pass	PK	5.4632G	67.38	68.20	-0.82	3	Horizontal	315	1.48
5570MHz	Pass	PK	5.5232G	104.80	Inf	-Inf	3	Horizontal	315	1.48
5570MHz	Pass	PK	5.7428G	64.61	68.20	-3.59	3	Horizontal	315	1.48
5570MHz	Pass	AV	11.13472G	38.29	54.00	-15.71	3	Vertical	30	1.33
5570MHz	Pass	PK	11.13668G	50.89	74.00	-23.11	3	Vertical	30	1.33
5570MHz	Pass	AV	11.13352G	38.34	54.00	-15.66	3	Horizontal	219	1.50
5570MHz	Pass	PK	11.13328G	50.88	74.00	-23.12	3	Horizontal	219	1.50


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.60	54.00	-13.40	-0.52	3	Vertical	6	2.42	41.12	33.10	4.57	38.19
AV	5.46G	42.92	54.00	-11.08	-0.36	3	Vertical	6	2.42	43.28	33.12	4.72	38.20
AV	5.502G	95.36	Inf	-Inf	-0.21	3	Vertical	6	2.42	95.57	33.20	4.79	38.20
PK	5.301G	54.04	68.20	-14.16	-0.48	3	Vertical	6	2.42	54.52	33.20	4.51	38.19
PK	5.46G	56.15	74.00	-17.85	-0.36	3	Vertical	6	2.42	56.51	33.12	4.72	38.20
PK	5.462G	57.84	68.20	-10.36	-0.35	3	Vertical	6	2.42	58.19	33.12	4.73	38.20
PK	5.503G	108.35	Inf	-Inf	-0.21	3	Vertical	6	2.42	108.56	33.20	4.79	38.20
PK	5.771G	56.01	68.20	-12.19	1.19	3	Vertical	6	2.42	54.82	34.18	4.98	37.97

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.79	54.00	-13.21	-0.52	3	Horizontal	316	1.46	41.31	33.10	4.57	38.19
AV	5.448G	43.20	54.00	-10.80	-0.40	3	Horizontal	316	1.46	43.60	33.10	4.70	38.20
AV	5.505G	94.68	Inf	-Inf	-0.21	3	Horizontal	316	1.46	94.89	33.20	4.79	38.20
PK	5.291G	54.24	68.20	-13.96	-0.49	3	Horizontal	316	1.46	54.73	33.20	4.50	38.19
PK	5.451G	57.47	74.00	-16.53	-0.39	3	Horizontal	316	1.46	57.86	33.10	4.71	38.20
PK	5.467G	57.07	68.20	-11.13	-0.34	3	Horizontal	316	1.46	57.41	33.13	4.73	38.20
PK	5.502G	107.70	Inf	-Inf	-0.21	3	Horizontal	316	1.46	107.91	33.20	4.79	38.20
PK	5.769G	55.94	68.20	-12.26	1.19	3	Horizontal	316	1.46	54.75	34.18	4.98	37.97


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.80394G	51.00	54.00	-3.00	Horizontal
Mode 2	Pass	AV	4.80394G	50.78	54.00	-3.22	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.804G	43.90	54.00	-10.10	3	Vertical	93	2.52	-
Mode 1	Pass	AV	4.87391G	32.64	54.00	-21.36	3	Vertical	0	1.37	-
Mode 1	Pass	AV	4.93435G	33.25	54.00	-20.75	3	Vertical	99	2.88	-
Mode 1	Pass	AV	10.46542G	41.92	68.20	-26.28	3	Vertical	101	1.50	-
Mode 1	Pass	PK	4.80445G	50.65	74.00	-23.35	3	Vertical	93	2.52	-
Mode 1	Pass	PK	4.87748G	44.93	74.00	-29.07	3	Vertical	0	1.37	-
Mode 1	Pass	PK	4.93453G	45.53	74.00	-28.47	3	Vertical	99	2.88	-
Mode 1	Pass	PK	10.49251G	53.73	68.20	-14.47	3	Vertical	101	1.50	-
Mode 1	Pass	AV	4.80394G	51.00	54.00	-3.00	3	Horizontal	100	3.00	-
Mode 1	Pass	AV	4.86242G	32.70	54.00	-21.30	3	Horizontal	202	2.35	-
Mode 1	Pass	AV	4.92347G	32.75	54.00	-21.25	3	Horizontal	77	1.65	-
Mode 1	Pass	AV	10.47364G	41.94	68.20	-26.26	3	Horizontal	47	1.50	-
Mode 1	Pass	PK	4.80346G	55.91	74.00	-18.09	3	Horizontal	100	3.00	-
Mode 1	Pass	PK	4.86335G	44.92	74.00	-29.08	3	Horizontal	202	2.35	-
Mode 1	Pass	PK	4.92594G	45.19	74.00	-28.81	3	Horizontal	77	1.65	-
Mode 1	Pass	PK	10.47106G	53.56	68.20	-14.64	3	Horizontal	47	1.50	-
Mode 2	Pass	AV	4.80403G	43.52	54.00	-10.48	3	Vertical	91	2.50	-
Mode 2	Pass	AV	4.87299G	33.12	54.00	-21.35	3	Vertical	152	2.13	-
Mode 2	Pass	AV	10.37104G	42.05	68.20	-26.15	3	Vertical	161	1.00	-
Mode 2	Pass	AV	10.48915G	42.14	68.20	-26.06	3	Vertical	96	1.16	-
Mode 2	Pass	PK	4.8034G	50.22	74.00	-23.78	3	Vertical	91	2.50	-
Mode 2	Pass	PK	4.87412G	44.97	74.00	-29.03	3	Vertical	152	2.13	-
Mode 2	Pass	PK	10.34563G	54.39	68.20	-13.81	3	Vertical	161	1.00	-
Mode 2	Pass	PK	10.47796G	54.46	68.20	-13.74	3	Vertical	96	1.16	-
Mode 2	Pass	AV	4.80394G	50.78	54.00	-3.22	3	Horizontal	99	3.00	-
Mode 2	Pass	AV	4.87549G	32.66	54.00	-21.34	3	Horizontal	53	1.77	-
Mode 2	Pass	AV	10.3735G	42.20	68.20	-26.00	3	Horizontal	106	1.84	-
Mode 2	Pass	AV	10.47787G	42.18	68.20	-26.02	3	Horizontal	315	1.50	-
Mode 2	Pass	PK	4.80445G	55.66	74.00	-18.34	3	Horizontal	99	3.00	-
Mode 2	Pass	PK	4.87394G	45.03	74.00	-28.97	3	Horizontal	53	1.77	-
Mode 2	Pass	PK	10.37467G	54.12	68.20	-14.08	3	Horizontal	106	1.84	-
Mode 2	Pass	PK	10.48957G	53.81	68.20	-14.39	3	Horizontal	315	1.50	-


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2

