



RSE TX above 1GHz Non-Beamforming Radio 3 Full RU

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	5.3516G	47.92	54.00	-6.08	3	Horizontal	84	1.03
5310MHz	Pass	PK	5.32G	105.00	Inf	-Inf	3	Horizontal	84	1.03
5310MHz	Pass	PK	5.3812G	61.78	74.00	-12.22	3	Horizontal	84	1.03
5310MHz	Pass	AV	10.62528G	43.18	54.00	-10.82	3	Vertical	341	1.01
5310MHz	Pass	AV	15.92508G	41.07	54.00	-12.93	3	Vertical	360	1.50
5310MHz	Pass	PK	10.62648G	57.64	74.00	-16.36	3	Vertical	341	1.01
5310MHz	Pass	PK	15.90456G	54.33	74.00	-19.67	3	Vertical	360	1.50
5310MHz	Pass	AV	10.608G	42.77	54.00	-11.23	3	Horizontal	328	1.87
5310MHz	Pass	AV	15.91584G	41.09	54.00	-12.91	3	Horizontal	64	1.57
5310MHz	Pass	PK	10.60812G	56.24	74.00	-17.76	3	Horizontal	328	1.87
5310MHz	Pass	PK	15.92124G	53.43	74.00	-20.57	3	Horizontal	64	1.57
5510MHz	Pass	AV	5.46G	48.20	54.00	-5.80	3	Vertical	21	1.50
5510MHz	Pass	AV	5.502G	97.71	Inf	-Inf	3	Vertical	21	1.50
5510MHz	Pass	PK	5.4488G	62.01	74.00	-11.99	3	Vertical	21	1.50
5510MHz	Pass	PK	5.4636G	62.85	68.20	-5.35	3	Vertical	21	1.50
5510MHz	Pass	PK	5.5024G	111.08	Inf	-Inf	3	Vertical	21	1.50
5510MHz	Pass	AV	5.4484G	47.54	54.00	-6.46	3	Horizontal	284	1.14
5510MHz	Pass	AV	5.52G	90.06	Inf	-Inf	3	Horizontal	284	1.14
5510MHz	Pass	PK	5.4256G	61.87	74.00	-12.13	3	Horizontal	284	1.14
5510MHz	Pass	PK	5.4656G	60.96	68.20	-7.24	3	Horizontal	284	1.14
5510MHz	Pass	PK	5.5204G	103.68	Inf	-Inf	3	Horizontal	284	1.14
5510MHz	Pass	AV	11.01148G	42.45	54.00	-11.55	3	Vertical	0	1.59
5510MHz	Pass	PK	11.01124G	55.98	74.00	-18.02	3	Vertical	0	1.59
5510MHz	Pass	PK	16.5456G	54.27	68.20	-13.93	3	Vertical	337	1.53
5510MHz	Pass	AV	11.01676G	43.60	54.00	-10.40	3	Horizontal	60	1.50
5510MHz	Pass	PK	11.01616G	57.86	74.00	-16.14	3	Horizontal	60	1.50
5510MHz	Pass	PK	16.55604G	53.85	68.20	-14.35	3	Horizontal	74	2.06
5550MHz	Pass	AV	5.4532G	47.63	54.00	-6.37	3	Vertical	0	2.12
5550MHz	Pass	AV	5.5364G	98.26	Inf	-Inf	3	Vertical	0	2.12
5550MHz	Pass	PK	5.4536G	61.29	74.00	-12.71	3	Vertical	0	2.12
5550MHz	Pass	PK	5.4648G	61.83	68.20	-6.37	3	Vertical	0	2.12
5550MHz	Pass	PK	5.556G	111.36	Inf	-Inf	3	Vertical	0	2.12
5550MHz	Pass	AV	5.4592G	47.46	54.00	-6.54	3	Horizontal	275	1.16
5550MHz	Pass	AV	5.5592G	89.73	Inf	-Inf	3	Horizontal	275	1.16
5550MHz	Pass	PK	5.4568G	60.53	74.00	-13.47	3	Horizontal	275	1.16
5550MHz	Pass	PK	5.4684G	61.63	68.20	-6.57	3	Horizontal	275	1.16
5550MHz	Pass	PK	5.5388G	102.28	Inf	-Inf	3	Horizontal	275	1.16
5550MHz	Pass	AV	11.09712G	41.59	54.00	-12.41	3	Vertical	360	1.49
5550MHz	Pass	PK	11.0982G	55.02	74.00	-18.98	3	Vertical	360	1.49
5550MHz	Pass	PK	16.63248G	54.48	68.20	-13.72	3	Vertical	360	1.50
5550MHz	Pass	AV	11.09712G	43.17	54.00	-10.83	3	Horizontal	28	1.54
5550MHz	Pass	PK	11.09796G	57.71	74.00	-16.29	3	Horizontal	28	1.54
5550MHz	Pass	PK	16.65936G	52.79	68.20	-15.41	3	Horizontal	153	1.50
5670MHz	Pass	AV	5.652G	96.43	Inf	-Inf	3	Vertical	348	1.20
5670MHz	Pass	PK	5.6712G	108.87	Inf	-Inf	3	Vertical	348	1.20
5670MHz	Pass	PK	5.817G	63.18	68.20	-5.02	3	Vertical	348	1.20
5670MHz	Pass	AV	5.6604G	90.30	Inf	-Inf	3	Horizontal	278	1.23
5670MHz	Pass	PK	5.6808G	103.20	Inf	-Inf	3	Horizontal	278	1.23
5670MHz	Pass	PK	5.766G	62.82	68.20	-5.38	3	Horizontal	278	1.23
5670MHz	Pass	AV	11.34204G	41.30	54.00	-12.70	3	Vertical	330	2.00
5670MHz	Pass	PK	11.34036G	55.58	74.00	-18.42	3	Vertical	330	2.00
5670MHz	Pass	PK	17.02188G	53.04	68.20	-15.16	3	Vertical	338	1.00
5670MHz	Pass	AV	11.34012G	41.54	54.00	-12.46	3	Horizontal	12	1.50
5670MHz	Pass	PK	11.35992G	55.61	74.00	-18.39	3	Horizontal	12	1.50
5670MHz	Pass	PK	17.00496G	52.81	68.20	-15.39	3	Horizontal	165	2.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4112G	47.51	54.00	-6.49	3	Vertical	20	1.69
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	95.52	Inf	-Inf	3	Vertical	20	1.69
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4508G	61.25	74.00	-12.75	3	Vertical	20	1.69
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	60.64	68.20	-7.56	3	Vertical	20	1.69
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	107.76	Inf	-Inf	3	Vertical	20	1.69
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9476G	63.65	68.20	-4.55	3	Vertical	20	1.69
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4496G	47.49	54.00	-6.51	3	Horizontal	285	1.50



RSE TX above 1GHz Non-Beamforming Radio 3 Full RU

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	90.08	Inf	-Inf	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	60.94	74.00	-13.06	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	61.09	68.20	-7.11	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	101.75	Inf	-Inf	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9428G	63.77	68.20	-4.43	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42552G	43.34	54.00	-10.66	3	Vertical	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.426G	57.81	74.00	-16.19	3	Vertical	5	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11344G	52.34	68.20	-15.86	3	Vertical	0	1.45
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42228G	44.54	54.00	-9.46	3	Horizontal	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42252G	59.50	74.00	-14.50	3	Horizontal	360	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13384G	52.12	68.20	-16.08	3	Horizontal	52	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	48.60	54.00	-5.40	3	Vertical	0	1.83
5290MHz	Pass	AV	5.327G	97.02	Inf	-Inf	3	Vertical	0	1.83
5290MHz	Pass	AV	5.366G	52.40	54.00	-1.60	3	Vertical	0	1.83
5290MHz	Pass	PK	5.134G	62.26	74.00	-11.74	3	Vertical	0	1.83
5290MHz	Pass	PK	5.307G	109.38	Inf	-Inf	3	Vertical	0	1.83
5290MHz	Pass	PK	5.366G	65.58	74.00	-8.42	3	Vertical	0	1.83
5290MHz	Pass	PK	5.466G	63.01	68.20	-5.19	3	Vertical	0	1.83
5290MHz	Pass	AV	5.148G	48.15	54.00	-5.85	3	Horizontal	85	1.05
5290MHz	Pass	AV	5.32G	87.91	Inf	-Inf	3	Horizontal	85	1.05
5290MHz	Pass	AV	5.361G	49.85	54.00	-4.15	3	Horizontal	85	1.05
5290MHz	Pass	PK	5.122G	62.19	74.00	-11.81	3	Horizontal	85	1.05
5290MHz	Pass	PK	5.3G	100.47	Inf	-Inf	3	Horizontal	85	1.05
5290MHz	Pass	PK	5.393G	63.18	74.00	-10.82	3	Horizontal	85	1.05
5290MHz	Pass	PK	5.534G	63.19	68.20	-5.01	3	Horizontal	85	1.05
5290MHz	Pass	AV	15.8832G	40.88	54.00	-13.12	3	Vertical	149	1.50
5290MHz	Pass	PK	10.58552G	54.84	68.20	-13.36	3	Vertical	339	1.00
5290MHz	Pass	PK	15.89016G	54.02	74.00	-19.98	3	Vertical	149	1.50
5290MHz	Pass	AV	15.91272G	40.83	54.00	-13.17	3	Horizontal	150	1.50
5290MHz	Pass	PK	10.60688G	56.09	74.00	-17.91	3	Horizontal	328	1.74
5290MHz	Pass	PK	15.89304G	53.86	74.00	-20.14	3	Horizontal	150	1.50
5530MHz	Pass	AV	5.35G	47.35	54.00	-6.65	3	Vertical	22	1.44
5530MHz	Pass	AV	5.46G	51.47	54.00	-2.53	3	Vertical	22	1.44
5530MHz	Pass	AV	5.501G	94.43	Inf	-Inf	3	Vertical	22	1.44
5530MHz	Pass	PK	5.319G	61.32	68.20	-6.88	3	Vertical	22	1.44
5530MHz	Pass	PK	5.443G	66.25	74.00	-7.75	3	Vertical	22	1.44
5530MHz	Pass	PK	5.462G	67.56	68.20	-0.64	3	Vertical	22	1.44
5530MHz	Pass	PK	5.501G	107.37	Inf	-Inf	3	Vertical	22	1.44
5530MHz	Pass	PK	5.778G	63.14	68.20	-5.06	3	Vertical	22	1.44
5530MHz	Pass	AV	5.35G	47.16	54.00	-6.84	3	Horizontal	284	1.00
5530MHz	Pass	AV	5.441G	47.89	54.00	-6.11	3	Horizontal	284	1.00
5530MHz	Pass	AV	5.552G	88.39	Inf	-Inf	3	Horizontal	284	1.00
5530MHz	Pass	PK	5.298G	60.77	68.20	-7.43	3	Horizontal	284	1.00
5530MHz	Pass	PK	5.389G	61.52	74.00	-12.48	3	Horizontal	284	1.00
5530MHz	Pass	PK	5.462G	61.56	68.20	-6.64	3	Horizontal	284	1.00
5530MHz	Pass	PK	5.552G	100.87	Inf	-Inf	3	Horizontal	284	1.00
5530MHz	Pass	PK	5.743G	62.75	68.20	-5.45	3	Horizontal	284	1.00
5530MHz	Pass	AV	11.06336G	40.63	54.00	-13.37	3	Vertical	10	1.50
5530MHz	Pass	PK	11.04416G	55.00	74.00	-19.00	3	Vertical	10	1.50
5530MHz	Pass	PK	16.62G	53.62	68.20	-14.58	3	Vertical	323	1.50
5530MHz	Pass	AV	11.05664G	41.20	54.00	-12.80	3	Horizontal	60	1.47
5530MHz	Pass	PK	11.05856G	55.23	74.00	-18.77	3	Horizontal	60	1.47
5530MHz	Pass	PK	16.55712G	53.41	68.20	-14.79	3	Horizontal	66	1.77
5610MHz	Pass	AV	5.441G	47.66	54.00	-6.34	3	Vertical	345	1.50
5610MHz	Pass	AV	5.621G	94.11	Inf	-Inf	3	Vertical	345	1.50
5610MHz	Pass	PK	5.388G	61.48	74.00	-12.52	3	Vertical	345	1.50
5610MHz	Pass	PK	5.464G	60.88	68.20	-7.32	3	Vertical	345	1.50
5610MHz	Pass	PK	5.622G	106.74	Inf	-Inf	3	Vertical	345	1.50
5610MHz	Pass	PK	5.812G	62.49	68.20	-5.71	3	Vertical	345	1.50
5610MHz	Pass	AV	5.442G	47.50	54.00	-6.50	3	Horizontal	274	1.21
5610MHz	Pass	AV	5.619G	87.90	Inf	-Inf	3	Horizontal	274	1.21



RSE TX above 1GHz Non-Beamforming Radio 3 Full RU

Appendix D.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.414G	61.52	74.00	-12.48	3	Horizontal	274	1.21
5610MHz	Pass	PK	5.467G	61.18	68.20	-7.02	3	Horizontal	274	1.21
5610MHz	Pass	PK	5.619G	100.71	Inf	-Inf	3	Horizontal	274	1.21
5610MHz	Pass	PK	5.86G	62.86	68.20	-5.34	3	Horizontal	274	1.21
5610MHz	Pass	AV	11.22744G	40.20	54.00	-13.80	3	Vertical	360	1.50
5610MHz	Pass	PK	11.20824G	54.37	74.00	-19.63	3	Vertical	360	1.50
5610MHz	Pass	PK	16.81512G	52.77	68.20	-15.43	3	Vertical	19	1.50
5610MHz	Pass	AV	11.22936G	40.44	54.00	-13.56	3	Horizontal	81	1.35
5610MHz	Pass	PK	11.20896G	55.70	74.00	-18.30	3	Horizontal	81	1.35
5610MHz	Pass	PK	16.81824G	52.44	68.20	-15.76	3	Horizontal	249	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.53	54.00	-6.47	3	Vertical	346	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6516G	93.15	Inf	-Inf	3	Vertical	346	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4032G	60.76	74.00	-13.24	3	Vertical	346	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4658G	60.99	68.20	-7.21	3	Vertical	346	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6516G	105.84	Inf	-Inf	3	Vertical	346	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9672G	63.63	68.20	-4.57	3	Vertical	346	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.45	54.00	-6.55	3	Horizontal	283	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.66G	87.41	Inf	-Inf	3	Horizontal	283	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	61.49	74.00	-12.51	3	Horizontal	283	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.94	68.20	-7.26	3	Horizontal	283	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6612G	100.76	Inf	-Inf	3	Horizontal	283	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.978G	63.74	68.20	-4.46	3	Horizontal	283	1.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38312G	40.66	54.00	-13.34	3	Vertical	333	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38384G	54.40	74.00	-19.60	3	Vertical	333	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04696G	53.15	68.20	-15.05	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40112G	41.88	54.00	-12.12	3	Horizontal	12	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38048G	56.11	74.00	-17.89	3	Horizontal	12	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.01888G	53.61	68.20	-14.59	3	Horizontal	122	2.64
802.11be EHT160_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.12736G	53.51	54.00	-0.49	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.32728G	94.22	Inf	-Inf	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.36592G	52.46	54.00	-1.54	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.12568G	67.04	74.00	-6.96	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.32728G	106.98	Inf	-Inf	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3676G	66.28	74.00	-7.72	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.65992G	63.35	68.20	-4.85	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.13072G	50.24	54.00	-3.76	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31888G	85.11	Inf	-Inf	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3592G	49.77	54.00	-4.23	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	63.08	74.00	-10.92	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3004G	97.94	Inf	-Inf	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.37936G	63.25	74.00	-10.75	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.64984G	63.97	68.20	-4.23	3	Horizontal	83	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.84168G	40.57	54.00	-13.43	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45776G	53.11	68.20	-15.09	3	Vertical	326	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74232G	53.43	74.00	-20.57	3	Vertical	125	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.84696G	40.63	54.00	-13.37	3	Horizontal	293	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61232G	53.09	74.00	-20.91	3	Horizontal	315	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.8076G	53.18	74.00	-20.82	3	Horizontal	293	1.50
5570MHz	Pass	AV	5.4212G	53.31	54.00	-0.69	3	Vertical	22	1.50
5570MHz	Pass	AV	5.5016G	90.02	Inf	-Inf	3	Vertical	22	1.50
5570MHz	Pass	PK	5.3492G	62.11	68.20	-6.09	3	Vertical	22	1.50
5570MHz	Pass	PK	5.444G	66.00	74.00	-8.00	3	Vertical	22	1.50
5570MHz	Pass	PK	5.462G	65.75	68.20	-2.45	3	Vertical	22	1.50
5570MHz	Pass	PK	5.5004G	102.52	Inf	-Inf	3	Vertical	22	1.50
5570MHz	Pass	PK	5.8472G	63.34	68.20	-4.86	3	Vertical	22	1.50
5570MHz	Pass	AV	5.4392G	48.10	54.00	-5.90	3	Horizontal	283	1.00
5570MHz	Pass	AV	5.5916G	84.49	Inf	-Inf	3	Horizontal	283	1.00
5570MHz	Pass	PK	5.3252G	60.93	68.20	-7.27	3	Horizontal	283	1.00
5570MHz	Pass	PK	5.39G	61.68	74.00	-12.32	3	Horizontal	283	1.00
5570MHz	Pass	PK	5.4692G	61.19	68.20	-7.01	3	Horizontal	283	1.00
5570MHz	Pass	PK	5.5916G	97.36	Inf	-Inf	3	Horizontal	283	1.00



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.8076G	62.82	68.20	-5.38	3	Horizontal	283	1.00
5570MHz	Pass	AV	11.188G	39.32	54.00	-14.68	3	Vertical	360	1.50
5570MHz	Pass	PK	11.17792G	53.20	74.00	-20.80	3	Vertical	360	1.50
5570MHz	Pass	PK	16.59048G	53.46	68.20	-14.74	3	Vertical	258	1.50
5570MHz	Pass	AV	11.13712G	39.96	54.00	-14.04	3	Horizontal	30	1.54
5570MHz	Pass	PK	11.1976G	53.81	74.00	-20.19	3	Horizontal	30	1.54
5570MHz	Pass	PK	16.5948G	53.20	68.20	-15.00	3	Horizontal	233	1.50


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3166G	103.29	Inf	-Inf	1.27	3	Vertical	360	1.79	102.02	33.00	5.56	37.29
AV	5.3552G	48.52	54.00	-5.48	1.28	3	Vertical	360	1.79	47.24	33.00	5.58	37.30
PK	5.3166G	116.44	Inf	-Inf	1.27	3	Vertical	360	1.79	115.17	33.00	5.56	37.29
PK	5.3532G	62.66	74.00	-11.34	1.28	3	Vertical	360	1.79	61.38	33.00	5.58	37.30

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	93.88	Inf	-Inf	1.28	3	Horizontal	82	1.00	92.60	33.00	5.57	37.29
AV	5.3614G	47.44	54.00	-6.56	1.29	3	Horizontal	82	1.00	46.15	33.00	5.59	37.30
PK	5.3284G	107.00	Inf	-Inf	1.28	3	Horizontal	82	1.00	105.72	33.00	5.57	37.29
PK	5.3506G	61.24	74.00	-12.76	1.28	3	Horizontal	82	1.00	59.96	33.00	5.58	37.30


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3268G	100.43	Inf	-Inf	1.28	3	Vertical	1	1.80	99.15	33.00	5.57	37.29
AV	5.3668G	49.03	54.00	-4.97	1.29	3	Vertical	1	1.80	47.74	33.00	5.59	37.30
PK	5.3264G	114.06	Inf	-Inf	1.28	3	Vertical	1	1.80	112.78	33.00	5.57	37.29
PK	5.3668G	66.55	74.00	-7.45	1.29	3	Vertical	1	1.80	65.26	33.00	5.59	37.30

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.32G	91.12	Inf	-Inf	1.27	3	Horizontal	84	1.03	89.85	33.00	5.56	37.29
AV	5.3516G	47.92	54.00	-6.08	1.28	3	Horizontal	84	1.03	46.64	33.00	5.58	37.30
PK	5.32G	105.00	Inf	-Inf	1.27	3	Horizontal	84	1.03	103.73	33.00	5.56	37.29
PK	5.3812G	61.78	74.00	-12.22	1.29	3	Horizontal	84	1.03	60.49	33.00	5.60	37.31


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.60	54.00	-5.40	1.62	3	Vertical	0	1.83	46.98	33.40	5.46	37.24
AV	5.327G	97.02	Inf	-Inf	1.28	3	Vertical	0	1.83	95.74	33.00	5.57	37.29
AV	5.366G	52.40	54.00	-1.60	1.29	3	Vertical	0	1.83	51.11	33.00	5.59	37.30
PK	5.134G	62.26	74.00	-11.74	1.61	3	Vertical	0	1.83	60.65	33.40	5.45	37.24
PK	5.307G	109.38	Inf	-Inf	1.26	3	Vertical	0	1.83	108.12	33.00	5.55	37.29
PK	5.366G	65.58	74.00	-8.42	1.29	3	Vertical	0	1.83	64.29	33.00	5.59	37.30
PK	5.466G	63.01	68.20	-5.19	1.44	3	Vertical	0	1.83	61.57	33.13	5.64	37.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.15	54.00	-5.85	1.62	3	Horizontal	85	1.05	46.53	33.40	5.46	37.24
AV	5.32G	87.91	Inf	-Inf	1.27	3	Horizontal	85	1.05	86.64	33.00	5.56	37.29
AV	5.361G	49.85	54.00	-4.15	1.29	3	Horizontal	85	1.05	48.56	33.00	5.59	37.30
PK	5.122G	62.19	74.00	-11.81	1.62	3	Horizontal	85	1.05	60.57	33.40	5.45	37.23
PK	5.3G	100.47	Inf	-Inf	1.27	3	Horizontal	85	1.05	99.20	33.00	5.55	37.28
PK	5.393G	63.18	74.00	-10.82	1.30	3	Horizontal	85	1.05	61.88	33.00	5.61	37.31
PK	5.534G	63.19	68.20	-5.01	1.49	3	Horizontal	85	1.05	61.70	33.13	5.67	37.31


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12736G	53.51	54.00	-0.49	1.61	3	Vertical	1	1.81	51.90	33.40	5.45	37.24
AV	5.32728G	94.22	Inf	-Inf	1.28	3	Vertical	1	1.81	92.94	33.00	5.57	37.29
AV	5.36592G	52.46	54.00	-1.54	1.29	3	Vertical	1	1.81	51.17	33.00	5.59	37.30
PK	5.12568G	67.04	74.00	-6.96	1.61	3	Vertical	1	1.81	65.43	33.40	5.45	37.24
PK	5.32728G	106.98	Inf	-Inf	1.28	3	Vertical	1	1.81	105.70	33.00	5.57	37.29
PK	5.3676G	66.28	74.00	-7.72	1.29	3	Vertical	1	1.81	64.99	33.00	5.59	37.30
PK	5.65992G	63.35	68.20	-4.85	1.99	3	Vertical	1	1.81	61.36	33.48	5.73	37.22

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13072G	50.24	54.00	-3.76	1.61	3	Horizontal	83	1.00	48.63	33.40	5.45	37.24
AV	5.31888G	85.11	Inf	-Inf	1.27	3	Horizontal	83	1.00	83.84	33.00	5.56	37.29
AV	5.3592G	49.77	54.00	-4.23	1.29	3	Horizontal	83	1.00	48.48	33.00	5.59	37.30
PK	5.1492G	63.08	74.00	-10.92	1.62	3	Horizontal	83	1.00	61.46	33.40	5.46	37.24
PK	5.3004G	97.94	Inf	-Inf	1.27	3	Horizontal	83	1.00	96.67	33.00	5.55	37.28
PK	5.37936G	63.25	74.00	-10.75	1.29	3	Horizontal	83	1.00	61.96	33.00	5.60	37.31
PK	5.64984G	63.97	68.20	-4.23	1.90	3	Horizontal	83	1.00	62.07	33.40	5.73	37.23


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.35	54.00	-6.65	1.28	3	Vertical	22	1.44	46.07	33.00	5.58	37.30
AV	5.46G	51.47	54.00	-2.53	1.43	3	Vertical	22	1.44	50.04	33.12	5.64	37.33
AV	5.501G	94.43	Inf	-Inf	1.52	3	Vertical	22	1.44	92.91	33.20	5.66	37.34
PK	5.319G	61.32	68.20	-6.88	1.27	3	Vertical	22	1.44	60.05	33.00	5.56	37.29
PK	5.443G	66.25	74.00	-7.75	1.40	3	Vertical	22	1.44	64.85	33.09	5.63	37.32
PK	5.462G	67.56	68.20	-0.64	1.43	3	Vertical	22	1.44	66.13	33.12	5.64	37.33
PK	5.501G	107.37	Inf	-Inf	1.52	3	Vertical	22	1.44	105.85	33.20	5.66	37.34
PK	5.778G	63.14	68.20	-5.06	2.84	3	Vertical	22	1.44	60.30	34.17	5.80	37.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.16	54.00	-6.84	1.28	3	Horizontal	284	1.00	45.88	33.00	5.58	37.30
AV	5.441G	47.89	54.00	-6.11	1.39	3	Horizontal	284	1.00	46.50	33.08	5.63	37.32
AV	5.552G	88.39	Inf	-Inf	1.48	3	Horizontal	284	1.00	86.91	33.10	5.68	37.30
PK	5.298G	60.77	68.20	-7.43	1.27	3	Horizontal	284	1.00	59.50	33.00	5.55	37.28
PK	5.389G	61.52	74.00	-12.48	1.29	3	Horizontal	284	1.00	60.23	33.00	5.60	37.31
PK	5.462G	61.56	68.20	-6.64	1.43	3	Horizontal	284	1.00	60.13	33.12	5.64	37.33
PK	5.552G	100.87	Inf	-Inf	1.48	3	Horizontal	284	1.00	99.39	33.10	5.68	37.30
PK	5.743G	62.75	68.20	-5.45	2.59	3	Horizontal	284	1.00	60.16	33.97	5.78	37.16


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	5.447G	43.63	54.00	-10.37	3	Vertical	320	1.00
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	Pass	AV	5.0772G	45.49	54.00	-8.51	3	Vertical	317	1.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.924G	58.11	68.20	-10.09	3	Horizontal	61	1.04
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	PK	5.7572G	62.63	68.20	-5.57	3	Vertical	315	1.04


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.136G	43.07	54.00	-10.93	3	Vertical	320	1.00
5290MHz	Pass	AV	5.317G	86.58	Inf	-Inf	3	Vertical	320	1.00
5290MHz	Pass	AV	5.447G	43.63	54.00	-10.37	3	Vertical	320	1.00
5290MHz	Pass	PK	5.142G	55.41	74.00	-18.59	3	Vertical	320	1.00
5290MHz	Pass	PK	5.318G	97.85	Inf	-Inf	3	Vertical	320	1.00
5290MHz	Pass	PK	5.378G	59.63	74.00	-14.37	3	Vertical	320	1.00
5290MHz	Pass	PK	5.467G	55.99	68.20	-12.21	3	Vertical	320	1.00
5290MHz	Pass	AV	5.12G	42.78	54.00	-11.22	3	Horizontal	336	1.41
5290MHz	Pass	AV	5.26G	81.25	Inf	-Inf	3	Horizontal	336	1.41
5290MHz	Pass	AV	5.449G	43.52	54.00	-10.48	3	Horizontal	336	1.41
5290MHz	Pass	PK	5.115G	55.31	74.00	-18.69	3	Horizontal	336	1.41
5290MHz	Pass	PK	5.261G	94.62	Inf	-Inf	3	Horizontal	336	1.41
5290MHz	Pass	PK	5.356G	56.15	74.00	-17.85	3	Horizontal	336	1.41
5290MHz	Pass	PK	5.478G	56.10	68.20	-12.10	3	Horizontal	336	1.41
5290MHz	Pass	PK	10.57544G	52.41	68.20	-15.79	3	Vertical	222	2.59
5290MHz	Pass	PK	10.56208G	52.10	68.20	-16.10	3	Horizontal	282	2.17
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.28	54.00	-11.72	3	Vertical	316	1.00
5530MHz	Pass	AV	5.457G	43.82	54.00	-10.18	3	Vertical	316	1.00
5530MHz	Pass	AV	5.556G	88.84	Inf	-Inf	3	Vertical	316	1.00
5530MHz	Pass	PK	5.323G	55.50	68.20	-12.70	3	Vertical	316	1.00
5530MHz	Pass	PK	5.453G	58.64	74.00	-15.36	3	Vertical	316	1.00
5530MHz	Pass	PK	5.467G	55.40	68.20	-12.80	3	Vertical	316	1.00
5530MHz	Pass	PK	5.556G	101.74	Inf	-Inf	3	Vertical	316	1.00
5530MHz	Pass	PK	5.753G	57.12	68.20	-11.08	3	Vertical	316	1.00
5530MHz	Pass	AV	5.35G	42.19	54.00	-11.81	3	Horizontal	23	1.17
5530MHz	Pass	AV	5.433G	42.84	54.00	-11.16	3	Horizontal	23	1.17
5530MHz	Pass	AV	5.562G	81.46	Inf	-Inf	3	Horizontal	23	1.17
5530MHz	Pass	PK	5.33G	55.42	68.20	-12.78	3	Horizontal	23	1.17
5530MHz	Pass	PK	5.437G	55.85	74.00	-18.15	3	Horizontal	23	1.17
5530MHz	Pass	PK	5.467G	54.67	68.20	-13.53	3	Horizontal	23	1.17
5530MHz	Pass	PK	5.562G	93.87	Inf	-Inf	3	Horizontal	23	1.17
5530MHz	Pass	PK	5.737G	56.22	68.20	-11.98	3	Horizontal	23	1.17
5530MHz	Pass	AV	11.23464G	39.92	54.00	-14.08	3	Vertical	294	2.28
5530MHz	Pass	PK	11.20176G	52.89	74.00	-21.11	3	Vertical	294	2.28
5530MHz	Pass	AV	11.2372G	39.98	54.00	-14.02	3	Horizontal	223	1.21
5530MHz	Pass	PK	11.22176G	52.48	74.00	-21.52	3	Horizontal	223	1.21
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.435G	42.74	54.00	-11.26	3	Vertical	318	1.00
5610MHz	Pass	AV	5.576G	90.09	Inf	-Inf	3	Vertical	318	1.00
5610MHz	Pass	PK	5.453G	56.55	74.00	-17.45	3	Vertical	318	1.00
5610MHz	Pass	PK	5.466G	54.92	68.20	-13.28	3	Vertical	318	1.00
5610MHz	Pass	PK	5.575G	103.04	Inf	-Inf	3	Vertical	318	1.00
5610MHz	Pass	PK	5.835G	57.60	68.20	-10.60	3	Vertical	318	1.00
5610MHz	Pass	AV	5.415G	42.75	54.00	-11.25	3	Horizontal	64	2.81
5610MHz	Pass	AV	5.581G	82.23	Inf	-Inf	3	Horizontal	64	2.81
5610MHz	Pass	PK	5.429G	55.95	74.00	-18.05	3	Horizontal	64	2.81
5610MHz	Pass	PK	5.463G	54.95	68.20	-13.25	3	Horizontal	64	2.81
5610MHz	Pass	PK	5.581G	94.24	Inf	-Inf	3	Horizontal	64	2.81
5610MHz	Pass	PK	5.828G	56.67	68.20	-11.53	3	Horizontal	64	2.81
5610MHz	Pass	AV	11.2388G	39.85	54.00	-14.15	3	Vertical	96	1.53
5610MHz	Pass	PK	11.20152G	52.66	74.00	-21.34	3	Vertical	96	1.53
5610MHz	Pass	AV	11.23616G	39.78	54.00	-14.22	3	Horizontal	262	1.65
5610MHz	Pass	PK	11.22288G	53.11	74.00	-20.89	3	Horizontal	262	1.65
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4128G	42.72	54.00	-11.28	3	Vertical	320	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6564G	88.87	Inf	-Inf	3	Vertical	320	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	55.40	74.00	-18.60	3	Vertical	320	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	54.49	68.20	-13.71	3	Vertical	320	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6564G	101.59	Inf	-Inf	3	Vertical	320	1.08

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	57.48	68.20	-10.72	3	Vertical	320	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	42.76	54.00	-11.24	3	Horizontal	61	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6612G	81.96	Inf	-Inf	3	Horizontal	61	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.396G	55.00	74.00	-19.00	3	Horizontal	61	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.05	68.20	-13.15	3	Horizontal	61	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6612G	93.52	Inf	-Inf	3	Horizontal	61	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	58.11	68.20	-10.09	3	Horizontal	61	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38144G	39.35	54.00	-14.65	3	Vertical	219	2.07
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37832G	52.07	74.00	-21.93	3	Vertical	219	2.07
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37032G	39.20	54.00	-14.80	3	Horizontal	82	2.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38424G	52.36	74.00	-21.64	3	Horizontal	82	2.99
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0772G	45.49	54.00	-8.51	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3172G	88.53	Inf	-Inf	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3592G	45.36	54.00	-8.64	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1168G	61.68	74.00	-12.32	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3172G	99.32	Inf	-Inf	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	60.25	74.00	-13.75	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4792G	57.36	68.20	-10.84	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1204G	43.38	54.00	-10.62	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2608G	82.44	Inf	-Inf	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3832G	43.49	54.00	-10.51	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1264G	56.72	74.00	-17.28	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2584G	93.63	Inf	-Inf	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4396G	56.95	74.00	-17.05	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4864G	56.91	68.20	-11.29	3	Horizontal	331	1.42
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.472G	52.48	68.20	-15.72	3	Vertical	43	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52832G	52.37	68.20	-15.83	3	Horizontal	228	2.69
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3768G	46.47	54.00	-7.53	3	Vertical	315	1.04
5570MHz	Pass	AV	5.6168G	86.93	Inf	-Inf	3	Vertical	315	1.04
5570MHz	Pass	PK	5.2964G	54.95	68.20	-13.25	3	Vertical	315	1.04
5570MHz	Pass	PK	5.3996G	60.76	74.00	-13.24	3	Vertical	315	1.04
5570MHz	Pass	PK	5.4632G	55.41	68.20	-12.79	3	Vertical	315	1.04
5570MHz	Pass	PK	5.618G	98.62	Inf	-Inf	3	Vertical	315	1.04
5570MHz	Pass	PK	5.7572G	62.63	68.20	-5.57	3	Vertical	315	1.04
5570MHz	Pass	AV	5.3936G	42.98	54.00	-11.02	3	Horizontal	60	1.32
5570MHz	Pass	AV	5.612G	78.59	Inf	-Inf	3	Horizontal	60	1.32
5570MHz	Pass	PK	5.3252G	56.55	68.20	-11.65	3	Horizontal	60	1.32
5570MHz	Pass	PK	5.4008G	56.88	74.00	-17.12	3	Horizontal	60	1.32
5570MHz	Pass	PK	5.4656G	54.70	68.20	-13.50	3	Horizontal	60	1.32
5570MHz	Pass	PK	5.6108G	89.89	Inf	-Inf	3	Horizontal	60	1.32
5570MHz	Pass	PK	5.8688G	57.00	68.20	-11.20	3	Horizontal	60	1.32
5570MHz	Pass	AV	11.14752G	39.91	54.00	-14.09	3	Vertical	47	1.29
5570MHz	Pass	PK	11.15728G	53.17	74.00	-20.83	3	Vertical	47	1.29
5570MHz	Pass	AV	11.14896G	39.82	54.00	-14.18	3	Horizontal	340	2.47
5570MHz	Pass	PK	11.17648G	52.63	74.00	-21.37	3	Horizontal	340	2.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.07	54.00	-10.93	1.61	3	Vertical	320	1.00	41.46	33.40	5.45	37.24
AV	5.317G	86.58	Inf	-Inf	1.27	3	Vertical	320	1.00	85.31	33.00	5.56	37.29
AV	5.447G	43.63	54.00	-10.37	1.39	3	Vertical	320	1.00	42.24	33.09	5.63	37.33
PK	5.142G	55.41	74.00	-18.59	1.62	3	Vertical	320	1.00	53.79	33.40	5.46	37.24
PK	5.318G	97.85	Inf	-Inf	1.27	3	Vertical	320	1.00	96.58	33.00	5.56	37.29
PK	5.378G	59.63	74.00	-14.37	1.29	3	Vertical	320	1.00	58.34	33.00	5.60	37.31
PK	5.467G	55.99	68.20	-12.21	1.44	3	Vertical	320	1.00	54.55	33.13	5.64	37.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	42.78	54.00	-11.22	1.62	3	Horizontal	336	1.41	41.16	33.40	5.45	37.23
AV	5.26G	81.25	Inf	-Inf	1.34	3	Horizontal	336	1.41	79.91	33.08	5.53	37.27
AV	5.449G	43.52	54.00	-10.48	1.40	3	Horizontal	336	1.41	42.12	33.10	5.63	37.33
PK	5.115G	55.31	74.00	-18.69	1.61	3	Horizontal	336	1.41	53.70	33.40	5.44	37.23
PK	5.261G	94.62	Inf	-Inf	1.34	3	Horizontal	336	1.41	93.28	33.08	5.53	37.27
PK	5.355G	56.15	74.00	-17.85	1.28	3	Horizontal	336	1.41	54.87	33.00	5.58	37.30
PK	5.478G	56.10	68.20	-12.10	1.48	3	Horizontal	336	1.41	54.62	33.16	5.65	37.33


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0772G	45.49	54.00	-8.51	1.60	3	Vertical	317	1.00	43.89	33.40	5.42	37.22
AV	5.3172G	88.53	Inf	-Inf	1.27	3	Vertical	317	1.00	87.26	33.00	5.56	37.29
AV	5.3592G	45.36	54.00	-8.64	1.29	3	Vertical	317	1.00	44.07	33.00	5.59	37.30
PK	5.1168G	61.68	74.00	-12.32	1.61	3	Vertical	317	1.00	60.07	33.40	5.44	37.23
PK	5.3172G	99.32	Inf	-Inf	1.27	3	Vertical	317	1.00	98.05	33.00	5.56	37.29
PK	5.3568G	60.25	74.00	-13.75	1.28	3	Vertical	317	1.00	58.97	33.00	5.58	37.30
PK	5.4792G	57.36	68.20	-10.84	1.48	3	Vertical	317	1.00	55.88	33.16	5.65	37.33

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1204G	43.38	54.00	-10.62	1.62	3	Horizontal	331	1.42	41.76	33.40	5.45	37.23
AV	5.2608G	82.44	Inf	-Inf	1.34	3	Horizontal	331	1.42	81.10	33.08	5.53	37.27
AV	5.3832G	43.49	54.00	-10.51	1.29	3	Horizontal	331	1.42	42.20	33.00	5.60	37.31
PK	5.1264G	56.72	74.00	-17.28	1.61	3	Horizontal	331	1.42	55.11	33.40	5.45	37.24
PK	5.2584G	93.63	Inf	-Inf	1.34	3	Horizontal	331	1.42	92.29	33.08	5.53	37.27
PK	5.4396G	56.95	74.00	-17.05	1.39	3	Horizontal	331	1.42	55.56	33.08	5.63	37.32
PK	5.4864G	56.91	68.20	-11.29	1.48	3	Horizontal	331	1.42	55.43	33.17	5.65	37.34


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3768G	46.47	54.00	-7.53	1.29	3	Vertical	315	1.04	45.18	33.00	5.60	37.31
AV	5.6168G	86.93	Inf	-Inf	1.73	3	Vertical	315	1.04	85.20	33.27	5.71	37.25
PK	5.2964G	54.95	68.20	-13.25	1.28	3	Vertical	315	1.04	53.67	33.01	5.55	37.28
PK	5.3996G	60.76	74.00	-13.24	1.30	3	Vertical	315	1.04	59.46	33.00	5.61	37.31
PK	5.4632G	55.41	68.20	-12.79	1.44	3	Vertical	315	1.04	53.97	33.13	5.64	37.33
PK	5.618G	98.62	Inf	-Inf	1.73	3	Vertical	315	1.04	96.89	33.27	5.71	37.25
PK	5.7572G	62.63	68.20	-5.57	2.68	3	Vertical	315	1.04	59.95	34.04	5.79	37.15

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3936G	42.98	54.00	-11.02	1.30	3	Horizontal	60	1.32	41.68	33.00	5.61	37.31
AV	5.612G	78.59	Inf	-Inf	1.70	3	Horizontal	60	1.32	76.89	33.25	5.71	37.26
PK	5.3252G	56.55	68.20	-11.65	1.28	3	Horizontal	60	1.32	55.27	33.00	5.57	37.29
PK	5.4008G	56.88	74.00	-17.12	1.30	3	Horizontal	60	1.32	55.58	33.00	5.61	37.31
PK	5.4656G	54.70	68.20	-13.50	1.44	3	Horizontal	60	1.32	53.26	33.13	5.64	37.33
PK	5.6108G	89.89	Inf	-Inf	1.69	3	Horizontal	60	1.32	88.20	33.24	5.71	37.26
PK	5.8688G	57.00	68.20	-11.20	3.16	3	Horizontal	60	1.32	53.84	34.38	5.85	37.07


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX





RSE TX above 1GHz
Non-Beamforming_Radio 3_Channel Puncturing

Appendix D.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	AV	5.357G	49.39	54.00	-4.61	3	Vertical	313	1.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	AV	5.35752G	50.99	54.00	-3.01	3	Vertical	317	1.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	PK	5.9732G	64.06	68.20	-4.14	3	Vertical	262	1.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	AV	5.4368G	49.28	54.00	-4.72	3	Vertical	316	1.00



RSE TX above 1GHz
Non-Beamforming_Radio 3 Channel Puncturing

Appendix D.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	48.14	54.00	-5.86	3	Vertical	313	1.00
5290MHz	Pass	AV	5.317G	87.91	Inf	-Inf	3	Vertical	313	1.00
5290MHz	Pass	AV	5.357G	49.39	54.00	-4.61	3	Vertical	313	1.00
5290MHz	Pass	PK	5.111G	62.75	74.00	-11.25	3	Vertical	313	1.00
5290MHz	Pass	PK	5.318G	100.99	Inf	-Inf	3	Vertical	313	1.00
5290MHz	Pass	PK	5.455G	64.06	74.00	-9.94	3	Vertical	313	1.00
5290MHz	Pass	PK	5.474G	62.93	68.20	-5.27	3	Vertical	313	1.00
5290MHz	Pass	AV	5.142G	48.16	54.00	-5.84	3	Horizontal	332	1.23
5290MHz	Pass	AV	5.292G	82.25	Inf	-Inf	3	Horizontal	332	1.23
5290MHz	Pass	AV	5.441G	49.24	54.00	-4.76	3	Horizontal	332	1.23
5290MHz	Pass	PK	5.134G	61.84	74.00	-12.16	3	Horizontal	332	1.23
5290MHz	Pass	PK	5.292G	94.96	Inf	-Inf	3	Horizontal	332	1.23
5290MHz	Pass	PK	5.39G	63.14	74.00	-10.86	3	Horizontal	332	1.23
5290MHz	Pass	PK	5.481G	63.45	68.20	-4.75	3	Horizontal	332	1.23
5290MHz	Pass	PK	10.59576G	51.94	68.20	-16.26	3	Vertical	117	1.47
5290MHz	Pass	PK	10.59496G	51.46	68.20	-16.74	3	Horizontal	5	1.29
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	47.22	54.00	-6.78	3	Vertical	318	1.00
5530MHz	Pass	AV	5.457G	48.26	54.00	-5.74	3	Vertical	318	1.00
5530MHz	Pass	AV	5.556G	88.36	Inf	-Inf	3	Vertical	318	1.00
5530MHz	Pass	PK	5.311G	60.82	68.20	-7.38	3	Vertical	318	1.00
5530MHz	Pass	PK	5.436G	62.15	74.00	-11.85	3	Vertical	318	1.00
5530MHz	Pass	PK	5.467G	60.80	68.20	-7.40	3	Vertical	318	1.00
5530MHz	Pass	PK	5.517G	99.91	Inf	-Inf	3	Vertical	318	1.00
5530MHz	Pass	PK	5.731G	61.91	68.20	-6.29	3	Vertical	318	1.00
5530MHz	Pass	AV	5.35G	47.26	54.00	-6.74	3	Horizontal	21	1.20
5530MHz	Pass	AV	5.433G	47.55	54.00	-6.45	3	Horizontal	21	1.20
5530MHz	Pass	AV	5.562G	82.06	Inf	-Inf	3	Horizontal	21	1.20
5530MHz	Pass	PK	5.334G	61.52	68.20	-6.68	3	Horizontal	21	1.20
5530MHz	Pass	PK	5.448G	61.39	74.00	-12.61	3	Horizontal	21	1.20
5530MHz	Pass	PK	5.468G	60.46	68.20	-7.74	3	Horizontal	21	1.20
5530MHz	Pass	PK	5.563G	95.17	Inf	-Inf	3	Horizontal	21	1.20
5530MHz	Pass	PK	5.742G	62.99	68.20	-5.21	3	Horizontal	21	1.20
5530MHz	Pass	AV	11.05872G	38.56	54.00	-15.44	3	Vertical	360	1.50
5530MHz	Pass	PK	11.07368G	51.49	74.00	-22.51	3	Vertical	360	1.50
5530MHz	Pass	AV	11.06008G	38.59	54.00	-15.41	3	Horizontal	31	2.88
5530MHz	Pass	PK	11.07344G	51.47	74.00	-22.53	3	Horizontal	31	2.88
5610MHz	Pass	AV	5.455G	47.54	54.00	-6.46	3	Vertical	318	1.00
5610MHz	Pass	AV	5.576G	87.89	Inf	-Inf	3	Vertical	318	1.00
5610MHz	Pass	PK	5.411G	61.14	74.00	-12.86	3	Vertical	318	1.00
5610MHz	Pass	PK	5.461G	60.33	68.20	-7.87	3	Vertical	318	1.00
5610MHz	Pass	PK	5.576G	101.37	Inf	-Inf	3	Vertical	318	1.00
5610MHz	Pass	PK	5.811G	63.64	68.20	-4.56	3	Vertical	318	1.00
5610MHz	Pass	AV	5.436G	47.55	54.00	-6.45	3	Horizontal	60	2.69
5610MHz	Pass	AV	5.58G	81.11	Inf	-Inf	3	Horizontal	60	2.69
5610MHz	Pass	PK	5.428G	61.04	74.00	-12.96	3	Horizontal	60	2.69
5610MHz	Pass	PK	5.469G	60.68	68.20	-7.52	3	Horizontal	60	2.69
5610MHz	Pass	PK	5.6G	93.77	Inf	-Inf	3	Horizontal	60	2.69
5610MHz	Pass	PK	5.789G	62.64	68.20	-5.56	3	Horizontal	60	2.69
5610MHz	Pass	AV	11.23576G	39.13	54.00	-14.87	3	Vertical	256	2.18
5610MHz	Pass	PK	11.23752G	52.72	74.00	-21.28	3	Vertical	256	2.18
5610MHz	Pass	AV	11.23744G	39.13	54.00	-14.87	3	Horizontal	188	2.03
5610MHz	Pass	PK	11.22288G	52.52	74.00	-21.48	3	Horizontal	188	2.03
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	47.54	54.00	-6.46	3	Vertical	262	1.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6708G	86.38	Inf	-Inf	3	Vertical	262	1.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	61.24	74.00	-12.76	3	Vertical	262	1.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	61.61	68.20	-6.59	3	Vertical	262	1.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	98.42	Inf	-Inf	3	Vertical	262	1.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9732G	64.06	68.20	-4.14	3	Vertical	262	1.03

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	47.54	54.00	-6.46	3	Horizontal	342	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	80.21	Inf	-Inf	3	Horizontal	342	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4308G	61.39	74.00	-12.61	3	Horizontal	342	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.81	68.20	-7.39	3	Horizontal	342	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6816G	93.32	Inf	-Inf	3	Horizontal	342	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.99G	63.59	68.20	-4.61	3	Horizontal	342	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37784G	39.03	54.00	-14.97	3	Vertical	274	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38688G	51.61	74.00	-22.39	3	Vertical	274	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37992G	39.10	54.00	-14.90	3	Horizontal	19	1.66
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3752G	52.23	74.00	-21.77	3	Horizontal	19	1.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.13744G	50.73	54.00	-3.27	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3172G	87.25	Inf	-Inf	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35752G	50.99	54.00	-3.01	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.11728G	65.23	74.00	-8.77	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.23824G	99.47	Inf	-Inf	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.418G	65.25	74.00	-8.75	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.62464G	63.83	68.20	-4.37	3	Vertical	317	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1324G	48.78	54.00	-5.22	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.292G	80.97	Inf	-Inf	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	49.32	54.00	-4.68	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.14416G	62.84	74.00	-11.16	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.31384G	93.40	Inf	-Inf	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.38272G	62.69	74.00	-11.31	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.49864G	63.57	68.20	-4.63	3	Horizontal	333	1.26
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.504G	51.79	68.20	-16.41	3	Vertical	310	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.46256G	51.53	68.20	-16.67	3	Horizontal	263	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1408G	48.81	54.00	-5.19	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3208G	90.41	Inf	-Inf	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	49.35	54.00	-4.65	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	70.54	74.00	-3.46	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3016G	102.06	Inf	-Inf	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	69.82	74.00	-4.18	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	61.27	68.20	-6.93	3	Vertical	337	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1108G	49.19	54.00	-4.81	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3208G	84.37	Inf	-Inf	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.394G	45.01	54.00	-8.99	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1312G	68.73	74.00	-5.27	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3208G	95.94	Inf	-Inf	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3808G	62.66	74.00	-11.34	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.472G	57.25	68.20	-10.95	3	Horizontal	80	1.36
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61376G	39.32	54.00	-14.68	3	Vertical	322	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61096G	51.51	74.00	-22.49	3	Vertical	322	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61424G	39.36	54.00	-14.64	3	Horizontal	250	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.61390G	51.49	74.00	-22.51	3	Horizontal	250	2.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4368G	49.28	54.00	-4.72	3	Vertical	316	1.00
5570MHz	Pass	AV	5.576G	86.01	Inf	-Inf	3	Vertical	316	1.00
5570MHz	Pass	PK	5.3216G	61.44	68.20	-6.76	3	Vertical	316	1.00
5570MHz	Pass	PK	5.4368G	64.50	74.00	-9.50	3	Vertical	316	1.00
5570MHz	Pass	PK	5.4644G	60.79	68.20	-7.41	3	Vertical	316	1.00
5570MHz	Pass	PK	5.576G	98.18	Inf	-Inf	3	Vertical	316	1.00
5570MHz	Pass	PK	5.8412G	63.01	68.20	-5.19	3	Vertical	316	1.00
5570MHz	Pass	AV	5.4512G	47.62	54.00	-6.38	3	Horizontal	20	1.21
5570MHz	Pass	AV	5.582G	79.27	Inf	-Inf	3	Horizontal	20	1.21
5570MHz	Pass	PK	5.3276G	60.90	68.20	-7.30	3	Horizontal	20	1.21
5570MHz	Pass	PK	5.3528G	62.32	74.00	-11.68	3	Horizontal	20	1.21
5570MHz	Pass	PK	5.4632G	60.35	68.20	-7.85	3	Horizontal	20	1.21
5570MHz	Pass	PK	5.5628G	91.98	Inf	-Inf	3	Horizontal	20	1.21
5570MHz	Pass	PK	5.8532G	62.90	68.20	-5.30	3	Horizontal	20	1.21
5570MHz	Pass	AV	11.15264G	39.19	54.00	-14.81	3	Vertical	225	1.78




RSE TX above 1GHz
Non-Beamforming_Radio 3_Channel Puncturing

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.1416G	53.31	74.00	-20.69	3	Vertical	225	1.78
5570MHz	Pass	AV	11.15216G	39.29	54.00	-14.71	3	Horizontal	262	1.50
5570MHz	Pass	PK	11.14992G	52.37	74.00	-21.63	3	Horizontal	262	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4356G	47.28	54.00	-6.72	3	Vertical	310	1.53
5570MHz	Pass	AV	5.4956G	85.83	Inf	-Inf	3	Vertical	310	1.53
5570MHz	Pass	PK	5.318G	55.28	68.20	-12.92	3	Vertical	310	1.53
5570MHz	Pass	PK	5.4368G	61.54	74.00	-12.46	3	Vertical	310	1.53
5570MHz	Pass	PK	5.4632G	58.24	68.20	-9.96	3	Vertical	310	1.53
5570MHz	Pass	PK	5.4956G	98.57	Inf	-Inf	3	Vertical	310	1.53
5570MHz	Pass	PK	5.8208G	57.16	68.20	-11.04	3	Vertical	310	1.53
5570MHz	Pass	AV	5.3948G	43.28	54.00	-10.72	3	Horizontal	311	1.49
5570MHz	Pass	AV	5.5628G	80.12	Inf	-Inf	3	Horizontal	311	1.49
5570MHz	Pass	PK	5.3492G	55.29	68.20	-12.91	3	Horizontal	311	1.49
5570MHz	Pass	PK	5.3948G	56.31	74.00	-17.69	3	Horizontal	311	1.49
5570MHz	Pass	PK	5.468G	55.18	68.20	-13.02	3	Horizontal	311	1.49
5570MHz	Pass	PK	5.5628G	91.82	Inf	-Inf	3	Horizontal	311	1.49
5570MHz	Pass	PK	5.8004G	57.26	68.20	-10.94	3	Horizontal	311	1.49
5570MHz	Pass	AV	11.18176G	39.16	54.00	-14.84	3	Vertical	89	1.23
5570MHz	Pass	PK	11.22496G	51.30	74.00	-22.70	3	Vertical	89	1.23
5570MHz	Pass	AV	11.16544G	38.98	54.00	-15.02	3	Horizontal	244	2.07
5570MHz	Pass	PK	11.24848G	50.85	74.00	-23.15	3	Horizontal	244	2.07

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.14	54.00	-5.86	1.62	3	Vertical	313	1.00	46.52	33.40	5.46	37.24
AV	5.317G	87.91	Inf	-Inf	1.27	3	Vertical	313	1.00	86.64	33.00	5.56	37.29
AV	5.357G	49.39	54.00	-4.61	1.28	3	Vertical	313	1.00	48.11	33.00	5.58	37.30
PK	5.111G	62.75	74.00	-11.25	1.61	3	Vertical	313	1.00	61.14	33.40	5.44	37.23
PK	5.318G	100.99	Inf	-Inf	1.27	3	Vertical	313	1.00	99.72	33.00	5.56	37.29
PK	5.455G	64.06	74.00	-9.94	1.41	3	Vertical	313	1.00	62.65	33.11	5.63	37.33
PK	5.474G	62.93	68.20	-5.27	1.46	3	Vertical	313	1.00	61.47	33.15	5.64	37.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	48.16	54.00	-5.84	1.62	3	Horizontal	332	1.23	46.54	33.40	5.46	37.24
AV	5.292G	82.25	Inf	-Inf	1.29	3	Horizontal	332	1.23	80.96	33.02	5.55	37.28
AV	5.441G	49.24	54.00	-4.76	1.39	3	Horizontal	332	1.23	47.85	33.08	5.63	37.32
PK	5.134G	61.84	74.00	-12.16	1.61	3	Horizontal	332	1.23	60.23	33.40	5.45	37.24
PK	5.292G	94.96	Inf	-Inf	1.29	3	Horizontal	332	1.23	93.67	33.02	5.55	37.28
PK	5.39G	63.14	74.00	-10.86	1.29	3	Horizontal	332	1.23	61.85	33.00	5.60	37.31
PK	5.481G	63.45	68.20	-4.75	1.48	3	Horizontal	332	1.23	61.97	33.16	5.65	37.33




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.13744G	50.73	54.00	-3.27	1.62	3	Vertical	317	1.00	49.11	33.40	5.46	37.24
AV	5.3172G	87.25	Inf	-Inf	1.27	3	Vertical	317	1.00	85.98	33.00	5.56	37.29
AV	5.35752G	50.99	54.00	-3.01	1.28	3	Vertical	317	1.00	49.71	33.00	5.58	37.30
PK	5.11728G	65.23	74.00	-8.77	1.61	3	Vertical	317	1.00	63.62	33.40	5.44	37.23
PK	5.23824G	99.47	Inf	-Inf	1.39	3	Vertical	317	1.00	98.08	33.15	5.51	37.27
PK	5.418G	65.25	74.00	-8.75	1.34	3	Vertical	317	1.00	63.91	33.04	5.62	37.32
PK	5.62464G	63.83	68.20	-4.37	1.76	3	Vertical	317	1.00	62.07	33.30	5.71	37.25

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	48.78	54.00	-5.22	1.61	3	Horizontal	333	1.26	47.17	33.40	5.45	37.24
AV	5.292G	80.97	Inf	-Inf	1.29	3	Horizontal	333	1.26	79.68	33.02	5.55	37.28
AV	5.35G	49.32	54.00	-4.68	1.28	3	Horizontal	333	1.26	48.04	33.00	5.58	37.30
PK	5.14416G	62.84	74.00	-11.16	1.62	3	Horizontal	333	1.26	61.22	33.40	5.46	37.24
PK	5.31384G	93.40	Inf	-Inf	1.27	3	Horizontal	333	1.26	92.13	33.00	5.56	37.29
PK	5.38272G	62.69	74.00	-11.31	1.29	3	Horizontal	333	1.26	61.40	33.00	5.60	37.31
PK	5.49864G	63.57	68.20	-4.63	1.51	3	Horizontal	333	1.26	62.06	33.20	5.65	37.34




RSE TX above 1GHz
Non-Beamforming_Radio 3_Channel Puncturing

Appendix D.4


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 3_Channel Puncturing

Appendix D.4


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	49.28	54.00	-4.72	1.38	3	Vertical	316	1.00	47.90	33.07	5.63	37.32
AV	5.576G	86.01	Inf	-Inf	1.56	3	Vertical	316	1.00	84.45	33.15	5.69	37.28
PK	5.3216G	61.44	68.20	-6.76	1.27	3	Vertical	316	1.00	60.17	33.00	5.56	37.29
PK	5.4368G	64.50	74.00	-9.50	1.38	3	Vertical	316	1.00	63.12	33.07	5.63	37.32
PK	5.4644G	60.79	68.20	-7.41	1.44	3	Vertical	316	1.00	59.35	33.13	5.64	37.33
PK	5.576G	98.18	Inf	-Inf	1.56	3	Vertical	316	1.00	96.62	33.15	5.69	37.28
PK	5.8412G	63.01	68.20	-5.19	3.04	3	Vertical	316	1.00	59.97	34.30	5.83	37.09

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	47.62	54.00	-6.38	1.40	3	Horizontal	20	1.21	46.22	33.10	5.63	37.33
AV	5.582G	79.27	Inf	-Inf	1.57	3	Horizontal	20	1.21	77.70	33.16	5.69	37.28
PK	5.3276G	60.90	68.20	-7.30	1.28	3	Horizontal	20	1.21	59.62	33.00	5.57	37.29
PK	5.3528G	62.32	74.00	-11.68	1.28	3	Horizontal	20	1.21	61.04	33.00	5.58	37.30
PK	5.4632G	60.35	68.20	-7.85	1.44	3	Horizontal	20	1.21	58.91	33.13	5.64	37.33
PK	5.5628G	91.98	Inf	-Inf	1.52	3	Horizontal	20	1.21	90.46	33.13	5.68	37.29
PK	5.8532G	62.90	68.20	-5.30	3.07	3	Horizontal	20	1.21	59.83	34.31	5.84	37.08


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82402G	46.80	54.00	-7.20	Horizontal
Mode 2	Pass	AV	4.82398G	43.86	54.00	-10.14	Horizontal
Mode 3	Pass	AV	4.82407G	43.59	54.00	-10.41	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.82404G	45.49	54.00	-8.51	3	Vertical	50	1.01
Mode 1	Pass	AV	4.87186G	29.24	54.00	-24.76	3	Vertical	101	2.77
Mode 1	Pass	AV	4.87904G	34.88	54.00	-19.12	3	Vertical	55	1.50
Mode 1	Pass	AV	11.57216G	43.19	54.00	-10.81	3	Vertical	65	1.42
Mode 1	Pass	AV	11.93714G	42.17	54.00	-11.83	3	Vertical	23	1.21
Mode 1	Pass	AV	17.3562G	41.03	68.20	-27.17	3	Vertical	302	1.41
Mode 1	Pass	PK	4.82401G	50.06	74.00	-23.94	3	Vertical	50	1.01
Mode 1	Pass	PK	4.87554G	42.84	74.00	-31.16	3	Vertical	101	2.77
Mode 1	Pass	PK	4.8807G	46.81	74.00	-27.19	3	Vertical	55	1.50
Mode 1	Pass	PK	11.57168G	57.26	74.00	-16.74	3	Vertical	65	1.42
Mode 1	Pass	PK	11.93732G	56.10	74.00	-17.90	3	Vertical	23	1.21
Mode 1	Pass	PK	17.35608G	54.50	88.20	-33.70	3	Vertical	302	1.41
Mode 1	Pass	AV	4.82402G	46.80	54.00	-7.20	3	Horizontal	360	1.00
Mode 1	Pass	AV	4.86685G	34.12	54.00	-19.88	3	Horizontal	1	2.03
Mode 1	Pass	AV	4.88093G	32.86	54.00	-21.14	3	Horizontal	23	1.27
Mode 1	Pass	AV	11.56712G	43.02	54.00	-10.98	3	Horizontal	309	1.44
Mode 1	Pass	AV	11.9396G	41.16	54.00	-12.84	3	Horizontal	70	1.63
Mode 1	Pass	AV	17.35002G	41.21	68.20	-26.99	3	Horizontal	347	1.50
Mode 1	Pass	PK	4.82399G	50.39	74.00	-23.61	3	Horizontal	360	1.00
Mode 1	Pass	PK	4.86585G	49.28	74.00	-24.72	3	Horizontal	1	2.03
Mode 1	Pass	PK	4.88093G	45.62	74.00	-28.38	3	Horizontal	23	1.27
Mode 1	Pass	PK	11.56532G	56.32	74.00	-17.68	3	Horizontal	309	1.44
Mode 1	Pass	PK	11.9399G	54.43	74.00	-19.57	3	Horizontal	70	1.63
Mode 1	Pass	PK	17.37042G	55.86	88.20	-32.34	3	Horizontal	347	1.50
Mode 2	Pass	AV	4.82403G	42.17	54.00	-11.83	3	Vertical	356	1.65
Mode 2	Pass	AV	4.88095G	33.69	54.00	-20.31	3	Vertical	54	1.50
Mode 2	Pass	AV	11.14044G	38.39	54.00	-15.61	3	Vertical	164	1.50
Mode 2	Pass	AV	11.57222G	42.82	54.00	-11.18	3	Vertical	64	1.50
Mode 2	Pass	AV	11.93732G	42.29	54.00	-11.71	3	Vertical	20	1.24
Mode 2	Pass	AV	16.75878G	39.93	68.20	-28.27	3	Vertical	337	1.50
Mode 2	Pass	AV	17.3553G	40.78	68.20	-27.42	3	Vertical	300	1.50
Mode 2	Pass	PK	4.82371G	48.71	74.00	-25.29	3	Vertical	356	1.65
Mode 2	Pass	PK	4.88101G	46.09	74.00	-27.91	3	Vertical	54	1.50
Mode 2	Pass	PK	11.13006G	52.33	74.00	-21.67	3	Vertical	164	1.50
Mode 2	Pass	PK	11.58074G	56.91	74.00	-17.09	3	Vertical	64	1.50
Mode 2	Pass	PK	11.93684G	55.92	74.00	-18.08	3	Vertical	20	1.24
Mode 2	Pass	PK	16.71624G	53.57	88.20	-34.63	3	Vertical	337	1.50
Mode 2	Pass	PK	17.36658G	54.71	88.20	-33.49	3	Vertical	300	1.50
Mode 2	Pass	AV	4.82398G	43.86	54.00	-10.14	3	Horizontal	357	1.50
Mode 2	Pass	AV	4.8809G	32.42	54.00	-21.58	3	Horizontal	24	1.00
Mode 2	Pass	AV	11.14464G	38.45	54.00	-15.55	3	Horizontal	46	1.90
Mode 2	Pass	AV	11.56718G	42.42	54.00	-11.58	3	Horizontal	310	1.50
Mode 2	Pass	AV	11.93894G	41.28	54.00	-12.72	3	Horizontal	68	1.60
Mode 2	Pass	AV	16.75734G	39.97	68.20	-28.23	3	Horizontal	282	1.50
Mode 2	Pass	AV	17.34954G	41.19	68.20	-27.01	3	Horizontal	348	1.50
Mode 2	Pass	PK	4.82402G	49.87	74.00	-24.13	3	Horizontal	357	1.50
Mode 2	Pass	PK	4.8808G	44.91	74.00	-29.09	3	Horizontal	24	1.00
Mode 2	Pass	PK	11.1558G	52.53	74.00	-21.47	3	Horizontal	46	1.90
Mode 2	Pass	PK	11.56802G	54.90	74.00	-19.10	3	Horizontal	310	1.50
Mode 2	Pass	PK	11.93882G	55.11	74.00	-18.89	3	Horizontal	68	1.60


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	16.7886G	53.12	88.20	-35.08	3	Horizontal	282	1.50
Mode 2	Pass	PK	17.34954G	54.32	88.20	-33.88	3	Horizontal	348	1.50
Mode 3	Pass	AV	4.82399G	41.75	54.00	-12.25	3	Vertical	357	1.64
Mode 3	Pass	AV	4.88092G	33.91	54.00	-20.09	3	Vertical	54	1.50
Mode 3	Pass	AV	11.57207G	42.73	54.00	-11.27	3	Vertical	64	1.44
Mode 3	Pass	AV	11.93711G	42.62	54.00	-11.38	3	Vertical	18	1.33
Mode 3	Pass	AV	12.84272G	39.46	68.20	-28.74	3	Vertical	111	1.50
Mode 3	Pass	AV	17.35515G	41.01	68.20	-27.19	3	Vertical	302	1.50
Mode 3	Pass	PK	4.82391G	48.47	74.00	-25.53	3	Vertical	357	1.64
Mode 3	Pass	PK	4.88089G	46.72	74.00	-27.28	3	Vertical	54	1.50
Mode 3	Pass	PK	11.57273G	57.17	74.00	-16.83	3	Vertical	64	1.44
Mode 3	Pass	PK	11.93726G	56.50	74.00	-17.50	3	Vertical	18	1.33
Mode 3	Pass	PK	12.82256G	53.74	88.20	-34.46	3	Vertical	111	1.50
Mode 3	Pass	PK	17.35455G	55.07	88.20	-33.13	3	Vertical	302	1.50
Mode 3	Pass	AV	4.82407G	43.59	54.00	-10.41	3	Horizontal	357	1.50
Mode 3	Pass	AV	4.88087G	32.30	54.00	-21.70	3	Horizontal	24	1.14
Mode 3	Pass	AV	11.56673G	41.79	54.00	-12.21	3	Horizontal	311	1.50
Mode 3	Pass	AV	11.93939G	41.04	54.00	-12.96	3	Horizontal	69	1.56
Mode 3	Pass	AV	12.84422G	39.53	68.20	-28.67	3	Horizontal	360	1.23
Mode 3	Pass	AV	17.35878G	41.72	68.20	-26.48	3	Horizontal	319	2.97
Mode 3	Pass	PK	4.82398G	49.75	74.00	-24.25	3	Horizontal	357	1.50
Mode 3	Pass	PK	4.88119G	45.10	74.00	-28.90	3	Horizontal	24	1.14
Mode 3	Pass	PK	11.56655G	56.05	74.00	-17.95	3	Horizontal	311	1.50
Mode 3	Pass	PK	11.94017G	54.40	74.00	-19.60	3	Horizontal	69	1.56
Mode 3	Pass	PK	12.82799G	53.54	88.20	-34.66	3	Horizontal	360	1.23
Mode 3	Pass	PK	17.35959G	55.77	88.20	-32.43	3	Horizontal	319	2.97

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82404G	45.49	54.00	-8.51	0.54	3	Vertical	50	1.01	44.95	32.64	5.30	37.40
AV	4.87186G	29.24	54.00	-24.76	0.78	3	Vertical	101	2.77	28.46	32.80	5.32	37.34
AV	4.87904G	34.88	54.00	-19.12	0.79	3	Vertical	55	1.50	34.09	32.80	5.33	37.34
AV	11.57216G	43.19	54.00	-10.81	9.80	3	Vertical	65	1.42	33.39	39.11	8.61	37.92
AV	11.93714G	42.17	54.00	-11.83	10.11	3	Vertical	23	1.21	32.06	39.27	8.78	37.94
AV	17.3562G	41.03	68.20	-27.17	10.53	3	Vertical	302	1.41	30.50	38.01	10.62	38.10
PK	4.82401G	50.06	74.00	-23.94	0.54	3	Vertical	50	1.01	49.52	32.64	5.30	37.40
PK	4.87554G	42.84	74.00	-31.16	0.78	3	Vertical	101	2.77	42.06	32.80	5.32	37.34
PK	4.8807G	46.81	74.00	-27.19	0.80	3	Vertical	55	1.50	46.01	32.80	5.33	37.33
PK	11.57168G	57.26	74.00	-16.74	9.80	3	Vertical	65	1.42	47.46	39.11	8.61	37.92
PK	11.93732G	56.10	74.00	-17.90	10.11	3	Vertical	23	1.21	45.99	39.27	8.78	37.94
PK	17.35608G	54.50	88.20	-33.70	10.53	3	Vertical	302	1.41	43.97	38.01	10.62	38.10

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82402G	46.80	54.00	-7.20	0.54	3	Horizontal	360	1.00	46.26	32.64	5.30	37.40
AV	4.86685G	34.12	54.00	-19.88	0.77	3	Horizontal	1	2.03	33.35	32.80	5.32	37.35
AV	4.88093G	32.86	54.00	-21.14	0.80	3	Horizontal	23	1.27	32.06	32.80	5.33	37.33
AV	11.56712G	43.02	54.00	-10.98	9.82	3	Horizontal	309	1.44	33.20	39.13	8.61	37.92
AV	11.9396G	41.16	54.00	-12.84	10.12	3	Horizontal	70	1.63	31.04	39.28	8.78	37.94
AV	17.35002G	41.21	68.20	-26.99	10.52	3	Horizontal	347	1.50	30.69	38.00	10.62	38.10
PK	4.82399G	50.39	74.00	-23.61	0.54	3	Horizontal	360	1.00	49.85	32.64	5.30	37.40
PK	4.86585G	49.28	74.00	-24.72	0.77	3	Horizontal	1	2.03	48.51	32.80	5.32	37.35
PK	4.88093G	45.62	74.00	-28.38	0.80	3	Horizontal	23	1.27	44.82	32.80	5.33	37.33
PK	11.56532G	56.32	74.00	-17.68	9.83	3	Horizontal	309	1.44	46.49	39.14	8.61	37.92
PK	11.9399G	54.43	74.00	-19.57	10.12	3	Horizontal	70	1.63	44.31	39.28	8.78	37.94
PK	17.37042G	55.86	88.20	-32.34	10.57	3	Horizontal	347	1.50	45.29	38.04	10.62	38.09

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82403G	42.17	54.00	-11.83	0.54	3	Vertical	356	1.65	41.63	32.64	5.30	37.40
AV	4.88095G	33.69	54.00	-20.31	0.80	3	Vertical	54	1.50	32.89	32.80	5.33	37.33
AV	11.14044G	38.39	54.00	-15.61	9.91	3	Vertical	164	1.50	28.48	39.18	8.41	37.68
AV	11.57222G	42.82	54.00	-11.18	9.80	3	Vertical	64	1.50	33.02	39.11	8.61	37.92
AV	11.93732G	42.29	54.00	-11.71	10.11	3	Vertical	20	1.24	32.18	39.27	8.78	37.94
AV	16.75878G	39.93	68.20	-28.27	9.98	3	Vertical	337	1.50	29.95	37.80	10.44	38.26
AV	17.3553G	40.78	68.20	-27.42	10.53	3	Vertical	300	1.50	30.25	38.01	10.62	38.10
PK	4.82371G	48.71	74.00	-25.29	0.54	3	Vertical	356	1.65	48.17	32.64	5.30	37.40
PK	4.88101G	46.09	74.00	-27.91	0.80	3	Vertical	54	1.50	45.29	32.80	5.33	37.33
PK	11.13006G	52.33	74.00	-21.67	9.88	3	Vertical	164	1.50	42.45	39.16	8.40	37.68
PK	11.58074G	56.91	74.00	-17.09	9.77	3	Vertical	64	1.50	47.14	39.08	8.61	37.92
PK	11.93684G	55.92	74.00	-18.08	10.11	3	Vertical	20	1.24	45.81	39.27	8.78	37.94
PK	16.71624G	53.57	88.20	-34.63	10.11	3	Vertical	337	1.50	43.46	37.94	10.42	38.25
PK	17.36658G	54.71	88.20	-33.49	10.56	3	Vertical	300	1.50	44.15	38.03	10.62	38.09

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	43.86	54.00	-10.14	0.54	3	Horizontal	357	1.50	43.32	32.64	5.30	37.40
AV	4.8809G	32.42	54.00	-21.58	0.80	3	Horizontal	24	1.00	31.62	32.80	5.33	37.33
AV	11.14464G	38.45	54.00	-15.55	9.91	3	Horizontal	46	1.90	28.54	39.19	8.41	37.69
AV	11.56718G	42.42	54.00	-11.58	9.82	3	Horizontal	310	1.50	32.60	39.13	8.61	37.92
AV	11.93894G	41.28	54.00	-12.72	10.12	3	Horizontal	68	1.60	31.16	39.28	8.78	37.94
AV	16.75734G	39.97	68.20	-28.23	9.98	3	Horizontal	282	1.50	29.99	37.80	10.44	38.26
AV	17.34954G	41.19	68.20	-27.01	10.51	3	Horizontal	348	1.50	30.68	38.00	10.61	38.10
PK	4.82402G	49.87	74.00	-24.13	0.54	3	Horizontal	357	1.50	49.33	32.64	5.30	37.40
PK	4.8808G	44.91	74.00	-29.09	0.80	3	Horizontal	24	1.00	44.11	32.80	5.33	37.33
PK	11.1558G	52.53	74.00	-21.47	9.91	3	Horizontal	46	1.90	42.62	39.19	8.41	37.69
PK	11.56802G	54.90	74.00	-19.10	9.82	3	Horizontal	310	1.50	45.08	39.13	8.61	37.92
PK	11.93882G	55.11	74.00	-18.89	10.12	3	Horizontal	68	1.60	44.99	39.28	8.78	37.94
PK	16.7886G	53.12	88.20	-35.08	9.99	3	Horizontal	282	1.50	43.13	37.80	10.45	38.26
PK	17.34954G	54.32	88.20	-33.88	10.51	3	Horizontal	348	1.50	43.81	38.00	10.61	38.10

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82399G	41.75	54.00	-12.25	0.54	3	Vertical	357	1.64	41.21	32.64	5.30	37.40
AV	4.88092G	33.91	54.00	-20.09	0.80	3	Vertical	54	1.50	33.11	32.80	5.33	37.33
AV	11.57207G	42.73	54.00	-11.27	9.80	3	Vertical	64	1.44	32.93	39.11	8.61	37.92
AV	11.93711G	42.62	54.00	-11.38	10.11	3	Vertical	18	1.33	32.51	39.27	8.78	37.94
AV	12.84272G	39.46	68.20	-28.74	10.49	3	Vertical	111	1.50	28.97	39.87	9.08	38.46
AV	17.35515G	41.01	68.20	-27.19	10.53	3	Vertical	302	1.50	30.48	38.01	10.62	38.10
PK	4.82391G	48.47	74.00	-25.53	0.54	3	Vertical	357	1.64	47.93	32.64	5.30	37.40
PK	4.88089G	46.72	74.00	-27.28	0.80	3	Vertical	54	1.50	45.92	32.80	5.33	37.33
PK	11.57273G	57.17	74.00	-16.83	9.80	3	Vertical	64	1.44	47.37	39.11	8.61	37.92
PK	11.93726G	56.50	74.00	-17.50	10.11	3	Vertical	18	1.33	46.39	39.27	8.78	37.94
PK	12.82256G	53.74	88.20	-34.46	10.41	3	Vertical	111	1.50	43.33	39.79	9.07	38.45
PK	17.35455G	55.07	88.20	-33.13	10.53	3	Vertical	302	1.50	44.54	38.01	10.62	38.10

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82407G	43.59	54.00	-10.41	0.54	3	Horizontal	357	1.50	43.05	32.64	5.30	37.40
AV	4.88087G	32.30	54.00	-21.70	0.80	3	Horizontal	24	1.14	31.50	32.80	5.33	37.33
AV	11.56673G	41.79	54.00	-12.21	9.82	3	Horizontal	311	1.50	31.97	39.13	8.61	37.92
AV	11.93939G	41.04	54.00	-12.96	10.12	3	Horizontal	69	1.56	30.92	39.28	8.78	37.94
AV	12.84422G	39.53	68.20	-28.67	10.50	3	Horizontal	360	1.23	29.03	39.88	9.08	38.46
AV	17.35878G	41.72	68.20	-26.48	10.55	3	Horizontal	319	2.97	31.17	38.02	10.62	38.09
PK	4.82398G	49.75	74.00	-24.25	0.54	3	Horizontal	357	1.50	49.21	32.64	5.30	37.40
PK	4.88119G	45.10	74.00	-28.90	0.80	3	Horizontal	24	1.14	44.30	32.80	5.33	37.33
PK	11.56655G	56.05	74.00	-17.95	9.82	3	Horizontal	311	1.50	46.23	39.13	8.61	37.92
PK	11.94017G	54.40	74.00	-19.60	10.12	3	Horizontal	69	1.56	44.28	39.28	8.78	37.94
PK	12.82799G	53.54	88.20	-34.66	10.43	3	Horizontal	360	1.23	43.11	39.81	9.07	38.45
PK	17.35959G	55.77	88.20	-32.43	10.55	3	Horizontal	319	2.97	45.22	38.02	10.62	38.09