


## Appendix D. Product Photos

DUT: WLAN Module (Brand Name: Realtek / Model Name: RTL8191SE)








**Host: Convertible Tablet Computer**

**Model Name: NL2\*\* (The “\*\*”can be 0-9, A-Z or blank for the marketing purpose)**



**Thin Battery (4400 mAh)**

**Thick Battery (7650 mAh)**

**Battery 1\_Front View****Battery 1\_Rear View****Battery 2\_Front View****Battery 2\_Rear View****Battery 3\_Front View****Battery 3\_Rear View**

## Appendix E. Test Setup Photos



Fig 9.1 Bottom of Laptop Touching with 0 cm Air Gap (DUT with Battery 1)




Fig 9.2 Bottom of Laptop Touching with 0 cm Air Gap (DUT with Battery 2)



Fig 9.3 Bottom of Laptop Touching with 0 cm Air Gap (DUT with Battery 3)



**Fig 9.4 Bottom of Tablet Touching with 0 cm Air Gap (DUT with Battery 1)**



**Fig 9.5 Bottom of Tablet Touching with 0 cm Air Gap (DUT with Battery 2)**



**Fig 9.6 Bottom of Tablet Touching with 0 cm Air Gap (DUT with Battery 3)**



Fig 9.7 Primary Landscape



Fig 9.8 Secondary Landscape




Fig 9.9 Primary Portrait

**Note:** The test position of Secondary Portrait wasn't performed because the distance between WLAN antenna and this edge was larger than 5 cm. We expect that the SAR value for this position will very low.