


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


7025MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04776G	51.46	88.20	-36.74	61.37	3	Vertical	29	1.60	-	41.00	13.45	64.36			
RMS	14.0497G	40.30	68.20	-27.90	50.20	3	Vertical	29	1.60	-	41.00	13.45	64.35			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0531G	51.10	88.20	-37.10	60.98	3	Horizontal	330	1.53	-	41.00	13.46	64.34			
RMS	14.05414G	40.16	68.20	-28.04	50.04	3	Horizontal	330	1.53	-	41.00	13.46	64.34			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07783G	43.83	83.54	-39.71	38.46	1	Vertical	146	2.05	-	38.00	16.05	48.68			
AV	21.07294G	33.16	63.54	-30.38	27.81	1	Vertical	146	2.05	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07149G	43.74	83.54	-39.80	38.39	1	Horizontal	208	1.43	-	38.00	16.04	48.69			
AV	21.07834G	33.21	63.54	-30.33	27.84	1	Horizontal	208	1.43	-	38.00	16.05	48.68			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00622G	47.41	88.20	-40.79	60.12	3	Vertical	28	1.90	-	39.60	12.91	65.22			
RMS	13.01508G	37.42	68.20	-30.78	50.11	3	Vertical	28	1.90	-	39.60	12.91	65.20			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00978G	47.63	88.20	-40.57	60.33	3	Horizontal	194	2.31	-	39.60	12.91	65.21			
RMS	13.01174G	37.32	68.20	-30.88	50.02	3	Horizontal	194	2.31	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51864G	45.59	83.54	-37.95	41.43	1	Vertical	152	1.73	-	37.76	15.20	48.80			
AV	19.51G	35.01	63.54	-28.53	30.83	1	Vertical	152	1.73	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51883G	46.62	83.54	-36.92	42.46	1	Horizontal	56	1.69	-	37.76	15.20	48.80			
AV	19.517G	35.17	63.54	-28.37	31.00	1	Horizontal	56	1.69	-	37.77	15.20	48.80			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
Setting 6
02-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0226G	96.31	Inf	-Inf	83.49	3	Vertical	181	1.79	-	35.30	8.94	31.42			
RMS	6.9898G	87.20	Inf	-Inf	74.42	3	Vertical	181	1.79	-	35.30	8.89	31.41			
PK	7.141G	69.56	88.20	-18.64	56.10	3	Vertical	181	1.79	-	35.65	9.23	31.42			
RMS	7.1274G	56.48	68.20	-11.72	43.15	3	Vertical	181	1.79	-	35.56	9.19	31.42			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96164G	49.70	88.20	-38.50	59.81	3	Vertical	219	2.22	-	40.90	13.43	64.44			
RMS	13.9657G	37.71	68.20	-30.49	47.83	3	Vertical	219	2.22	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97634G	50.36	88.20	-37.84	60.47	3	Horizontal	342	2.75	-	40.90	13.44	64.45			
RMS	13.96236G	37.72	68.20	-30.48	47.83	3	Horizontal	342	2.75	-	40.90	13.43	64.44			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95383G	43.71	83.54	-39.83	38.55	1	Vertical	329	2.05	-	37.91	15.95	48.70			
AV	20.95965G	31.12	63.54	-32.42	25.95	1	Vertical	329	2.05	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95683G	43.23	83.54	-40.31	38.07	1	Horizontal	89	1.43	-	37.91	15.95	48.70			
AV	20.95209G	31.18	63.54	-32.36	26.03	1	Horizontal	89	1.43	-	37.90	15.95	48.70			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86068G	47.70	88.20	-40.50	60.72	3	Vertical	197	1.79	-	39.40	12.83	65.25			
RMS	12.86004G	35.43	68.20	-32.77	48.45	3	Vertical	197	1.79	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86596G	48.00	88.20	-40.20	61.02	3	Horizontal	180	2.20	-	39.40	12.83	65.25			
RMS	12.87036G	35.45	68.20	-32.75	48.47	3	Horizontal	180	2.20	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30532G	43.36	83.54	-40.18	39.15	1	Vertical	147	1.66	-	37.80	15.21	48.80			
AV	19.30853G	31.16	63.54	-32.38	26.95	1	Vertical	147	1.66	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30121G	43.69	83.54	-39.85	39.48	1	Horizontal	124	1.39	-	37.80	15.21	48.80			
AV	19.30008G	31.22	63.54	-32.32	27.01	1	Horizontal	124	1.39	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94092G	46.90	88.20	-41.30	59.79	3	Vertical	268	2.76	-	39.48	12.87	65.24			
RMS	12.94386G	34.57	68.20	-33.63	47.45	3	Vertical	268	2.76	-	39.49	12.87	65.24			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94834G	46.73	88.20	-41.47	59.59	3	Horizontal	184	1.63	-	39.50	12.88	65.24			
RMS	12.9438G	34.56	68.20	-33.64	47.44	3	Horizontal	184	1.63	-	39.49	12.87	65.24			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42974G	44.66	83.54	-38.88	40.48	1	Vertical	342	1.88	-	37.78	15.20	48.80			
AV	19.42982G	32.29	63.54	-31.25	28.11	1	Vertical	342	1.88	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_Y_2TX
Setting -7(S0 2.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42953G	44.79	83.54	-38.75	40.61	1	Horizontal	32	1.77	-	37.78	15.20	48.80			
AV	19.42946G	32.29	63.54	-31.25	28.11	1	Horizontal	32	1.77	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0364G	47.89	88.20	-40.31	60.53	3	Vertical	266	1.77	-	39.60	12.92	65.16			
RMS	13.0357G	35.81	68.20	-32.39	48.45	3	Vertical	266	1.77	-	39.60	12.92	65.16			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03452G	48.15	88.20	-40.05	60.79	3	Horizontal	148	1.16	-	39.60	12.92	65.16			
RMS	13.03572G	35.81	68.20	-32.39	48.45	3	Horizontal	148	1.16	-	39.60	12.92	65.16			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54861G	44.20	83.54	-39.34	40.10	1	Vertical	291	1.44	-	37.70	15.20	48.80			
AV	19.54G	32.12	63.54	-31.42	28.00	1	Vertical	291	1.44	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54787G	44.97	83.54	-38.57	40.87	1	Horizontal	209	2.06	-	37.70	15.20	48.80			
AV	19.54G	32.12	63.54	-31.42	28.00	1	Horizontal	209	2.06	-	37.72	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting -9.5(S0 4)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78976G	50.03	88.20	-38.17	60.41	3	Vertical	119	1.62	-	40.66	13.34	64.38			
RMS	13.78G	37.43	68.20	-30.77	47.85	3	Vertical	119	1.62	-	40.62	13.33	64.37			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting -9.5(S0 4)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78842G	50.36	88.20	-37.84	60.76	3	Horizontal	40	1.48	-	40.65	13.33	64.38			
RMS	13.79012G	37.41	68.20	-30.79	47.79	3	Horizontal	40	1.48	-	40.66	13.34	64.38			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting -9.5(S0 4)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6807G	44.12	83.54	-39.42	39.20	1	Vertical	176	1.66	-	37.90	15.72	48.70			
AV	20.68G	30.45	63.54	-33.09	25.53	1	Vertical	176	1.66	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_Y_2TX
Setting -9.5(S0 4)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68925G	43.13	83.54	-40.41	38.20	1	Horizontal	140	1.44	-	37.90	15.73	48.70			
AV	20.68G	30.45	63.54	-33.09	25.53	1	Horizontal	140	1.44	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98154G	50.31	88.20	-37.89	60.42	3	Vertical	242	2.50	-	40.90	13.44	64.45			
RMS	13.98622G	37.65	68.20	-30.55	47.76	3	Vertical	242	2.50	-	40.90	13.44	64.45			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98672G	51.55	88.20	-36.65	61.66	3	Horizontal	127	1.87	-	40.90	13.44	64.45			
RMS	13.9894G	37.65	68.20	-30.55	47.77	3	Horizontal	127	1.87	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_V_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98827G	43.79	83.54	-39.75	38.53	1	Vertical	96	1.89	-	37.98	15.98	48.70			
AV	20.9891G	31.45	63.54	-32.09	26.19	1	Vertical	96	1.89	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98555G	43.91	83.54	-39.63	38.67	1	Horizontal	117	1.67	-	37.97	15.97	48.70			
AV	20.98892G	31.45	63.54	-32.09	26.19	1	Horizontal	117	1.67	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0944G	93.28	Inf	-Inf	81.25	3	Vertical	181	1.74	-	36.79	7.95	32.71			
RMS	7.0976G	81.70	Inf	-Inf	69.66	3	Vertical	181	1.74	-	36.80	7.95	32.71			
PK	7.1257G	66.99	88.20	-21.21	54.89	3	Vertical	181	1.74	-	36.85	7.95	32.70			
RMS	7.131G	55.59	68.20	-12.61	43.48	3	Vertical	181	1.74	-	36.86	7.95	32.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18022G	51.08	88.20	-37.12	60.78	3	Vertical	1	2.67	-	40.90	13.47	64.07			
RMS	14.18392G	38.15	68.20	-30.05	47.84	3	Vertical	1	2.67	-	40.90	13.47	64.06			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19076G	50.65	88.20	-37.55	60.32	3	Horizontal	9	1.95	-	40.90	13.47	64.04			
RMS	14.18374G	38.15	68.20	-30.05	47.84	3	Horizontal	9	1.95	-	40.90	13.47	64.06			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28574G	44.42	83.54	-39.12	38.77	1	Vertical	260	1.73	-	38.07	16.22	48.64			
AV	21.28287G	31.58	63.54	-31.96	25.93	1	Vertical	260	1.73	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2885G	43.97	83.54	-39.57	38.31	1	Horizontal	51	1.96	-	38.08	16.22	48.64			
AV	21.2829G	31.58	63.54	-31.96	25.93	1	Horizontal	51	1.96	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1135G	88.09	Inf	-Inf	74.87	3	Vertical	185	1.74	BP 1MHz	35.48	9.16	31.42			
RMS	7.1135G	81.37	Inf	-Inf	68.15	3	Vertical	185	1.74	BP 1MHz	35.48	9.16	31.42			
PK	7.1575G	65.79	88.20	-22.41	52.20	3	Vertical	185	1.74	BP 1MHz	35.74	9.27	31.42			
RMS	7.1535G	57.78	68.20	-10.42	44.22	3	Vertical	185	1.74	BP 1MHz	35.72	9.26	31.42			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22266G	50.38	88.20	-37.82	60.07	3	Vertical	100	1.57	-	40.81	13.47	63.97			
RMS	14.2224G	38.11	68.20	-30.09	47.81	3	Vertical	100	1.57	-	40.81	13.47	63.98			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22566G	49.69	88.20	-38.51	59.39	3	Horizontal	286	1.42	-	40.80	13.47	63.97			
RMS	14.22222G	38.11	68.20	-30.09	47.81	3	Horizontal	286	1.42	-	40.81	13.47	63.98			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34747G	44.42	83.54	-39.12	38.68	1	Vertical	252	1.81	-	38.10	16.27	48.63			
AV	21.34965G	31.98	63.54	-31.56	26.24	1	Vertical	252	1.81	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34797G	45.09	83.54	-38.45	39.35	1	Horizontal	102	1.63	-	38.10	16.27	48.63			
AV	21.34993G	31.99	63.54	-31.55	26.25	1	Horizontal	102	1.63	-	38.10	16.27	48.63			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89884G	47.36	88.20	-40.84	60.35	3	Vertical	289	1.99	-	39.40	12.85	65.24			
RMS	12.88004G	35.17	68.20	-33.03	48.17	3	Vertical	289	1.99	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89736G	47.40	88.20	-40.80	60.39	3	Horizontal	235	1.10	-	39.40	12.85	65.24			
RMS	12.88G	35.18	68.20	-33.02	48.18	3	Horizontal	235	1.10	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33421G	44.05	83.54	-39.49	39.84	1	Vertical	143	1.93	-	37.80	15.21	48.80			
AV	19.34G	31.42	63.54	-32.12	27.21	1	Vertical	143	1.93	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33439G	43.88	83.54	-39.66	39.67	1	Horizontal	253	2.06	-	37.80	15.21	48.80			
AV	19.33865G	31.41	63.54	-32.13	27.20	1	Horizontal	253	2.06	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97916G	46.15	88.20	-42.05	58.93	3	Vertical	98	2.00	-	39.56	12.89	65.23			
RMS	12.9773G	34.22	68.20	-33.98	47.01	3	Vertical	98	2.00	-	39.55	12.89	65.23			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97358G	46.39	88.20	-41.81	59.18	3	Horizontal	18	2.54	-	39.55	12.89	65.23			
RMS	12.97738G	34.22	68.20	-33.98	47.01	3	Horizontal	18	2.54	-	39.55	12.89	65.23			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4538G	45.43	83.54	-38.11	41.32	1	Vertical	63	1.54	-	37.71	15.20	48.80			
AV	19.45763G	32.87	63.54	-30.67	28.75	1	Vertical	63	1.54	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45546G	45.43	83.54	-38.11	41.32	1	Horizontal	219	1.48	-	37.71	15.20	48.80			
AV	19.45764G	32.87	63.54	-30.67	28.75	1	Horizontal	219	1.48	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04818G	48.27	88.20	-39.93	60.88	3	Vertical	322	2.80	-	39.60	12.93	65.14			
RMS	13.04622G	35.77	68.20	-32.43	48.38	3	Vertical	322	2.80	-	39.60	12.93	65.14			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04962G	48.17	88.20	-40.03	60.77	3	Horizontal	13	1.50	-	39.60	12.93	65.13			
RMS	13.04644G	35.76	68.20	-32.44	48.37	3	Horizontal	13	1.50	-	39.60	12.93	65.14			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57838G	43.71	83.54	-39.83	39.61	1	Vertical	299	1.99	-	37.70	15.20	48.80			
AV	19.57125G	31.41	63.54	-32.13	27.31	1	Vertical	299	1.99	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57072G	45.01	83.54	-38.53	40.91	1	Horizontal	108	1.61	-	37.70	15.20	48.80			
AV	19.57177G	31.41	63.54	-32.13	27.31	1	Horizontal	108	1.61	-	37.70	15.20	48.80			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting -4(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85428G	50.83	88.20	-37.37	61.05	3	Vertical	178	2.45	-	40.81	13.37	64.40			
RMS	13.84814G	37.83	68.20	-30.37	48.06	3	Vertical	178	2.45	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting -4(S0 1)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.84074G	51.22	88.20	-36.98	61.48	3	Horizontal	96	2.11	-	40.78	13.36	64.40			
RMS	13.84856G	37.80	68.20	-30.40	48.03	3	Horizontal	96	2.11	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting -4(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77558G	43.36	83.54	-40.18	38.36	1	Vertical	126	1.38	-	37.90	15.80	48.70			
AV	20.77457G	30.65	63.54	-32.89	25.65	1	Vertical	126	1.38	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_V_2TX
Setting -4(S0 1)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77969G	43.13	83.54	-40.41	38.12	1	Horizontal	136	2.01	-	37.90	15.81	48.70			
AV	20.77133G	30.65	63.54	-32.89	25.65	1	Horizontal	136	2.01	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting -4.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01098G	50.43	88.20	-37.77	60.50	3	Vertical	116	2.95	-	40.92	13.45	64.44			
RMS	14.01766G	37.82	68.20	-30.38	47.85	3	Vertical	116	2.95	-	40.94	13.45	64.42			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting -4.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01998G	49.59	88.20	-38.61	59.62	3	Horizontal	338	2.74	-	40.94	13.45	64.42			
RMS	14.01774G	37.84	68.20	-30.36	47.87	3	Horizontal	338	2.74	-	40.94	13.45	64.42			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting -4.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01903G	43.78	83.54	-39.76	38.48	1	Vertical	360	1.91	-	38.00	16.00	48.70			
AV	21.01229G	31.57	63.54	-31.97	26.27	1	Vertical	360	1.91	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting -4.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01429G	43.92	83.54	-39.62	38.62	1	Horizontal	334	1.80	-	38.00	16.00	48.70			
AV	21.01362G	31.57	63.54	-31.97	26.27	1	Horizontal	334	1.80	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
02-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0876G	91.80	Inf	-Inf	78.75	3	Vertical	184	1.70	-	35.38	9.09	31.42				
RMS	7.094G	81.59	Inf	-Inf	68.51	3	Vertical	184	1.70	-	35.39	9.11	31.42				
PK	7.145G	65.29	88.20	-22.91	51.80	3	Vertical	184	1.70	-	35.67	9.24	31.42				
RMS	7.1824G	54.18	68.20	-14.02	40.38	3	Vertical	184	1.70	-	35.89	9.33	31.42				

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17776G	50.75	88.20	-37.45	60.45	3	Vertical	235	2.35	-	40.90	13.47	64.07			
RMS	14.16004G	38.31	68.20	-29.89	48.05	3	Vertical	235	2.35	-	40.90	13.47	64.11			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17296G	51.69	88.20	-36.51	61.40	3	Horizontal	39	2.76	-	40.90	13.47	64.08			
RMS	14.16014G	38.31	68.20	-29.89	48.05	3	Horizontal	39	2.76	-	40.90	13.47	64.11			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2525G	43.64	83.54	-39.90	38.09	1	Vertical	314	1.70	-	38.01	16.19	48.65			
AV	21.25978G	31.45	63.54	-32.09	25.88	1	Vertical	314	1.70	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_V_2TX
Setting -5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25674G	44.43	83.54	-39.11	38.88	1	Horizontal	341	1.62	-	38.01	16.19	48.65			
AV	21.25976G	31.45	63.54	-32.09	25.88	1	Horizontal	341	1.62	-	38.02	16.20	48.65			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92738G	46.75	88.20	-41.45	59.67	3	Vertical	24	2.09	-	39.45	12.87	65.24			
RMS	12.921G	36.45	68.20	-31.75	49.39	3	Vertical	24	2.09	-	39.44	12.86	65.24			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93018G	47.07	88.20	-41.13	59.98	3	Horizontal	189	1.37	-	39.46	12.87	65.24			
RMS	12.92374G	36.53	68.20	-31.67	49.46	3	Horizontal	189	1.37	-	39.45	12.86	65.24			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 1(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3973G	44.73	83.54	-38.81	40.43	1	Vertical	222	1.49	-	37.89	15.21	48.80			
AV	19.39924G	34.14	63.54	-29.40	29.83	1	Vertical	222	1.49	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39692G	44.52	83.54	-39.02	40.22	1	Horizontal	275	1.70	-	37.89	15.21	48.80			
AV	19.39921G	34.31	63.54	-29.23	30.00	1	Horizontal	275	1.70	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08586G	47.63	88.20	-40.57	60.07	3	Vertical	241	1.45	-	39.67	12.95	65.06			
RMS	13.08062G	37.68	68.20	-30.52	50.14	3	Vertical	241	1.45	-	39.66	12.95	65.07			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0957G	47.92	88.20	-40.28	60.31	3	Horizontal	296	1.65	-	39.69	12.96	65.04			
RMS	13.09886G	37.52	68.20	-30.68	49.90	3	Horizontal	296	1.65	-	39.70	12.96	65.04			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63689G	44.20	83.54	-39.34	40.11	1	Vertical	217	2.04	-	37.70	15.19	48.80			
AV	19.63032G	32.78	63.54	-30.76	28.69	1	Vertical	217	2.04	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6359G	43.08	83.54	-40.46	38.99	1	Horizontal	329	1.40	-	37.70	15.19	48.80			
AV	19.6353G	33.02	63.54	-30.52	28.93	1	Horizontal	329	1.40	-	37.70	15.19	48.80			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89964G	50.50	88.20	-37.70	60.62	3	Vertical	118	2.05	-	40.90	13.40	64.42			
RMS	13.88174G	39.43	68.20	-28.77	49.59	3	Vertical	118	2.05	-	40.86	13.39	64.41			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8932G	49.98	88.20	-38.22	60.12	3	Horizontal	75	2.14	-	40.89	13.39	64.42			
RMS	13.88418G	39.34	68.20	-28.86	49.49	3	Horizontal	75	2.14	-	40.87	13.39	64.41			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83715G	43.79	83.54	-39.75	38.74	1	Vertical	131	1.76	-	37.90	15.85	48.70			
AV	20.83935G	32.63	63.54	-30.91	27.58	1	Vertical	131	1.76	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83785G	43.73	83.54	-39.81	38.68	1	Horizontal	66	1.41	-	37.90	15.85	48.70			
AV	20.835G	32.65	63.54	-30.89	27.60	1	Horizontal	66	1.41	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
02-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	92.60	Inf	-Inf	79.81	3	Vertical	182	1.79	-	35.30	8.91	31.42			
RMS	6.9878G	83.37	Inf	-Inf	70.59	3	Vertical	182	1.79	-	35.30	8.89	31.41			
PK	7.1918G	65.29	88.20	-22.91	51.41	3	Vertical	182	1.79	-	35.95	9.35	31.42			
RMS	7.2198G	54.65	68.20	-13.55	40.62	3	Vertical	182	1.79	-	36.08	9.37	31.42			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting -2(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05986G	50.96	88.20	-37.24	60.83	3	Vertical	159	2.49	-	41.00	13.46	64.33			
RMS	14.05146G	40.28	68.20	-27.92	50.17	3	Vertical	159	2.49	-	41.00	13.46	64.35			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0554G	50.68	88.20	-37.52	60.56	3	Horizontal	74	1.21	-	41.00	13.46	64.34			
RMS	14.05094G	40.01	68.20	-28.19	49.90	3	Horizontal	74	1.21	-	41.00	13.46	64.35			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07636G	43.64	83.54	-39.90	38.27	1	Vertical	7	1.53	-	38.00	16.05	48.68			
AV	21.07502G	33.07	63.54	-30.47	27.70	1	Vertical	7	1.53	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting -2(S0 0.5)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07893G	44.82	83.54	-38.72	39.45	1	Horizontal	236	1.87	-	38.00	16.05	48.68			
AV	21.07563G	33.07	63.54	-30.47	27.70	1	Horizontal	236	1.87	-	38.00	16.05	48.68			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_2TX
Setting 1(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00714G	47.80	88.20	-40.40	60.51	3	Vertical	35	1.84	-	39.60	12.91	65.22			
RMS	13.00356G	37.14	68.20	-31.06	49.85	3	Vertical	35	1.84	-	39.60	12.91	65.22			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01844G	47.94	88.20	-40.26	60.61	3	Horizontal	155	2.77	-	39.60	12.92	65.19			
RMS	13.01176G	37.32	68.20	-30.88	50.02	3	Horizontal	155	2.77	-	39.60	12.91	65.21			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51424G	45.39	83.54	-38.15	41.22	1	Vertical	187	1.76	-	37.77	15.20	48.80			
AV	19.51062G	35.32	63.54	-28.22	31.14	1	Vertical	187	1.76	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51651G	46.17	83.54	-37.37	42.00	1	Horizontal	339	2.10	-	37.77	15.20	48.80			
AV	19.51477G	35.58	63.54	-27.96	31.41	1	Horizontal	339	2.10	-	37.77	15.20	48.80			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	90.72	Inf	-Inf	77.93	3	Vertical	180	1.80	-	35.30	8.91	31.42			
RMS	6.9898G	81.38	Inf	-Inf	68.60	3	Vertical	180	1.80	-	35.30	8.89	31.41			
PK	7.1426G	65.64	88.20	-22.56	52.17	3	Vertical	180	1.80	-	35.66	9.23	31.42			
RMS	7.1458G	54.29	68.20	-13.91	40.80	3	Vertical	180	1.80	-	35.67	9.24	31.42			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97048G	49.75	88.20	-38.45	59.87	3	Vertical	3	2.16	-	40.90	13.43	64.45			
RMS	13.9764G	39.49	68.20	-28.71	49.60	3	Vertical	3	2.16	-	40.90	13.44	64.45			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96196G	49.86	88.20	-38.34	59.97	3	Horizontal	46	1.70	-	40.90	13.43	64.44			
RMS	13.96364G	39.37	68.20	-28.83	49.49	3	Horizontal	46	1.70	-	40.90	13.43	64.45			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9553G	43.56	83.54	-39.98	38.40	1	Vertical	190	1.89	-	37.91	15.95	48.70			
AV	20.95051G	32.79	63.54	-30.75	27.65	1	Vertical	190	1.89	-	37.90	15.94	48.70			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX

EUT_Y_2TX
Setting -1.5(S0 0.5)
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95109G	44.28	83.54	-39.26	39.13	1	Horizontal	142	1.88	-	37.90	15.95	48.70			
AV	20.95563G	33.19	63.54	-30.35	28.03	1	Horizontal	142	1.88	-	37.91	15.95	48.70			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	RMS	7.1255G	60.59	68.20	-7.61	3	Vertical	193	1.91	BP 1MHz

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6435MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87097G	45.28	88.20	-42.92	39.50	3	Vertical	119	1.78	-	39.04	11.95	45.21			
RMS	12.87073G	30.84	68.20	-37.36	25.06	3	Vertical	119	1.78	-	39.04	11.95	45.21			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6435MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86944G	45.72	88.20	-42.48	39.95	3	Horizontal	14	2.60	-	39.04	11.95	45.22			
RMS	12.87062G	30.81	68.20	-37.39	25.03	3	Horizontal	14	2.60	-	39.04	11.95	45.21			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6435MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30532G	53.80	83.54	-29.74	49.59	1	Vertical	234	2.27	-	37.80	15.21	48.80			
AV	19.30424G	39.65	63.54	-23.89	35.44	1	Vertical	234	2.27	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6435MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30474G	53.73	83.54	-29.81	49.52	1	Horizontal	23	2.46	-	37.80	15.21	48.80			
AV	19.30434G	39.57	63.54	-23.97	35.36	1	Horizontal	23	2.46	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6435MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86978G	45.05	88.20	-43.15	39.28	3	Vertical	137	1.90	-	39.04	11.95	45.22			
RMS	12.87024G	34.35	68.20	-33.85	28.58	3	Vertical	137	1.90	-	39.04	11.95	45.22			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6435MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86999G	45.68	88.20	-42.52	39.91	3	Horizontal	202	1.64	-	39.04	11.95	45.22			
RMS	12.87059G	34.88	68.20	-33.32	29.10	3	Horizontal	202	1.64	-	39.04	11.95	45.21			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6435MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30496G	52.91	83.54	-30.63	48.70	1	Vertical	225	1.06	-	37.80	15.21	48.80			
AV	19.3046G	42.45	63.54	-21.09	38.24	1	Vertical	225	1.06	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6435MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30494G	54.33	83.54	-29.21	50.12	1	Horizontal	43	1.07	-	37.80	15.21	48.80			
AV	19.30571G	42.69	63.54	-20.85	38.48	1	Horizontal	43	1.07	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6435MHz_TX




EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86991G	45.36	88.20	-42.84	39.59	3	Vertical	66	2.96	-	39.04	11.95	45.22			
RMS	12.86952G	34.43	68.20	-33.77	28.66	3	Vertical	66	2.96	-	39.04	11.95	45.22			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6435MHz_TX




EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87046G	45.28	88.20	-42.92	39.51	3	Horizontal	292	1.84	-	39.04	11.95	45.22			
RMS	12.87028G	34.55	68.20	-33.65	28.78	3	Horizontal	292	1.84	-	39.04	11.95	45.22			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6435MHz_TX

EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30514G	53.44	83.54	-30.10	49.23	1	Vertical	173	2.46	-	37.80	15.21	48.80			
AV	19.3055G	42.67	63.54	-20.87	38.46	1	Vertical	173	2.46	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6435MHz_TX




EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30521G	54.20	83.54	-29.34	49.99	1	Horizontal	331	1.71	-	37.80	15.21	48.80			
AV	19.30593G	42.59	63.54	-20.95	38.38	1	Horizontal	331	1.71	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6475MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95053G	46.26	88.20	-41.94	40.15	3	Vertical	150	1.13	-	39.30	11.94	45.13			
RMS	12.94935G	31.65	68.20	-36.55	25.54	3	Vertical	150	1.13	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6475MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95062G	45.82	88.20	-42.38	39.71	3	Horizontal	336	2.84	-	39.30	11.94	45.13			
RMS	12.94938G	31.64	68.20	-36.56	25.53	3	Horizontal	336	2.84	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6475MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4247G	53.64	83.54	-29.90	49.44	1	Vertical	231	2.47	-	37.80	15.20	48.80			
AV	19.42436G	39.10	63.54	-24.44	34.90	1	Vertical	231	2.47	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6475MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42449G	53.51	83.54	-30.03	49.31	1	Horizontal	14	1.89	-	37.80	15.20	48.80			
AV	19.42405G	39.09	63.54	-24.45	34.89	1	Horizontal	14	1.89	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6475MHz_TX

EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95089G	46.16	88.20	-42.04	40.05	3	Vertical	268	2.10	-	39.30	11.94	45.13			
RMS	12.94907G	35.38	68.20	-32.82	29.27	3	Vertical	268	2.10	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6475MHz_TX

EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95066G	46.34	88.20	-41.86	40.23	3	Horizontal	86	2.16	-	39.30	11.94	45.13			
RMS	12.94926G	35.42	68.20	-32.78	29.31	3	Horizontal	86	2.16	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6475MHz_TX

EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42539G	53.20	83.54	-30.34	49.00	1	Vertical	161	2.92	-	37.80	15.20	48.80			
AV	19.42423G	42.28	63.54	-21.26	38.08	1	Vertical	161	2.92	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6475MHz_TX




EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4257G	53.47	83.54	-30.07	49.27	1	Horizontal	74	2.33	-	37.80	15.20	48.80			
AV	19.42422G	42.50	63.54	-21.04	38.30	1	Horizontal	74	2.33	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6475MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95065G	46.46	88.20	-41.74	40.35	3	Vertical	180	2.04	-	39.30	11.94	45.13			
RMS	12.94946G	35.21	68.20	-32.99	29.10	3	Vertical	180	2.04	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6475MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94912G	46.03	88.20	-42.17	39.92	3	Horizontal	330	1.10	-	39.30	11.94	45.13			
RMS	12.94992G	35.33	68.20	-32.87	29.22	3	Horizontal	330	1.10	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6475MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42481G	52.94	83.54	-30.60	48.74	1	Vertical	54	2.20	-	37.80	15.20	48.80			
AV	19.42474G	42.09	63.54	-21.45	37.89	1	Vertical	54	2.20	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6475MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42506G	53.15	83.54	-30.39	48.95	1	Horizontal	65	1.10	-	37.80	15.20	48.80			
AV	19.42448G	42.21	63.54	-21.33	38.01	1	Horizontal	65	1.10	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02988G	46.51	88.20	-41.69	40.23	3	Vertical	38	2.43	-	39.40	11.93	45.05			
RMS	13.03029G	31.62	68.20	-36.58	25.34	3	Vertical	38	2.43	-	39.40	11.93	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03083G	46.16	88.20	-42.04	39.87	3	Horizontal	228	2.24	-	39.40	11.93	45.04			
RMS	13.03093G	31.60	68.20	-36.60	25.31	3	Horizontal	228	2.24	-	39.40	11.93	45.04			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54454G	52.22	83.54	-31.32	48.11	1	Vertical	24	2.93	-	37.71	15.20	48.80			
AV	19.54527G	38.71	63.54	-24.83	34.60	1	Vertical	24	2.93	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6515MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54525G	53.81	83.54	-29.73	49.70	1	Horizontal	0	2.67	-	37.71	15.20	48.80			
AV	19.54533G	38.67	63.54	-24.87	34.56	1	Horizontal	0	2.67	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6515MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03043G	46.64	88.20	-41.56	40.36	3	Vertical	271	2.97	-	39.40	11.93	45.05			
RMS	13.03009G	35.17	68.20	-33.03	28.89	3	Vertical	271	2.97	-	39.40	11.93	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6515MHz_TX

EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03039G	46.16	88.20	-42.04	39.88	3	Horizontal	29	1.13	-	39.40	11.93	45.05			
RMS	13.03026G	35.34	68.20	-32.86	29.06	3	Horizontal	29	1.13	-	39.40	11.93	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6515MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54586G	53.10	83.54	-30.44	48.99	1	Vertical	73	1.82	-	37.71	15.20	48.80			
AV	19.54583G	41.83	63.54	-21.71	37.72	1	Vertical	73	1.82	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6515MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5444G	52.49	83.54	-31.05	48.38	1	Horizontal	108	2.86	-	37.71	15.20	48.80			
AV	19.54565G	41.82	63.54	-21.72	37.71	1	Horizontal	108	2.86	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6515MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03014G	46.50	88.20	-41.70	40.22	3	Vertical	189	2.14	-	39.40	11.93	45.05			
RMS	13.02919G	33.90	68.20	-34.30	27.62	3	Vertical	189	2.14	-	39.40	11.93	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6515MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0302G	46.20	88.20	-42.00	39.92	3	Horizontal	156	1.61	-	39.40	11.93	45.05			
RMS	13.0307G	33.70	68.20	-34.50	27.41	3	Horizontal	156	1.61	-	39.40	11.93	45.04			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6515MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54428G	52.33	83.54	-31.21	48.22	1	Vertical	349	2.91	-	37.71	15.20	48.80			
AV	19.54495G	40.24	63.54	-23.30	36.13	1	Vertical	349	2.91	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6515MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54414G	52.38	83.54	-31.16	48.27	1	Horizontal	79	1.40	-	37.71	15.20	48.80			
AV	19.54545G	40.27	63.54	-23.27	36.16	1	Horizontal	79	1.40	-	37.71	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79046G	50.82	88.20	-37.38	42.45	3	Vertical	83	1.08	-	41.02	11.81	44.46			
RMS	13.79011G	36.40	68.20	-31.80	28.03	3	Vertical	83	1.08	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79055G	50.86	88.20	-37.34	42.49	3	Horizontal	307	1.98	-	41.02	11.81	44.46			
RMS	13.78917G	36.36	68.20	-31.84	27.99	3	Horizontal	307	1.98	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68425G	55.65	83.54	-27.89	50.72	1	Vertical	218	1.37	-	37.90	15.73	48.70			
AV	20.68582G	41.30	63.54	-22.24	36.37	1	Vertical	218	1.37	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68492G	55.54	83.54	-28.00	50.61	1	Horizontal	148	1.68	-	37.90	15.73	48.70			
AV	20.68569G	41.32	63.54	-22.22	36.39	1	Horizontal	148	1.68	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6895MHz_TX

EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78963G	51.09	88.20	-37.11	42.72	3	Vertical	309	2.56	-	41.02	11.81	44.46			
RMS	13.78989G	39.75	68.20	-28.45	31.38	3	Vertical	309	2.56	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6895MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78936G	50.58	88.20	-37.62	42.21	3	Horizontal	196	1.68	-	41.02	11.81	44.46			
RMS	13.78933G	39.93	68.20	-28.27	31.56	3	Horizontal	196	1.68	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6895MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68562G	55.51	83.54	-28.03	50.58	1	Vertical	184	2.69	-	37.90	15.73	48.70			
AV	20.68416G	44.74	63.54	-18.80	39.81	1	Vertical	184	2.69	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6895MHz_TX

EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68558G	54.92	83.54	-28.62	49.99	1	Horizontal	44	2.54	-	37.90	15.73	48.70			
AV	20.68565G	44.48	63.54	-19.06	39.55	1	Horizontal	44	2.54	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79084G	51.12	88.20	-37.08	42.75	3	Vertical	349	2.76	-	41.02	11.81	44.46			
RMS	13.79032G	40.25	68.20	-27.95	31.88	3	Vertical	349	2.76	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78958G	50.96	88.20	-37.24	42.59	3	Horizontal	14	2.23	-	41.02	11.81	44.46			
RMS	13.79056G	40.17	68.20	-28.03	31.80	3	Horizontal	14	2.23	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68595G	55.19	83.54	-28.35	50.26	1	Vertical	149	2.94	-	37.90	15.73	48.70			
AV	20.68413G	45.33	63.54	-18.21	40.40	1	Vertical	149	2.94	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68406G	56.02	83.54	-27.52	51.09	1	Horizontal	246	1.21	-	37.90	15.73	48.70			
AV	20.68498G	44.41	63.54	-19.13	39.48	1	Horizontal	246	1.21	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1038G	98.46	Inf	-Inf	85.33	3	Vertical	188	1.80	-	35.42	9.13	31.42			
RMS	7.1033G	88.80	Inf	-Inf	75.67	3	Vertical	188	1.80	-	35.42	9.13	31.42			
PK	7.1427G	65.52	88.20	-22.68	52.05	3	Vertical	188	1.80	-	35.66	9.23	31.42			
RMS	7.1378G	53.76	68.20	-14.44	40.33	3	Vertical	188	1.80	-	35.63	9.22	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18988G	66.05	88.20	-22.15	43.75	3	Vertical	225	1.93	-	42.26	11.79	31.75			
RMS	14.19018G	50.71	68.20	-17.49	28.41	3	Vertical	225	1.93	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18936G	65.02	88.20	-23.18	42.72	3	Horizontal	20	1.92	-	42.26	11.79	31.75			
RMS	14.18971G	50.73	68.20	-17.47	28.43	3	Horizontal	20	1.92	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28549G	58.98	83.54	-24.56	53.33	1	Vertical	273	2.27	-	38.07	16.22	48.64			
AV	21.28438G	45.04	63.54	-18.50	39.39	1	Vertical	273	2.27	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28565G	59.19	83.54	-24.35	53.54	1	Horizontal	360	1.21	-	38.07	16.22	48.64			
AV	21.28503G	45.02	63.54	-18.52	39.37	1	Horizontal	360	1.21	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1028G	97.15	Inf	-Inf	84.02	3	Vertical	186	1.82	-	35.42	9.13	31.42			
RMS	7.1018G	88.27	Inf	-Inf	75.15	3	Vertical	186	1.82	-	35.41	9.13	31.42			
PK	7.1291G	65.50	88.20	-22.70	52.15	3	Vertical	186	1.82	-	35.57	9.20	31.42			
RMS	7.1305G	53.84	68.20	-14.36	40.48	3	Vertical	186	1.82	-	35.58	9.20	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19008G	65.32	88.20	-22.88	43.02	3	Vertical	95	2.01	-	42.26	11.79	31.75			
RMS	14.18979G	54.03	68.20	-14.17	31.73	3	Vertical	95	2.01	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19056G	65.36	88.20	-22.84	43.06	3	Horizontal	13	1.67	-	42.26	11.79	31.75			
RMS	14.19069G	54.24	68.20	-13.96	31.94	3	Horizontal	13	1.67	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28588G	59.47	83.54	-24.07	53.82	1	Vertical	159	1.72	-	38.07	16.22	48.64			
AV	21.28537G	48.30	63.54	-15.24	42.65	1	Vertical	159	1.72	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


7095MHz_TX

EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28495G	59.03	83.54	-24.51	53.38	1	Horizontal	321	2.92	-	38.07	16.22	48.64			
AV	21.28573G	48.56	63.54	-14.98	42.91	1	Horizontal	321	2.92	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0979G	97.66	Inf	-Inf	84.56	3	Vertical	185	1.87	-	35.40	9.12	31.42			
RMS	7.0973G	88.95	Inf	-Inf	75.86	3	Vertical	185	1.87	-	35.39	9.12	31.42			
PK	7.1435G	65.06	88.20	-23.14	51.59	3	Vertical	185	1.87	-	35.66	9.23	31.42			
RMS	7.132G	53.85	68.20	-14.35	40.48	3	Vertical	185	1.87	-	35.59	9.20	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


7095MHz_TX

EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19027G	65.02	88.20	-23.18	42.72	3	Vertical	184	2.66	-	42.26	11.79	31.75			
RMS	14.19001G	52.62	68.20	-15.58	30.32	3	Vertical	184	2.66	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19085G	65.67	88.20	-22.53	43.37	3	Horizontal	114	1.68	-	42.26	11.79	31.75			
RMS	14.18979G	52.50	68.20	-15.70	30.20	3	Horizontal	114	1.68	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28484G	59.29	83.54	-24.25	53.64	1	Vertical	138	2.66	-	38.07	16.22	48.64			
AV	21.28432G	46.81	63.54	-16.73	41.16	1	Vertical	138	2.66	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28587G	58.94	83.54	-24.60	53.29	1	Horizontal	117	2.92	-	38.07	16.22	48.64			
AV	21.28404G	46.72	63.54	-16.82	41.07	1	Horizontal	117	2.92	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	95.66	Inf	-Inf	82.36	3	Vertical	187	1.82	BP 1MHz	35.54	9.18	31.42			
RMS	7.1235G	89.49	Inf	-Inf	76.19	3	Vertical	187	1.82	BP 1MHz	35.54	9.18	31.42			
PK	7.1255G	67.41	88.20	-20.79	54.09	3	Vertical	187	1.82	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.68	68.20	-9.52	45.36	3	Vertical	187	1.82	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23022G	64.79	88.20	-23.41	42.45	3	Vertical	222	2.88	-	42.30	11.79	31.75			
RMS	14.22929G	50.68	68.20	-17.52	28.34	3	Vertical	222	2.88	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX



EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23049G	64.66	88.20	-23.54	42.32	3	Horizontal	148	2.86	-	42.30	11.79	31.75			
RMS	14.22941G	50.68	68.20	-17.52	28.34	3	Horizontal	148	2.86	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34595G	59.37	83.54	-24.17	53.63	1	Vertical	31	1.03	-	38.10	16.27	48.63			
AV	21.3456G	45.73	63.54	-17.81	39.99	1	Vertical	31	1.03	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34444G	60.70	83.54	-22.84	54.96	1	Horizontal	293	2.51	-	38.10	16.27	48.63			
AV	21.34494G	45.74	63.54	-17.80	40.00	1	Horizontal	293	2.51	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1215G	95.52	Inf	-Inf	82.23	3	Vertical	186	1.80	BP 1MHz	35.53	9.18	31.42				
RMS	7.1215G	89.46	Inf	-Inf	76.17	3	Vertical	186	1.80	BP 1MHz	35.53	9.18	31.42				
PK	7.1255G	68.19	88.20	-20.01	54.87	3	Vertical	186	1.80	BP 1MHz	35.55	9.19	31.42				
RMS	7.1255G	58.94	68.20	-9.26	45.62	3	Vertical	186	1.80	BP 1MHz	35.55	9.19	31.42				

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23014G	64.96	88.20	-23.24	42.62	3	Vertical	146	3.00	-	42.30	11.79	31.75			
RMS	14.23071G	54.21	68.20	-13.99	31.87	3	Vertical	146	3.00	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22914G	64.42	88.20	-23.78	42.08	3	Horizontal	340	2.32	-	42.30	11.79	31.75			
RMS	14.23057G	53.95	68.20	-14.25	31.61	3	Horizontal	340	2.32	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34449G	59.70	83.54	-23.84	53.96	1	Vertical	89	1.52	-	38.10	16.27	48.63			
AV	21.34414G	49.04	63.54	-14.50	43.30	1	Vertical	89	1.52	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34585G	59.25	83.54	-24.29	53.51	1	Horizontal	103	2.36	-	38.10	16.27	48.63			
AV	21.34588G	48.53	63.54	-15.01	42.79	1	Horizontal	103	2.36	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1175G	95.88	Inf	-Inf	82.62	3	Vertical	186	1.70	BP 1MHz	35.51	9.17	31.42			
RMS	7.1175G	89.96	Inf	-Inf	76.70	3	Vertical	186	1.70	BP 1MHz	35.51	9.17	31.42			
PK	7.1255G	68.08	88.20	-20.12	54.76	3	Vertical	186	1.70	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.92	68.20	-9.28	45.60	3	Vertical	186	1.70	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23034G	65.60	88.20	-22.60	43.26	3	Vertical	25	1.86	-	42.30	11.79	31.75			
RMS	14.23034G	52.90	68.20	-15.30	30.56	3	Vertical	25	1.86	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23008G	65.10	88.20	-23.10	42.76	3	Horizontal	89	2.32	-	42.30	11.79	31.75			
RMS	14.23092G	52.51	68.20	-15.69	30.17	3	Horizontal	89	2.32	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


7115MHz_TX

EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34598G	59.06	83.54	-24.48	53.32	1	Vertical	124	1.87	-	38.10	16.27	48.63			
AV	21.34558G	47.23	63.54	-16.31	41.49	1	Vertical	124	1.87	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3443G	59.12	83.54	-24.42	53.38	1	Horizontal	60	2.62	-	38.10	16.27	48.63			
AV	21.3459G	46.92	63.54	-16.62	41.18	1	Horizontal	60	2.62	-	38.10	16.27	48.63			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87016G	59.16	88.20	-29.04	39.37	3	Vertical	246	2.12	-	39.04	11.95	31.20			
RMS	12.87062G	44.79	68.20	-23.41	25.00	3	Vertical	246	2.12	-	39.04	11.95	31.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87021G	58.75	88.20	-29.45	38.96	3	Horizontal	334	2.22	-	39.04	11.95	31.20			
RMS	12.87064G	44.79	68.20	-23.41	25.00	3	Horizontal	334	2.22	-	39.04	11.95	31.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30447G	52.97	83.54	-30.57	48.76	1	Vertical	249	2.61	-	37.80	15.21	48.80			
AV	19.30426G	39.04	63.54	-24.50	34.83	1	Vertical	249	2.61	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30522G	53.19	83.54	-30.35	48.98	1	Horizontal	333	2.28	-	37.80	15.21	48.80			
AV	19.30428G	39.02	63.54	-24.52	34.81	1	Horizontal	333	2.28	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86992G	59.16	88.20	-29.04	39.37	3	Vertical	164	2.92	-	39.04	11.95	31.20			
RMS	12.87075G	48.36	68.20	-19.84	28.57	3	Vertical	164	2.92	-	39.04	11.95	31.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86929G	59.37	88.20	-28.83	39.58	3	Horizontal	236	1.14	-	39.04	11.95	31.20			
RMS	12.871G	49.00	68.20	-19.20	29.21	3	Horizontal	236	1.14	-	39.04	11.95	31.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30527G	52.90	83.54	-30.64	48.69	1	Vertical	191	1.94	-	37.80	15.21	48.80			
AV	19.30456G	41.75	63.54	-21.79	37.54	1	Vertical	191	1.94	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30518G	53.50	83.54	-30.04	49.29	1	Horizontal	125	2.54	-	37.80	15.21	48.80			
AV	19.30437G	41.95	63.54	-21.59	37.74	1	Horizontal	125	2.54	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86931G	59.80	88.20	-28.40	40.01	3	Vertical	185	1.79	-	39.04	11.95	31.20			
RMS	12.87074G	48.45	68.20	-19.75	28.66	3	Vertical	185	1.79	-	39.04	11.95	31.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87033G	59.43	88.20	-28.77	39.64	3	Horizontal	124	2.09	-	39.04	11.95	31.20			
RMS	12.87036G	48.35	68.20	-19.85	28.56	3	Horizontal	124	2.09	-	39.04	11.95	31.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30579G	53.41	83.54	-30.13	49.20	1	Vertical	228	2.82	-	37.80	15.21	48.80			
AV	19.30468G	42.12	63.54	-21.42	37.91	1	Vertical	228	2.82	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30501G	53.58	83.54	-29.96	49.37	1	Horizontal	81	2.66	-	37.80	15.21	48.80			
AV	19.30522G	41.89	63.54	-21.65	37.68	1	Horizontal	81	2.66	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94983G	60.08	88.20	-28.12	40.07	3	Vertical	325	1.29	-	39.30	11.94	31.23			
RMS	12.94944G	45.38	68.20	-22.82	25.37	3	Vertical	325	1.29	-	39.30	11.94	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95012G	59.81	88.20	-28.39	39.80	3	Horizontal	70	1.97	-	39.30	11.94	31.23			
RMS	12.94948G	45.43	68.20	-22.77	25.42	3	Horizontal	70	1.97	-	39.30	11.94	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42459G	53.16	83.54	-30.38	48.96	1	Vertical	231	2.56	-	37.80	15.20	48.80			
AV	19.424G	38.75	63.54	-24.79	34.55	1	Vertical	231	2.56	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42494G	53.31	83.54	-30.23	49.11	1	Horizontal	296	1.33	-	37.80	15.20	48.80			
AV	19.424G	38.84	63.54	-24.70	34.64	1	Horizontal	296	1.33	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6475MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95044G	60.11	88.20	-28.09	40.10	3	Vertical	207	2.26	-	39.30	11.94	31.23			
RMS	12.94924G	49.13	68.20	-19.07	29.12	3	Vertical	207	2.26	-	39.30	11.94	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6475MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9502G	60.43	88.20	-27.77	40.42	3	Horizontal	258	2.03	-	39.30	11.94	31.23			
RMS	12.94988G	48.87	68.20	-19.33	28.86	3	Horizontal	258	2.03	-	39.30	11.94	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6475MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4241G	52.99	83.54	-30.55	48.79	1	Vertical	161	1.45	-	37.80	15.20	48.80			
AV	19.42589G	41.98	63.54	-21.56	37.78	1	Vertical	161	1.45	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6475MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4242G	53.32	83.54	-30.22	49.12	1	Horizontal	137	1.06	-	37.80	15.20	48.80			
AV	19.42458G	42.08	63.54	-21.46	37.88	1	Horizontal	137	1.06	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95005G	60.72	88.20	-27.48	40.71	3	Vertical	183	1.69	-	39.30	11.94	31.23			
RMS	12.95031G	49.14	68.20	-19.06	29.13	3	Vertical	183	1.69	-	39.30	11.94	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94943G	60.29	88.20	-27.91	40.28	3	Horizontal	157	2.36	-	39.30	11.94	31.23			
RMS	12.94916G	48.72	68.20	-19.48	28.71	3	Horizontal	157	2.36	-	39.30	11.94	31.23			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42556G	52.92	83.54	-30.62	48.72	1	Vertical	126	1.09	-	37.80	15.20	48.80			
AV	19.42421G	41.76	63.54	-21.78	37.56	1	Vertical	126	1.09	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42525G	53.29	83.54	-30.25	49.09	1	Horizontal	325	1.76	-	37.80	15.20	48.80			
AV	19.42435G	41.68	63.54	-21.86	37.48	1	Horizontal	325	1.76	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6515MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02975G	50.41	88.20	-37.79	30.33	3	Vertical	351	1.99	-	39.40	11.93	31.25			
RMS	13.03076G	36.39	68.20	-31.81	16.31	3	Vertical	351	1.99	-	39.40	11.93	31.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6515MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02923G	50.53	88.20	-37.67	30.45	3	Horizontal	348	1.85	-	39.40	11.93	31.25			
RMS	13.03009G	36.38	68.20	-31.82	16.30	3	Horizontal	348	1.85	-	39.40	11.93	31.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6515MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54475G	52.42	83.54	-31.12	48.31	1	Vertical	209	2.19	-	37.71	15.20	48.80			
AV	19.5453G	38.51	63.54	-25.03	34.40	1	Vertical	209	2.19	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


6515MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5444G	53.25	83.54	-30.29	49.14	1	Horizontal	320	1.13	-	37.71	15.20	48.80			
AV	19.54537G	38.47	63.54	-25.07	34.36	1	Horizontal	320	1.13	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03048G	60.31	88.20	-27.89	40.23	3	Vertical	158	1.34	-	39.40	11.93	31.25			
RMS	13.03051G	49.43	68.20	-18.77	29.35	3	Vertical	158	1.34	-	39.40	11.93	31.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02971G	60.19	88.20	-28.01	40.11	3	Horizontal	143	2.10	-	39.40	11.93	31.25			
RMS	13.03046G	49.71	68.20	-18.49	29.63	3	Horizontal	143	2.10	-	39.40	11.93	31.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54582G	52.61	83.54	-30.93	48.50	1	Vertical	156	1.17	-	37.71	15.20	48.80			
AV	19.54581G	41.47	63.54	-22.07	37.36	1	Vertical	156	1.17	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54498G	51.96	83.54	-31.58	47.85	1	Horizontal	284	2.53	-	37.71	15.20	48.80			
AV	19.54546G	41.65	63.54	-21.89	37.54	1	Horizontal	284	2.53	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


6515MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03012G	60.20	88.20	-28.00	40.12	3	Vertical	328	2.50	-	39.40	11.93	31.25			
RMS	13.02979G	49.48	68.20	-18.72	29.40	3	Vertical	328	2.50	-	39.40	11.93	31.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03058G	60.12	88.20	-28.08	40.04	3	Horizontal	249	1.64	-	39.40	11.93	31.25			
RMS	13.02995G	49.33	68.20	-18.87	29.25	3	Horizontal	249	1.64	-	39.40	11.93	31.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54481G	53.39	83.54	-30.15	49.28	1	Vertical	342	1.50	-	37.71	15.20	48.80			
AV	19.54482G	41.64	63.54	-21.90	37.53	1	Vertical	342	1.50	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54517G	53.09	83.54	-30.45	48.98	1	Horizontal	4	1.02	-	37.71	15.20	48.80			
AV	19.54526G	41.42	63.54	-22.12	37.31	1	Horizontal	4	1.02	-	37.71	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78942G	63.74	88.20	-24.46	42.56	3	Vertical	11	2.27	-	41.02	11.81	31.65			
RMS	13.78994G	49.45	68.20	-18.75	28.27	3	Vertical	11	2.27	-	41.02	11.81	31.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79089G	63.90	88.20	-24.30	42.72	3	Horizontal	278	1.05	-	41.02	11.81	31.65			
RMS	13.79019G	49.45	68.20	-18.75	28.27	3	Horizontal	278	1.05	-	41.02	11.81	31.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68431G	55.41	83.54	-28.13	50.48	1	Vertical	45	1.63	-	37.90	15.73	48.70			
AV	20.68599G	41.20	63.54	-22.34	36.27	1	Vertical	45	1.63	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68522G	54.99	83.54	-28.55	50.06	1	Horizontal	307	2.49	-	37.90	15.73	48.70			
AV	20.68561G	41.14	63.54	-22.40	36.21	1	Horizontal	307	2.49	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6895MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.789G	63.70	88.20	-24.50	42.52	3	Vertical	288	1.65	-	41.02	11.81	31.65			
RMS	13.78956G	53.46	68.20	-14.74	32.28	3	Vertical	288	1.65	-	41.02	11.81	31.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6895MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78965G	63.88	88.20	-24.32	42.70	3	Horizontal	209	1.15	-	41.02	11.81	31.65			
RMS	13.79007G	53.11	68.20	-15.09	31.93	3	Horizontal	209	1.15	-	41.02	11.81	31.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6895MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68538G	55.04	83.54	-28.50	50.11	1	Vertical	46	2.79	-	37.90	15.73	48.70			
AV	20.68401G	44.38	63.54	-19.16	39.45	1	Vertical	46	2.79	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6895MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68513G	55.27	83.54	-28.27	50.34	1	Horizontal	24	1.06	-	37.90	15.73	48.70			
AV	20.68519G	44.28	63.54	-19.26	39.35	1	Horizontal	24	1.06	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6895MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7901G	63.80	88.20	-24.40	42.62	3	Vertical	75	2.15	-	41.02	11.81	31.65			
RMS	13.79048G	53.35	68.20	-14.85	32.17	3	Vertical	75	2.15	-	41.02	11.81	31.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6895MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79051G	64.33	88.20	-23.87	43.15	3	Horizontal	153	2.34	-	41.02	11.81	31.65			
RMS	13.78963G	53.33	68.20	-14.87	32.15	3	Horizontal	153	2.34	-	41.02	11.81	31.65			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6895MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68533G	55.02	83.54	-28.52	50.09	1	Vertical	12	2.12	-	37.90	15.73	48.70			
AV	20.68538G	44.45	63.54	-19.09	39.52	1	Vertical	12	2.12	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6895MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68508G	56.06	83.54	-27.48	51.13	1	Horizontal	99	1.24	-	37.90	15.73	48.70			
AV	20.68452G	44.35	63.54	-19.19	39.42	1	Horizontal	99	1.24	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1029G	106.31	Inf	-Inf	93.18	3	Vertical	194	1.89	-	35.42	9.13	31.42			
RMS	7.1035G	91.41	Inf	-Inf	78.28	3	Vertical	194	1.89	-	35.42	9.13	31.42			
PK	7.1261G	65.10	88.20	-23.10	51.77	3	Vertical	194	1.89	-	35.56	9.19	31.42			
RMS	7.1256G	53.78	68.20	-14.42	40.46	3	Vertical	194	1.89	-	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7095MHz_TX

EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18951G	65.16	88.20	-23.04	42.86	3	Vertical	283	1.04	-	42.26	11.79	31.75			
RMS	14.18993G	50.95	68.20	-17.25	28.65	3	Vertical	283	1.04	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18989G	65.39	88.20	-22.81	43.09	3	Horizontal	60	2.62	-	42.26	11.79	31.75			
RMS	14.18953G	50.95	68.20	-17.25	28.65	3	Horizontal	60	2.62	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28525G	59.30	83.54	-24.24	53.65	1	Vertical	0	1.82	-	38.07	16.22	48.64			
AV	21.28542G	44.94	63.54	-18.60	39.29	1	Vertical	0	1.82	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28486G	58.80	83.54	-24.74	53.15	1	Horizontal	122	1.95	-	38.07	16.22	48.64			
AV	21.28479G	44.92	63.54	-18.62	39.27	1	Horizontal	122	1.95	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1027G	102.95	Inf	-Inf	89.82	3	Vertical	193	1.93	-	35.42	9.13	31.42			
RMS	7.1033G	90.03	Inf	-Inf	76.90	3	Vertical	193	1.93	-	35.42	9.13	31.42			
PK	7.14G	64.60	88.20	-23.60	51.16	3	Vertical	193	1.93	-	35.64	9.22	31.42			
RMS	7.1387G	53.93	68.20	-14.27	40.50	3	Vertical	193	1.93	-	35.63	9.22	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1905G	65.34	88.20	-22.86	43.04	3	Vertical	112	1.59	-	42.26	11.79	31.75			
RMS	14.18998G	54.36	68.20	-13.84	32.06	3	Vertical	112	1.59	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18956G	65.58	88.20	-22.62	43.28	3	Horizontal	144	1.44	-	42.26	11.79	31.75			
RMS	14.19097G	54.49	68.20	-13.71	32.19	3	Horizontal	144	1.44	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX

EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28469G	58.50	83.54	-25.04	52.85	1	Vertical	123	1.19	-	38.07	16.22	48.64			
AV	21.2842G	48.19	63.54	-15.35	42.54	1	Vertical	123	1.19	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28583G	58.68	83.54	-24.86	53.03	1	Horizontal	60	1.75	-	38.07	16.22	48.64			
AV	21.28452G	48.12	63.54	-15.42	42.47	1	Horizontal	60	1.75	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1017G	101.63	Inf	-Inf	88.51	3	Vertical	193	1.80	-	35.41	9.13	31.42			
RMS	7.0999G	89.43	Inf	-Inf	76.33	3	Vertical	193	1.80	-	35.40	9.12	31.42			
PK	7.1307G	64.72	88.20	-23.48	51.36	3	Vertical	193	1.80	-	35.58	9.20	31.42			
RMS	7.1338G	53.96	68.20	-14.24	40.57	3	Vertical	193	1.80	-	35.60	9.21	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18916G	65.11	88.20	-23.09	42.81	3	Vertical	222	2.83	-	42.26	11.79	31.75			
RMS	14.18921G	54.29	68.20	-13.91	31.99	3	Vertical	222	2.83	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19027G	65.65	88.20	-22.55	43.35	3	Horizontal	79	1.86	-	42.26	11.79	31.75			
RMS	14.18942G	54.55	68.20	-13.65	32.25	3	Horizontal	79	1.86	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28447G	59.53	83.54	-24.01	53.88	1	Vertical	11	1.63	-	38.07	16.22	48.64			
AV	21.28598G	48.31	63.54	-15.23	42.66	1	Vertical	11	1.63	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28582G	58.38	83.54	-25.16	52.73	1	Horizontal	58	1.17	-	38.07	16.22	48.64			
AV	21.28503G	48.28	63.54	-15.26	42.63	1	Horizontal	58	1.17	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	103.23	Inf	-Inf	89.93	3	Vertical	193	1.91	BP 1MHz	35.54	9.18	31.42			
RMS	7.1235G	92.99	Inf	-Inf	79.69	3	Vertical	193	1.91	BP 1MHz	35.54	9.18	31.42			
PK	7.1255G	73.16	88.20	-15.04	59.84	3	Vertical	193	1.91	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	60.59	68.20	-7.61	47.27	3	Vertical	193	1.91	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22998G	65.44	88.20	-22.76	43.10	3	Vertical	324	1.99	-	42.30	11.79	31.75			
RMS	14.22956G	50.88	68.20	-17.32	28.54	3	Vertical	324	1.99	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23062G	65.36	88.20	-22.84	43.02	3	Horizontal	345	2.82	-	42.30	11.79	31.75			
RMS	14.23013G	50.91	68.20	-17.29	28.57	3	Horizontal	345	2.82	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34468G	59.89	83.54	-23.65	54.15	1	Vertical	210	1.64	-	38.10	16.27	48.63			
AV	21.34563G	45.68	63.54	-17.86	39.94	1	Vertical	210	1.64	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3447G	59.85	83.54	-23.69	54.11	1	Horizontal	147	3.00	-	38.10	16.27	48.63			
AV	21.34559G	45.65	63.54	-17.89	39.91	1	Horizontal	147	3.00	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1215G	100.98	Inf	-Inf	87.69	3	Vertical	196	1.87	BP 1MHz	35.53	9.18	31.42			
RMS	7.1215G	92.85	Inf	-Inf	79.56	3	Vertical	196	1.87	BP 1MHz	35.53	9.18	31.42			
PK	7.1255G	71.76	88.20	-16.44	58.44	3	Vertical	196	1.87	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	60.34	68.20	-7.86	47.02	3	Vertical	196	1.87	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23091G	65.50	88.20	-22.70	43.16	3	Vertical	320	2.10	-	42.30	11.79	31.75			
RMS	14.23057G	54.90	68.20	-13.30	32.56	3	Vertical	320	2.10	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23071G	65.07	88.20	-23.13	42.73	3	Horizontal	190	2.35	-	42.30	11.79	31.75			
RMS	14.22912G	54.70	68.20	-13.50	32.36	3	Horizontal	190	2.35	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34578G	59.00	83.54	-24.54	53.26	1	Vertical	124	1.98	-	38.10	16.27	48.63			
AV	21.34595G	48.46	63.54	-15.08	42.72	1	Vertical	124	1.98	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34597G	59.19	83.54	-24.35	53.45	1	Horizontal	28	2.72	-	38.10	16.27	48.63			
AV	21.34571G	48.88	63.54	-14.66	43.14	1	Horizontal	28	2.72	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7115MHz_TX




EUT_Y_2TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1205G	99.96	Inf	-Inf	86.68	3	Vertical	195	1.91	BP 1MHz	35.52	9.18	31.42			
RMS	7.1175G	90.80	Inf	-Inf	77.54	3	Vertical	195	1.91	BP 1MHz	35.51	9.17	31.42			
PK	7.1255G	69.87	88.20	-18.33	56.55	3	Vertical	195	1.91	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	59.05	68.20	-9.15	45.73	3	Vertical	195	1.91	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7115MHz_TX

EUT_Y_2TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22959G	65.99	88.20	-22.21	43.65	3	Vertical	61	2.21	-	42.30	11.79	31.75			
RMS	14.22913G	54.59	68.20	-13.61	32.25	3	Vertical	61	2.21	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7115MHz_TX




EUT_Y_2TX
Setting -6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2306G	65.01	88.20	-23.19	42.67	3	Horizontal	259	2.87	-	42.30	11.79	31.75			
RMS	14.22926G	54.55	68.20	-13.65	32.21	3	Horizontal	259	2.87	-	42.30	11.79	31.75			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7115MHz_TX

EUT_Y_2TX
Setting -6.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34498G	59.18	83.54	-24.36	53.44	1	Vertical	26	2.25	-	38.10	16.27	48.63			
AV	21.34565G	48.46	63.54	-15.08	42.72	1	Vertical	26	2.25	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7115MHz_TX

EUT_Y_2TX
Setting -6.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34435G	58.61	83.54	-24.93	52.87	1	Horizontal	290	2.21	-	38.10	16.27	48.63			
AV	21.34579G	48.54	63.54	-15.00	42.80	1	Horizontal	290	2.21	-	38.10	16.27	48.63			


Test Mode: Mode 1

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

09/12/2024




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

09/12/2024




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.476675G	-20.36	6.50485G	-71.02	-60.25	-10.77	1
6.475575G	-21.18	6.50735G	-70.99	-61.18	-9.81	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51315G	-20.62	6.472125G	-71.65	-60.62	-11.03	1
6.516325G	-20.85	6.47295G	-71.26	-60.85	-10.41	2

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

10/12/2024



6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

10/12/2024

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.451548G	-18.97	6.5082G	-68.94	-58.97	-9.97	1
6.456847G	-19.01	6.50505G	-69.12	-59.01	-10.11	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

10/12/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.493698G	-18.85	6.42545G	-69.25	-58.85	-10.40	1
6.494448G	-19.02	6.4174G	-69.38	-59.02	-10.36	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

10/12/2024



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

10/12/2024



6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

10/12/2024



6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

10/12/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52799G	-14.68	6.8998G	-60.05	-54.68	-5.37	1
6.52719G	-14.46	6.8972G	-60.21	-54.46	-5.75	2

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

10/12/2024

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9984G	-14.79	7.2464G	-60.63	-54.79	-5.84	1
6.9996G	-14.68	7.3676G	-60.31	-54.68	-5.63	2


Test Mode: Mode 2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

MASK

6435MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

MASK

6435MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

MASK

6435MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

MASK

6475MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

MASK

6475MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

MASK

6475MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

MASK

6515MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

MASK

6515MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

MASK

6515MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

MASK

6895MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

MASK

6895MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

MASK

6895MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

MASK

7095MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

MASK

7095MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

MASK

7095MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

MASK

7115MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

MASK

7115MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

MASK

7115MHz_TX

10/12/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

MASK

6435MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427077G	-21.10	6.425475G	-24.83	-21.30	-3.53	1
6.427127G	-21.24	6.425425G	-27.16	-21.34	-5.82	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

MASK

6435MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428552G	-21.14	6.425425G	-26.04	-21.24	-4.80	1
6.428702G	-21.24	6.425375G	-29.82	-21.74	-8.08	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

MASK

6435MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.431201G	-21.15	6.42535G	-27.96	-21.65	-6.31	1
6.432376G	-21.51	6.425375G	-27.14	-22.01	-5.13	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

MASK

6475MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467052G	-21.38	6.465475G	-24.97	-21.58	-3.39	1
6.467002G	-21.63	6.5088G	-71.64	-61.63	-10.01	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

MASK

6475MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468802G	-21.60	6.465425G	-26.72	-21.70	-5.02	1
6.468702G	-21.14	6.46535G	-31.12	-21.64	-9.48	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

MASK

6475MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471826G	-20.98	6.465425G	-25.30	-21.08	-4.22	1
6.471276G	-21.21	6.46535G	-28.33	-21.71	-6.62	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

MASK

6515MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.523123G	-21.22	6.524325G	-22.59	-22.32	-0.27	1
6.522723G	-21.37	6.483475G	-72.23	-61.37	-10.86	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

MASK

6515MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521148G	-21.14	6.482775G	-71.99	-61.14	-10.85	1
6.521173G	-21.32	6.4814G	-72.07	-61.32	-10.75	2

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

MASK

6515MHz_TX

10/12/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

MASK

6895MHz_TX

10/12/2024



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

MASK

6895MHz_TX

10/12/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
5m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888702G	-21.31	6.885375G	-29.01	-21.81	-7.20	1
6.888627G	-20.87	6.88535G	-30.44	-21.37	-9.07	2

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

MASK

6895MHz_TX

10/12/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
5m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.891226G	-21.22	6.885375G	-26.43	-21.72	-4.71	1
6.892451G	-21.65	6.88535G	-27.79	-22.15	-5.64	2