


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02947G	49.32	88.20	-38.88	43.04	3	Vertical	213	1.85	-	39.40	11.93	45.05			
RMS	13.03097G	35.00	68.20	-33.20	28.71	3	Vertical	213	1.85	-	39.40	11.93	45.04			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02909G	49.24	88.20	-38.96	42.96	3	Horizontal	175	2.11	-	39.40	11.93	45.05			
RMS	13.03097G	34.96	68.20	-33.24	28.67	3	Horizontal	175	2.11	-	39.40	11.93	45.04			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54359G	55.33	83.54	-28.21	51.22	1	Vertical	62	1.21	-	37.71	15.20	48.80			
AV	19.54423G	41.46	63.54	-22.08	37.35	1	Vertical	62	1.21	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54736G	55.44	83.54	-28.10	51.33	1	Horizontal	346	1.73	-	37.71	15.20	48.80			
AV	19.54686G	41.47	63.54	-22.07	37.36	1	Horizontal	346	1.73	-	37.71	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting -9.5(S0 4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7899G	53.91	88.20	-34.29	45.54	3	Vertical	6	2.96	-	41.02	11.81	44.46			
RMS	13.79081G	39.88	68.20	-28.32	31.51	3	Vertical	6	2.96	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting -9.5(S0 4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79063G	54.19	88.20	-34.01	45.82	3	Horizontal	204	1.23	-	41.02	11.81	44.46			
RMS	13.79052G	39.88	68.20	-28.32	31.51	3	Horizontal	204	1.23	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_Y_2TX
Setting -9.5(S0 4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68655G	57.97	83.54	-25.57	53.04	1	Vertical	29	1.53	-	37.90	15.73	48.70			
AV	20.6871G	44.25	63.54	-19.29	39.32	1	Vertical	29	1.53	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting -9.5(S0 4)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6875G	58.24	83.54	-25.30	53.31	1	Horizontal	334	2.81	-	37.90	15.73	48.70			
AV	20.68685G	44.29	63.54	-19.25	39.36	1	Horizontal	334	2.81	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98925G	55.22	88.20	-32.98	46.28	3	Vertical	177	2.67	-	41.48	11.78	44.32			
RMS	13.98914G	40.91	68.20	-27.29	31.97	3	Vertical	177	2.67	-	41.48	11.78	44.32			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98907G	55.45	88.20	-32.75	46.51	3	Horizontal	173	1.33	-	41.48	11.78	44.32			
RMS	13.9906G	40.92	68.20	-27.28	31.98	3	Horizontal	173	1.33	-	41.48	11.78	44.32			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9846G	61.52	83.54	-22.02	56.28	1	Vertical	195	2.32	-	37.97	15.97	48.70			
AV	20.98253G	47.19	63.54	-16.35	41.95	1	Vertical	195	2.32	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98298G	61.13	83.54	-22.41	55.89	1	Horizontal	50	1.30	-	37.97	15.97	48.70			
AV	20.98527G	47.18	63.54	-16.36	41.94	1	Horizontal	50	1.30	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0945G	101.83	Inf	-Inf	88.75	3	Vertical	194	1.94	-	35.39	9.11	31.42				
RMS	7.0911G	89.10	Inf	-Inf	76.04	3	Vertical	194	1.94	-	35.38	9.10	31.42				
PK	7.1271G	67.84	88.20	-20.36	54.51	3	Vertical	194	1.94	-	35.56	9.19	31.42				
RMS	7.1318G	56.55	68.20	-11.65	43.18	3	Vertical	194	1.94	-	35.59	9.20	31.42				

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0943G	98.57	Inf	-Inf	85.49	3	Horizontal	168	1.85	-	35.39	9.11	31.42				
RMS	7.0938G	86.52	Inf	-Inf	73.44	3	Horizontal	168	1.85	-	35.39	9.11	31.42				
PK	7.1252G	67.39	88.20	-20.81	54.07	3	Horizontal	168	1.85	-	35.55	9.19	31.42				
RMS	7.1315G	56.50	68.20	-11.70	43.13	3	Horizontal	168	1.85	-	35.59	9.20	31.42				

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19041G	56.06	88.20	-32.14	46.58	3	Vertical	352	1.64	-	42.26	11.79	44.57			
RMS	14.1892G	41.44	68.20	-26.76	31.96	3	Vertical	352	1.64	-	42.26	11.79	44.57			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19039G	56.30	88.20	-31.90	46.82	3	Horizontal	217	2.81	-	42.26	11.79	44.57			
RMS	14.18907G	41.43	68.20	-26.77	31.95	3	Horizontal	217	2.81	-	42.26	11.79	44.57			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28503G	62.10	83.54	-21.44	56.45	1	Vertical	253	1.16	-	38.07	16.22	48.64			
AV	21.28469G	48.04	63.54	-15.50	42.39	1	Vertical	253	1.16	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28619G	59.17	83.54	-24.37	53.52	1	Horizontal	18	2.76	-	38.07	16.22	48.64			
AV	21.28703G	45.11	63.54	-18.43	39.46	1	Horizontal	18	2.76	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1115G	95.88	Inf	-Inf	82.68	3	Vertical	194	1.94	BP 1MHz	35.47	9.15	31.42				
RMS	7.1115G	86.02	Inf	-Inf	72.82	3	Vertical	194	1.94	BP 1MHz	35.47	9.15	31.42				
PK	7.1255G	66.30	88.20	-21.90	52.98	3	Vertical	194	1.94	BP 1MHz	35.55	9.19	31.42				
RMS	7.1255G	57.73	68.20	-10.47	44.41	3	Vertical	194	1.94	BP 1MHz	35.55	9.19	31.42				

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1115G	93.93	Inf	-Inf	80.73	3	Horizontal	165	1.78	BP 1MHz	35.47	9.15	31.42			
RMS	7.1095G	85.98	Inf	-Inf	72.79	3	Horizontal	165	1.78	BP 1MHz	35.46	9.15	31.42			
PK	7.1645G	65.68	88.20	-22.52	52.03	3	Horizontal	165	1.78	BP 1MHz	35.79	9.28	31.42			
RMS	7.1535G	57.59	68.20	-10.61	44.03	3	Horizontal	165	1.78	BP 1MHz	35.72	9.26	31.42			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23031G	56.41	88.20	-31.79	46.94	3	Vertical	340	1.36	-	42.30	11.79	44.62			
RMS	14.23012G	41.31	68.20	-26.89	31.84	3	Vertical	340	1.36	-	42.30	11.79	44.62			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22963G	55.73	88.20	-32.47	46.26	3	Horizontal	9	1.38	-	42.30	11.79	44.62			
RMS	14.22927G	41.31	68.20	-26.89	31.84	3	Horizontal	9	1.38	-	42.30	11.79	44.62			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34286G	63.09	83.54	-20.45	57.36	1	Vertical	68	1.24	-	38.10	16.26	48.63			
AV	21.34378G	48.85	63.54	-14.69	43.11	1	Vertical	68	1.24	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34724G	59.73	83.54	-23.81	53.99	1	Horizontal	220	2.60	-	38.10	16.27	48.63			
AV	21.34257G	45.86	63.54	-17.68	40.13	1	Horizontal	220	2.60	-	38.10	16.26	48.63			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88957G	49.29	88.20	-38.91	43.45	3	Vertical	173	1.96	-	39.08	11.95	45.19			
RMS	12.89059G	34.54	68.20	-33.66	28.70	3	Vertical	173	1.96	-	39.08	11.95	45.19			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89042G	48.48	88.20	-39.72	42.64	3	Horizontal	50	1.07	-	39.08	11.95	45.19			
RMS	12.89016G	34.52	68.20	-33.68	28.68	3	Horizontal	50	1.07	-	39.08	11.95	45.19			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33746G	56.65	83.54	-26.89	52.44	1	Vertical	75	2.44	-	37.80	15.21	48.80			
AV	19.33349G	42.30	63.54	-21.24	38.09	1	Vertical	75	2.44	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3359G	56.77	83.54	-26.77	52.56	1	Horizontal	41	1.01	-	37.80	15.21	48.80			
AV	19.33371G	42.33	63.54	-21.21	38.12	1	Horizontal	41	1.01	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX

EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96912G	49.08	88.20	-39.12	42.91	3	Vertical	281	2.45	-	39.34	11.93	45.10			
RMS	12.96945G	34.90	68.20	-33.30	28.73	3	Vertical	281	2.45	-	39.34	11.93	45.10			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96997G	49.10	88.20	-39.10	42.93	3	Horizontal	290	2.75	-	39.34	11.93	45.10			
RMS	12.96961G	34.91	68.20	-33.29	28.74	3	Horizontal	290	2.75	-	39.34	11.93	45.10			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45385G	56.33	83.54	-27.21	52.22	1	Vertical	342	2.97	-	37.71	15.20	48.80			
AV	19.45289G	41.57	63.54	-21.97	37.46	1	Vertical	342	2.97	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45397G	55.53	83.54	-28.01	51.42	1	Horizontal	153	1.64	-	37.71	15.20	48.80			
AV	19.45295G	41.58	63.54	-21.96	37.47	1	Horizontal	153	1.64	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04943G	48.70	88.20	-39.50	42.41	3	Vertical	166	2.43	-	39.40	11.92	45.03			
RMS	13.05097G	34.85	68.20	-33.35	28.56	3	Vertical	166	2.43	-	39.40	11.92	45.03			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05038G	49.13	88.20	-39.07	42.84	3	Horizontal	43	2.32	-	39.40	11.92	45.03			
RMS	13.05094G	34.84	68.20	-33.36	28.55	3	Horizontal	43	2.32	-	39.40	11.92	45.03			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57712G	56.11	83.54	-27.43	52.01	1	Vertical	250	1.14	-	37.70	15.20	48.80			
AV	19.57284G	41.56	63.54	-21.98	37.46	1	Vertical	250	1.14	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5769G	55.77	83.54	-27.77	51.67	1	Horizontal	207	2.01	-	37.70	15.20	48.80			
AV	19.57275G	41.56	63.54	-21.98	37.46	1	Horizontal	207	2.01	-	37.70	15.20	48.80			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting -4(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85006G	54.43	88.20	-33.77	45.84	3	Vertical	359	2.35	-	41.20	11.80	44.41			
RMS	13.85077G	40.05	68.20	-28.15	31.46	3	Vertical	359	2.35	-	41.20	11.80	44.41			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting -4(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84905G	53.92	88.20	-34.28	45.34	3	Horizontal	227	1.45	-	41.20	11.80	44.42			
RMS	13.85035G	40.06	68.20	-28.14	31.47	3	Horizontal	227	1.45	-	41.20	11.80	44.41			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting -4(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77536G	60.00	83.54	-23.54	55.00	1	Vertical	77	2.78	-	37.90	15.80	48.70			
AV	20.77628G	45.63	63.54	-17.91	40.63	1	Vertical	77	2.78	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting -4(S0 1)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77528G	59.25	83.54	-24.29	54.25	1	Horizontal	153	2.18	-	37.90	15.80	48.70			
AV	20.77448G	45.63	63.54	-17.91	40.63	1	Horizontal	153	2.18	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting -4.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01032G	54.79	88.20	-33.41	45.79	3	Vertical	281	1.23	-	41.54	11.78	44.32			
RMS	14.01038G	40.83	68.20	-27.37	31.83	3	Vertical	281	1.23	-	41.54	11.78	44.32			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting -4.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00973G	55.03	88.20	-33.17	46.03	3	Horizontal	45	1.64	-	41.54	11.78	44.32			
RMS	14.00948G	40.86	68.20	-27.34	31.86	3	Horizontal	45	1.64	-	41.54	11.78	44.32			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting -4.5(S0 1)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01428G	61.69	83.54	-21.85	56.39	1	Vertical	60	2.14	-	38.00	16.00	48.70			
AV	21.0152G	47.64	63.54	-15.90	42.34	1	Vertical	60	2.14	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting -4.5(S0 1)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01325G	61.90	83.54	-21.64	56.60	1	Horizontal	33	1.52	-	38.00	16.00	48.70			
AV	21.01494G	47.69	63.54	-15.85	42.39	1	Horizontal	33	1.52	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting -5(S0 1)
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.074G	100.91	Inf	-Inf	87.92	3	Vertical	180	1.80	-	35.35	9.06	31.42				
RMS	7.0724G	86.91	Inf	-Inf	73.93	3	Vertical	180	1.80	-	35.34	9.06	31.42				
PK	7.1588G	67.79	88.20	-20.41	54.19	3	Vertical	180	1.80	-	35.75	9.27	31.42				
RMS	7.1844G	56.66	68.20	-11.54	42.84	3	Vertical	180	1.80	-	35.91	9.33	31.42				

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0798G	98.19	Inf	-Inf	85.17	3	Horizontal	190	1.82	-	35.36	9.08	31.42			
RMS	7.0764G	88.13	Inf	-Inf	75.13	3	Horizontal	190	1.82	-	35.35	9.07	31.42			
PK	7.1818G	67.79	88.20	-20.41	53.99	3	Horizontal	190	1.82	-	35.89	9.33	31.42			
RMS	7.181G	56.65	68.20	-11.55	42.86	3	Horizontal	190	1.82	-	35.89	9.32	31.42			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17022G	55.86	88.20	-32.34	46.43	3	Vertical	184	1.11	-	42.18	11.79	44.54			
RMS	14.16925G	41.48	68.20	-26.72	32.05	3	Vertical	184	1.11	-	42.18	11.79	44.54			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16921G	55.74	88.20	-32.46	46.31	3	Horizontal	267	2.94	-	42.18	11.79	44.54			
RMS	14.16926G	41.48	68.20	-26.72	32.05	3	Horizontal	267	2.94	-	42.18	11.79	44.54			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting -5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25624G	62.98	83.54	-20.56	57.43	1	Vertical	210	1.66	-	38.01	16.19	48.65			
AV	21.25412G	48.28	63.54	-15.26	42.73	1	Vertical	210	1.66	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting -5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25712G	62.46	83.54	-21.08	56.91	1	Horizontal	100	2.43	-	38.01	16.19	48.65			
AV	21.25463G	48.30	63.54	-15.24	42.75	1	Horizontal	100	2.43	-	38.01	16.19	48.65			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93017G	48.93	88.20	-39.27	42.92	3	Vertical	346	1.06	-	39.22	11.94	45.15			
RMS	12.93018G	36.50	68.20	-31.70	30.49	3	Vertical	346	1.06	-	39.22	11.94	45.15			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 1(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92906G	48.81	88.20	-39.39	42.80	3	Horizontal	285	1.11	-	39.22	11.94	45.15			
RMS	12.93028G	36.35	68.20	-31.85	30.34	3	Horizontal	285	1.11	-	39.22	11.94	45.15			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39612G	56.11	83.54	-27.43	51.81	1	Vertical	238	1.71	-	37.89	15.21	48.80			
AV	19.39299G	43.82	63.54	-19.72	39.52	1	Vertical	238	1.71	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 1(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39614G	56.21	83.54	-27.33	51.91	1	Horizontal	339	1.72	-	37.89	15.21	48.80			
AV	19.39373G	43.63	63.54	-19.91	39.33	1	Horizontal	339	1.72	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08948G	49.08	88.20	-39.12	42.60	3	Vertical	187	1.54	-	39.56	11.92	45.00			
RMS	13.08926G	37.07	68.20	-31.13	30.59	3	Vertical	187	1.54	-	39.56	11.92	45.00			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09096G	49.68	88.20	-38.52	43.20	3	Horizontal	333	2.42	-	39.56	11.92	45.00			
RMS	13.09029G	37.31	68.20	-30.89	30.83	3	Horizontal	333	2.42	-	39.56	11.92	45.00			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63733G	56.04	83.54	-27.50	51.95	1	Vertical	49	2.46	-	37.70	15.19	48.80			
AV	19.63407G	43.58	63.54	-19.96	39.49	1	Vertical	49	2.46	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63436G	56.06	83.54	-27.48	51.97	1	Horizontal	231	2.20	-	37.70	15.19	48.80			
AV	19.63324G	43.57	63.54	-19.97	39.48	1	Horizontal	231	2.20	-	37.70	15.19	48.80			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89035G	54.67	88.20	-33.53	45.98	3	Vertical	336	2.67	-	41.28	11.80	44.39			
RMS	13.89066G	42.13	68.20	-26.07	33.44	3	Vertical	336	2.67	-	41.28	11.80	44.39			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88982G	55.00	88.20	-33.20	46.31	3	Horizontal	336	2.59	-	41.28	11.80	44.39			
RMS	13.89097G	42.01	68.20	-26.19	33.32	3	Horizontal	336	2.59	-	41.28	11.80	44.39			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83538G	60.31	83.54	-23.23	55.26	1	Vertical	73	1.05	-	37.90	15.85	48.70			
AV	20.83554G	47.86	63.54	-15.68	42.81	1	Vertical	73	1.05	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83364G	60.37	83.54	-23.17	55.32	1	Horizontal	3	2.39	-	37.90	15.85	48.70			
AV	20.83263G	47.95	63.54	-15.59	42.90	1	Horizontal	3	2.39	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0406G	99.53	Inf	-Inf	86.67	3	Vertical	187	1.80	-	35.30	8.98	31.42			
RMS	6.991G	89.38	Inf	-Inf	76.61	3	Vertical	187	1.80	-	35.30	8.88	31.41			
PK	7.2206G	68.93	88.20	-19.27	54.90	3	Vertical	187	1.80	-	36.08	9.37	31.42			
RMS	7.2162G	57.17	68.20	-11.03	43.16	3	Vertical	187	1.80	-	36.06	9.37	31.42			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0126G	98.17	Inf	-Inf	85.38	3	Horizontal	210	1.82	-	35.30	8.91	31.42			
RMS	7.0086G	85.53	Inf	-Inf	72.75	3	Horizontal	210	1.82	-	35.30	8.90	31.42			
PK	7.203G	67.50	88.20	-20.70	53.54	3	Horizontal	210	1.82	-	36.01	9.37	31.42			
RMS	7.219G	57.26	68.20	-10.94	43.23	3	Horizontal	210	1.82	-	36.08	9.37	31.42			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05012G	55.42	88.20	-32.78	46.32	3	Vertical	167	1.06	-	41.70	11.78	44.38			
RMS	14.05051G	42.80	68.20	-25.40	33.70	3	Vertical	167	1.06	-	41.70	11.78	44.38			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0502G	55.09	88.20	-33.11	45.99	3	Horizontal	360	1.94	-	41.70	11.78	44.38			
RMS	14.05005G	42.99	68.20	-25.21	33.89	3	Horizontal	360	1.94	-	41.70	11.78	44.38			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting -2(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07331G	61.79	83.54	-21.75	56.44	1	Vertical	0	2.41	-	38.00	16.04	48.69			
AV	21.07462G	49.39	63.54	-14.15	44.03	1	Vertical	0	2.41	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting -2(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07372G	61.75	83.54	-21.79	56.39	1	Horizontal	58	1.05	-	38.00	16.05	48.69			
AV	21.07453G	49.32	63.54	-14.22	43.96	1	Horizontal	58	1.05	-	38.00	16.05	48.69			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_2TX
Setting 1(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01012G	49.22	88.20	-38.98	42.95	3	Vertical	348	2.23	-	39.40	11.93	45.06			
RMS	13.01022G	36.43	68.20	-31.77	30.16	3	Vertical	348	2.23	-	39.40	11.93	45.06			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_2TX
Setting 1(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01086G	48.74	88.20	-39.46	42.47	3	Horizontal	291	2.35	-	39.40	11.93	45.06			
RMS	13.01096G	36.55	68.20	-31.65	30.28	3	Horizontal	291	2.35	-	39.40	11.93	45.06			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5154G	55.85	83.54	-27.69	51.68	1	Vertical	42	1.25	-	37.77	15.20	48.80			
AV	19.51485G	43.18	63.54	-20.36	39.01	1	Vertical	42	1.25	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.51372G	55.80	83.54	-27.74	51.63	1	Horizontal	90	2.32	-	37.77	15.20	48.80				
AV	19.51595G	43.59	63.54	-19.95	39.42	1	Horizontal	90	2.32	-	37.77	15.20	48.80				

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0065G	99.02	Inf	-Inf	86.24	3	Vertical	194	1.83	-	35.30	8.90	31.42			
RMS	7.0095G	87.00	Inf	-Inf	74.22	3	Vertical	194	1.83	-	35.30	8.90	31.42			
PK	7.153G	67.62	88.20	-20.58	54.07	3	Vertical	194	1.83	-	35.72	9.25	31.42			
RMS	7.219G	57.25	68.20	-10.95	43.22	3	Vertical	194	1.83	-	36.08	9.37	31.42			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0065G	97.10	Inf	-Inf	84.32	3	Horizontal	185	1.80	-	35.30	8.90	31.42			
RMS	6.9875G	86.82	Inf	-Inf	74.04	3	Horizontal	185	1.80	-	35.30	8.89	31.41			
PK	7.1925G	68.77	88.20	-19.43	54.88	3	Horizontal	185	1.80	-	35.96	9.35	31.42			
RMS	7.233G	57.43	68.20	-10.77	43.35	3	Horizontal	185	1.80	-	36.13	9.37	31.42			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97003G	55.15	88.20	-33.05	46.26	3	Vertical	113	2.88	-	41.44	11.78	44.33			
RMS	13.97032G	42.56	68.20	-25.64	33.67	3	Vertical	113	2.88	-	41.44	11.78	44.33			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9701G	54.77	88.20	-33.43	45.88	3	Horizontal	344	2.49	-	41.44	11.78	44.33			
RMS	13.97019G	42.56	68.20	-25.64	33.67	3	Horizontal	344	2.49	-	41.44	11.78	44.33			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95727G	61.22	83.54	-22.32	56.06	1	Vertical	294	1.41	-	37.91	15.95	48.70			
AV	20.95589G	48.75	63.54	-14.79	43.59	1	Vertical	294	1.41	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT_Y_2TX
Setting -1.5(S0 0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95616G	61.10	83.54	-22.44	55.94	1	Horizontal	253	2.14	-	37.91	15.95	48.70			
AV	20.95299G	48.58	63.54	-14.96	43.42	1	Horizontal	253	2.14	-	37.91	15.95	48.70			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	RMS	7.1255G	61.98	68.20	-6.22	3	Vertical	54	1.62	BP 1MHz

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6435MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8739G	56.28	88.20	-31.92	39.16	3	Vertical	265	1.38	-	39.20	11.76	33.84			
RMS	12.85773G	43.61	68.20	-24.59	26.48	3	Vertical	265	1.38	-	39.20	11.77	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6435MHz_TX




EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87987G	56.26	88.20	-31.94	39.14	3	Horizontal	47	1.80	-	39.20	11.76	33.84			
RMS	12.85527G	43.66	68.20	-24.54	26.53	3	Horizontal	47	1.80	-	39.20	11.77	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6435MHz_TX




EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29624G	52.14	83.54	-31.40	47.91	1	Vertical	267	1.15	-	37.82	15.21	48.80			
AV	19.31988G	40.54	63.54	-23.00	36.33	1	Vertical	267	1.15	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6435MHz_TX




EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31202G	53.12	83.54	-30.42	48.91	1	Horizontal	342	2.83	-	37.80	15.21	48.80			
AV	19.30134G	39.69	63.54	-23.85	35.48	1	Horizontal	342	2.83	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6435MHz_TX




EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85767G	55.43	88.20	-32.77	38.30	3	Vertical	353	2.67	-	39.20	11.77	33.84			
RMS	12.8613G	46.99	68.20	-21.21	29.86	3	Vertical	353	2.67	-	39.20	11.77	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6435MHz_TX

EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88314G	56.39	88.20	-31.81	39.27	3	Horizontal	19	1.74	-	39.20	11.76	33.84			
RMS	12.86814G	46.27	68.20	-21.93	29.15	3	Horizontal	19	1.74	-	39.20	11.76	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6435MHz_TX

EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3032G	51.42	83.54	-32.12	47.21	1	Vertical	184	2.15	-	37.80	15.21	48.80			
AV	19.30062G	41.54	63.54	-22.00	37.33	1	Vertical	184	2.15	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6435MHz_TX

EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29486G	50.99	83.54	-32.55	46.76	1	Horizontal	105	2.76	-	37.82	15.21	48.80			
AV	19.31292G	41.24	63.54	-22.30	37.03	1	Horizontal	105	2.76	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6435MHz_TX

EUT_V_1TX
Setting -1.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88359G	56.22	88.20	-31.98	39.10	3	Vertical	334	1.51	-	39.20	11.76	33.84			
RMS	12.86508G	46.29	68.20	-21.91	29.16	3	Vertical	334	1.51	-	39.20	11.77	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6435MHz_TX

EUT_V_1TX
Setting -1.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85881G	56.12	88.20	-32.08	38.99	3	Horizontal	242	1.00	-	39.20	11.77	33.84			
RMS	12.8664G	46.57	68.20	-21.63	29.44	3	Horizontal	242	1.00	-	39.20	11.77	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6435MHz_TX




EUT_V_1TX
Setting -1.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2969G	51.19	83.54	-32.35	46.97	1	Vertical	200	1.84	-	37.81	15.21	48.80			
AV	19.2981G	41.78	63.54	-21.76	37.56	1	Vertical	200	1.84	-	37.81	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6435MHz_TX




EUT_V_1TX
Setting -1.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31046G	51.17	83.54	-32.37	46.96	1	Horizontal	314	2.20	-	37.80	15.21	48.80			
AV	19.31688G	41.44	63.54	-22.10	37.23	1	Horizontal	314	2.20	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6475MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87486G	56.61	88.20	-31.59	39.49	3	Vertical	108	2.50	-	39.20	11.76	33.84			
RMS	12.85578G	43.46	68.20	-24.74	26.33	3	Vertical	108	2.50	-	39.20	11.77	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6475MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93503G	55.62	88.20	-32.58	38.43	3	Horizontal	155	2.42	-	39.27	11.76	33.84			
RMS	12.93638G	43.41	68.20	-24.79	26.22	3	Horizontal	155	2.42	-	39.27	11.76	33.84			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6475MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4244G	53.34	83.54	-30.20	49.14	1	Vertical	315	2.44	-	37.80	15.20	48.80			
AV	19.42428G	42.17	63.54	-21.37	37.97	1	Vertical	315	2.44	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6475MHz_TX




EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42782G	52.06	83.54	-31.48	47.87	1	Horizontal	256	1.10	-	37.79	15.20	48.80			
AV	19.42302G	40.14	63.54	-23.40	35.93	1	Horizontal	256	1.10	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6475MHz_TX

EUT_V_1TX
Setting -5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94349G	55.90	88.20	-32.30	38.68	3	Vertical	174	2.59	-	39.29	11.76	33.83			
RMS	12.94511G	46.07	68.20	-22.13	28.85	3	Vertical	174	2.59	-	39.29	11.76	33.83			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6475MHz_TX

EUT_V_1TX
Setting -5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95363G	55.94	88.20	-32.26	38.71	3	Horizontal	175	1.99	-	39.30	11.76	33.83			
RMS	12.96101G	46.48	68.20	-21.72	29.25	3	Horizontal	175	1.99	-	39.30	11.76	33.83			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6475MHz_TX

EUT_V_1TX
Setting -5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4139G	51.98	83.54	-31.56	47.73	1	Vertical	21	1.81	-	37.84	15.21	48.80			
AV	19.41306G	42.04	63.54	-21.50	37.78	1	Vertical	21	1.81	-	37.85	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6475MHz_TX




EUT_V_1TX
Setting -5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.41408G	51.88	83.54	-31.66	47.63	1	Horizontal	335	1.69	-	37.84	15.21	48.80			
AV	19.43328G	41.81	63.54	-21.73	37.64	1	Horizontal	335	1.69	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6475MHz_TX

EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93857G	56.93	88.20	-31.27	39.72	3	Vertical	66	2.28	-	39.28	11.76	33.83			
RMS	12.94106G	46.27	68.20	-21.93	29.06	3	Vertical	66	2.28	-	39.28	11.76	33.83			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6475MHz_TX

EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96356G	56.09	88.20	-32.11	38.86	3	Horizontal	193	2.09	-	39.30	11.76	33.83			
RMS	12.94331G	46.16	68.20	-22.04	28.94	3	Horizontal	193	2.09	-	39.29	11.76	33.83			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6475MHz_TX

EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41978G	51.85	83.54	-31.69	47.63	1	Vertical	110	2.63	-	37.82	15.20	48.80			
AV	19.4151G	41.67	63.54	-21.87	37.42	1	Vertical	110	2.63	-	37.84	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6475MHz_TX

EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42986G	51.27	83.54	-32.27	47.09	1	Horizontal	21	2.56	-	37.78	15.20	48.80			
AV	19.41984G	41.82	63.54	-21.72	37.60	1	Horizontal	21	2.56	-	37.82	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03048G	55.36	88.20	-32.84	38.01	3	Vertical	27	2.10	-	39.36	11.75	33.76			
RMS	13.03555G	42.85	68.20	-25.35	25.47	3	Vertical	27	2.10	-	39.37	11.75	33.74			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01632G	55.63	88.20	-32.57	38.34	3	Horizontal	79	1.48	-	39.33	11.75	33.79			
RMS	13.03279G	42.86	68.20	-25.34	25.49	3	Horizontal	79	1.48	-	39.37	11.75	33.75			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5441G	50.38	83.54	-33.16	46.27	1	Vertical	126	2.89	-	37.71	15.20	48.80			
AV	19.55994G	38.43	63.54	-25.11	34.33	1	Vertical	126	2.89	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6515MHz_TX

EUT_V_1TX
Setting -8.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53114G	50.15	83.54	-33.39	46.01	1	Horizontal	182	2.62	-	37.74	15.20	48.80			
AV	19.55898G	38.49	63.54	-25.05	34.39	1	Horizontal	182	2.62	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6515MHz_TX

EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03054G	55.65	88.20	-32.55	49.58	3	Vertical	304	2.54	-	39.36	11.75	45.04			
RMS	13.0189G	45.97	68.20	-22.23	39.93	3	Vertical	304	2.54	-	39.34	11.75	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6515MHz_TX

EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03498G	55.77	88.20	-32.43	49.69	3	Horizontal	52	1.67	-	39.37	11.75	45.04			
RMS	13.03168G	45.98	68.20	-22.22	39.91	3	Horizontal	52	1.67	-	39.36	11.75	45.04			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6515MHz_TX

EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53126G	50.60	83.54	-32.94	46.46	1	Vertical	211	1.72	-	37.74	15.20	48.80			
AV	19.5582G	41.15	63.54	-22.39	37.05	1	Vertical	211	1.72	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6515MHz_TX




EUT_V_1TX
Setting -4.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5504G	51.32	83.54	-32.22	47.22	1	Horizontal	252	1.61	-	37.70	15.20	48.80			
AV	19.53804G	41.49	63.54	-22.05	37.37	1	Horizontal	252	1.61	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6515MHz_TX




EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04224G	55.69	88.20	-32.51	49.60	3	Vertical	6	1.87	-	39.38	11.75	45.04			
RMS	13.01785G	44.42	68.20	-23.78	38.39	3	Vertical	6	1.87	-	39.34	11.75	45.06			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6515MHz_TX

EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01857G	55.78	88.20	-32.42	49.74	3	Horizontal	265	1.75	-	39.34	11.75	45.05			
RMS	13.01641G	44.64	68.20	-23.56	38.62	3	Horizontal	265	1.75	-	39.33	11.75	45.06			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6515MHz_TX




EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54425G	50.70	83.54	-32.84	46.59	1	Vertical	97	2.90	-	37.71	15.20	48.80			
AV	19.53966G	39.96	63.54	-23.58	35.84	1	Vertical	97	2.90	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6515MHz_TX




EUT_V_1TX
Setting -2
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5591G	51.53	83.54	-32.01	47.43	1	Horizontal	230	1.60	-	37.70	15.20	48.80			
AV	19.54197G	39.72	63.54	-23.82	35.60	1	Horizontal	230	1.60	-	37.72	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8005G	46.01	88.20	-42.19	38.07	3	Vertical	219	2.77	-	40.70	11.69	44.45			
RMS	13.79144G	33.33	68.20	-34.87	25.41	3	Vertical	219	2.77	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80113G	46.06	88.20	-42.14	38.12	3	Horizontal	27	2.31	-	40.70	11.69	44.45			
RMS	13.79252G	33.33	68.20	-34.87	25.40	3	Horizontal	27	2.31	-	40.69	11.70	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67288G	52.08	83.54	-31.46	47.16	1	Vertical	265	2.79	-	37.90	15.72	48.70			
AV	20.68188G	38.28	63.54	-25.26	33.35	1	Vertical	265	2.79	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6895MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67G	50.73	83.54	-32.81	45.81	1	Horizontal	27	1.00	-	37.90	15.72	48.70			
AV	20.69466G	38.43	63.54	-25.11	33.49	1	Horizontal	27	1.00	-	37.90	15.74	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6895MHz_TX

EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79369G	46.18	88.20	-42.02	38.24	3	Vertical	320	2.93	-	40.69	11.70	44.45			
RMS	13.80089G	36.58	68.20	-31.62	28.64	3	Vertical	320	2.93	-	40.70	11.69	44.45			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6895MHz_TX

EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79843G	45.98	88.20	-42.22	38.03	3	Horizontal	220	2.59	-	40.70	11.70	44.45			
RMS	13.80416G	36.59	68.20	-31.61	28.64	3	Horizontal	220	2.59	-	40.71	11.69	44.45			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6895MHz_TX




EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6994G	51.22	83.54	-32.32	46.28	1	Vertical	98	2.85	-	37.90	15.74	48.70			
AV	20.69958G	41.43	63.54	-22.11	36.49	1	Vertical	98	2.85	-	37.90	15.74	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6895MHz_TX

EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.69538G	51.53	83.54	-32.01	46.59	1	Horizontal	245	1.16	-	37.90	15.74	48.70			
AV	20.69184G	41.38	63.54	-22.16	36.45	1	Horizontal	245	1.16	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6895MHz_TX




EUT_V_1TX
Setting -3
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77971G	46.33	88.20	-41.87	38.43	3	Vertical	165	1.12	-	40.66	11.70	44.46			
RMS	13.80497G	36.23	68.20	-31.97	28.28	3	Vertical	165	1.12	-	40.71	11.69	44.45			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_V_1TX
Setting -3
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79612G	46.05	88.20	-42.15	38.11	3	Horizontal	80	1.50	-	40.69	11.70	44.45			
RMS	13.79168G	36.35	68.20	-31.85	28.43	3	Horizontal	80	1.50	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_V_1TX
Setting -3
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67066G	51.42	83.54	-32.12	46.50	1	Vertical	331	2.89	-	37.90	15.72	48.70			
AV	20.67774G	41.59	63.54	-21.95	36.67	1	Vertical	331	2.89	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6895MHz_TX

EUT_V_1TX
Setting -3
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.676G	50.96	83.54	-32.58	46.04	1	Horizontal	68	2.42	-	37.90	15.72	48.70			
AV	20.69352G	41.76	63.54	-21.78	36.82	1	Horizontal	68	2.42	-	37.90	15.74	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1029G	98.55	Inf	-Inf	85.42	3	Vertical	81	1.93	-	35.42	9.13	31.42			
RMS	7.1034G	88.54	Inf	-Inf	75.41	3	Vertical	81	1.93	-	35.42	9.13	31.42			
PK	7.1288G	66.11	88.20	-22.09	52.76	3	Vertical	81	1.93	-	35.57	9.20	31.42			
RMS	7.1368G	53.98	68.20	-14.22	40.56	3	Vertical	81	1.93	-	35.62	9.22	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1034G	89.54	Inf	-Inf	76.41	3	Horizontal	226	1.78	-	35.42	9.13	31.42			
RMS	7.1035G	79.67	Inf	-Inf	66.54	3	Horizontal	226	1.78	-	35.42	9.13	31.42			
PK	7.1406G	66.19	88.20	-22.01	52.75	3	Horizontal	226	1.78	-	35.64	9.22	31.42			
RMS	7.142G	53.91	68.20	-14.29	40.45	3	Horizontal	226	1.78	-	35.65	9.23	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19048G	56.66	88.20	-31.54	47.74	3	Vertical	336	2.03	-	41.66	11.83	44.57			
RMS	14.19336G	43.77	68.20	-24.43	34.84	3	Vertical	336	2.03	-	41.67	11.83	44.57			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.20185G	56.32	88.20	-31.88	47.36	3	Horizontal	163	2.26	-	41.70	11.84	44.58			
RMS	14.19315G	43.89	68.20	-24.31	34.96	3	Horizontal	163	2.26	-	41.67	11.83	44.57			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28248G	50.70	83.54	-32.84	45.06	1	Vertical	97	1.22	-	38.06	16.22	48.64			
AV	21.29628G	38.48	63.54	-25.06	32.80	1	Vertical	97	1.22	-	38.09	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7095MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29391G	52.23	83.54	-31.31	46.56	1	Horizontal	241	2.20	-	38.09	16.22	48.64			
AV	21.29979G	38.53	63.54	-25.01	32.84	1	Horizontal	241	2.20	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1029G	97.47	Inf	-Inf	84.34	3	Vertical	87	2.20	-	35.42	9.13	31.42			
RMS	7.1015G	88.32	Inf	-Inf	75.20	3	Vertical	87	2.20	-	35.41	9.13	31.42			
PK	7.134G	65.17	88.20	-23.03	51.78	3	Vertical	87	2.20	-	35.60	9.21	31.42			
RMS	7.132G	53.92	68.20	-14.28	40.55	3	Vertical	87	2.20	-	35.59	9.20	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


7095MHz_TX

EUTY_1TX
Setting -6.5
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1029G	88.17	Inf	-Inf	75.04	3	Horizontal	226	1.78	-	35.42	9.13	31.42			
RMS	7.1025G	78.74	Inf	-Inf	65.62	3	Horizontal	226	1.78	-	35.41	9.13	31.42			
PK	7.136G	65.34	88.20	-22.86	51.93	3	Horizontal	226	1.78	-	35.62	9.21	31.42			
RMS	7.1416G	53.94	68.20	-14.26	40.48	3	Horizontal	226	1.78	-	35.65	9.23	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


7095MHz_TX

EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.20173G	55.90	88.20	-32.30	46.94	3	Vertical	200	2.13	-	41.70	11.84	44.58			
RMS	14.2035G	46.64	68.20	-21.56	37.68	3	Vertical	200	2.13	-	41.71	11.84	44.59			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


7095MHz_TX

EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.20239G	55.20	88.20	-33.00	46.25	3	Horizontal	137	2.75	-	41.70	11.84	44.59			
RMS	14.19828G	46.66	68.20	-21.54	37.71	3	Horizontal	137	2.75	-	41.69	11.84	44.58			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29256G	52.94	83.54	-30.60	47.27	1	Vertical	259	1.10	-	38.09	16.22	48.64			
AV	21.27651G	41.70	63.54	-21.84	36.08	1	Vertical	259	1.10	-	38.05	16.21	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7095MHz_TX




EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28422G	51.13	83.54	-32.41	45.48	1	Horizontal	207	2.50	-	38.07	16.22	48.64			
AV	21.29565G	41.53	63.54	-22.01	35.85	1	Horizontal	207	2.50	-	38.09	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0978G	97.15	Inf	-Inf	84.05	3	Vertical	83	2.04	-	35.40	9.12	31.42			
RMS	7.098G	88.33	Inf	-Inf	75.23	3	Vertical	83	2.04	-	35.40	9.12	31.42			
PK	7.1355G	65.27	88.20	-22.93	51.87	3	Vertical	83	2.04	-	35.61	9.21	31.42			
RMS	7.1351G	53.90	68.20	-14.30	40.50	3	Vertical	83	2.04	-	35.61	9.21	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1016G	88.60	Inf	-Inf	75.48	3	Horizontal	49	1.64	-	35.41	9.13	31.42			
RMS	7.1001G	79.25	Inf	-Inf	66.14	3	Horizontal	49	1.64	-	35.40	9.13	31.42			
PK	7.143G	66.48	88.20	-21.72	53.01	3	Horizontal	49	1.64	-	35.66	9.23	31.42			
RMS	7.1426G	53.88	68.20	-14.32	40.41	3	Horizontal	49	1.64	-	35.66	9.23	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2008G	55.13	88.20	-33.07	46.17	3	Vertical	101	1.94	-	41.70	11.84	44.58			
RMS	14.19399G	45.33	68.20	-22.87	36.39	3	Vertical	101	1.94	-	41.68	11.83	44.57			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19093G	56.79	88.20	-31.41	47.87	3	Horizontal	187	3.00	-	41.66	11.83	44.57			
RMS	14.19564G	45.54	68.20	-22.66	36.60	3	Horizontal	187	3.00	-	41.68	11.84	44.58			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.29727G	51.02	83.54	-32.52	45.34	1	Vertical	222	2.80	-	38.09	16.23	48.64			
AV	21.29958G	40.02	63.54	-23.52	34.33	1	Vertical	222	2.80	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7095MHz_TX




EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.29817G	50.01	83.54	-33.53	44.32	1	Horizontal	93	1.94	-	38.10	16.23	48.64			
AV	21.29841G	39.99	63.54	-23.55	34.30	1	Horizontal	93	1.94	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	96.44	Inf	-Inf	83.14	3	Vertical	84	1.74	BP 1MHz	35.54	9.18	31.42			
RMS	7.1235G	90.12	Inf	-Inf	76.82	3	Vertical	84	1.74	BP 1MHz	35.54	9.18	31.42			
PK	7.1255G	67.91	88.20	-20.29	54.59	3	Vertical	84	1.74	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.84	68.20	-9.36	45.52	3	Vertical	84	1.74	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_Y_1TX
Setting -10 (S0 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	88.08	Inf	-Inf	74.78	3	Horizontal	49	1.48	BP 1MHz	35.54	9.18	31.42			
RMS	7.1235G	82.20	Inf	-Inf	68.90	3	Horizontal	49	1.48	BP 1MHz	35.54	9.18	31.42			
PK	7.1385G	65.74	88.20	-22.46	52.31	3	Horizontal	49	1.48	BP 1MHz	35.63	9.22	31.42			
RMS	7.1545G	57.69	68.20	-10.51	44.12	3	Horizontal	49	1.48	BP 1MHz	35.73	9.26	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23885G	55.68	88.20	-32.52	46.66	3	Vertical	72	1.13	-	41.78	11.87	44.63			
RMS	14.23576G	44.16	68.20	-24.04	35.15	3	Vertical	72	1.13	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.24227G	55.55	88.20	-32.65	46.54	3	Horizontal	36	1.88	-	41.78	11.87	44.64			
RMS	14.23516G	44.11	68.20	-24.09	35.10	3	Horizontal	36	1.88	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33252G	50.26	83.54	-33.28	44.53	1	Vertical	70	1.31	-	38.10	16.26	48.63			
AV	21.33153G	38.36	63.54	-25.18	32.63	1	Vertical	70	1.31	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

7115MHz_TX




EUT_V_1TX
Setting -10 (S0 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33357G	50.84	83.54	-32.70	45.11	1	Horizontal	283	1.56	-	38.10	16.26	48.63			
AV	21.34104G	38.47	63.54	-25.07	32.74	1	Horizontal	283	1.56	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


7115MHz_TX

EUT_Y_1TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1215G	95.46	Inf	-Inf	82.17	3	Vertical	83	1.83	BP 1MHz	35.53	9.18	31.42			
RMS	7.1215G	89.43	Inf	-Inf	76.14	3	Vertical	83	1.83	BP 1MHz	35.53	9.18	31.42			
PK	7.1255G	68.26	88.20	-19.94	54.94	3	Vertical	83	1.83	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.93	68.20	-9.27	45.61	3	Vertical	83	1.83	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_Y_1TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1215G	87.46	Inf	-Inf	74.17	3	Horizontal	50	1.55	BP 1MHz	35.53	9.18	31.42			
RMS	7.1215G	81.35	Inf	-Inf	68.06	3	Horizontal	50	1.55	BP 1MHz	35.53	9.18	31.42			
PK	7.1515G	65.71	88.20	-22.49	52.17	3	Horizontal	50	1.55	BP 1MHz	35.71	9.25	31.42			
RMS	7.1465G	57.84	68.20	-10.36	44.34	3	Horizontal	50	1.55	BP 1MHz	35.68	9.24	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUTY_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23501G	55.27	88.20	-32.93	46.26	3	Vertical	63	2.38	-	41.77	11.87	44.63			
RMS	14.24269G	47.27	68.20	-20.93	38.25	3	Vertical	63	2.38	-	41.79	11.87	44.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23792G	55.45	88.20	-32.75	46.43	3	Horizontal	58	2.32	-	41.78	11.87	44.63			
RMS	14.23969G	47.00	68.20	-21.20	37.99	3	Horizontal	58	2.32	-	41.78	11.87	44.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33726G	50.55	83.54	-32.99	44.82	1	Vertical	135	2.93	-	38.10	16.26	48.63			
AV	21.33867G	41.02	63.54	-22.52	35.29	1	Vertical	135	2.93	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

7115MHz_TX




EUT_V_1TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34281G	50.95	83.54	-32.59	45.22	1	Horizontal	33	1.67	-	38.10	16.26	48.63			
AV	21.35067G	41.43	63.54	-22.11	35.69	1	Horizontal	33	1.67	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1175G	95.50	Inf	-Inf	82.24	3	Vertical	84	2.02	BP 1MHz	35.51	9.17	31.42			
RMS	7.1175G	89.61	Inf	-Inf	76.35	3	Vertical	84	2.02	BP 1MHz	35.51	9.17	31.42			
PK	7.1255G	68.29	88.20	-19.91	54.97	3	Vertical	84	2.02	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.96	68.20	-9.24	45.64	3	Vertical	84	2.02	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_Y_1TX
Setting -3.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1205G	87.30	Inf	-Inf	74.02	3	Horizontal	50	1.48	BP 1MHz	35.52	9.18	31.42				
RMS	7.1185G	81.27	Inf	-Inf	68.01	3	Horizontal	50	1.48	BP 1MHz	35.51	9.17	31.42				
PK	7.1475G	65.67	88.20	-22.53	52.16	3	Horizontal	50	1.48	BP 1MHz	35.69	9.24	31.42				
RMS	7.1485G	57.73	68.20	-10.47	44.22	3	Horizontal	50	1.48	BP 1MHz	35.69	9.24	31.42				

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


7115MHz_TX

EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23048G	55.87	88.20	-32.33	46.87	3	Vertical	272	1.39	-	41.76	11.86	44.62			
RMS	14.23594G	45.47	68.20	-22.73	36.46	3	Vertical	272	1.39	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


7115MHz_TX

EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23708G	54.96	88.20	-33.24	45.95	3	Horizontal	123	2.34	-	41.77	11.87	44.63			
RMS	14.23597G	45.47	68.20	-22.73	36.46	3	Horizontal	123	2.34	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


7115MHz_TX

EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34845G	50.79	83.54	-32.75	45.05	1	Vertical	343	1.97	-	38.10	16.27	48.63			
AV	21.35517G	40.14	63.54	-23.40	34.40	1	Vertical	343	1.97	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

7115MHz_TX




EUT_V_1TX
Setting -3.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34032G	50.66	83.54	-32.88	44.93	1	Horizontal	125	1.80	-	38.10	16.26	48.63			
AV	21.34209G	39.84	63.54	-23.70	34.11	1	Horizontal	125	1.80	-	38.10	16.26	48.63			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85956G	53.77	88.20	-34.43	48.03	3	Vertical	14	1.09	-	39.20	11.77	45.23			
RMS	12.87123G	41.84	68.20	-26.36	36.09	3	Vertical	14	1.09	-	39.20	11.76	45.21			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85797G	54.15	88.20	-34.05	48.41	3	Horizontal	120	2.98	-	39.20	11.77	45.23			
RMS	12.8712G	41.86	68.20	-26.34	36.11	3	Horizontal	120	2.98	-	39.20	11.76	45.21			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31304G	51.20	83.54	-32.34	46.99	1	Vertical	124	1.89	-	37.80	15.21	48.80			
AV	19.31976G	38.56	63.54	-24.98	34.35	1	Vertical	124	1.89	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6435MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30464G	51.95	83.54	-31.59	47.74	1	Horizontal	168	2.64	-	37.80	15.21	48.80			
AV	19.31796G	38.54	63.54	-25.00	34.33	1	Horizontal	168	2.64	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87855G	54.41	88.20	-33.79	48.66	3	Vertical	334	2.32	-	39.20	11.76	45.21			
RMS	12.88314G	44.55	68.20	-23.65	38.79	3	Vertical	334	2.32	-	39.20	11.76	45.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86319G	53.61	88.20	-34.59	47.86	3	Horizontal	131	1.61	-	39.20	11.77	45.22			
RMS	12.88266G	44.38	68.20	-23.82	38.62	3	Horizontal	131	1.61	-	39.20	11.76	45.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31472G	51.57	83.54	-31.97	47.36	1	Vertical	82	2.06	-	37.80	15.21	48.80			
AV	19.31658G	41.68	63.54	-21.86	37.47	1	Vertical	82	2.06	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6435MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30188G	51.53	83.54	-32.01	47.32	1	Horizontal	236	2.72	-	37.80	15.21	48.80			
AV	19.31376G	41.62	63.54	-21.92	37.41	1	Horizontal	236	2.72	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88161G	55.22	88.20	-32.98	49.46	3	Vertical	97	2.23	-	39.20	11.76	45.20			
RMS	12.87975G	44.31	68.20	-23.89	38.55	3	Vertical	97	2.23	-	39.20	11.76	45.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87978G	54.05	88.20	-34.15	48.29	3	Horizontal	134	2.34	-	39.20	11.76	45.20			
RMS	12.88224G	44.74	68.20	-23.46	38.98	3	Horizontal	134	2.34	-	39.20	11.76	45.20			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6435MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3074G	51.64	83.54	-31.90	47.43	1	Vertical	161	1.64	-	37.80	15.21	48.80			
AV	19.31946G	41.54	63.54	-22.00	37.33	1	Vertical	161	1.64	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6435MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31112G	51.60	83.54	-31.94	47.39	1	Horizontal	11	1.05	-	37.80	15.21	48.80			
AV	19.29294G	41.75	63.54	-21.79	37.51	1	Horizontal	11	1.05	-	37.83	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.944G	55.07	88.20	-33.13	49.15	3	Vertical	24	2.36	-	39.29	11.76	45.13			
RMS	12.95339G	41.99	68.20	-26.21	36.05	3	Vertical	24	2.36	-	39.30	11.76	45.12			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93932G	54.63	88.20	-33.57	48.73	3	Horizontal	341	2.37	-	39.28	11.76	45.14			
RMS	12.95378G	41.94	68.20	-26.26	36.00	3	Horizontal	341	2.37	-	39.30	11.76	45.12			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42032G	51.21	83.54	-32.33	46.99	1	Vertical	144	2.29	-	37.82	15.20	48.80			
AV	19.42242G	39.00	63.54	-24.54	34.79	1	Vertical	144	2.29	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6475MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4157G	51.36	83.54	-32.18	47.11	1	Horizontal	284	1.15	-	37.84	15.21	48.80			
AV	19.42254G	39.00	63.54	-24.54	34.79	1	Horizontal	284	1.15	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6475MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96266G	54.26	88.20	-33.94	48.31	3	Vertical	193	2.43	-	39.30	11.76	45.11			
RMS	12.95873G	44.73	68.20	-23.47	38.79	3	Vertical	193	2.43	-	39.30	11.76	45.12			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6475MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95999G	54.92	88.20	-33.28	48.97	3	Horizontal	138	1.03	-	39.30	11.76	45.11			
RMS	12.96371G	45.07	68.20	-23.13	39.12	3	Horizontal	138	1.03	-	39.30	11.76	45.11			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6475MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41786G	52.04	83.54	-31.50	47.81	1	Vertical	24	2.39	-	37.83	15.20	48.80			
AV	19.41744G	41.99	63.54	-21.55	37.76	1	Vertical	24	2.39	-	37.83	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6475MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43256G	51.78	83.54	-31.76	47.61	1	Horizontal	11	1.45	-	37.77	15.20	48.80			
AV	19.43958G	41.99	63.54	-21.55	37.85	1	Horizontal	11	1.45	-	37.74	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.965G	53.89	88.20	-34.31	47.94	3	Vertical	23	2.97	-	39.30	11.76	45.11			
RMS	12.95477G	44.91	68.20	-23.29	38.97	3	Vertical	23	2.97	-	39.30	11.76	45.12			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6475MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96203G	54.53	88.20	-33.67	48.58	3	Horizontal	88	2.67	-	39.30	11.76	45.11			
RMS	12.95732G	44.83	68.20	-23.37	38.89	3	Horizontal	88	2.67	-	39.30	11.76	45.12			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41216G	52.02	83.54	-31.52	47.76	1	Vertical	131	1.77	-	37.85	15.21	48.80			
AV	19.43544G	42.17	63.54	-21.37	38.01	1	Vertical	131	1.77	-	37.76	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6475MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41372G	51.85	83.54	-31.69	47.59	1	Horizontal	280	1.07	-	37.85	15.21	48.80			
AV	19.41738G	42.11	63.54	-21.43	37.88	1	Horizontal	280	1.07	-	37.83	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6515MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04062G	53.72	88.20	-34.48	47.63	3	Vertical	165	2.65	-	39.38	11.75	45.04			
RMS	13.01599G	41.48	68.20	-26.72	35.46	3	Vertical	165	2.65	-	39.33	11.75	45.06			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6515MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02067G	53.66	88.20	-34.54	47.62	3	Horizontal	175	2.58	-	39.34	11.75	45.05			
RMS	13.01668G	41.61	68.20	-26.59	35.59	3	Horizontal	175	2.58	-	39.33	11.75	45.06			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6515MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55778G	51.99	83.54	-31.55	47.89	1	Vertical	101	1.95	-	37.70	15.20	48.80			
AV	19.55946G	38.37	63.54	-25.17	34.27	1	Vertical	101	1.95	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6515MHz_TX




EUT_V_2TX
Setting -10(S1 -6)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54302G	51.51	83.54	-32.03	47.40	1	Horizontal	32	2.08	-	37.71	15.20	48.80			
AV	19.55922G	38.39	63.54	-25.15	34.29	1	Horizontal	32	2.08	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04467G	53.92	88.20	-34.28	47.81	3	Vertical	2	2.25	-	39.39	11.75	45.03			
RMS	13.01929G	44.46	68.20	-23.74	38.42	3	Vertical	2	2.25	-	39.34	11.75	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01833G	53.72	88.20	-34.48	47.68	3	Horizontal	199	2.84	-	39.34	11.75	45.05			
RMS	13.02214G	44.52	68.20	-23.68	38.48	3	Horizontal	199	2.84	-	39.34	11.75	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5441G	51.16	83.54	-32.38	47.05	1	Vertical	132	2.01	-	37.71	15.20	48.80			
AV	19.54512G	41.33	63.54	-22.21	37.22	1	Vertical	132	2.01	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6515MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53888G	51.34	83.54	-32.20	47.22	1	Horizontal	322	2.20	-	37.72	15.20	48.80			
AV	19.53576G	41.43	63.54	-22.11	37.30	1	Horizontal	322	2.20	-	37.73	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03237G	54.27	88.20	-33.93	48.20	3	Vertical	316	2.34	-	39.36	11.75	45.04			
RMS	13.0324G	44.45	68.20	-23.75	38.38	3	Vertical	316	2.34	-	39.36	11.75	45.04			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02061G	54.17	88.20	-34.03	48.13	3	Horizontal	303	2.90	-	39.34	11.75	45.05			
RMS	13.02124G	44.72	68.20	-23.48	38.68	3	Horizontal	303	2.90	-	39.34	11.75	45.05			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


6515MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55148G	50.54	83.54	-33.00	46.44	1	Vertical	122	1.15	-	37.70	15.20	48.80			
AV	19.55778G	41.17	63.54	-22.37	37.07	1	Vertical	122	1.15	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6515MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55958G	50.80	83.54	-32.74	46.70	1	Horizontal	265	2.80	-	37.70	15.20	48.80			
AV	19.53636G	41.23	63.54	-22.31	37.10	1	Horizontal	265	2.80	-	37.73	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6895MHz_TX

EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79018G	55.43	88.20	-32.77	47.51	3	Vertical	324	1.60	-	40.68	11.70	44.46			
RMS	13.79318G	43.03	68.20	-25.17	35.09	3	Vertical	324	1.60	-	40.69	11.70	44.45			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79237G	55.44	88.20	-32.76	47.52	3	Horizontal	25	2.02	-	40.68	11.70	44.46			
RMS	13.79495G	42.99	68.20	-25.21	35.05	3	Horizontal	25	2.02	-	40.69	11.70	44.45			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67912G	50.93	83.54	-32.61	46.01	1	Vertical	307	2.90	-	37.90	15.72	48.70			
AV	20.68254G	38.37	63.54	-25.17	33.44	1	Vertical	307	2.90	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6895MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68656G	50.67	83.54	-32.87	45.74	1	Horizontal	254	2.68	-	37.90	15.73	48.70			
AV	20.68188G	38.39	63.54	-25.15	33.46	1	Horizontal	254	2.68	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6895MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80458G	55.84	88.20	-32.36	47.89	3	Vertical	124	1.73	-	40.71	11.69	44.45			
RMS	13.79291G	45.85	68.20	-22.35	37.91	3	Vertical	124	1.73	-	40.69	11.70	44.45			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6895MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79312G	55.87	88.20	-32.33	47.93	3	Horizontal	316	2.30	-	40.69	11.70	44.45			
RMS	13.79009G	45.74	68.20	-22.46	37.82	3	Horizontal	316	2.30	-	40.68	11.70	44.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6895MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67984G	50.61	83.54	-32.93	45.69	1	Vertical	264	2.75	-	37.90	15.72	48.70			
AV	20.67726G	41.33	63.54	-22.21	36.41	1	Vertical	264	2.75	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6895MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67558G	51.03	83.54	-32.51	46.11	1	Horizontal	277	2.93	-	37.90	15.72	48.70			
AV	20.68458G	41.57	63.54	-21.97	36.64	1	Horizontal	277	2.93	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6895MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78142G	55.35	88.20	-32.85	47.45	3	Vertical	356	2.38	-	40.66	11.70	44.46			
RMS	13.77719G	45.97	68.20	-22.23	38.09	3	Vertical	356	2.38	-	40.65	11.70	44.47			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6895MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80419G	55.28	88.20	-32.92	47.33	3	Horizontal	158	1.75	-	40.71	11.69	44.45			
RMS	13.77674G	45.78	68.20	-22.42	37.90	3	Horizontal	158	1.75	-	40.65	11.70	44.47			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6895MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6886G	50.61	83.54	-32.93	45.68	1	Vertical	345	1.01	-	37.90	15.73	48.70			
AV	20.67756G	41.54	63.54	-22.00	36.62	1	Vertical	345	1.01	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6895MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.69676G	51.26	83.54	-32.28	46.32	1	Horizontal	44	1.24	-	37.90	15.74	48.70			
AV	20.67432G	41.28	63.54	-22.26	36.36	1	Horizontal	44	1.24	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1034G	103.93	Inf	-Inf	90.80	3	Vertical	55	2.05	-	35.42	9.13	31.42				
RMS	7.1036G	97.31	Inf	-Inf	84.18	3	Vertical	55	2.05	-	35.42	9.13	31.42				
PK	7.1437G	65.42	88.20	-22.78	51.95	3	Vertical	55	2.05	-	35.66	9.23	31.42				
RMS	7.1447G	60.51	68.20	-7.69	47.03	3	Vertical	55	2.05	-	35.67	9.23	31.42				

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1039G	97.51	Inf	-Inf	84.38	3	Horizontal	51	2.16	-	35.42	9.13	31.42			
RMS	7.1036G	90.35	Inf	-Inf	77.22	3	Horizontal	51	2.16	-	35.42	9.13	31.42			
PK	7.1336G	65.42	88.20	-22.78	52.03	3	Horizontal	51	2.16	-	35.60	9.21	31.42			
RMS	7.1352G	60.51	68.20	-7.69	47.11	3	Horizontal	51	2.16	-	35.61	9.21	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2044G	55.86	88.20	-32.34	46.90	3	Vertical	22	1.69	-	41.71	11.84	44.59			
RMS	14.19234G	44.24	68.20	-23.96	35.31	3	Vertical	22	1.69	-	41.67	11.83	44.57			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7095MHz_TX

EUT_Y_2TX
Setting -9.5(S1 -4)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19714G	55.71	88.20	-32.49	46.76	3	Horizontal	199	1.10	-	41.69	11.84	44.58			
RMS	14.19408G	44.20	68.20	-24.00	35.26	3	Horizontal	199	1.10	-	41.68	11.83	44.57			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_Y_2TX
Setting -9.5(S1 -4)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29349G	50.82	83.54	-32.72	45.15	1	Vertical	209	1.56	-	38.09	16.22	48.64			
AV	21.29997G	38.41	63.54	-25.13	32.72	1	Vertical	209	1.56	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7095MHz_TX




EUT_V_2TX
Setting -9.5(S1 -4)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29664G	50.43	83.54	-33.11	44.75	1	Horizontal	221	1.46	-	38.09	16.23	48.64			
AV	21.29961G	38.38	63.54	-25.16	32.69	1	Horizontal	221	1.46	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1028G	102.40	Inf	-Inf	89.27	3	Vertical	51	1.56	-	35.42	9.13	31.42				
RMS	7.1034G	91.53	Inf	-Inf	78.40	3	Vertical	51	1.56	-	35.42	9.13	31.42				
PK	7.1422G	66.46	88.20	-21.74	53.00	3	Vertical	51	1.56	-	35.65	9.23	31.42				
RMS	7.1427G	53.98	68.20	-14.22	40.51	3	Vertical	51	1.56	-	35.66	9.23	31.42				

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1028G	94.37	Inf	-Inf	81.24	3	Horizontal	50	2.14	-	35.42	9.13	31.42			
RMS	7.1034G	82.55	Inf	-Inf	69.42	3	Horizontal	50	2.14	-	35.42	9.13	31.42			
PK	7.1388G	66.47	88.20	-21.73	53.04	3	Horizontal	50	2.14	-	35.63	9.22	31.42			
RMS	7.1385G	53.94	68.20	-14.26	40.51	3	Horizontal	50	2.14	-	35.63	9.22	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19657G	55.53	88.20	-32.67	46.58	3	Vertical	305	1.78	-	41.69	11.84	44.58			
RMS	14.19684G	47.19	68.20	-21.01	38.24	3	Vertical	305	1.78	-	41.69	11.84	44.58			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX

EUT_Y_2TX
Setting -7.5(S1 -1.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19444G	56.00	88.20	-32.20	46.50	3	Horizontal	176	1.18	-	42.28	11.79	44.57			
RMS	14.19249G	47.23	68.20	-20.97	37.74	3	Horizontal	176	1.18	-	42.27	11.79	44.57			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7095MHz_TX

EUT_Y_2TX
Setting -7.5(S1 -1.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28506G	50.74	83.54	-32.80	45.09	1	Vertical	116	2.59	-	38.07	16.22	48.64			
AV	21.29802G	41.59	63.54	-21.95	35.90	1	Vertical	116	2.59	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7095MHz_TX




EUT_Y_2TX
Setting -7.5(S1 -1.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.29598G	50.50	83.54	-33.04	44.82	1	Horizontal	348	1.14	-	38.09	16.23	48.64			
AV	21.28362G	41.45	63.54	-22.09	35.80	1	Horizontal	348	1.14	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1017G	100.78	Inf	-Inf	87.66	3	Vertical	52	1.58	-	35.41	9.13	31.42			
RMS	7.0999G	90.31	Inf	-Inf	77.21	3	Vertical	52	1.58	-	35.40	9.12	31.42			
PK	7.1275G	65.73	88.20	-22.47	52.39	3	Vertical	52	1.58	-	35.57	9.19	31.42			
RMS	7.1427G	53.93	68.20	-14.27	40.46	3	Vertical	52	1.58	-	35.66	9.23	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0978G	92.61	Inf	-Inf	79.51	3	Horizontal	52	2.19	-	35.40	9.12	31.42				
RMS	7.0976G	81.02	Inf	-Inf	67.92	3	Horizontal	52	2.19	-	35.40	9.12	31.42				
PK	7.134G	65.74	88.20	-22.46	52.35	3	Horizontal	52	2.19	-	35.60	9.21	31.42				
RMS	7.1421G	53.92	68.20	-14.28	40.46	3	Horizontal	52	2.19	-	35.65	9.23	31.42				

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7095MHz_TX

EUT_Y_2TX
Setting -6(S1 -0.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19258G	56.03	88.20	-32.17	47.10	3	Vertical	174	1.96	-	41.67	11.83	44.57			
RMS	14.19735G	47.04	68.20	-21.16	38.09	3	Vertical	174	1.96	-	41.69	11.84	44.58			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7095MHz_TX

EUT_Y_2TX
Setting -6(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1933G	55.53	88.20	-32.67	46.60	3	Horizontal	143	2.36	-	41.67	11.83	44.57			
RMS	14.19879G	46.74	68.20	-21.46	37.78	3	Horizontal	143	2.36	-	41.70	11.84	44.58			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27657G	50.54	83.54	-33.00	44.92	1	Vertical	315	2.54	-	38.05	16.21	48.64			
AV	21.29574G	41.35	63.54	-22.19	35.67	1	Vertical	315	2.54	-	38.09	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7095MHz_TX




EUT_Y_2TX
Setting -6(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29265G	49.79	83.54	-33.75	44.12	1	Horizontal	333	2.54	-	38.09	16.22	48.64			
AV	21.29799G	41.70	63.54	-21.84	36.01	1	Horizontal	333	2.54	-	38.10	16.23	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	103.25	Inf	-Inf	89.95	3	Vertical	54	1.62	BP 1MHz	35.54	9.18	31.42			
RMS	7.1235G	95.76	Inf	-Inf	82.46	3	Vertical	54	1.62	BP 1MHz	35.54	9.18	31.42			
PK	7.1255G	72.66	88.20	-15.54	59.34	3	Vertical	54	1.62	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	61.98	68.20	-6.22	48.66	3	Vertical	54	1.62	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	95.17	Inf	-Inf	81.87	3	Horizontal	52	1.80	BP 1MHz	35.54	9.18	31.42			
RMS	7.1235G	87.34	Inf	-Inf	74.04	3	Horizontal	52	1.80	BP 1MHz	35.54	9.18	31.42			
PK	7.1255G	67.59	88.20	-20.61	54.27	3	Horizontal	52	1.80	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.20	68.20	-10.00	44.88	3	Horizontal	52	1.80	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2279G	55.92	88.20	-32.28	46.92	3	Vertical	223	2.21	-	41.76	11.86	44.62			
RMS	14.236G	44.22	68.20	-23.98	35.21	3	Vertical	223	2.21	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23699G	55.89	88.20	-32.31	46.88	3	Horizontal	309	1.66	-	41.77	11.87	44.63			
RMS	14.23537G	44.19	68.20	-24.01	35.18	3	Horizontal	309	1.66	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


7115MHz_TX

EUT_Y_2TX
Setting -10(S1 -3)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34461G	49.92	83.54	-33.62	44.18	1	Vertical	75	2.84	-	38.10	16.27	48.63			
AV	21.35985G	38.40	63.54	-25.14	32.65	1	Vertical	75	2.84	-	38.10	16.28	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

7115MHz_TX




EUT_Y_2TX
Setting -10(S1 -3)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.36G	51.05	83.54	-32.49	45.30	1	Horizontal	309	1.74	-	38.10	16.28	48.63			
AV	21.35979G	38.42	63.54	-25.12	32.67	1	Horizontal	309	1.74	-	38.10	16.28	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1215G	99.89	Inf	-Inf	86.60	3	Vertical	54	1.80	BP 1MHz	35.53	9.18	31.42			
RMS	7.1215G	92.32	Inf	-Inf	79.03	3	Vertical	54	1.80	BP 1MHz	35.53	9.18	31.42			
PK	7.1255G	71.55	88.20	-16.65	58.23	3	Vertical	54	1.80	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	60.35	68.20	-7.85	47.03	3	Vertical	54	1.80	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1215G	92.05	Inf	-Inf	78.76	3	Horizontal	52	1.81	BP 1MHz	35.53	9.18	31.42			
RMS	7.1215G	84.49	Inf	-Inf	71.20	3	Horizontal	52	1.81	BP 1MHz	35.53	9.18	31.42			
PK	7.1255G	66.19	88.20	-22.01	52.87	3	Horizontal	52	1.81	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	57.80	68.20	-10.40	44.48	3	Horizontal	52	1.81	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.2393G	56.28	88.20	-31.92	47.27	3	Vertical	198	2.68	-	41.78	11.87	44.64			
RMS	14.23975G	47.01	68.20	-21.19	38.00	3	Vertical	198	2.68	-	41.78	11.87	44.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


7115MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22292G	55.61	88.20	-32.59	46.61	3	Horizontal	199	2.21	-	41.75	11.86	44.61			
RMS	14.2336G	47.00	68.20	-21.20	37.99	3	Horizontal	199	2.21	-	41.77	11.87	44.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3549G	50.52	83.54	-33.02	44.78	1	Vertical	146	1.69	-	38.10	16.27	48.63			
AV	21.33591G	41.34	63.54	-22.20	35.61	1	Vertical	146	1.69	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

7115MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -0.5)
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33222G	50.85	83.54	-32.69	45.12	1	Horizontal	280	2.15	-	38.10	16.26	48.63			
AV	21.33084G	41.53	63.54	-22.01	35.81	1	Horizontal	280	2.15	-	38.10	16.25	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7115MHz_TX




EUT_Y_2TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1195G	98.57	Inf	-Inf	85.30	3	Vertical	52	1.77	BP 1MHz	35.52	9.17	31.42			
RMS	7.1205G	90.15	Inf	-Inf	76.87	3	Vertical	52	1.77	BP 1MHz	35.52	9.18	31.42			
PK	7.1255G	69.62	88.20	-18.58	56.30	3	Vertical	52	1.77	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	59.16	68.20	-9.04	45.84	3	Vertical	52	1.77	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7115MHz_TX




EUT_Y_2TX
Setting -6.5
02-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1205G	90.58	Inf	-Inf	77.30	3	Horizontal	52	1.82	BP 1MHz	35.52	9.18	31.42			
RMS	7.1195G	82.89	Inf	-Inf	69.62	3	Horizontal	52	1.82	BP 1MHz	35.52	9.17	31.42			
PK	7.1255G	65.76	88.20	-22.44	52.44	3	Horizontal	52	1.82	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	57.87	68.20	-10.33	44.55	3	Horizontal	52	1.82	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7115MHz_TX

EUT_Y_2TX
Setting -6.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.24329G	55.69	88.20	-32.51	46.67	3	Vertical	258	1.15	-	41.79	11.87	44.64			
RMS	14.22127G	46.98	68.20	-21.22	37.99	3	Vertical	258	1.15	-	41.74	11.86	44.61			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7115MHz_TX

EUT_Y_2TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.22322G	55.75	88.20	-32.45	46.75	3	Horizontal	329	1.57	-	41.75	11.86	44.61			
RMS	14.22082G	47.24	68.20	-20.96	38.25	3	Horizontal	329	1.57	-	41.74	11.86	44.61			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


7115MHz_TX

EUT_Y_2TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34542G	50.13	83.54	-33.41	44.39	1	Vertical	4	2.06	-	38.10	16.27	48.63			
AV	21.35937G	41.55	63.54	-21.99	35.80	1	Vertical	4	2.06	-	38.10	16.28	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

7115MHz_TX

EUT_Y_2TX
Setting -6.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34956G	50.44	83.54	-33.10	44.70	1	Horizontal	164	1.44	-	38.10	16.27	48.63			
AV	21.35844G	41.50	63.54	-22.04	35.75	1	Horizontal	164	1.44	-	38.10	16.28	48.63			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	58.53	68.20	-9.67	3	Vertical	184	1.74	BP 1MHz

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 2
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87684G	47.76	88.20	-40.44	60.76	3	Vertical	234	2.28	-	39.40	12.84	65.24			
RMS	12.86004G	35.27	68.20	-32.93	48.29	3	Vertical	234	2.28	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT_V_1TX
Setting 2
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86906G	47.24	88.20	-40.96	60.26	3	Horizontal	284	1.61	-	39.40	12.83	65.25			
RMS	12.87018G	35.23	68.20	-32.97	48.25	3	Horizontal	284	1.61	-	39.40	12.83	65.25			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_V_1TX
Setting 2
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30588G	43.82	83.54	-39.72	39.61	1	Vertical	297	1.64	-	37.80	15.21	48.80			
AV	19.30017G	31.22	63.54	-32.32	27.01	1	Vertical	297	1.64	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT_V_1TX
Setting 2
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30806G	43.21	83.54	-40.33	39.00	1	Horizontal	226	1.58	-	37.80	15.21	48.80			
AV	19.30051G	31.22	63.54	-32.32	27.01	1	Horizontal	226	1.58	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95744G	46.94	88.20	-41.26	59.79	3	Vertical	315	2.16	-	39.51	12.88	65.24			
RMS	12.94368G	34.43	68.20	-33.77	47.31	3	Vertical	315	2.16	-	39.49	12.87	65.24			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_V_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95764G	46.78	88.20	-41.42	59.62	3	Horizontal	280	2.58	-	39.52	12.88	65.24			
RMS	12.94702G	34.47	68.20	-33.73	47.34	3	Horizontal	280	2.58	-	39.49	12.88	65.24			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT_V_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42491G	45.22	83.54	-38.32	41.02	1	Vertical	62	1.62	-	37.80	15.20	48.80			
AV	19.4295G	32.29	63.54	-31.25	28.11	1	Vertical	62	1.62	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6475MHz_TX

EUT_V_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42885G	45.09	83.54	-38.45	40.91	1	Horizontal	110	1.59	-	37.78	15.20	48.80			
AV	19.42945G	32.29	63.54	-31.25	28.11	1	Horizontal	110	1.59	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03844G	47.74	88.20	-40.46	60.37	3	Vertical	171	1.91	-	39.60	12.93	65.16			
RMS	13.03578G	35.69	68.20	-32.51	48.33	3	Vertical	171	1.91	-	39.60	12.92	65.16			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_V_1TX
Setting 1.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03814G	47.91	88.20	-40.29	60.54	3	Horizontal	132	1.76	-	39.60	12.93	65.16			
RMS	13.03588G	35.68	68.20	-32.52	48.32	3	Horizontal	132	1.76	-	39.60	12.92	65.16			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT_Y_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54408G	44.97	83.54	-38.57	40.86	1	Vertical	322	2.06	-	37.71	15.20	48.80			
AV	19.54G	32.12	63.54	-31.42	28.00	1	Vertical	322	2.06	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT_Y_1TX
Setting 1.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54433G	44.67	83.54	-38.87	40.56	1	Horizontal	320	1.76	-	37.71	15.20	48.80			
AV	19.54G	32.12	63.54	-31.42	28.00	1	Horizontal	320	1.76	-	37.72	15.20	48.80			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT_V_1TX
Setting 0.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7984G	49.76	88.20	-38.44	60.11	3	Vertical	120	2.59	-	40.69	13.34	64.38			
RMS	13.78004G	37.45	68.20	-30.75	47.87	3	Vertical	120	2.59	-	40.62	13.33	64.37			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT_V_1TX
Setting 0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78782G	50.08	88.20	-38.12	60.48	3	Horizontal	22	1.11	-	40.65	13.33	64.38			
RMS	13.78004G	37.45	68.20	-30.75	47.87	3	Horizontal	22	1.11	-	40.62	13.33	64.37			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT_V_1TX
Setting 0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68001G	42.60	83.54	-40.94	37.68	1	Vertical	230	1.98	-	37.90	15.72	48.70			
AV	20.68G	30.45	63.54	-33.09	25.53	1	Vertical	230	1.98	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6895MHz_TX

EUT_V_1TX
Setting 0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6821G	43.13	83.54	-40.41	38.20	1	Horizontal	39	1.73	-	37.90	15.73	48.70			
AV	20.68G	30.45	63.54	-33.09	25.53	1	Horizontal	39	1.73	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT_V_1TX
Setting 0
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98644G	50.37	88.20	-37.83	60.48	3	Vertical	124	1.23	-	40.90	13.44	64.45			
RMS	13.98938G	37.73	68.20	-30.47	47.85	3	Vertical	124	1.23	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT_V_1TX
Setting 0
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98582G	51.33	88.20	-36.87	61.44	3	Horizontal	312	2.62	-	40.90	13.44	64.45			
RMS	13.98958G	37.68	68.20	-30.52	47.80	3	Horizontal	312	2.62	-	40.90	13.44	64.46			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6995MHz_TX

EUT V_1TX
Setting 0
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98866G	44.63	83.54	-38.91	39.37	1	Vertical	225	1.80	-	37.98	15.98	48.70			
AV	20.98652G	31.55	63.54	-31.99	26.31	1	Vertical	225	1.80	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_V_1TX
Setting 0
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9869G	44.89	83.54	-38.65	39.65	1	Horizontal	216	1.82	-	37.97	15.97	48.70			
AV	20.98631G	31.54	63.54	-32.00	26.30	1	Horizontal	216	1.82	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting -0.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0946G	94.96	Inf	-Inf	81.88	3	Vertical	185	1.80	-	35.39	9.11	31.42			
RMS	7.0898G	84.74	Inf	-Inf	71.68	3	Vertical	185	1.80	-	35.38	9.10	31.42			
PK	7.167G	65.44	88.20	-22.76	51.77	3	Vertical	185	1.80	-	35.80	9.29	31.42			
RMS	7.192G	54.20	68.20	-14.00	40.32	3	Vertical	185	1.80	-	35.95	9.35	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19224G	50.90	88.20	-37.30	60.57	3	Vertical	82	1.89	-	40.90	13.47	64.04			
RMS	14.18724G	38.16	68.20	-30.04	47.84	3	Vertical	82	1.89	-	40.90	13.47	64.05			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19776G	50.63	88.20	-37.57	60.29	3	Horizontal	150	1.13	-	40.90	13.47	64.03			
RMS	14.18398G	38.16	68.20	-30.04	47.85	3	Horizontal	150	1.13	-	40.90	13.47	64.06			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28956G	44.74	83.54	-38.80	39.08	1	Vertical	282	1.76	-	38.08	16.22	48.64			
AV	21.28305G	31.58	63.54	-31.96	25.93	1	Vertical	282	1.76	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28987G	44.78	83.54	-38.76	39.12	1	Horizontal	346	1.76	-	38.08	16.22	48.64			
AV	21.28289G	31.58	63.54	-31.96	25.93	1	Horizontal	346	1.76	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_Y_1TX
Setting -0.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1115G	96.67	Inf	-Inf	83.47	3	Vertical	184	1.74	BP 1MHz	35.47	9.15	31.42			
RMS	7.1135G	90.01	Inf	-Inf	76.79	3	Vertical	184	1.74	BP 1MHz	35.48	9.16	31.42			
PK	7.1255G	67.11	88.20	-21.09	53.79	3	Vertical	184	1.74	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	58.53	68.20	-9.67	45.21	3	Vertical	184	1.74	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23402G	50.08	88.20	-38.12	59.80	3	Vertical	153	1.05	-	40.76	13.47	63.95			
RMS	14.22216G	38.11	68.20	-30.09	47.81	3	Vertical	153	1.05	-	40.81	13.47	63.98			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22498G	51.01	88.20	-37.19	60.71	3	Horizontal	294	1.15	-	40.80	13.47	63.97			
RMS	14.22G	38.12	68.20	-30.08	47.81	3	Horizontal	294	1.15	-	40.82	13.47	63.98			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34477G	44.19	83.54	-39.35	38.45	1	Vertical	204	1.85	-	38.10	16.27	48.63			
AV	21.34962G	31.98	63.54	-31.56	26.24	1	Vertical	204	1.85	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7115MHz_TX

EUT_V_1TX
Setting -0.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3458G	44.27	83.54	-39.27	38.53	1	Horizontal	135	1.69	-	38.10	16.27	48.63			
AV	21.3495G	31.98	63.54	-31.56	26.24	1	Horizontal	135	1.69	-	38.10	16.27	48.63			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88468G	47.09	88.20	-41.11	60.09	3	Vertical	203	2.29	-	39.40	12.84	65.24			
RMS	12.88G	35.10	68.20	-33.10	48.10	3	Vertical	203	2.29	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89172G	47.76	88.20	-40.44	60.75	3	Horizontal	45	1.47	-	39.40	12.85	65.24			
RMS	12.88G	35.11	68.20	-33.09	48.11	3	Horizontal	45	1.47	-	39.40	12.84	65.24			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33526G	43.53	83.54	-40.01	39.32	1	Vertical	244	1.37	-	37.80	15.21	48.80			
AV	19.33856G	31.41	63.54	-32.13	27.20	1	Vertical	244	1.37	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33687G	44.52	83.54	-39.02	40.31	1	Horizontal	78	1.39	-	37.80	15.21	48.80			
AV	19.33846G	31.41	63.54	-32.13	27.20	1	Horizontal	78	1.39	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97786G	46.06	88.20	-42.14	58.84	3	Vertical	159	1.78	-	39.56	12.89	65.23			
RMS	12.97768G	34.21	68.20	-33.99	46.99	3	Vertical	159	1.78	-	39.56	12.89	65.23			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6485MHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9764G	46.52	88.20	-41.68	59.31	3	Horizontal	315	1.48	-	39.55	12.89	65.23			
RMS	12.97772G	34.23	68.20	-33.97	47.01	3	Horizontal	315	1.48	-	39.56	12.89	65.23			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45231G	45.72	83.54	-37.82	41.62	1	Vertical	325	1.40	-	37.70	15.20	48.80			
AV	19.45765G	32.87	63.54	-30.67	28.75	1	Vertical	325	1.40	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45112G	45.17	83.54	-38.37	41.07	1	Horizontal	198	2.10	-	37.70	15.20	48.80			
AV	19.45766G	32.87	63.54	-30.67	28.75	1	Horizontal	198	2.10	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04112G	48.25	88.20	-39.95	60.87	3	Vertical	202	1.32	-	39.60	12.93	65.15			
RMS	13.04612G	35.71	68.20	-32.49	48.32	3	Vertical	202	1.32	-	39.60	12.93	65.14			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0452G	48.50	88.20	-39.70	61.11	3	Horizontal	111	2.27	-	39.60	12.93	65.14			
RMS	13.04622G	35.66	68.20	-32.54	48.27	3	Horizontal	111	2.27	-	39.60	12.93	65.14			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57737G	44.17	83.54	-39.37	40.07	1	Vertical	343	1.37	-	37.70	15.20	48.80			
AV	19.57127G	31.41	63.54	-32.13	27.31	1	Vertical	343	1.37	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 4.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57628G	44.41	83.54	-39.13	40.31	1	Horizontal	126	1.42	-	37.70	15.20	48.80			
AV	19.57127G	31.41	63.54	-32.13	27.31	1	Horizontal	126	1.42	-	37.70	15.20	48.80			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX

EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8547G	50.45	88.20	-37.75	60.67	3	Vertical	100	2.93	-	40.81	13.37	64.40			
RMS	13.8478G	37.84	68.20	-30.36	48.07	3	Vertical	100	2.93	-	40.80	13.37	64.40			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX

EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.84496G	50.18	88.20	-38.02	60.42	3	Horizontal	67	2.24	-	40.79	13.37	64.40			
RMS	13.84456G	37.80	68.20	-30.40	48.04	3	Horizontal	67	2.24	-	40.79	13.37	64.40			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX

EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77326G	44.05	83.54	-39.49	39.05	1	Vertical	137	1.91	-	37.90	15.80	48.70			
AV	20.77131G	30.65	63.54	-32.89	25.65	1	Vertical	137	1.91	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77289G	43.26	83.54	-40.28	38.26	1	Horizontal	240	1.90	-	37.90	15.80	48.70			
AV	20.7714G	30.65	63.54	-32.89	25.65	1	Horizontal	240	1.90	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7005MHz_TX

EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01684G	50.64	88.20	-37.56	60.68	3	Vertical	13	2.58	-	40.93	13.45	64.42			
RMS	14.0173G	37.82	68.20	-30.38	47.86	3	Vertical	13	2.58	-	40.93	13.45	64.42			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7005MHz_TX

EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01882G	50.54	88.20	-37.66	60.57	3	Horizontal	180	1.07	-	40.94	13.45	64.42			
RMS	14.01736G	37.83	68.20	-30.37	47.87	3	Horizontal	180	1.07	-	40.93	13.45	64.42			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01874G	44.02	83.54	-39.52	38.72	1	Vertical	41	1.38	-	38.00	16.00	48.70			
AV	21.01365G	31.57	63.54	-31.97	26.27	1	Vertical	41	1.38	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7005MHz_TX

EUT_V_1TX
Setting 3.5
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01441G	44.79	83.54	-38.75	39.49	1	Horizontal	314	1.64	-	38.00	16.00	48.70			
AV	21.01237G	31.57	63.54	-31.97	26.27	1	Horizontal	314	1.64	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 3
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0878G	99.19	Inf	-Inf	86.13	3	Vertical	182	1.79	-	35.38	9.10	31.42				
RMS	7.0714G	89.43	Inf	-Inf	76.46	3	Vertical	182	1.79	-	35.34	9.05	31.42				
PK	7.1482G	65.03	88.20	-23.17	51.52	3	Vertical	182	1.79	-	35.69	9.24	31.42				
RMS	7.1834G	54.07	68.20	-14.13	40.26	3	Vertical	182	1.79	-	35.90	9.33	31.42				

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_V_1TX
Setting 3
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16956G	51.44	88.20	-36.76	61.16	3	Vertical	122	1.31	-	40.90	13.47	64.09			
RMS	14.16012G	38.32	68.20	-29.88	48.06	3	Vertical	122	1.31	-	40.90	13.47	64.11			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_V_1TX
Setting 3
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16638G	50.80	88.20	-37.40	60.53	3	Horizontal	140	1.76	-	40.90	13.47	64.10			
RMS	14.16018G	38.34	68.20	-29.86	48.08	3	Horizontal	140	1.76	-	40.90	13.47	64.11			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_V_1TX
Setting 3
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25053G	43.77	83.54	-39.77	38.23	1	Vertical	151	1.39	-	38.00	16.19	48.65			
AV	21.25977G	31.45	63.54	-32.09	25.88	1	Vertical	151	1.39	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_V_1TX
Setting 3
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25043G	43.99	83.54	-39.55	38.45	1	Horizontal	33	1.53	-	38.00	16.19	48.65			
AV	21.25949G	31.44	63.54	-32.10	25.87	1	Horizontal	33	1.53	-	38.02	16.20	48.65			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92082G	46.81	88.20	-41.39	59.75	3	Vertical	122	2.30	-	39.44	12.86	65.24			
RMS	12.92052G	36.66	68.20	-31.54	49.60	3	Vertical	122	2.30	-	39.44	12.86	65.24			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92342G	46.65	88.20	-41.55	59.58	3	Horizontal	350	2.67	-	39.45	12.86	65.24			
RMS	12.9347G	36.37	68.20	-31.83	49.27	3	Horizontal	350	2.67	-	39.47	12.87	65.24			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39781G	45.05	83.54	-38.49	40.74	1	Vertical	194	1.79	-	37.90	15.21	48.80			
AV	19.39577G	33.99	63.54	-29.55	29.69	1	Vertical	194	1.79	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TX

EUT_V_1TX
Setting 7.5
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39744G	44.56	83.54	-38.98	40.26	1	Horizontal	21	2.00	-	37.89	15.21	48.80			
AV	19.39996G	33.89	63.54	-29.65	29.58	1	Horizontal	21	2.00	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_1TX
Setting 7
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09542G	48.25	88.20	-39.95	60.64	3	Vertical	96	2.67	-	39.69	12.96	65.04			
RMS	13.08176G	37.51	68.20	-30.69	49.97	3	Vertical	96	2.67	-	39.66	12.95	65.07			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 7
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09796G	48.48	88.20	-39.72	60.86	3	Horizontal	343	2.06	-	39.70	12.96	65.04			
RMS	13.08164G	37.53	68.20	-30.67	49.99	3	Horizontal	343	2.06	-	39.66	12.95	65.07			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_1TX
Setting 7
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63039G	43.59	83.54	-39.95	39.50	1	Vertical	23	1.42	-	37.70	15.19	48.80			
AV	19.63537G	32.73	63.54	-30.81	28.64	1	Vertical	23	1.42	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_V_1TX
Setting 7
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63971G	43.69	83.54	-39.85	39.60	1	Horizontal	178	1.67	-	37.70	15.19	48.80			
AV	19.63936G	32.78	63.54	-30.76	28.69	1	Horizontal	178	1.67	-	37.70	15.19	48.80			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89956G	50.26	88.20	-37.94	60.38	3	Vertical	163	2.48	-	40.90	13.40	64.42			
RMS	13.8835G	39.59	68.20	-28.61	49.74	3	Vertical	163	2.48	-	40.87	13.39	64.41			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6945MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8838G	50.23	88.20	-37.97	60.38	3	Horizontal	341	2.52	-	40.87	13.39	64.41			
RMS	13.88934G	39.37	68.20	-28.83	49.52	3	Horizontal	341	2.52	-	40.88	13.39	64.42			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6945MHz_TX

EUT V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83903G	43.02	83.54	-40.52	37.97	1	Vertical	122	1.39	-	37.90	15.85	48.70			
AV	20.83939G	32.63	63.54	-30.91	27.58	1	Vertical	122	1.39	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6945MHz_TX

EUT_V_1TX
Setting 6
01-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83043G	43.59	83.54	-39.95	38.54	1	Horizontal	131	1.94	-	37.90	15.85	48.70			
AV	20.83951G	32.75	63.54	-30.79	27.70	1	Horizontal	131	1.94	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX



EUT_Y_1TX
Setting 6
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0406G	99.11	Inf	-Inf	86.25	3	Vertical	186	1.77	-	35.30	8.98	31.42				
RMS	6.9914G	89.68	Inf	-Inf	76.92	3	Vertical	186	1.77	-	35.30	8.88	31.42				
PK	7.2166G	65.71	88.20	-22.49	51.69	3	Vertical	186	1.77	-	36.07	9.37	31.42				
RMS	7.209G	54.54	68.20	-13.66	40.55	3	Vertical	186	1.77	-	36.04	9.37	31.42				