


Attestation

We, **Datalogic S.r.l.**, attest the followings for our device FCC ID: **U4G-SGVNRNA**.

- a. this device will only associate and connect with a low-power indoor Access Point, subordinate device, or standard access point and never directly link to any other client devices.
- b. this device will always initiate transmission under the control of a low power indoor AP or subordinate or standard client except access point for brief communications before joining a network. These quick messages will only occur if the client has detected an indoor AP, subordinate, or standard access point operating on a channel. These brief messages will have a time-out mechanism such that if it does not receive a response from an AP it will not continually repeat the request.
- c. this device, when associated and connected with a low-power indoor access point, subordinate or standard access point device, will operate at a power lower as advertised by the indoor access point, subordinate, or standard access point:
 - i. lower than or equal to the power advertised by the low-power indoor access point or subordinate and never above the maximum output power allowed by the FCC grant for clients associated with indoor clients or subordinates.
 - ii. At least 6 dB below the power advertised by the standard access point.
- d. We acknowledging the device is prohibited for control of or communications with unmanned aircraft systems, including drones.



Ruggero Cacioppo / Product Quality Senior Manager,
Datalogic S.r.l.
Tel: +39 051 3147 393
Fax: +39 051 3147 288
E-mail: ruggero.cacioppo@datalogic.com