


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87236G	45.15	83.54	-38.39	41.07	1	Horizontal	327	1.17	-	37.70	15.18	48.80			
AV	19.87284G	33.23	63.54	-30.31	29.15	1	Horizontal	327	1.17	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4107G	54.19	88.20	-34.01	33.66	3	Vertical	204	1.29	-	40.36	13.60	33.43			
RMS	13.41254G	41.13	68.20	-27.07	20.58	3	Vertical	204	1.29	-	40.38	13.60	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40679G	54.98	88.20	-33.22	34.48	3	Horizontal	257	1.97	-	40.34	13.59	33.43			
RMS	13.41279G	41.97	68.20	-26.23	21.42	3	Horizontal	257	1.97	-	40.38	13.60	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11146G	45.38	83.54	-38.16	41.10	1	Vertical	270	1.83	-	37.80	15.26	48.78			
AV	20.11352G	33.01	63.54	-30.53	28.73	1	Vertical	270	1.83	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11508G	44.96	83.54	-38.58	40.68	1	Horizontal	163	2.23	-	37.80	15.26	48.78			
AV	20.11541G	33.14	63.54	-30.40	28.86	1	Horizontal	163	2.23	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57164G	54.59	88.20	-33.61	33.43	3	Vertical	310	1.22	-	40.81	13.76	33.41			
RMS	13.56559G	42.34	68.20	-25.86	21.15	3	Vertical	310	1.22	-	40.84	13.76	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56634G	55.06	88.20	-33.14	33.88	3	Horizontal	152	1.07	-	40.83	13.76	33.41			
RMS	13.56625G	42.61	68.20	-25.59	21.42	3	Horizontal	152	1.07	-	40.84	13.76	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3548G	43.78	83.54	-39.76	39.16	1	Vertical	48	1.22	-	37.89	15.46	48.73			
AV	20.35453G	32.33	63.54	-31.21	27.71	1	Vertical	48	1.22	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35735G	43.92	83.54	-39.62	39.30	1	Horizontal	155	1.99	-	37.89	15.46	48.73			
AV	20.35509G	32.36	63.54	-31.18	27.74	1	Horizontal	155	1.99	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72975G	54.46	88.20	-33.74	33.49	3	Vertical	286	2.71	-	40.50	13.93	33.46			
RMS	13.72605G	42.41	68.20	-25.79	21.44	3	Vertical	286	2.71	-	40.50	13.93	33.46			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73477G	54.61	88.20	-33.59	33.65	3	Horizontal	133	1.94	-	40.50	13.93	33.47			
RMS	13.72608G	42.69	68.20	-25.51	21.72	3	Horizontal	133	1.94	-	40.50	13.93	33.46			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59485G	44.08	83.54	-39.46	39.23	1	Vertical	295	2.61	-	37.90	15.65	48.70			
AV	20.59142G	32.21	63.54	-31.33	27.36	1	Vertical	295	2.61	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59482G	43.70	83.54	-39.84	38.85	1	Horizontal	333	2.86	-	37.90	15.65	48.70			
AV	20.59506G	32.13	63.54	-31.41	27.28	1	Horizontal	333	2.86	-	37.90	15.65	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88991G	55.22	88.20	-32.98	34.17	3	Vertical	245	2.25	-	40.46	14.10	33.51			
RMS	13.89495G	43.02	68.20	-25.18	21.96	3	Vertical	245	2.25	-	40.48	14.10	33.52			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89389G	55.59	88.20	-32.61	34.53	3	Horizontal	1	1.36	-	40.48	14.10	33.52			
RMS	13.8946G	43.67	68.20	-24.53	22.61	3	Horizontal	1	1.36	-	40.48	14.10	33.52			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83199G	44.68	83.54	-38.86	39.63	1	Vertical	34	1.19	-	37.90	15.85	48.70			
AV	20.83004G	32.21	63.54	-31.33	27.16	1	Vertical	34	1.19	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 16
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.83479G	44.43	83.54	-39.11	39.38	1	Horizontal	286	2.68	-	37.90	15.85	48.70				
AV	20.83475G	32.16	63.54	-31.38	27.11	1	Horizontal	286	2.68	-	37.90	15.85	48.70				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9918G	104.20	Inf	-Inf	94.11	3	Vertical	9.7	1.44	-	36.18	9.24	35.33			
RMS	7.0414G	93.53	Inf	-Inf	83.16	3	Vertical	9.7	1.44	-	36.37	9.26	35.26			
PK	7.1718G	64.66	88.20	-23.54	53.41	3	Vertical	9.7	1.44	-	36.99	9.29	35.03			
RMS	7.2138G	53.70	68.20	-14.50	42.24	3	Vertical	9.7	1.44	-	37.10	9.31	34.95			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15
05-L-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9878G	109.64	Inf	-Inf	99.55	3	Horizontal	22.3	1.80	-	36.18	9.23	35.32			
RMS	6.9934G	99.54	Inf	-Inf	89.44	3	Horizontal	22.3	1.80	-	36.19	9.24	35.33			
PK	7.2198G	65.69	88.20	-22.51	54.22	3	Horizontal	22.3	1.80	-	37.10	9.31	34.94			
RMS	7.225G	53.59	68.20	-14.61	42.10	3	Horizontal	22.3	1.80	-	37.10	9.32	34.93			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05478G	55.76	88.20	-32.44	34.69	3	Vertical	91	2.54	-	40.42	14.21	33.56			
RMS	14.04547G	43.15	68.20	-25.05	22.09	3	Vertical	91	2.54	-	40.41	14.21	33.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05347G	55.30	88.20	-32.90	34.24	3	Horizontal	155	2.97	-	40.41	14.21	33.56			
RMS	14.04631G	42.62	68.20	-25.58	21.56	3	Horizontal	155	2.97	-	40.41	14.21	33.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07463G	43.87	83.54	-39.67	38.51	1	Vertical	313	1.92	-	38.00	16.05	48.69			
AV	21.07536G	32.47	63.54	-31.07	27.10	1	Vertical	313	1.92	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 15
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07934G	44.63	83.54	-38.91	39.26	1	Horizontal	33	1.01	-	38.00	16.05	48.68			
AV	21.07192G	32.62	63.54	-30.92	27.27	1	Horizontal	33	1.01	-	38.00	16.04	48.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	61.17	88.20	-27.03	53.95	3	Vertical	24.1	1.80	-	34.30	8.50	35.58			
RMS	5.924G	51.25	68.20	-16.95	44.02	3	Vertical	24.1	1.80	-	34.30	8.51	35.58			
PK	6.102G	107.11	Inf	-Inf	99.74	3	Vertical	24.1	1.80	-	34.20	8.58	35.41			
RMS	6.101G	97.02	Inf	-Inf	89.65	3	Vertical	24.1	1.80	-	34.20	8.58	35.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting_19
05-L-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.925G	67.86	88.20	-20.34	60.63	3	Horizontal	9.2	1.80	-	34.30	8.51	35.58					
RMS	5.925G	54.15	68.20	-14.05	46.92	3	Horizontal	9.2	1.80	-	34.30	8.51	35.58					
PK	5.954G	109.57	Inf	-Inf	102.35	3	Horizontal	9.2	1.80	-	34.29	8.52	35.59					
RMS	6.086G	99.69	Inf	-Inf	92.33	3	Horizontal	9.2	1.80	-	34.23	8.57	35.44					

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04839G	50.55	74.00	-23.45	32.87	3	Vertical	215	2.63	-	38.90	12.18	33.40			
AV	12.05357G	38.21	54.00	-15.79	20.50	3	Vertical	215	2.63	-	38.91	12.19	33.39			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05333G	50.98	74.00	-23.02	33.27	3	Horizontal	207	1.92	-	38.91	12.19	33.39			
AV	12.04704G	38.64	54.00	-15.36	20.97	3	Horizontal	207	1.92	-	38.89	12.18	33.40			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 19
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.074G	43.01	83.54	-40.53	38.39	1	Vertical	5	1.84	-	37.54	15.29	48.21			
AV	18.073G	31.19	63.54	-32.35	26.57	1	Vertical	5	1.84	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 19
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07241G	43.21	83.54	-40.33	38.60	1	Horizontal	213	1.80	-	37.53	15.29	48.21			
AV	18.07769G	30.93	63.54	-32.61	26.29	1	Horizontal	213	1.80	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36819G	53.06	74.00	-20.94	34.71	3	Vertical	330	2.39	-	38.90	12.51	33.06			
AV	12.3732G	41.95	54.00	-12.05	23.58	3	Vertical	330	2.39	-	38.90	12.52	33.05			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37466G	51.80	74.00	-22.20	33.43	3	Horizontal	278	2.72	-	38.90	12.52	33.05			
AV	12.37363G	39.74	54.00	-14.26	21.37	3	Horizontal	278	2.72	-	38.90	12.52	33.05			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 19
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55372G	43.66	83.54	-39.88	38.95	1	Vertical	1	1.27	-	37.80	15.26	48.35			
AV	18.55791G	31.87	63.54	-31.67	27.17	1	Vertical	1	1.27	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 19
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55492G	43.92	83.54	-39.62	39.21	1	Horizontal	38	2.36	-	37.80	15.26	48.35			
AV	18.55475G	31.77	63.54	-31.77	27.06	1	Horizontal	38	2.36	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 17
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68726G	52.66	74.00	-21.34	33.59	3	Vertical	266	2.64	-	39.40	12.84	33.17			
AV	12.68996G	40.41	54.00	-13.59	21.34	3	Vertical	266	2.64	-	39.40	12.85	33.18			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 17
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68706G	52.43	74.00	-21.57	33.36	3	Horizontal	241	1.26	-	39.40	12.84	33.17			
AV	12.68501G	40.19	54.00	-13.81	21.12	3	Horizontal	241	1.26	-	39.40	12.84	33.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 17
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0314G	44.81	83.54	-38.73	40.44	1	Vertical	131	1.42	-	37.94	15.23	48.80			
AV	19.0388G	32.60	63.54	-30.94	28.25	1	Vertical	131	1.42	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 17
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03458G	44.65	83.54	-38.89	40.29	1	Horizontal	121	2.28	-	37.93	15.23	48.80			
AV	19.03504G	32.42	63.54	-31.12	28.06	1	Horizontal	121	2.28	-	37.93	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00762G	52.52	88.20	-35.68	32.97	3	Vertical	96	1.12	-	39.97	13.18	33.60			
RMS	13.01249G	40.24	68.20	-27.96	20.70	3	Vertical	96	1.12	-	39.95	13.18	33.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 18
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00944G	53.05	88.20	-35.15	33.51	3	Horizontal	134	1.57	-	39.96	13.18	33.60			
RMS	13.01225G	41.74	68.20	-26.46	22.20	3	Horizontal	134	1.57	-	39.95	13.18	33.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 18
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51471G	44.56	83.54	-38.98	40.39	1	Vertical	91	2.37	-	37.77	15.20	48.80			
AV	19.51523G	32.46	63.54	-31.08	28.29	1	Vertical	91	2.37	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 18
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51253G	44.27	83.54	-39.27	40.10	1	Horizontal	295	2.50	-	37.77	15.20	48.80			
AV	19.51255G	32.36	63.54	-31.18	28.19	1	Horizontal	295	2.50	-	37.77	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33152G	54.09	74.00	-19.91	33.71	3	Vertical	18	2.98	-	40.33	13.51	33.46			
AV	13.3322G	41.65	54.00	-12.35	21.26	3	Vertical	18	2.98	-	40.33	13.52	33.46			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33056G	56.73	74.00	-17.27	36.36	3	Horizontal	20	2.06	-	40.32	13.51	33.46			
AV	13.33499G	43.45	54.00	-10.55	23.05	3	Horizontal	20	2.06	-	40.34	13.52	33.46			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 18
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99891G	45.09	83.54	-38.45	41.02	1	Vertical	249	2.75	-	37.70	15.17	48.80			
AV	19.99963G	32.51	63.54	-31.03	28.44	1	Vertical	249	2.75	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 18
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99542G	45.06	83.54	-38.48	40.98	1	Horizontal	42	2.62	-	37.71	15.17	48.80			
AV	19.9946G	32.54	63.54	-31.00	28.46	1	Horizontal	42	2.62	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65161G	54.68	88.20	-33.52	33.77	3	Vertical	29	1.85	-	40.50	13.85	33.44			
RMS	13.65387G	42.16	68.20	-26.04	21.25	3	Vertical	29	1.85	-	40.50	13.85	33.44			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.65024G	54.36	88.20	-33.84	33.45	3	Horizontal	324	2.68	-	40.50	13.85	33.44				
RMS	13.65306G	41.94	68.20	-26.26	21.03	3	Horizontal	324	2.68	-	40.50	13.85	33.44				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 19
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47501G	44.42	83.54	-39.12	39.66	1	Vertical	114	1.83	-	37.90	15.56	48.70			
AV	20.475G	31.86	63.54	-31.68	27.11	1	Vertical	114	1.83	-	37.90	15.56	48.71			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 19
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47334G	43.91	83.54	-39.63	39.16	1	Horizontal	119	2.55	-	37.90	15.56	48.71			
AV	20.4706G	32.02	63.54	-31.52	27.28	1	Horizontal	119	2.55	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 18
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.03G	106.57	Inf	-Inf	96.28	3	Vertical	13.1	1.52	-	36.32	9.26	35.29			
RMS	7.0535G	95.67	Inf	-Inf	85.24	3	Vertical	13.1	1.52	-	36.41	9.26	35.24			
PK	7.2305G	64.58	88.20	-23.62	53.08	3	Vertical	13.1	1.52	-	37.10	9.32	34.92			
RMS	7.131G	54.11	68.20	-14.09	43.14	3	Vertical	13.1	1.52	-	36.79	9.28	35.10			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 18
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9635G	110.44	Inf	-Inf	100.40	3	Horizontal	12.8	1.80	-	36.13	9.20	35.29			
RMS	6.946G	100.37	Inf	-Inf	90.37	3	Horizontal	12.8	1.80	-	36.09	9.17	35.26			
PK	7.219G	64.06	88.20	-24.14	52.59	3	Horizontal	12.8	1.80	-	37.10	9.31	34.94			
RMS	7.1315G	53.91	68.20	-14.29	42.94	3	Horizontal	12.8	1.80	-	36.79	9.28	35.10			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96868G	55.02	88.20	-33.18	33.88	3	Vertical	216	1.93	-	40.50	14.18	33.54			
RMS	13.96544G	42.96	68.20	-25.24	21.83	3	Vertical	216	1.93	-	40.50	14.17	33.54			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96769G	55.40	88.20	-32.80	34.26	3	Horizontal	198	1.87	-	40.50	14.18	33.54			
RMS	13.96922G	43.31	68.20	-24.89	22.17	3	Horizontal	198	1.87	-	40.50	14.18	33.54			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 18
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95677G	44.77	83.54	-38.77	39.61	1	Vertical	225	2.66	-	37.91	15.95	48.70			
AV	20.95363G	32.50	63.54	-31.04	27.34	1	Vertical	225	2.66	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 18
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9552G	45.31	83.54	-38.23	40.15	1	Horizontal	77	2.04	-	37.91	15.95	48.70			
AV	20.95487G	32.46	63.54	-31.08	27.30	1	Horizontal	77	2.04	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	72.52	88.20	-15.68	65.30	3	Vertical	342.5	1.63	-	34.30	8.50	35.58			
RMS	5.9237G	55.79	68.20	-12.41	48.56	3	Vertical	342.5	1.63	-	34.30	8.51	35.58			
PK	6.161G	106.74	Inf	-Inf	99.11	3	Vertical	342.5	1.63	-	34.32	8.60	35.29			
RMS	6.2023G	95.50	Inf	-Inf	87.69	3	Vertical	342.5	1.63	-	34.40	8.62	35.21			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	73.28	88.20	-14.92	66.05	3	Horizontal	1.6	1.80	-	34.30	8.51	35.58			
RMS	5.9244G	58.70	68.20	-9.50	51.47	3	Horizontal	1.6	1.80	-	34.30	8.51	35.58			
PK	6.1785G	111.03	Inf	-Inf	103.32	3	Horizontal	1.6	1.80	-	34.36	8.61	35.26			
RMS	6.1225G	100.13	Inf	-Inf	92.67	3	Horizontal	1.6	1.80	-	34.24	8.59	35.37			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21373G	52.39	74.00	-21.61	34.16	3	Vertical	269	1.25	-	39.10	12.35	33.22			
AV	12.20614G	39.80	54.00	-14.20	21.59	3	Vertical	269	1.25	-	39.10	12.34	33.23			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21328G	51.72	74.00	-22.28	33.49	3	Horizontal	233	1.23	-	39.10	12.35	33.22			
AV	12.20905G	39.15	54.00	-14.85	20.93	3	Horizontal	233	1.23	-	39.10	12.35	33.23			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.236G	43.53	83.54	-40.01	38.90	1	Vertical	344	1.80	-	37.60	15.28	48.25			
AV	18.389G	32.54	63.54	-31.00	27.85	1	Vertical	344	1.80	-	37.70	15.27	48.28			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31552G	43.82	83.54	-39.72	39.18	1	Horizontal	172	1.88	-	37.63	15.27	48.26			
AV	18.31447G	31.67	63.54	-31.87	27.03	1	Horizontal	172	1.88	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53171G	52.48	74.00	-21.52	33.66	3	Vertical	56	2.42	-	39.10	12.68	32.96			
AV	12.53214G	40.20	54.00	-13.80	21.38	3	Vertical	56	2.42	-	39.10	12.68	32.96			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52715G	52.67	74.00	-21.33	33.85	3	Horizontal	341	2.47	-	39.10	12.68	32.96			
AV	12.5344G	41.73	54.00	-12.27	22.91	3	Horizontal	341	2.47	-	39.10	12.69	32.97			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79727G	43.87	83.54	-39.67	39.33	1	Vertical	55	1.32	-	37.90	15.24	48.60			
AV	18.7953G	32.19	63.54	-31.35	27.65	1	Vertical	55	1.32	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79516G	43.68	83.54	-39.86	39.14	1	Horizontal	248	2.23	-	37.90	15.24	48.60			
AV	18.7949G	32.18	63.54	-31.36	27.63	1	Horizontal	248	2.23	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84592G	53.11	88.20	-35.09	33.69	3	Vertical	130	2.51	-	39.80	13.01	33.39			
RMS	12.84716G	40.94	68.20	-27.26	21.52	3	Vertical	130	2.51	-	39.80	13.01	33.39			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85026G	52.89	88.20	-35.31	33.48	3	Horizontal	142	2.38	-	39.80	13.01	33.40			
RMS	12.85381G	40.98	68.20	-27.22	21.55	3	Horizontal	142	2.38	-	39.81	13.02	33.40			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27412G	43.61	83.54	-39.93	39.30	1	Vertical	159	2.14	-	37.90	15.21	48.80			
AV	19.27812G	32.16	63.54	-31.38	27.86	1	Vertical	159	2.14	-	37.89	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27548G	44.87	83.54	-38.67	40.56	1	Horizontal	190	1.00	-	37.90	15.21	48.80			
AV	19.2751G	32.18	63.54	-31.36	27.87	1	Horizontal	190	1.00	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16613G	53.06	88.20	-35.14	33.18	3	Vertical	123	2.22	-	40.07	13.34	33.53			
RMS	13.1668G	40.48	68.20	-27.72	20.60	3	Vertical	123	2.22	-	40.07	13.34	33.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16914G	52.41	88.20	-35.79	32.53	3	Horizontal	52	2.33	-	40.06	13.35	33.53			
RMS	13.17498G	40.58	68.20	-27.62	20.71	3	Horizontal	52	2.33	-	40.05	13.35	33.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75682G	45.08	83.54	-38.46	41.00	1	Vertical	41	2.74	-	37.70	15.18	48.80			
AV	19.75372G	32.47	63.54	-31.07	28.39	1	Vertical	41	2.74	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75535G	45.07	83.54	-38.47	40.99	1	Horizontal	297	1.83	-	37.70	15.18	48.80			
AV	19.75456G	32.87	63.54	-30.67	28.79	1	Horizontal	297	1.83	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49493G	55.24	88.20	-32.96	34.26	3	Vertical	302	1.49	-	40.69	13.68	33.39			
RMS	13.48745G	43.02	68.20	-25.18	22.07	3	Vertical	302	1.49	-	40.67	13.68	33.40			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49248G	54.69	88.20	-33.51	33.72	3	Horizontal	118	1.26	-	40.68	13.68	33.39			
RMS	13.49084G	42.37	68.20	-25.83	21.40	3	Horizontal	118	1.26	-	40.68	13.68	33.39			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23498G	44.46	83.54	-39.08	40.05	1	Vertical	316	1.69	-	37.80	15.36	48.75			
AV	20.23471G	32.51	63.54	-31.03	28.10	1	Vertical	316	1.69	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23913G	44.82	83.54	-38.72	40.41	1	Horizontal	324	1.38	-	37.80	15.36	48.75			
AV	20.23099G	32.54	63.54	-31.00	28.13	1	Horizontal	324	1.38	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8474G	109.97	Inf	-Inf	100.05	3	Vertical	322.4	1.68	-	36.01	9.03	35.12			
RMS	6.7472G	96.71	Inf	-Inf	86.54	3	Vertical	322.4	1.68	-	36.20	8.95	34.98			
PK	7.1684G	78.46	88.20	-9.74	67.23	3	Vertical	322.4	1.68	-	36.97	9.29	35.03			
RMS	7.1318G	65.13	68.20	-3.07	54.16	3	Vertical	322.4	1.68	-	36.79	9.28	35.10			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
05-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9164G	110.51	Inf	-Inf	100.57	3	Horizontal	11.1	1.80	-	36.03	9.13	35.22			
RMS	6.8552G	100.14	Inf	-Inf	90.23	3	Horizontal	11.1	1.80	-	36.00	9.04	35.13			
PK	7.1912G	74.03	88.20	-14.17	62.66	3	Horizontal	11.1	1.80	-	37.06	9.30	34.99			
RMS	7.1282G	56.24	68.20	-11.96	45.30	3	Horizontal	11.1	1.80	-	36.77	9.28	35.11			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81234G	54.09	88.20	-34.11	33.27	3	Vertical	141	1.47	-	40.30	14.01	33.49			
RMS	13.81101G	42.19	68.20	-26.01	21.37	3	Vertical	141	1.47	-	40.30	14.01	33.49			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80798G	54.49	88.20	-33.71	33.67	3	Horizontal	167	1.38	-	40.30	14.01	33.49			
RMS	13.81493G	42.62	68.20	-25.58	21.79	3	Horizontal	167	1.38	-	40.30	14.02	33.49			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.71485G	44.54	83.54	-39.00	39.59	1	Vertical	232	2.20	-	37.90	15.75	48.70				
AV	20.71452G	32.12	63.54	-31.42	27.17	1	Vertical	232	2.20	-	37.90	15.75	48.70				

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7196G	44.68	83.54	-38.86	39.72	1	Horizontal	306	2.91	-	37.90	15.76	48.70			
AV	20.71983G	34.95	63.54	-28.59	29.99	1	Horizontal	306	2.91	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 8
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	62.25	88.20	-25.95	55.03	3	Vertical	179	1.67	-	34.30	8.50	35.58			
RMS	5.9223G	51.12	68.20	-17.08	43.89	3	Vertical	179	1.67	-	34.30	8.51	35.58			
PK	5.9538G	108.42	Inf	-Inf	101.20	3	Vertical	179	1.67	-	34.29	8.52	35.59			
RMS	5.9531G	88.75	Inf	-Inf	81.53	3	Vertical	179	1.67	-	34.29	8.52	35.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 8
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9249G	63.84	88.20	-24.36	56.61	3	Horizontal	183	1.46	-	34.30	8.51	35.58			
RMS	5.924G	51.11	68.20	-17.09	43.88	3	Horizontal	183	1.46	-	34.30	8.51	35.58			
PK	5.9557G	110.17	Inf	-Inf	102.95	3	Horizontal	183	1.46	-	34.29	8.52	35.59			
RMS	5.9573G	100.00	Inf	-Inf	92.78	3	Horizontal	183	1.46	-	34.29	8.52	35.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9089G	57.39	74.00	-16.61	40.06	3	Vertical	281	2.27	-	38.62	12.08	33.37			
AV	11.90853G	46.19	54.00	-7.81	28.86	3	Vertical	281	2.27	-	38.62	12.08	33.37			
PK	17.86644G	59.09	74.00	-14.91	35.66	3	Vertical	62	2.57	-	41.73	15.23	33.53			
AV	17.8644G	47.49	54.00	-6.51	24.07	3	Vertical	62	2.57	-	41.72	15.23	33.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 8
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9093G	58.46	74.00	-15.54	41.13	3	Horizontal	159	1.80	-	38.62	12.08	33.37			
AV	11.90873G	46.09	54.00	-7.91	28.76	3	Horizontal	159	1.80	-	38.62	12.08	33.37			
PK	17.86605G	59.35	74.00	-14.65	35.92	3	Horizontal	100	2.73	-	41.73	15.23	33.53			
AV	17.86444G	47.49	54.00	-6.51	24.07	3	Horizontal	100	2.73	-	41.72	15.23	33.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82013G	46.68	83.54	-36.86	37.97	1	Vertical	162	2.95	-	39.10	17.28	47.67			
AV	23.8195G	35.03	63.54	-28.51	26.32	1	Vertical	162	2.95	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81799G	47.14	83.54	-36.40	38.43	1	Horizontal	57	2.83	-	39.10	17.28	47.67			
AV	23.81601G	34.98	63.54	-28.56	26.27	1	Horizontal	57	2.83	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39138G	59.83	74.00	-14.17	41.43	3	Vertical	96	1.73	-	38.90	12.54	33.04			
AV	12.38899G	47.74	54.00	-6.26	29.35	3	Vertical	96	1.73	-	38.90	12.53	33.04			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39046G	59.35	74.00	-14.65	40.95	3	Horizontal	287	1.64	-	38.90	12.54	33.04			
AV	12.38903G	47.65	54.00	-6.35	29.26	3	Horizontal	287	1.64	-	38.90	12.53	33.04			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58484G	44.13	83.54	-39.41	39.46	1	Vertical	102	2.82	-	37.80	15.25	48.38			
AV	18.58525G	32.17	63.54	-31.37	27.51	1	Vertical	102	2.82	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58464G	44.37	83.54	-39.17	39.70	1	Horizontal	205	1.90	-	37.80	15.25	48.38			
AV	18.58204G	32.25	63.54	-31.29	27.57	1	Horizontal	205	1.90	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83064G	60.26	88.20	-27.94	40.84	3	Vertical	23	1.89	-	39.80	12.99	33.37			
RMS	12.82957G	48.54	68.20	-19.66	29.12	3	Vertical	23	1.89	-	39.80	12.99	33.37			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82895G	60.99	88.20	-27.21	41.57	3	Horizontal	114	2.29	-	39.80	12.99	33.37			
RMS	12.82895G	48.54	68.20	-19.66	29.12	3	Horizontal	114	2.29	-	39.80	12.99	33.37			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24632G	44.59	83.54	-38.95	40.18	1	Vertical	305	2.16	-	37.99	15.22	48.80			
AV	19.24381G	32.33	63.54	-31.21	27.93	1	Vertical	305	2.16	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2447G	44.33	83.54	-39.21	39.93	1	Horizontal	193	2.04	-	37.98	15.22	48.80			
AV	19.24479G	32.31	63.54	-31.23	27.91	1	Horizontal	193	2.04	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86905G	59.46	88.20	-28.74	40.01	3	Vertical	245	2.44	-	39.84	13.03	33.42			
RMS	12.87078G	47.94	68.20	-20.26	28.48	3	Vertical	245	2.44	-	39.84	13.04	33.42			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87067G	59.95	88.20	-28.25	40.49	3	Horizontal	47	2.95	-	39.84	13.04	33.42			
RMS	12.86909G	47.92	68.20	-20.28	28.47	3	Horizontal	47	2.95	-	39.84	13.03	33.42			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30499G	44.10	83.54	-39.44	39.89	1	Vertical	33	1.08	-	37.80	15.21	48.80			
AV	19.30481G	32.21	63.54	-31.33	28.00	1	Vertical	33	1.08	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30891G	44.97	83.54	-38.57	40.76	1	Horizontal	192	2.21	-	37.80	15.21	48.80			
AV	19.3074G	32.22	63.54	-31.32	28.01	1	Horizontal	192	2.21	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95131G	59.17	88.20	-29.03	39.58	3	Vertical	173	1.01	-	40.00	13.12	33.53			
RMS	12.94962G	47.80	68.20	-20.40	28.21	3	Vertical	173	1.01	-	40.00	13.12	33.53			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94872G	58.84	88.20	-29.36	39.25	3	Horizontal	61	2.84	-	40.00	13.12	33.53			
RMS	12.95065G	47.69	68.20	-20.51	28.10	3	Horizontal	61	2.84	-	40.00	13.12	33.53			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42529G	45.35	83.54	-38.19	41.15	1	Vertical	4	2.15	-	37.80	15.20	48.80			
AV	19.42458G	33.21	63.54	-30.33	29.01	1	Vertical	4	2.15	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42473G	45.38	83.54	-38.16	41.18	1	Horizontal	80	1.22	-	37.80	15.20	48.80			
AV	19.42533G	33.31	63.54	-30.23	29.11	1	Horizontal	80	1.22	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03018G	59.65	88.20	-28.55	40.16	3	Vertical	4	2.21	-	39.88	13.20	33.59			
RMS	13.03034G	47.71	68.20	-20.49	28.22	3	Vertical	4	2.21	-	39.88	13.20	33.59			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03053G	60.09	88.20	-28.11	40.60	3	Horizontal	276	1.77	-	39.88	13.20	33.59			
RMS	13.02903G	47.60	68.20	-20.60	28.11	3	Horizontal	276	1.77	-	39.88	13.20	33.59			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54958G	44.39	83.54	-39.15	40.29	1	Vertical	49	1.92	-	37.70	15.20	48.80			
AV	19.54698G	32.64	63.54	-30.90	28.53	1	Vertical	49	1.92	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54537G	44.26	83.54	-39.28	40.15	1	Horizontal	148	2.37	-	37.71	15.20	48.80			
AV	19.54496G	32.55	63.54	-30.99	28.44	1	Horizontal	148	2.37	-	37.71	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07066G	59.94	88.20	-28.26	40.43	3	Vertical	8	1.45	-	39.84	13.24	33.57			
RMS	13.07093G	47.80	68.20	-20.40	28.29	3	Vertical	8	1.45	-	39.84	13.24	33.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07053G	59.55	88.20	-28.65	40.04	3	Horizontal	303	1.19	-	39.84	13.24	33.57			
RMS	13.0685G	47.73	68.20	-20.47	28.22	3	Horizontal	303	1.19	-	39.84	13.24	33.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60451G	45.62	83.54	-37.92	41.53	1	Vertical	112	2.42	-	37.70	15.19	48.80			
AV	19.60475G	32.48	63.54	-31.06	28.39	1	Vertical	112	2.42	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 6
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60972G	44.44	83.54	-39.10	40.35	1	Horizontal	83	2.48	-	37.70	15.19	48.80			
AV	19.60526G	32.36	63.54	-31.18	28.27	1	Horizontal	83	2.48	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3902G	61.25	74.00	-12.75	40.79	3	Vertical	72	1.85	-	40.32	13.58	33.44			
AV	13.39089G	49.27	54.00	-4.73	28.81	3	Vertical	72	1.85	-	40.32	13.58	33.44			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3896G	60.86	74.00	-13.14	40.40	3	Horizontal	242	2.72	-	40.32	13.58	33.44			
AV	13.38962G	49.26	54.00	-4.74	28.80	3	Horizontal	242	2.72	-	40.32	13.58	33.44			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08682G	45.12	83.54	-38.42	40.86	1	Vertical	233	2.31	-	37.80	15.24	48.78			
AV	20.08294G	33.14	63.54	-30.40	28.88	1	Vertical	233	2.31	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08498G	44.64	83.54	-38.90	40.38	1	Horizontal	96	1.59	-	37.80	15.24	48.78			
AV	20.08462G	33.17	63.54	-30.37	28.91	1	Horizontal	96	1.59	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74953G	61.38	88.20	-26.82	40.40	3	Vertical	242	2.76	-	40.50	13.95	33.47			
RMS	13.74876G	49.21	68.20	-18.99	28.23	3	Vertical	242	2.76	-	40.50	13.95	33.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75131G	61.15	88.20	-27.05	40.18	3	Horizontal	107	1.36	-	40.49	13.95	33.47			
RMS	13.75002G	49.31	68.20	-18.89	28.33	3	Horizontal	107	1.36	-	40.50	13.95	33.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62479G	45.85	83.54	-37.69	40.97	1	Vertical	88	1.76	-	37.90	15.68	48.70			
AV	20.62465G	32.70	63.54	-30.84	27.82	1	Vertical	88	1.76	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62245G	44.54	83.54	-39.00	39.66	1	Horizontal	216	2.18	-	37.90	15.68	48.70			
AV	20.62509G	32.71	63.54	-30.83	27.83	1	Horizontal	216	2.18	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79137G	61.38	88.20	-26.82	40.54	3	Vertical	360	1.08	-	40.33	13.99	33.48			
RMS	13.79019G	49.21	68.20	-18.99	28.36	3	Vertical	360	1.08	-	40.34	13.99	33.48			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78857G	61.00	88.20	-27.20	40.14	3	Horizontal	284	1.19	-	40.35	13.99	33.48			
RMS	13.79047G	49.21	68.20	-18.99	28.36	3	Horizontal	284	1.19	-	40.34	13.99	33.48			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68014G	44.12	83.54	-39.42	39.20	1	Vertical	165	1.16	-	37.90	15.72	48.70			
AV	20.68182G	32.36	63.54	-31.18	27.43	1	Vertical	165	1.16	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 4
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68456G	44.16	83.54	-39.38	39.23	1	Horizontal	275	1.76	-	37.90	15.73	48.70			
AV	20.68463G	32.33	63.54	-31.21	27.40	1	Horizontal	275	1.76	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 3
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99018G	62.03	88.20	-26.17	40.88	3	Vertical	10	2.08	-	40.50	14.20	33.55			
RMS	13.99129G	49.96	68.20	-18.24	28.81	3	Vertical	10	2.08	-	40.50	14.20	33.55			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 3
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98975G	61.64	88.20	-26.56	40.49	3	Horizontal	18	1.77	-	40.50	14.20	33.55			
RMS	13.99017G	49.96	68.20	-18.24	28.81	3	Horizontal	18	1.77	-	40.50	14.20	33.55			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 3
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98454G	45.05	83.54	-38.49	39.81	1	Vertical	274	2.45	-	37.97	15.97	48.70			
AV	20.9845G	32.70	63.54	-30.84	27.46	1	Vertical	274	2.45	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 3
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98594G	45.19	83.54	-38.35	39.95	1	Horizontal	55	2.75	-	37.97	15.97	48.70			
AV	20.9863G	32.86	63.54	-30.68	27.62	1	Horizontal	55	2.75	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 5
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1032G	102.84	Inf	-Inf	92.09	3	Vertical	180	1.58	-	36.62	9.28	35.15			
RMS	7.1018G	87.13	Inf	-Inf	76.39	3	Vertical	180	1.58	-	36.61	9.28	35.15			
PK	7.1764G	64.92	88.20	-23.28	53.64	3	Vertical	180	1.58	-	37.01	9.29	35.02			
RMS	7.194G	54.15	68.20	-14.05	42.76	3	Vertical	180	1.58	-	37.08	9.30	34.99			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 5
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0862G	109.32	Inf	-Inf	98.69	3	Horizontal	183	1.52	-	36.54	9.27	35.18			
RMS	7.0876G	99.90	Inf	-Inf	89.26	3	Horizontal	183	1.52	-	36.55	9.27	35.18			
PK	7.1668G	64.53	88.20	-23.67	53.31	3	Horizontal	183	1.52	-	36.97	9.29	35.04			
RMS	7.1904G	54.05	68.20	-14.15	42.68	3	Horizontal	183	1.52	-	37.06	9.30	34.99			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18851G	61.47	88.20	-26.73	40.35	3	Vertical	18	1.78	-	40.50	14.21	33.59			
RMS	14.19089G	49.60	68.20	-18.60	28.48	3	Vertical	18	1.78	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18946G	61.32	88.20	-26.88	40.20	3	Horizontal	8	1.39	-	40.50	14.21	33.59			
RMS	14.19054G	49.60	68.20	-18.60	28.48	3	Horizontal	8	1.39	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28787G	45.54	83.54	-38.00	39.88	1	Vertical	173	2.83	-	38.08	16.22	48.64			
AV	21.28366G	33.56	63.54	-29.98	27.91	1	Vertical	173	2.83	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 5
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28519G	45.39	83.54	-38.15	39.74	1	Horizontal	52	1.05	-	38.07	16.22	48.64			
AV	21.28453G	33.39	63.54	-30.15	27.74	1	Horizontal	52	1.05	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 2
05-L-G-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1115G	97.38	Inf	-Inf	86.57	3	Vertical	180	1.55	BP 1MHz	36.67	9.28	35.14			
RMS	7.1115G	85.37	Inf	-Inf	74.56	3	Vertical	180	1.55	BP 1MHz	36.67	9.28	35.14			
PK	7.1255G	71.55	88.20	-16.65	60.63	3	Vertical	180	1.55	BP 1MHz	36.75	9.28	35.11			
RMS	7.1255G	59.95	68.20	-8.25	49.03	3	Vertical	180	1.55	BP 1MHz	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 2
05-L-G-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1085G	103.19	Inf	-Inf	92.40	3	Horizontal	183	1.40	BP 1MHz	36.65	9.28	35.14			
RMS	7.1065G	96.93	Inf	-Inf	86.16	3	Horizontal	183	1.40	BP 1MHz	36.64	9.28	35.15			
PK	7.1255G	80.42	88.20	-7.78	69.50	3	Horizontal	183	1.40	BP 1MHz	36.75	9.28	35.11			
RMS	7.1255G	68.06	68.20	-0.14	57.14	3	Horizontal	183	1.40	BP 1MHz	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 2
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23009G	56.07	88.20	-32.13	35.02	3	Vertical	304	2.87	-	40.44	14.21	33.60			
RMS	14.22954G	42.74	68.20	-25.46	21.69	3	Vertical	304	2.87	-	40.44	14.21	33.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 2
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2299G	55.67	88.20	-32.53	34.62	3	Horizontal	83	1.22	-	40.44	14.21	33.60			
RMS	14.22968G	42.33	68.20	-25.87	21.28	3	Horizontal	83	1.22	-	40.44	14.21	33.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 2
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34465G	45.06	83.54	-38.48	39.32	1	Vertical	146	2.28	-	38.10	16.27	48.63			
AV	21.3445G	32.47	63.54	-31.07	26.73	1	Vertical	146	2.28	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 2
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34456G	44.86	83.54	-38.68	39.12	1	Horizontal	29	2.57	-	38.10	16.27	48.63			
AV	21.34469G	35.71	63.54	-27.83	29.97	1	Horizontal	29	2.57	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 11
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9156G	61.46	88.20	-26.74	54.24	3	Vertical	191	1.85	-	34.30	8.50	35.58			
RMS	5.918G	51.31	68.20	-16.89	44.09	3	Vertical	191	1.85	-	34.30	8.50	35.58			
PK	5.954G	106.88	Inf	-Inf	99.66	3	Vertical	191	1.85	-	34.29	8.52	35.59			
RMS	5.9786G	96.62	Inf	-Inf	89.45	3	Vertical	191	1.85	-	34.24	8.53	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 11
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8842G	61.32	88.20	-26.88	54.16	3	Horizontal	184.3	1.46	-	34.24	8.49	35.57			
RMS	5.925G	51.39	68.20	-16.81	44.16	3	Horizontal	184.3	1.46	-	34.30	8.51	35.58			
PK	5.9574G	108.99	Inf	-Inf	101.77	3	Horizontal	184.3	1.46	-	34.29	8.52	35.59			
RMS	5.957G	100.31	Inf	-Inf	93.09	3	Horizontal	184.3	1.46	-	34.29	8.52	35.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92978G	50.40	74.00	-23.60	33.04	3	Vertical	295	2.12	-	38.66	12.09	33.39			
AV	11.93017G	38.45	54.00	-15.55	21.09	3	Vertical	295	2.12	-	38.66	12.09	33.39			
PK	17.89471G	58.06	74.00	-15.94	34.41	3	Vertical	67	1.35	-	41.96	15.24	33.55			
AV	17.89568G	46.11	54.00	-7.89	22.44	3	Vertical	67	1.35	-	41.97	15.25	33.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93008G	50.58	74.00	-23.42	33.22	3	Horizontal	241	2.97	-	38.66	12.09	33.39			
AV	11.93056G	38.45	54.00	-15.55	21.09	3	Horizontal	241	2.97	-	38.66	12.09	33.39			
PK	17.89644G	57.76	74.00	-16.24	34.09	3	Horizontal	312	2.64	-	41.97	15.25	33.55			
AV	17.89376G	46.10	54.00	-7.90	22.46	3	Horizontal	312	2.64	-	41.95	15.24	33.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85548G	47.09	83.54	-36.45	38.37	1	Vertical	28	1.75	-	39.09	17.29	47.66			
AV	23.8569G	34.91	63.54	-28.63	26.19	1	Vertical	28	1.75	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86016G	46.68	83.54	-36.86	37.97	1	Horizontal	162	1.03	-	39.08	17.29	47.66			
AV	23.85961G	34.77	63.54	-28.77	26.06	1	Horizontal	162	1.03	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41087G	52.22	74.00	-21.78	33.75	3	Vertical	69	1.62	-	38.92	12.56	33.01			
AV	12.41049G	39.74	54.00	-14.26	21.27	3	Vertical	69	1.62	-	38.92	12.56	33.01			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41127G	51.64	74.00	-22.36	33.17	3	Horizontal	304	2.40	-	38.92	12.56	33.01			
AV	12.41049G	39.74	54.00	-14.26	21.27	3	Horizontal	304	2.40	-	38.92	12.56	33.01			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61584G	44.80	83.54	-38.74	40.14	1	Vertical	200	2.64	-	37.83	15.25	48.42			
AV	18.61867G	31.93	63.54	-31.61	27.26	1	Vertical	200	2.64	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61483G	43.91	83.54	-39.63	39.24	1	Horizontal	337	2.10	-	37.83	15.25	48.41			
AV	18.61507G	32.03	63.54	-31.51	27.37	1	Horizontal	337	2.10	-	37.83	15.25	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80987G	52.93	88.20	-35.27	33.50	3	Vertical	316	2.85	-	39.80	12.97	33.34			
RMS	12.81088G	40.56	68.20	-27.64	21.13	3	Vertical	316	2.85	-	39.80	12.97	33.34			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81011G	52.38	88.20	-35.82	32.95	3	Horizontal	159	2.89	-	39.80	12.97	33.34			
RMS	12.80989G	40.80	68.20	-27.40	21.37	3	Horizontal	159	2.89	-	39.80	12.97	33.34			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 9
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21532G	46.49	83.54	-37.05	42.21	1	Vertical	11	2.59	-	37.86	15.22	48.80			
AV	19.21452G	33.12	63.54	-30.42	28.84	1	Vertical	11	2.59	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 9
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21508G	45.98	83.54	-37.56	41.70	1	Horizontal	278	1.25	-	37.86	15.22	48.80			
AV	19.21505G	32.34	63.54	-31.20	28.06	1	Horizontal	278	1.25	-	37.86	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8904G	53.95	88.20	-34.25	34.46	3	Vertical	57	2.11	-	39.88	13.06	33.45			
RMS	12.89001G	40.99	68.20	-27.21	21.50	3	Vertical	57	2.11	-	39.88	13.06	33.45			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89146G	53.84	88.20	-34.36	34.35	3	Horizontal	78	1.94	-	39.88	13.06	33.45			
RMS	12.89131G	41.00	68.20	-27.20	21.51	3	Horizontal	78	1.94	-	39.88	13.06	33.45			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33544G	43.91	83.54	-39.63	39.70	1	Vertical	356	2.37	-	37.80	15.21	48.80			
AV	19.33504G	32.06	63.54	-31.48	27.85	1	Vertical	356	2.37	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33286G	44.18	83.54	-39.36	39.97	1	Horizontal	339	2.16	-	37.80	15.21	48.80			
AV	19.33011G	32.16	63.54	-31.38	27.95	1	Horizontal	339	2.16	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97023G	52.87	88.20	-35.33	33.29	3	Vertical	349	2.37	-	40.00	13.14	33.56			
RMS	12.97137G	40.13	68.20	-28.07	20.55	3	Vertical	349	2.37	-	40.00	13.14	33.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96888G	51.88	88.20	-36.32	32.30	3	Horizontal	138	2.59	-	40.00	13.14	33.56			
RMS	12.97136G	40.33	68.20	-27.87	20.75	3	Horizontal	138	2.59	-	40.00	13.14	33.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45361G	45.76	83.54	-37.78	41.65	1	Vertical	298	1.43	-	37.71	15.20	48.80			
AV	19.45015G	32.66	63.54	-30.88	28.56	1	Vertical	298	1.43	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45519G	45.08	83.54	-38.46	40.97	1	Horizontal	211	1.27	-	37.71	15.20	48.80			
AV	19.45451G	32.65	63.54	-30.89	28.54	1	Horizontal	211	1.27	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04958G	52.43	88.20	-35.77	32.99	3	Vertical	30	2.68	-	39.80	13.22	33.58			
RMS	13.04876G	40.52	68.20	-27.68	21.08	3	Vertical	30	2.68	-	39.80	13.22	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04903G	52.37	88.20	-35.83	32.93	3	Horizontal	84	1.17	-	39.80	13.22	33.58			
RMS	13.04863G	40.30	68.20	-27.90	20.85	3	Horizontal	84	1.17	-	39.81	13.22	33.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57519G	44.38	83.54	-39.16	40.28	1	Vertical	125	1.57	-	37.70	15.20	48.80			
AV	19.57458G	32.31	63.54	-31.23	28.21	1	Vertical	125	1.57	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5739G	44.08	83.54	-39.46	39.98	1	Horizontal	281	1.28	-	37.70	15.20	48.80			
AV	19.57G	32.32	63.54	-31.22	28.22	1	Horizontal	281	1.28	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12981G	52.35	88.20	-35.85	32.57	3	Vertical	156	1.49	-	40.02	13.31	33.55			
RMS	13.13142G	40.39	68.20	-27.81	20.59	3	Vertical	156	1.49	-	40.03	13.31	33.54			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12974G	51.88	88.20	-36.32	32.11	3	Horizontal	140	2.65	-	40.02	13.30	33.55			
RMS	13.13041G	40.38	68.20	-27.82	20.60	3	Horizontal	140	2.65	-	40.02	13.31	33.55			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69504G	45.10	83.54	-38.44	41.01	1	Vertical	63	1.73	-	37.70	15.19	48.80			
AV	19.69454G	32.92	63.54	-30.62	28.83	1	Vertical	63	1.73	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69639G	45.09	83.54	-38.45	41.00	1	Horizontal	305	2.69	-	37.70	15.19	48.80			
AV	19.6962G	33.24	63.54	-30.30	29.15	1	Horizontal	305	2.69	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3695G	54.14	74.00	-19.86	33.67	3	Vertical	343	1.12	-	40.36	13.55	33.44			
AV	13.3705G	41.85	54.00	-12.15	21.37	3	Vertical	343	1.12	-	40.36	13.56	33.44			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36943G	54.25	74.00	-19.75	33.78	3	Horizontal	196	2.24	-	40.36	13.55	33.44			
AV	13.37023G	41.85	54.00	-12.15	21.37	3	Horizontal	196	2.24	-	40.36	13.56	33.44			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0526G	45.31	83.54	-38.23	41.09	1	Vertical	66	1.75	-	37.80	15.21	48.79			
AV	20.05536G	32.99	63.54	-30.55	28.76	1	Vertical	66	1.75	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05488G	44.85	83.54	-38.69	40.63	1	Horizontal	70	1.76	-	37.80	15.21	48.79			
AV	20.0551G	32.99	63.54	-30.55	28.77	1	Horizontal	70	1.76	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76987G	54.53	88.20	-33.67	33.62	3	Vertical	133	1.67	-	40.42	13.97	33.48			
RMS	13.7692G	42.46	68.20	-25.74	21.55	3	Vertical	133	1.67	-	40.42	13.97	33.48			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 9
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76931G	54.69	88.20	-33.51	33.78	3	Horizontal	205	1.66	-	40.42	13.97	33.48			
RMS	13.7686G	42.48	68.20	-25.72	21.56	3	Horizontal	205	1.66	-	40.43	13.97	33.48			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65501G	43.73	83.54	-39.81	38.83	1	Vertical	337	2.02	-	37.90	15.70	48.70			
AV	20.65497G	32.33	63.54	-31.21	27.43	1	Vertical	337	2.02	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 9
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65493G	44.26	83.54	-39.28	39.36	1	Horizontal	286	1.11	-	37.90	15.70	48.70			
AV	20.65456G	32.19	63.54	-31.35	27.29	1	Horizontal	286	1.11	-	37.90	15.70	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 7
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85036G	54.62	88.20	-33.58	33.77	3	Vertical	93	2.31	-	40.30	14.05	33.50			
RMS	13.85134G	42.53	68.20	-25.67	21.66	3	Vertical	93	2.31	-	40.31	14.06	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 7
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85038G	54.24	88.20	-33.96	33.39	3	Horizontal	223	2.95	-	40.30	14.05	33.50			
RMS	13.85106G	42.52	68.20	-25.68	21.66	3	Horizontal	223	2.95	-	40.30	14.06	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 7
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77499G	44.49	83.54	-39.05	39.49	1	Vertical	330	1.59	-	37.90	15.80	48.70			
AV	20.77493G	32.66	63.54	-30.88	27.66	1	Vertical	330	1.59	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 7
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77629G	44.84	83.54	-38.70	39.84	1	Horizontal	43	1.08	-	37.90	15.80	48.70			
AV	20.77389G	32.81	63.54	-30.73	27.81	1	Horizontal	43	1.08	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00984G	54.91	88.20	-33.29	33.77	3	Vertical	232	1.51	-	40.48	14.21	33.55			
RMS	14.00855G	42.67	68.20	-25.53	21.53	3	Vertical	232	1.51	-	40.48	14.21	33.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00864G	55.03	88.20	-33.17	33.89	3	Horizontal	21	2.12	-	40.48	14.21	33.55			
RMS	14.00124G	42.89	68.20	-25.31	21.73	3	Horizontal	21	2.12	-	40.50	14.21	33.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01476G	45.30	83.54	-38.24	40.00	1	Vertical	27	2.67	-	38.00	16.00	48.70			
AV	21.01139G	32.71	63.54	-30.83	27.42	1	Vertical	27	2.67	-	38.00	15.99	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01192G	45.39	83.54	-38.15	40.10	1	Horizontal	239	1.90	-	38.00	15.99	48.70			
AV	21.01778G	32.84	63.54	-30.70	27.54	1	Horizontal	239	1.90	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 8
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0732G	102.57	Inf	-Inf	92.02	3	Vertical	193.7	1.63	-	36.49	9.27	35.21			
RMS	7.07G	92.14	Inf	-Inf	81.60	3	Vertical	193.7	1.63	-	36.48	9.27	35.21			
PK	7.1712G	64.24	88.20	-23.96	53.00	3	Vertical	193.7	1.63	-	36.98	9.29	35.03			
RMS	7.1644G	54.36	68.20	-13.84	43.15	3	Vertical	193.7	1.63	-	36.96	9.29	35.04			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 8
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0822G	108.82	Inf	-Inf	98.21	3	Horizontal	180.6	1.45	-	36.53	9.27	35.19			
RMS	7.0812G	100.54	Inf	-Inf	89.94	3	Horizontal	180.6	1.45	-	36.52	9.27	35.19			
PK	7.126G	68.67	88.20	-19.53	57.74	3	Horizontal	180.6	1.45	-	36.76	9.28	35.11			
RMS	7.1254G	54.40	68.20	-13.80	43.48	3	Horizontal	180.6	1.45	-	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17056G	54.37	88.20	-33.83	33.25	3	Vertical	232	2.83	-	40.50	14.21	33.59			
RMS	14.17031G	43.36	68.20	-24.84	22.24	3	Vertical	232	2.83	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 8
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16888G	54.30	88.20	-33.90	33.18	3	Horizontal	283	2.67	-	40.50	14.21	33.59			
RMS	14.17023G	42.36	68.20	-25.84	21.24	3	Horizontal	283	2.67	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25471G	45.32	83.54	-38.22	39.77	1	Vertical	220	1.60	-	38.01	16.19	48.65			
AV	21.25474G	33.10	63.54	-30.44	27.55	1	Vertical	220	1.60	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 8
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25433G	45.05	83.54	-38.49	39.50	1	Horizontal	199	2.58	-	38.01	16.19	48.65			
AV	21.25339G	33.01	63.54	-30.53	27.46	1	Horizontal	199	2.58	-	38.01	16.19	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9138G	61.74	88.20	-26.46	54.52	3	Vertical	175.8	1.42	-	34.30	8.50	35.58			
RMS	5.9158G	51.02	68.20	-17.18	43.80	3	Vertical	175.8	1.42	-	34.30	8.50	35.58			
PK	6.0118G	106.01	Inf	-Inf	98.84	3	Vertical	175.8	1.42	-	34.22	8.54	35.59			
RMS	5.9918G	92.69	Inf	-Inf	85.54	3	Vertical	175.8	1.42	-	34.22	8.54	35.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.873G	61.57	88.20	-26.63	54.46	3	Horizontal	174.6	1.44	-	34.19	8.48	35.56			
RMS	5.9234G	51.06	68.20	-17.14	43.83	3	Horizontal	174.6	1.44	-	34.30	8.51	35.58			
PK	6.0194G	109.39	Inf	-Inf	102.17	3	Horizontal	174.6	1.44	-	34.24	8.55	35.57			
RMS	6.019G	98.93	Inf	-Inf	91.71	3	Horizontal	174.6	1.44	-	34.24	8.55	35.57			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97083G	58.15	74.00	-15.85	40.72	3	Vertical	316	1.20	-	38.74	12.11	33.42				
AV	11.96852G	45.56	54.00	-8.44	28.13	3	Vertical	316	1.20	-	38.74	12.11	33.42				
PK	17.95392G	59.79	74.00	-14.21	35.89	3	Vertical	159	1.59	-	42.22	15.28	33.60				
AV	17.95448G	47.82	54.00	-6.18	23.91	3	Vertical	159	1.59	-	42.23	15.28	33.60				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 11
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.96857G	57.12	74.00	-16.88	39.69	3	Horizontal	268	2.83	-	38.74	12.11	33.42				
AV	11.96859G	45.67	54.00	-8.33	28.24	3	Horizontal	268	2.83	-	38.74	12.11	33.42				
PK	17.95613G	59.53	74.00	-14.47	35.61	3	Horizontal	248	2.76	-	42.24	15.28	33.60				
AV	17.95478G	47.79	54.00	-6.21	23.88	3	Horizontal	248	2.76	-	42.23	15.28	33.60				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93994G	46.73	83.54	-36.81	38.04	1	Vertical	203	1.73	-	39.00	17.31	47.62			
AV	23.93754G	34.65	63.54	-28.89	25.96	1	Vertical	203	1.73	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9404G	46.76	83.54	-36.78	38.07	1	Horizontal	104	2.29	-	39.00	17.31	47.62			
AV	23.93956G	34.56	63.54	-28.98	25.87	1	Horizontal	104	2.29	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 13
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44985G	58.79	74.00	-15.21	40.16	3	Vertical	25	1.63	-	39.00	12.60	32.97			
AV	12.4491G	47.53	54.00	-6.47	28.90	3	Vertical	25	1.63	-	39.00	12.60	32.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 13
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44993G	58.94	74.00	-15.06	40.31	3	Horizontal	307	2.66	-	39.00	12.60	32.97			
AV	12.4486G	47.53	54.00	-6.47	28.90	3	Horizontal	307	2.66	-	39.00	12.60	32.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 13
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67528G	44.06	83.54	-39.48	39.39	1	Vertical	221	1.63	-	37.90	15.25	48.48			
AV	18.67538G	32.05	63.54	-31.49	27.38	1	Vertical	221	1.63	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 13
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67907G	44.18	83.54	-39.36	39.51	1	Horizontal	191	1.00	-	37.90	15.25	48.48			
AV	18.67925G	32.21	63.54	-31.33	27.54	1	Horizontal	191	1.00	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76858G	59.09	88.20	-29.11	39.84	3	Vertical	327	1.64	-	39.61	12.93	33.29			
RMS	12.76934G	47.69	68.20	-20.51	28.43	3	Vertical	327	1.64	-	39.62	12.93	33.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76943G	59.41	88.20	-28.79	40.15	3	Horizontal	225	1.18	-	39.62	12.93	33.29			
RMS	12.77142G	47.71	68.20	-20.49	28.44	3	Horizontal	225	1.18	-	39.63	12.93	33.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15485G	45.56	83.54	-37.98	41.16	1	Vertical	117	2.83	-	37.98	15.22	48.80			
AV	19.15488G	32.75	63.54	-30.79	28.35	1	Vertical	117	2.83	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15307G	44.35	83.54	-39.19	39.94	1	Horizontal	292	2.19	-	37.99	15.22	48.80			
AV	19.15314G	32.79	63.54	-30.75	28.38	1	Horizontal	292	2.19	-	37.99	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93099G	59.43	88.20	-28.77	39.88	3	Vertical	134	1.88	-	39.96	13.10	33.51			
RMS	12.92926G	47.84	68.20	-20.36	28.28	3	Vertical	134	1.88	-	39.96	13.10	33.50			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92876G	59.70	88.20	-28.50	40.14	3	Horizontal	61	2.28	-	39.96	13.10	33.50			
RMS	12.92911G	47.84	68.20	-20.36	28.28	3	Horizontal	61	2.28	-	39.96	13.10	33.50			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3948G	45.50	83.54	-38.04	41.20	1	Vertical	252	1.87	-	37.89	15.21	48.80			
AV	19.39504G	33.13	63.54	-30.41	28.83	1	Vertical	252	1.87	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39118G	45.28	83.54	-38.26	40.99	1	Horizontal	131	2.39	-	37.88	15.21	48.80			
AV	19.39433G	33.22	63.54	-30.32	28.92	1	Horizontal	131	2.39	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0911G	59.31	88.20	-28.89	39.73	3	Vertical	268	2.07	-	39.88	13.26	33.56			
RMS	13.08888G	47.31	68.20	-20.89	27.73	3	Vertical	268	2.07	-	39.88	13.26	33.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09065G	59.05	88.20	-29.15	39.47	3	Horizontal	89	2.98	-	39.88	13.26	33.56			
RMS	13.08856G	47.42	68.20	-20.78	27.84	3	Horizontal	89	2.98	-	39.88	13.26	33.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63468G	44.87	83.54	-38.67	40.78	1	Vertical	139	1.21	-	37.70	15.19	48.80			
AV	19.63501G	32.37	63.54	-31.17	28.28	1	Vertical	139	1.21	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63143G	44.47	83.54	-39.07	40.38	1	Horizontal	333	1.27	-	37.70	15.19	48.80			
AV	19.6384G	32.38	63.54	-31.16	28.29	1	Horizontal	333	1.27	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25042G	53.45	74.00	-20.55	33.51	3	Vertical	74	1.12	-	40.00	13.43	33.49			
AV	13.25125G	41.22	54.00	-12.78	21.27	3	Vertical	74	1.12	-	40.01	13.43	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25232G	53.49	74.00	-20.51	33.54	3	Horizontal	268	2.40	-	40.01	13.43	33.49			
AV	13.25113G	41.44	54.00	-12.56	21.50	3	Horizontal	268	2.40	-	40.00	13.43	33.49			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87569G	46.07	83.54	-37.47	41.99	1	Vertical	345	1.25	-	37.70	15.18	48.80			
AV	19.87838G	33.40	63.54	-30.14	29.32	1	Vertical	345	1.25	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87491G	46.09	83.54	-37.45	42.01	1	Horizontal	99	2.53	-	37.70	15.18	48.80			
AV	19.87482G	33.33	63.54	-30.21	29.25	1	Horizontal	99	2.53	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41128G	54.01	88.20	-34.19	33.47	3	Vertical	84	1.62	-	40.37	13.60	33.43			
RMS	13.40941G	42.70	68.20	-25.50	22.17	3	Vertical	84	1.62	-	40.36	13.60	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41042G	54.47	88.20	-33.73	33.94	3	Horizontal	62	1.01	-	40.36	13.60	33.43			
RMS	13.40917G	42.00	68.20	-26.20	21.47	3	Horizontal	62	1.01	-	40.36	13.60	33.43			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11841G	45.69	83.54	-37.85	41.40	1	Vertical	280	1.80	-	37.80	15.27	48.78			
AV	20.11776G	33.15	63.54	-30.39	28.86	1	Vertical	280	1.80	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11478G	45.46	83.54	-38.08	41.18	1	Horizontal	45	1.41	-	37.80	15.26	48.78			
AV	20.11454G	33.01	63.54	-30.53	28.73	1	Horizontal	45	1.41	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57014G	54.39	88.20	-33.81	33.22	3	Vertical	266	2.86	-	40.82	13.76	33.41			
RMS	13.56886G	42.87	68.20	-25.33	21.70	3	Vertical	266	2.86	-	40.82	13.76	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 12
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56912G	54.10	88.20	-34.10	32.93	3	Horizontal	298	2.93	-	40.82	13.76	33.41			
RMS	13.56924G	42.37	68.20	-25.83	21.20	3	Horizontal	298	2.93	-	40.82	13.76	33.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35608G	45.94	83.54	-37.60	41.32	1	Vertical	32	2.69	-	37.89	15.46	48.73			
AV	20.35764G	32.50	63.54	-31.04	27.89	1	Vertical	32	2.69	-	37.88	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 12
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35514G	44.80	83.54	-38.74	40.18	1	Horizontal	349	1.56	-	37.89	15.46	48.73			
AV	20.35461G	32.46	63.54	-31.08	27.84	1	Horizontal	349	1.56	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73104G	54.24	88.20	-33.96	33.27	3	Vertical	254	1.05	-	40.50	13.93	33.46			
RMS	13.72855G	42.45	68.20	-25.75	21.48	3	Vertical	254	1.05	-	40.50	13.93	33.46			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 11
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73044G	55.41	88.20	-32.79	34.44	3	Horizontal	148	1.19	-	40.50	13.93	33.46			
RMS	13.7285G	44.45	68.20	-23.75	23.48	3	Horizontal	148	1.19	-	40.50	13.93	33.46			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59154G	44.78	83.54	-38.76	39.93	1	Vertical	215	2.74	-	37.90	15.65	48.70			
AV	20.59534G	32.32	63.54	-31.22	27.46	1	Vertical	215	2.74	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 11
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59543G	44.70	83.54	-38.84	39.84	1	Horizontal	328	1.13	-	37.90	15.66	48.70			
AV	20.59538G	32.28	63.54	-31.26	27.42	1	Horizontal	328	1.13	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89149G	55.77	88.20	-32.43	34.72	3	Vertical	38	1.75	-	40.47	14.10	33.52			
RMS	13.89147G	46.22	68.20	-21.98	25.17	3	Vertical	38	1.75	-	40.47	14.10	33.52			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89119G	55.50	88.20	-32.70	34.46	3	Horizontal	325	2.37	-	40.46	14.10	33.52			
RMS	13.89131G	43.01	68.20	-25.19	21.96	3	Horizontal	325	2.37	-	40.47	14.10	33.52			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83766G	44.74	83.54	-38.80	39.69	1	Vertical	178	1.98	-	37.90	15.85	48.70			
AV	20.8372G	32.23	63.54	-31.31	27.18	1	Vertical	178	1.98	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83545G	44.16	83.54	-39.38	39.11	1	Horizontal	302	1.32	-	37.90	15.85	48.70			
AV	20.83452G	32.16	63.54	-31.38	27.11	1	Horizontal	302	1.32	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 10
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9914G	103.60	Inf	-Inf	93.51	3	Vertical	184.9	2.00	-	36.18	9.24	35.33			
RMS	7.0334G	87.96	Inf	-Inf	77.65	3	Vertical	184.9	2.00	-	36.33	9.26	35.28			
PK	7.2146G	65.34	88.20	-22.86	53.88	3	Vertical	184.9	2.00	-	37.10	9.31	34.95			
RMS	7.2246G	54.08	68.20	-14.12	42.59	3	Vertical	184.9	2.00	-	37.10	9.32	34.93			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 10
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9982G	109.09	Inf	-Inf	98.98	3	Horizontal	183	1.36	-	36.20	9.25	35.34			
RMS	6.9886G	98.81	Inf	-Inf	88.72	3	Horizontal	183	1.36	-	36.18	9.23	35.32			
PK	7.2018G	64.38	88.20	-23.82	52.95	3	Horizontal	183	1.36	-	37.10	9.30	34.97			
RMS	7.2154G	54.12	68.20	-14.08	42.66	3	Horizontal	183	1.36	-	37.10	9.31	34.95			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05044G	55.49	88.20	-32.71	34.44	3	Vertical	230	2.98	-	40.40	14.21	33.56			
RMS	14.04639G	42.62	68.20	-25.58	21.56	3	Vertical	230	2.98	-	40.41	14.21	33.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0498G	54.71	88.20	-33.49	33.66	3	Horizontal	317	2.69	-	40.40	14.21	33.56			
RMS	14.04727G	42.61	68.20	-25.59	21.55	3	Horizontal	317	2.69	-	40.41	14.21	33.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07481G	44.85	83.54	-38.69	39.49	1	Vertical	359	1.20	-	38.00	16.05	48.69			
AV	21.07504G	32.47	63.54	-31.07	27.10	1	Vertical	359	1.20	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 10
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07482G	44.71	83.54	-38.83	39.35	1	Horizontal	125	2.55	-	38.00	16.05	48.69			
AV	21.07894G	32.52	63.54	-31.02	27.15	1	Horizontal	125	2.55	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 16
05-L-G-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9165G	60.76	88.20	-27.44	53.54	3	Vertical	183	2.07	-	34.30	8.50	35.58				
RMS	5.9225G	51.14	68.20	-17.06	43.91	3	Vertical	183	2.07	-	34.30	8.51	35.58				
PK	6.0345G	107.31	Inf	-Inf	100.03	3	Vertical	183	2.07	-	34.27	8.55	35.54				
RMS	6.0765G	88.18	Inf	-Inf	80.82	3	Vertical	183	2.07	-	34.25	8.57	35.46				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 16
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	62.28	88.20	-25.92	55.06	3	Horizontal	180	1.45	-	34.30	8.50	35.58			
RMS	5.925G	52.59	68.20	-15.61	45.36	3	Horizontal	180	1.45	-	34.30	8.51	35.58			
PK	6.049G	110.01	Inf	-Inf	102.66	3	Horizontal	180	1.45	-	34.30	8.56	35.51			
RMS	5.992G	100.18	Inf	-Inf	93.03	3	Horizontal	180	1.45	-	34.22	8.54	35.61			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04747G	50.77	74.00	-23.23	33.10	3	Vertical	327	1.28	-	38.89	12.18	33.40			
AV	12.04573G	38.22	54.00	-15.78	20.55	3	Vertical	327	1.28	-	38.89	12.18	33.40			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04691G	49.85	74.00	-24.15	32.18	3	Horizontal	145	1.78	-	38.89	12.18	33.40			
AV	12.04552G	38.23	54.00	-15.77	20.56	3	Horizontal	145	1.78	-	38.89	12.18	33.40			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 16
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0747G	45.01	83.54	-38.53	40.38	1	Vertical	180	1.87	-	37.55	15.29	48.21			
AV	18.07468G	32.92	63.54	-30.62	28.29	1	Vertical	180	1.87	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 16
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07475G	46.34	83.54	-37.20	41.71	1	Horizontal	157	2.25	-	37.55	15.29	48.21			
AV	18.07467G	31.92	63.54	-31.62	27.29	1	Horizontal	157	2.25	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3716G	51.69	74.00	-22.31	33.33	3	Vertical	63	1.20	-	38.90	12.52	33.06			
AV	12.365G	42.53	54.00	-11.47	24.18	3	Vertical	63	1.20	-	38.90	12.51	33.06			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 16
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37322G	51.92	74.00	-22.08	33.55	3	Horizontal	232	1.40	-	38.90	12.52	33.05			
AV	12.36525G	39.53	54.00	-14.47	21.18	3	Horizontal	232	1.40	-	38.90	12.51	33.06			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 16
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5554G	44.91	83.54	-38.63	40.21	1	Vertical	336	2.50	-	37.80	15.26	48.36			
AV	18.55494G	32.88	63.54	-30.66	28.17	1	Vertical	336	2.50	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 16
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55538G	45.68	83.54	-37.86	40.98	1	Horizontal	197	1.11	-	37.80	15.26	48.36			
AV	18.55495G	33.25	63.54	-30.29	28.54	1	Horizontal	197	1.11	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68897G	52.88	74.00	-21.12	33.81	3	Vertical	172	1.97	-	39.40	12.85	33.18			
AV	12.68906G	40.18	54.00	-13.82	21.11	3	Vertical	172	1.97	-	39.40	12.85	33.18			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68952G	52.48	74.00	-21.52	33.41	3	Horizontal	88	1.02	-	39.40	12.85	33.18			
AV	12.68714G	40.42	54.00	-13.58	21.35	3	Horizontal	88	1.02	-	39.40	12.84	33.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 15
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03536G	45.31	83.54	-38.23	40.95	1	Vertical	197	1.19	-	37.93	15.23	48.80			
AV	19.03516G	32.37	63.54	-31.17	28.01	1	Vertical	197	1.19	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 15
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03521G	44.41	83.54	-39.13	40.05	1	Horizontal	142	1.97	-	37.93	15.23	48.80			
AV	19.03509G	31.37	63.54	-32.17	27.01	1	Horizontal	142	1.97	-	37.93	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00624G	52.68	88.20	-35.52	33.12	3	Vertical	343	2.15	-	39.98	13.18	33.60			
RMS	13.01499G	40.25	68.20	-27.95	20.71	3	Vertical	343	2.15	-	39.94	13.19	33.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 15
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.009G	52.67	88.20	-35.53	33.13	3	Horizontal	162	2.52	-	39.96	13.18	33.60			
RMS	13.01279G	40.24	68.20	-27.96	20.70	3	Horizontal	162	2.52	-	39.95	13.18	33.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 15
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51472G	46.42	83.54	-37.12	42.25	1	Vertical	196	1.63	-	37.77	15.20	48.80			
AV	19.51522G	31.38	63.54	-32.16	27.21	1	Vertical	196	1.63	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 15
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51485G	45.38	83.54	-38.16	41.21	1	Horizontal	196	2.20	-	37.77	15.20	48.80			
AV	19.51465G	32.25	63.54	-31.29	28.08	1	Horizontal	196	2.20	-	37.77	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 13
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33267G	53.71	74.00	-20.29	33.32	3	Vertical	115	1.34	-	40.33	13.52	33.46			
AV	13.33295G	41.64	54.00	-12.36	21.25	3	Vertical	115	1.34	-	40.33	13.52	33.46			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 13
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32978G	53.86	74.00	-20.14	33.49	3	Horizontal	214	1.93	-	40.32	13.51	33.46			
AV	13.33159G	41.73	54.00	-12.27	21.35	3	Horizontal	214	1.93	-	40.33	13.51	33.46			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 13
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99492G	44.38	83.54	-39.16	40.30	1	Vertical	26	1.91	-	37.71	15.17	48.80			
AV	19.99459G	33.14	63.54	-30.40	29.06	1	Vertical	26	1.91	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 13
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99466G	45.48	83.54	-38.06	41.40	1	Horizontal	285	2.27	-	37.71	15.17	48.80			
AV	19.99456G	32.30	63.54	-31.24	28.22	1	Horizontal	285	2.27	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 14
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65274G	54.48	88.20	-33.72	33.57	3	Vertical	218	1.73	-	40.50	13.85	33.44			
RMS	13.64567G	42.15	68.20	-26.05	21.23	3	Vertical	218	1.73	-	40.52	13.84	33.44			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 14
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65422G	54.27	88.20	-33.93	33.36	3	Horizontal	145	1.80	-	40.50	13.85	33.44			
RMS	13.65307G	41.94	68.20	-26.26	21.03	3	Horizontal	145	1.80	-	40.50	13.85	33.44			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 14
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47517G	46.52	83.54	-37.02	41.76	1	Vertical	354	2.68	-	37.90	15.56	48.70			
AV	20.475G	32.23	63.54	-31.31	27.48	1	Vertical	354	2.68	-	37.90	15.56	48.71			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 14
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47466G	45.11	83.54	-38.43	40.36	1	Horizontal	127	2.65	-	37.90	15.56	48.71			
AV	20.47502G	33.16	63.54	-30.38	28.40	1	Horizontal	127	2.65	-	37.90	15.56	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.936G	102.04	Inf	-Inf	92.06	3	Vertical	191	1.86	-	36.07	9.16	35.25			
RMS	6.9175G	87.43	Inf	-Inf	77.48	3	Vertical	191	1.86	-	36.04	9.13	35.22			
PK	7.1615G	64.80	88.20	-23.40	53.61	3	Vertical	191	1.86	-	36.95	9.29	35.05			
RMS	7.21G	54.15	68.20	-14.05	42.70	3	Vertical	191	1.86	-	37.10	9.31	34.96			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10
05-L-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.973G	109.23	Inf	-Inf	99.17	3	Horizontal	185	1.43	-	36.15	9.21	35.30			
RMS	6.9805G	98.38	Inf	-Inf	88.31	3	Horizontal	185	1.43	-	36.16	9.22	35.31			
PK	7.187G	65.02	88.20	-23.18	53.67	3	Horizontal	185	1.43	-	37.05	9.30	35.00			
RMS	7.2215G	54.18	68.20	-14.02	42.71	3	Horizontal	185	1.43	-	37.10	9.31	34.94			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96638G	55.14	88.20	-33.06	34.00	3	Vertical	15	2.50	-	40.50	14.18	33.54			
RMS	13.96691G	43.12	68.20	-25.08	21.98	3	Vertical	15	2.50	-	40.50	14.18	33.54			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 10
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96939G	55.29	88.20	-32.91	34.15	3	Horizontal	161	2.05	-	40.50	14.18	33.54			
RMS	13.96725G	42.97	68.20	-25.23	21.83	3	Horizontal	161	2.05	-	40.50	14.18	33.54			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 10
05-L-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95471G	46.56	83.54	-36.98	41.40	1	Vertical	347	1.19	-	37.91	15.95	48.70			
AV	20.95456G	33.28	63.54	-30.26	28.12	1	Vertical	347	1.19	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 10
05-L-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95497G	45.73	83.54	-37.81	40.57	1	Horizontal	336	1.10	-	37.91	15.95	48.70			
AV	20.9547G	32.88	63.54	-30.66	27.72	1	Horizontal	336	1.10	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 19
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8621G	61.67	88.20	-26.53	54.60	3	Vertical	171	1.80	-	34.15	8.48	35.56			
RMS	5.9237G	51.61	68.20	-16.59	44.38	3	Vertical	171	1.80	-	34.30	8.51	35.58			
PK	6.2135G	108.05	Inf	-Inf	100.18	3	Vertical	171	1.80	-	34.43	8.63	35.19			
RMS	6.1883G	95.02	Inf	-Inf	87.26	3	Vertical	171	1.80	-	34.38	8.62	35.24			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 19
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9237G	64.03	88.20	-24.17	56.80	3	Horizontal	183	1.33	-	34.30	8.51	35.58			
RMS	5.925G	51.86	68.20	-16.34	44.63	3	Horizontal	183	1.33	-	34.30	8.51	35.58			
PK	6.2632G	107.73	Inf	-Inf	99.67	3	Horizontal	183	1.33	-	34.50	8.65	35.09			
RMS	6.1988G	98.29	Inf	-Inf	90.49	3	Horizontal	183	1.33	-	34.40	8.62	35.22			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20706G	51.09	74.00	-22.91	32.87	3	Vertical	162	1.44	-	39.10	12.35	33.23			
AV	12.21234G	40.93	54.00	-13.07	22.70	3	Vertical	162	1.44	-	39.10	12.35	33.22			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 19
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20643G	51.08	74.00	-22.92	32.87	3	Horizontal	84	1.44	-	39.10	12.34	33.23			
AV	12.21235G	38.93	54.00	-15.07	20.70	3	Horizontal	84	1.44	-	39.10	12.35	33.22			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 19
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31507G	39.35	83.54	-44.19	34.71	1	Vertical	242	1.90	-	37.63	15.27	48.26			
AV	18.31465G	27.42	63.54	-36.12	22.78	1	Vertical	242	1.90	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 19
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31463G	39.34	83.54	-44.20	34.70	1	Horizontal	239	2.69	-	37.63	15.27	48.26			
AV	18.31451G	27.14	63.54	-36.40	22.50	1	Horizontal	239	2.69	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52634G	52.52	74.00	-21.48	33.70	3	Vertical	157	1.55	-	39.10	12.68	32.96			
AV	12.53283G	40.20	54.00	-13.80	21.38	3	Vertical	157	1.55	-	39.10	12.68	32.96			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52893G	52.36	74.00	-21.64	33.54	3	Horizontal	317	2.61	-	39.10	12.68	32.96			
AV	12.5259G	40.18	54.00	-13.82	21.36	3	Horizontal	317	2.61	-	39.10	12.68	32.96			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 18
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79501G	46.46	83.54	-37.08	41.92	1	Vertical	224	3.00	-	37.90	15.24	48.60			
AV	18.7945G	33.48	63.54	-30.06	28.93	1	Vertical	224	3.00	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 18
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79517G	45.46	83.54	-38.08	40.92	1	Horizontal	205	2.97	-	37.90	15.24	48.60			
AV	18.7945G	32.14	63.54	-31.40	27.59	1	Horizontal	205	2.97	-	37.90	15.24	48.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85427G	53.16	88.20	-35.04	33.73	3	Vertical	328	2.77	-	39.81	13.02	33.40			
RMS	12.84937G	42.08	68.20	-26.12	22.67	3	Vertical	328	2.77	-	39.80	13.01	33.40			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84694G	52.94	88.20	-35.26	33.52	3	Horizontal	18	2.89	-	39.80	13.01	33.39			
RMS	12.84709G	40.94	68.20	-27.26	21.52	3	Horizontal	18	2.89	-	39.80	13.01	33.39			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 18
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27452G	45.24	83.54	-38.30	40.93	1	Vertical	275	1.54	-	37.90	15.21	48.80			
AV	19.2745G	33.86	63.54	-29.68	29.55	1	Vertical	275	1.54	-	37.90	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 18
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27528G	46.56	83.54	-36.98	42.25	1	Horizontal	109	1.59	-	37.90	15.21	48.80			
AV	19.27451G	32.98	63.54	-30.56	28.67	1	Horizontal	109	1.59	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 18
05-L-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16877G	52.88	88.20	-35.32	33.00	3	Vertical	192	1.60	-	40.06	13.35	33.53			
RMS	13.17482G	40.36	68.20	-27.84	20.49	3	Vertical	192	1.60	-	40.05	13.35	33.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 18
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17384G	52.29	88.20	-35.91	32.42	3	Horizontal	165	2.60	-	40.05	13.35	33.53			
RMS	13.17226G	40.55	68.20	-27.65	20.67	3	Horizontal	165	2.60	-	40.06	13.35	33.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 18
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75538G	46.69	83.54	-36.85	42.61	1	Vertical	20	1.31	-	37.70	15.18	48.80			
AV	19.75493G	33.12	63.54	-30.42	29.04	1	Vertical	20	1.31	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 18
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7545G	45.63	83.54	-37.91	41.55	1	Horizontal	22	1.25	-	37.70	15.18	48.80			
AV	19.75536G	32.78	63.54	-30.76	28.70	1	Horizontal	22	1.25	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 17
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49369G	53.98	88.20	-34.22	33.00	3	Vertical	16	2.41	-	40.69	13.68	33.39			
RMS	13.48621G	42.38	68.20	-25.82	21.43	3	Vertical	16	2.41	-	40.67	13.68	33.40			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 17
05-L-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4888G	54.39	88.20	-33.81	33.42	3	Horizontal	56	1.39	-	40.68	13.68	33.39			
RMS	13.4882G	42.17	68.20	-26.03	21.20	3	Horizontal	56	1.39	-	40.68	13.68	33.39			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 17
05-L-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23483G	46.29	83.54	-37.25	41.88	1	Vertical	196	2.96	-	37.80	15.36	48.75			
AV	20.2346G	32.99	63.54	-30.55	28.58	1	Vertical	196	2.96	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX



EUT_V_4TX
Setting 17
05-L-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23539G	45.65	83.54	-37.89	41.24	1	Horizontal	80	1.32	-	37.80	15.36	48.75			
AV	20.23528G	33.98	63.54	-29.56	29.57	1	Horizontal	80	1.32	-	37.80	15.36	48.75			