


Annex 1. Measurement Plots

A1. Measurement result – Plot no.1




A1. Measurement result – Plot no.2

Sub-clause : § 2.1046 , § 24.232 - RF Power Output

Measurement method : Conducted measurement at antenna connector port

Measured channel : UP Link - Mid channel = 1887.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.3

Sub-clause : § 2.1046 , § 24.232 - RF Power Output

Measurement method : Conducted measurement at antenna connector port

Measured channel : UP Link - Highest channel = 1913.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.4

Sub-clause : § 2.1046 , § 24.232 - RF Power Output

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Lowest channel = 1931.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.5

Sub-clause : § 2.1046 , § 24.232 - RF Power Output

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Mid channel = 1967.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.6

Sub-clause : § 2.1046 , § 24.232 - RF Power Output

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Highest channel = 1993.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.8

Sub-clause : § 2.1049 - Occupied Bandwidth

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Mid channel = 1887.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.9

Sub-clause : § 2.1049 - Occupied Bandwidth

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Highest channel = 1913.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.10

Sub-clause : § 2.1049 - Occupied Bandwidth

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Lowest channel = 1931.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.11

Sub-clause : § 2.1049 - Occupied Bandwidth

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Mid channel = 1967.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.12

Sub-clause : § 2.1049 - Occupied Bandwidth

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Highest channel = 1993.75 MHz

Operating condition : Max. Power output with modulated RF-carrier



Transmit Freq Error -1.601 kHz
x dB Bandwidth 1.383 MHz*


A1. Measurement result – Plot no.13

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Lowest channel = 1851.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.14

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Lowest channel = 1851.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.15

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Lowest channel = 1851.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.16

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Mid channel = 1887.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.17

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link - Mid channel = 1887.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.18

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link – Mid channel = 1887.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.19

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link – Highest channel = 1913.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.20

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link – Highest channel = 1913.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.21

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Up Link – Highest channel = 1913.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.22

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Lowest channel = 1931.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.23

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Lowest channel = 1931.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.24

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Lowest channel = 1931.25 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.25

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Mid channel = 1967.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.26

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Mid channel = 1967.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.27

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Mid channel = 1967.5 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.28

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Highest channel = 1993.75 MHz

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no.29

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal


Measurement method : Conducted measurement at antenna connector port

Measured channel : Down Link - Highest channel = 1993.75 MHz


Operating condition : Max. Power output with modulated RF-carrier



A1. Measurement result – Plot no.30



A1. Measurement result – Plot no. 31




A1. Measurement result – Plot no. 32

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Input Intermodulation

Measured channel : Up Link – Higher N-2 & N order channel input (N; ch no 1275)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 33

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal


Measurement method : Input Intermodulation

Measured channel : Down Link – Lower N & N+2 order channel input (N; ch no.=1)

Operating condition : Max. Power output with modulated RF-carrier



A1. Measurement result – Plot no. 34




A1. Measurement result – Plot no. 35

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Filter Rejection

Measured channel : UP Link – Lower band (BW: MHz)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 36

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Filter Rejection

Measured channel : UP Link – Higher band (BW= MHz)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 37

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal


Measurement method : Filter Rejection

Measured channel : Down Link – Lower band (BW = MHz)

Operating condition : Max. Power output with modulated RF-carrier



A1. Measurement result – Plot no. 38



UL Korea, Ltd. 33rd FL, Gangnam Finance Center, 737 Yeoksam-dong, Gangnam-gu, Seoul 135-984 Korea

Tel: +82.2.2009.9000, Fax:+82.2.2009.9405

Report Version 1.2 June-06,2007

Only those products bearing the UL Mark should be considered as being covered by UL.


A1. Measurement result – Plot no. 39

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block A: Lower Band edge

Measured channel : Up Link – Lowest channel = 1851.25 MHz(ch 25)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 40

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block A: Higher Band edge

Measured channel : Up Link – Highest channel = 1864.75 MHz (ch 275)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 42

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block D: Higher Band edge

Measured channel : Up Link – Highest channel = 1868.75 MHz (ch 375)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 43

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block B: Lower Band edge

Measured channel : Up Link – Lowest channel = 1871.25 MHz (ch 425)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 44

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block B: Higher Band edge

Measured channel : Up Link – Highest channel = 1883.75 MHz (ch 675)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 45

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block E: Lower Band edge

Measured channel : Up Link – Lowest channel = 1886.25 MHz (ch 725)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 46

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block E: Higher Band edge

Measured channel : Up Link – Highest channel = 1888.75 MHz (ch 775)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 47

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block F: Lower Band edge

Measured channel : Up Link – Lowest channel = 1891.25 MHz (ch 825)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 48

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block F: Higher Band edge

Measured channel : Up Link – Highest channel = 1893.75 MHz (ch 875)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 49

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block C: Lower Band edge

Measured channel : Up Link – Lowest channel = 1896.25 MHz (ch 925)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 50

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block C: Higher Band edge

Measured channel : Up Link – Highest channel = 1908.75 MHz (ch 1175)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 51

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block G: Lower Band edge

Measured channel : Up Link – Lowest channel = 1911.25 MHz (ch 1225)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 52

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block G: Higher Band edge

Measured channel : Up Link – Highest channel = 1913.75 MHz (ch 1275)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 53

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block A: Lower Band edge

Measured channel : Down Link – Lowest channel = 1931.25 MHz (ch 25)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 54

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block A: Higher Band edge

Measured channel : Down Link – Highest channel = 1943.75 MHz (ch 275)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 55

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block D: Lower Band edge

Measured channel : Down Link – Lowest channel = 1946.25 MHz (ch 325)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 56

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block D: Higher Band edge

Measured channel : Down Link – Highest channel = 1948.75 MHz (ch 375)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 57

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block B: Lower Band edge

Measured channel : Down Link – Lowest channel = 1951.25 MHz (ch 425)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 58

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block B: Higher Band edge

Measured channel : Down Link – Highest channel = 1963.75 MHz (ch 675)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 59

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block E: Lower Band edge

Measured channel : Down Link – Lowest channel = 1966.25 MHz (ch 725)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 60

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block E: Higher Band edge

Measured channel : Down Link – Highest channel = 1968.75 MHz (ch 775)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 61

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block F: Lower Band edge

Measured channel : Down Link – Lowest channel = 1971.25 MHz (ch 825)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 62

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block F: Higher Band edge


Measured channel : Down Link – Highest channel = 1973.75 MHz (ch 875)

Operating condition : Max. Power output with modulated RF-carrier



A1. Measurement result – Plot no. 63

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal
Measurement method : Block C: Lower Band edge
Measured channel : Down Link – Lowest channel = 1976.25 MHz (ch 925)
Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 64

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block C: Higher Band edge

Measured channel : Down Link – Highest channel = 1988.75 MHz (ch 1175)

Operating condition : Max. Power output with modulated RF-carrier




A1. Measurement result – Plot no. 65

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block G: Lower Band edge

Measured channel : Down Link – Lowest channel = 1991.25 MHz (ch 1225)

Operating condition : Max. Power output with modulated RF-carrier



A1. Measurement result – Plot no. 66

Sub-clause : § 2.1051 , § 24.238 - Spurious Emissions at Antenna terminal

Measurement method : Block G: Higher Band edge

Measured channel : Down Link – Highest channel = 1993.75 MHz (ch 1275)

Operating condition : Max. Power output with modulated RF-carrier

