

# FCC RF EXPOSURE REPORT

**FCC ID: VIXSP445**

**Project No.** : 1610230  
**Equipment** : WIRELESS SPEAKER  
**Model** : SP445  
**Applicant** : Voxx Accessories Corp.  
**Address** : 3502 Woodview Trace, Suite 220 Indianapolis,  
IN 46268 USA

**According:** : FCC Guidelines for Human Exposure IEEE  
C95.1

**B T L I N C .**

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan,  
Guangdong, China.

TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

Table for Filed Antenna

| Ant. | Brand | Model Name | Antenna Type | Connector | Gain(dBi) |
|------|-------|------------|--------------|-----------|-----------|
| 1    | N/A   | N/A        | PCB          | N/A       | 0         |

## GENERAL CONCLUSION:

Maximum measured transmitter power:

| Output Power<br>(dBm) | Output Power<br>(mW) | Limit (mW) |
|-----------------------|----------------------|------------|
| 2.14                  | 1.64                 | 10         |

According to FCC KDB447498 V06, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and  $\leq$  50 mm

The maximum measured output peak power of this EUT is 1.64mW, less than 10mW at 5mm distance.

**Conclusion: No SAR evaluation required since transmitter power is below FCC threshold**