



5470-5725MHz:


a_5500MHz_Chain 0




a_5580MHz_Chain 0




a_5700MHz_Chain 0




a_5720MHz_Chain 0




n20_5500MHz_Chain 0



n20_5580MHz_Chain 0




n20_5700MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri: Alice Tan
Date: 23.APR.2024 20:27:12

n20_5720MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri: Alice Tan
Date: 23.APR.2024 20:28:44

n40_5510MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri: Alice Tan
Date: 23.APR.2024 20:30:22

n40_5550MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri: Alice Tan
Date: 23.APR.2024 20:31:29

n40_5670MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri: Alice Tan
Date: 23.APR.2024 20:32:33

n40_5710MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri: Alice Tan
Date: 23.APR.2024 20:33:32

ac80_5530MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:35:45

ac80_5610MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:41:03


ac80_5690MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:42:05

5725-5850MHz:


a_ 5745 MHz_Chain 0




a_ 5785MHz_Chain 0




a_ 5825MHz_Chain 0




n20_ 5745MHz_Chain 0




n20_ 5785MHz_Chain 0



n20_ 5825MHz_Chain 0




n40_5755MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:52:01

n40_5795MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:53:06

ac80_5775MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:54:24

5.5 Maximum Conducted Output Power

Serial No.:	2HV7-2	Test Date:	2024/04/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Alice Tan	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	49	ATM Pressure: (kPa)	100
----------------------	------	------------------------------	----	---------------------------	-----

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2023/09/04	2024/09/03
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM488	2023/09/10	2024/09/09

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250 MHz:

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5180MHz_Chain 0	12.53	24.00	Pass
a_5200MHz_Chain 0	14.49	24.00	Pass
a_5240MHz_Chain 0	14.33	24.00	Pass
n20_5180MHz_Chain 0	11.98	24.00	Pass
n20_5200MHz_Chain 0	13.84	24.00	Pass
n20_5240MHz_Chain 0	13.79	24.00	Pass
n40_5190MHz_Chain 0	9.94	24.00	Pass
n40_5230MHz_Chain 0	11.96	24.00	Pass
ac80_5210MHz_Chain 0	8.78	24.00	Pass

Note: The device is Client device.

5250-5350 MHz:

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5260MHz_Chain 0	13.73	24.00	Pass
a_5280MHz_Chain 0	13.57	24.00	Pass
a_5320MHz_Chain 0	11.41	24.00	Pass
n20_5260MHz_Chain 0	14.02	24.00	Pass
n20_5280MHz_Chain 0	13.93	24.00	Pass
n20_5320MHz_Chain 0	11.77	24.00	Pass
n40_5270MHz_Chain 0	13.86	24.00	Pass
n40_5310MHz_Chain 0	10.31	24.00	Pass
ac80_5290MHz_Chain 0	9.00	24.00	Pass

5470-5725 MHz:

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5500MHz_Chain 0	5.80	24.00	Pass
a_5580MHz_Chain 0	5.54	24.00	Pass
a_5700MHz_Chain 0	4.94	24.00	Pass
a_5720MHz_Chain 0	4.96	24.00	Pass
n20_5500MHz_Chain 0	6.15	24.00	Pass
n20_5580MHz_Chain 0	5.92	24.00	Pass
n20_5700MHz_Chain 0	6.71	24.00	Pass
n20_5720MHz_Chain 0	6.93	24.00	Pass
n40_5510MHz_Chain 0	7.05	24.00	Pass
n40_5550MHz_Chain 0	6.87	24.00	Pass
n40_5670MHz_Chain 0	6.77	24.00	Pass
n40_5710MHz_Chain 0	6.69	24.00	Pass
ac80_5530MHz_Chain 0	6.83	24.00	Pass
ac80_5610MHz_Chain 0	6.75	24.00	Pass
ac80_5690MHz_Chain 0	6.88	24.00	Pass

5725-5850 MHz

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5745MHz_Chain 0	6.97	30.00	Pass
a_5785MHz_Chain 0	5.63	30.00	Pass
a_5825MHz_Chain 0	4.76	30.00	Pass
n20_5745MHz_Chain 0	7.73	30.00	Pass
n20_5785MHz_Chain 0	6.49	30.00	Pass
n20_5825MHz_Chain 0	5.83	30.00	Pass
n40_5755MHz_Chain 0	8.65	30.00	Pass
n40_5795MHz_Chain 0	6.35	30.00	Pass
ac80_5775MHz_Chain 0	8.40	30.00	Pass

5.6 Maximum power spectral density

Serial No.:	2HV7-2	Test Date:	2024/04/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Alice Tan	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	49	ATM Pressure: (kPa)	100
----------------------	------	---------------------------	----	------------------------	-----

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101589	2023/10/18	2024/10/17
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM488	2023/09/10	2024/09/09

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250 MHz:

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5180MHz_Chain 0	2.34	0	2.34	11.00	Pass
a_5200MHz_Chain 0	4.38	0	4.38	11.00	Pass
a_5240MHz_Chain 0	4.12	0	4.12	11.00	Pass
n20_5180MHz_Chain 0	1.70	0	1.70	11.00	Pass
n20_5200MHz_Chain 0	3.60	0	3.60	11.00	Pass
n20_5240MHz_Chain 0	3.46	0	3.46	11.00	Pass
n40_5190MHz_Chain 0	-3.55	0	-3.55	11.00	Pass
n40_5230MHz_Chain 0	-1.27	0	-1.27	11.00	Pass
ac80_5210MHz_Chain 0	-7.80	0	-7.80	11.00	Pass

Note: The device is Client device.

5250-5350 MHz:


Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5260MHz_Chain 0	3.67	0	3.67	11.00	Pass
a_5280MHz_Chain 0	3.41	0	3.41	11.00	Pass
a_5320MHz_Chain 0	1.61	0	1.61	11.00	Pass
n20_5260MHz_Chain 0	3.68	0	3.68	11.00	Pass
n20_5280MHz_Chain 0	3.70	0	3.70	11.00	Pass
n20_5320MHz_Chain 0	1.47	0	1.47	11.00	Pass
n40_5270MHz_Chain 0	0.79	0	0.79	11.00	Pass
n40_5310MHz_Chain 0	-2.80	0	-2.80	11.00	Pass
ac80_5290MHz_Chain 0	-7.33	0	-7.33	11.00	Pass

5470-5725 MHz:


Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5500MHz_Chain 0	-4.28	0	-4.28	11.00	Pass
a_5580MHz_Chain 0	-4.51	0	-4.51	11.00	Pass
a_5700MHz_Chain 0	-5.15	0	-5.15	11.00	Pass
a_5720MHz_Chain 0	-5.22	0	-5.22	11.00	Pass
n20_5500MHz_Chain 0	-4.08	0	-4.08	11.00	Pass
n20_5580MHz_Chain 0	-4.45	0	-4.45	11.00	Pass
n20_5700MHz_Chain 0	-3.70	0	-3.70	11.00	Pass
n20_5720MHz_Chain 0	-3.33	0	-3.33	11.00	Pass
n40_5510MHz_Chain 0	-6.09	0	-6.09	11.00	Pass
n40_5550MHz_Chain 0	-6.33	0	-6.33	11.00	Pass
n40_5670MHz_Chain 0	-6.38	0	-6.38	11.00	Pass
n40_5710MHz_Chain 0	-6.43	0	-6.43	11.00	Pass
ac80_5530MHz_Chain 0	-9.55	0	-9.55	11.00	Pass
ac80_5610MHz_Chain 0	-9.80	0	-9.80	11.00	Pass
ac80_5690MHz_Chain 0	-9.71	0	-9.71	11.00	Pass

5725-5850 MHz


Mode	Value (dBm/500kHz)	Duty Cycle Factor (dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
a_5745MHz_Chain 0	-5.79	0	-5.79	30.00	Pass
a_5785MHz_Chain 0	-7.22	0	-7.22	30.00	Pass
a_5825MHz_Chain 0	-8.07	0	-8.07	30.00	Pass
n20_5745MHz_Chain 0	-5.32	0	-5.32	30.00	Pass
n20_5785MHz_Chain 0	-6.45	0	-6.45	30.00	Pass
n20_5825MHz_Chain 0	-7.19	0	-7.19	30.00	Pass
n40_5755MHz_Chain 0	-7.35	0	-7.35	30.00	Pass
n40_5795MHz_Chain 0	-9.74	0	-9.74	30.00	Pass
ac80_5775MHz_Chain 0	-10.82	0	-10.82	30.00	Pass

5150-5250 MHz:**a_5180MHz_Chain 0**


ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 19:44:06

a_5200MHz_Chain 0


ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 19:51:22

a_5240MHz_Chain 0


ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 19:52:47

n20_5180MHz_Chain 0

ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 19:54:29


n20_5200MHz_Chain 0

ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 19:55:10

n20_5240MHz_Chain 0


ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 19:57:11

n40_5190MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 19:59:42

n40_5230MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:00:55


ac80_5210MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:02:19


5250-5350 MHz:

a_5260MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:04:06

a_5280MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:05:30

a_5320MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:06:51

n20_5260MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:08:18

n20_5280MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:09:52

n20_5320MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:11:16

n40_5270MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:13:00

n40_5310MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:14:00


ac80_5290MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:15:15

5470-5725 MHz:


a_5500MHz_Chain 0




a_5580MHz_Chain 0




a_5700MHz_Chain 0




a_5720MHz_Chain 0




n20_5500MHz_Chain 0



n20_5580MHz_Chain 0




n20_5700MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:28:15

n20_5720MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:29:43

n40_5510MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:31:04

n40_5550MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:32:11

n40_5670MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:33:11

n40_5710MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester:Alice Tan
Date: 23.APR.2024 20:34:10

ac80_5530MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri:Alice Tan
Date: 23.APR.2024 20:16:27

ac80_5610MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri:Alice Tan
Date: 23.APR.2024 20:41:46


ac80_5690MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Testeri:Alice Tan
Date: 23.APR.2024 20:42:46

5725-5850 MHz:**a_5745MHz_Chain 0**


ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:44:24

a_5785MHz_Chain 0


ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:45:10

a_5825MHz_Chain 0


ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:47:09

n20_5745MHz_Chain 0

ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:48:42


n20_5785MHz_Chain 0

ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:50:15


n20_5825MHz_Chain 0

ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 20:51:31


n40_5755MHz_Chain 0



n40_5795MHz_Chain 0



ac80_5775MHz_Chain 0



5.7 Duty Cycle

Serial No.:	2HV7-2	Test Date:	2024/04/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Alice Tan	Test Result:	/

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	49	ATM Pressure: (kPa)	100
-----------------------------	------	----------------------------------	----	-------------------------------	-----

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101589	2023/10/18	2024/10/17
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM488	2023/09/10	2024/09/09


** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250 MHz:**

Test Modes	Ton (ms)	Ton+off (ms)	Duty cycle (%)	1/T (Hz)	Duty cycle Factor (dB)	VBW Setting (kHz)
a_Chain 0	100	100	100	/	0	0.01
n20_Chain 0	100	100	100	/	0	0.01
n40_Chain 0	100	100	100	/	0	0.01
ac80_Chain 0	100	100	100	/	0	0.01


5150-5250 MHz:

a_5200MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 19:29:03

n20_5200MHz_Chain 0




ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 19:29:54

n40_5190MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 19:30:49

ac80_5210MHz_Chain 0



ProjectNo.:KS1240221-08647E-RF Tester: Alice Tan
Date: 23.APR.2024 19:31:36

APPENDIX A - EUT PHOTOGRAPHS

Please refer to the attachment KS1240221-08647E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and KS1240221-08647E-RF-INP EUT INTERNAL PHOTOGRAPHS.

APPENDIX B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment KS1240221-08647E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====