



# Repeater

## Parts Name




### Channel Setting

8 channels (A-H) are available for each repeater. Setting/changing channel is done on the tact switch panel inside.

※ Changing channel is not required normally. Change channel only when the channel of the Receiver and Transmitter have been changed. Please consult the retail shop for further details.


**1** Disconnect the Power Connector from the AC adaptor.

**2** Unscrew the Repeater (2 screws) and lift the front case.



■ LED  
Lights turn off after re-transmit signals from the transmitter.

**3** All Repeaters being sold are set with channel A. Change the channel if necessary.



Test Mode  
※ Turn On only when necessary.

Switch No. 1 & No. 6 must be turned Off when being used.

#### ■ Test Mode (when Switch No.5 turns On)


To find the signal receivable distance of the Receiver for the Repeater.

When transmitting signals under test mode, Receiver will display the No. of the transmitter sending the signal +1 on the display board.

#### ⚠ Caution

After testing, Test Mode must be switched OFF before being used.


### [Switch Panel setting for each channel]



### 4 Carefully confirmed the channel, and screw the front case together.

## Number Setting

3 numbers (No.1-3) are available for each Repeater. All Repeaters being sold are set with No.1.



## Installation Location

**⚠ Caution** To avoid fire or leakage of electricity, avoid heat sources over 40°C or high humidity or locations where may wet the unit.

### (( Tips ))

- Signal Transmitting Distance will be shortened when placed near metals.  
Avoid metals and other electric appliances when install.

**FCC ID: WDZCOCOCALL500**  
**Made in China**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**NOTE:**

Changes or Modifications not expressly approved by the party responsible could void the user's authority to operate this device.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.