



# TEST REPORT

**No.I18N00056-SAR**

**For**

**Doro AB**

**Doro 4G LTE Clamshell phone**

**Model Name: DFC-0180**

**With**

**Hardware Version: 1021**

**Software Version: CALM01A-S00A\_DFC0180\_113\_**

**USERDEBUG\_SECUREBOOT\_180109**

**FCC ID: WS5DFC0180**

**Issued Date: 2018-02-28**

**Designation Number: CN1210**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen,

Guangdong, P. R. China 518026.

Tel: +86(0)755-33322000, Fax: +86(0)755-33322001


Email: [yewu@caict.ac.cn](mailto:yewu@caict.ac.cn), website: [www.cszit.com](http://www.cszit.com)




**Picture 1: Front side of the sample**




**Picture 2: Rear side of the sample**



**Picture 3: Left Hand Touch Cheek Position**



**Picture 4: Left Hand Tilt 15° Position**



**Picture 5: Right Hand Touch Cheek Position**




**Picture 6: Right Hand Tilt 15° Position**

**Test positions for body:**



**Picture 7: Front – Side (10mm)**



**Picture 8: Rear – Side (10mm)**



**Picture 9: Left – Side (10mm)**




**Picture 10: Right – Side (10mm)**



Picture 11: Top – Side (10mm)



Picture 12: Bottom – Side (10mm) |



**Picture 13: Rear – Side with Headset (10mm)**