



# TEST REPORT

No.I19N02247-SAR

For

**Doro AB**

**LTE phone**

**Model Name: DSB-0230**

With

**Hardware Version: 1031**

**Software Version:**

**MAGIC01A-S10A\_DSB0230\_123\_USERDEBUG\_190925**

**FCC ID: WS5DSB0230**

**Issued Date: 2019-11-20**

**Designation Number: CN1210**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District,

Shenzhen, Guangdong, P. R. China 518026.

Tel: +86(0)755-33322000, Fax: +86(0)755-33322001

Email: [yewu@caict.ac.cn](mailto:yewu@caict.ac.cn), website: [www.cszit.com](http://www.cszit.com)




**Picture 1: Front side of the sample**



**Picture 2: Back side of the sample**




**Picture 3: Left Hand Touch Cheek Position**



**Picture 4: Left Hand Tilt 15° Position**



**Picture 5: Right Hand Touch Cheek Position**



**Picture 6: Right Hand Tilt 15° Position**

**Test positions for body:**



**Picture 7: Front Side (10mm)**



**Picture 8: Rear Side (10mm)**



**Picture 9: Left Side (10mm)**



**Picture 10: Right Side (10mm)**



**Picture 11: Top Side (10mm)**



**Picture 12: Bottom Side (10mm)**



**Picture 13: Front Side (17mm)**



**Picture 14: Rear Side (25mm)**





**Picture 15: Bottom Side (27mm)**