





LTE Band 71 / 10MHz / 256QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 15MHz / 256QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 71 / 20MHz / 256QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission

LTE Band 71 / 5MHz

Lowest Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs.	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	37.9490 MHz	-56.209 dBm	-43.209 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	661.4950 MHz	-25.001 dBm	-4.992 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	710.4550 MHz	-55.945 dBm	-42.945 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.09000 GHz	-25.001 dBm	-4.992 dB	-13.000 dBm	4.950 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.41450 GHz	-50.956 dBm	-37.956 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation

Ver 1.1(20241209)

2025-04-17 14:18:23

Middle Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs.	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	37.9490 MHz	-56.209 dBm	-43.209 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	661.4950 MHz	-25.001 dBm	-4.992 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	710.4550 MHz	-55.945 dBm	-42.945 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.09000 GHz	-25.001 dBm	-4.992 dB	-13.000 dBm	4.950 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.41450 GHz	-50.956 dBm	-37.956 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation

Ver 1.1(20241209)

2025-04-17 14:18:38

Highest Channel / QPSK



Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs.	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	45.86100 MHz	-56.209 dBm	-43.209 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	693.42000 MHz	-24.723 dBm	-5.277 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	710.45500 MHz	-55.945 dBm	-42.945 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	2.08000 GHz	-26.818 dBm	-13.818 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.50250 GHz	-49.991 dBm	-36.991 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation


Ver 1.1(20241209)

2025-04-17 14:18:45



LTE Band 71 / 10MHz

Lowest Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	480.000 MHz	-51.449 dBm	-38.449 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	680.500 MHz	-24.744 dBm	-5.256 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	705.500 MHz	-52.120 dBm	-14.997 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.9980 GHz	-27.002 dBm	-14.997 dB	-13.000 dBm	7.977 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.5035 GHz	-45.598 dBm	-32.583 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:19:08

Middle Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	55.9470 MHz	-51.544 dBm	-38.554 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	676.0700 MHz	-24.772 dBm	-5.228 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	742.4600 MHz	-52.033 dBm	-14.972 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	2.93245 GHz	-26.172 dBm	-14.972 dB	-13.000 dBm	7.977 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.48400 GHz	-45.601 dBm	-32.601 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:19:08

Highest Channel / QPSK



Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	73.22900 MHz	-51.581 dBm	-38.581 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	688.57500 MHz	-24.498 dBm	-5.502 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	747.64480 MHz	-51.997 dBm	-38.997 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	2.06560 GHz	-27.495 dBm	-14.495 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.50350 GHz	-45.583 dBm	-32.583 dB	-13.000 dBm	7.977 dB	---	---


Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:19:14



LTE Band 71 / 15MHz

Lowest Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	30.2000 MHz	-50.135 dBm	-37.335 dB	-13.000 dBm	4.911 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	663.41000 MHz	-24.562 dBm	-5.438 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	786.71000 MHz	-50.528 dBm	-37.528 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.36750 GHz	-41.311 dBm	-28.311 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.49700 GHz	-43.579 dBm	-30.579 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:19:22

Middle Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	78.15000 MHz	-50.033 dBm	-37.033 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	673.81000 MHz	-24.816 dBm	-5.186 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	824.81000 MHz	-50.565 dBm	-37.565 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.36750 GHz	-41.174 dBm	-28.174 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.49450 GHz	-43.560 dBm	-30.560 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:19:35

Highest Channel / QPSK



Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	54.88000 MHz	-50.035 dBm	-37.035 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	683.95800 MHz	-24.303 dBm	-5.697 dB	-30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	729.89380 MHz	-50.549 dBm	-37.549 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.36750 GHz	-41.909 dBm	-28.909 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.49700 GHz	-43.410 dBm	-30.410 dB	-13.000 dBm	7.977 dB	---	---


Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:19:42



LTE Band 71 / 20MHz

Lowest Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	46.2000 MHz	-23.616 dBm	-38.662 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	684.0000 MHz	-24.556 dBm	-5.661 dB	30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	754.0000 MHz	-52.003 dBm	-39.083 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.9940 GHz	-26.874 dBm	-13.874 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.4970 GHz	-45.381 dBm	-32.381 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:20:02

Middle Channel / QPSK




Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	46.2000 MHz	-23.616 dBm	-38.662 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	684.0000 MHz	-24.556 dBm	-5.661 dB	30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	754.0000 MHz	-52.003 dBm	-39.083 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	1.9940 GHz	-26.874 dBm	-13.874 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.4970 GHz	-45.381 dBm	-32.381 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:20:08

Highest Channel / QPSK



Item	Range Low	Range Up	RBW	VBW	Frequency	Power Abs	Limit	Limit	Path Loss Factor	DCC	APS
1	30.000 MHz	652.000 MHz	1 MHz	3 MHz	75.09500 MHz	-51.662 dBm	-38.662 dB	-13.000 dBm	4.931 dB	---	---
2	652.000 MHz	709.000 MHz	1 MHz	3 MHz	679.13200 MHz	-24.339 dBm	-5.661 dB	30.000 dBm	4.950 dB	---	---
3	709.000 MHz	1.000 GHz	1 MHz	3 MHz	893.02840 MHz	-52.083 dBm	-39.083 dB	-13.000 dBm	5.055 dB	---	---
4	1.000 GHz	4.000 GHz	1 MHz	3 MHz	2.03740 GHz	-27.667 dBm	-14.667 dB	-13.000 dBm	7.053 dB	---	---
5	4.000 GHz	7.000 GHz	1 MHz	3 MHz	6.42050 GHz	-45.789 dBm	-32.789 dB	-13.000 dBm	7.977 dB	---	---

Note: DCC = Duty Cycle Correction / APS = Antenna Port Summation
Ver 1.1(20241209)

2025-04-17 14:20:14

Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0025	PASS
40	Normal Voltage	0.0035	
30	Normal Voltage	0.0036	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0009	
0	Normal Voltage	0.0026	
-10	Normal Voltage	0.0031	
-20	Normal Voltage	0.0038	
-30	Normal Voltage	0.0012	
20	Maximum Voltage	0.0027	
20	Normal Voltage	0.0016	
20	Battery End Point	0.0015	

Note:

1. Normal Voltage =3.87V. ; Battery End Point (BEP) =3.65 V. ; Maximum Voltage =4.45 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	HuaCong Liang	Temperature :	22~25℃
		Relative Humidity :	48~52%

LTE Band 26 / 15MHz / QPSK / Ant1									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.5	-62.56	-13	-49.56	-74.09	-65.79	3.98	9.36	H
	2474.25	-53.22	-13	-40.22	-71.95	-56.77	4.85	10.55	H
	3299	-58.48	-13	-45.48	-79.17	-63.41	5.50	12.58	H
	1649.5	-62.22	-13	-49.22	-74.39	-65.45	3.98	9.36	V
	2474.25	-47.44	-13	-34.44	-66.49	-50.99	4.85	10.55	V
	3299	-57.93	-13	-44.93	-79.51	-62.86	5.50	12.58	V
Middle	1659.5	-62.79	-13	-49.79	-74.40	-66.04	4.00	9.40	H
	2489.25	-53.67	-13	-40.67	-72.54	-57.24	4.88	10.60	H
	3319	-58.77	-13	-45.77	-79.55	-63.70	5.52	12.60	H
	1659.5	-63.42	-13	-50.42	-75.70	-66.67	4.00	9.40	V
	2489.25	-49.94	-13	-36.94	-69.07	-53.51	4.88	10.60	V
	3319	-58.48	-13	-45.48	-79.96	-63.41	5.52	12.60	V
Highest	1669.5	-64.22	-13	-51.22	-75.84	-67.39	4.10	9.42	H
	2504.25	-56.71	-13	-43.71	-75.58	-60.29	4.90	10.63	H
	3339	-58.61	-13	-45.61	-79.58	-63.53	5.55	12.62	H
	1669.5	-64.41	-13	-51.41	-76.70	-67.58	4.10	9.42	V
	2504.25	-50.40	-13	-37.40	-69.53	-53.98	4.90	10.63	V
	3339	-58.33	-13	-45.33	-79.60	-63.25	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK / Ant1									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-57.12	-13	-44.12	-67.85	-60.35	3.98	9.36	H
	2098.5	-51.67	-13	-38.67	-69.08	-55.22	4.85	10.55	H
	2798	-60.16	-13	-47.16	-79.16	-65.09	5.50	12.58	H
	1399	-49.63	-13	-36.63	-61.39	-52.86	3.98	9.36	V
	2098.5	-56.87	-13	-43.87	-74.07	-60.42	4.85	10.55	V
	2798	-59.74	-13	-46.74	-79.50	-64.67	5.50	12.58	V
Middle	1406	-60.27	-13	-47.27	-71.02	-63.52	4.00	9.40	H
	2109	-52.38	-13	-39.38	-69.79	-55.95	4.88	10.60	H
	2812	-59.85	-13	-46.85	-78.91	-64.78	5.52	12.60	H
	1406	-49.83	-13	-36.83	-61.64	-53.08	4.00	9.40	V
	2109	-55.71	-13	-42.71	-72.91	-59.28	4.88	10.60	V
	2812	-59.51	-13	-46.51	-79.38	-64.44	5.52	12.60	V
Highest	1413	-59.05	-13	-46.05	-69.82	-62.22	4.10	9.42	H
	2119.5	-52.21	-13	-39.21	-69.72	-55.79	4.90	10.63	H
	2826	-60.37	-13	-47.37	-79.44	-65.29	5.55	12.62	H
	1413	-49.90	-13	-36.90	-61.73	-53.07	4.10	9.42	V
	2119.5	-54.82	-13	-41.82	-72.10	-58.40	4.90	10.63	V
	2826	-59.56	-13	-46.56	-79.44	-64.48	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 5MHz / QPSK / Ant1									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554.5	-65.93	-13	-52.93	-75.94	-69.16	3.98	9.36	H
	2331.75	-59.73	-13	-46.73	-74.53	-63.28	4.85	10.55	H
	3109	-61.23	-13	-48.23	-78.26	-66.16	5.50	12.58	H
	1554.5	-58.80	-13	-45.80	-68.89	-62.03	3.98	9.36	V
	2331.75	-59.28	-13	-46.28	-74.08	-62.83	4.85	10.55	V
	3109	-60.89	-13	-47.89	-77.98	-65.82	5.50	12.58	V
Middle	1559.5	-63.95	-42.15	-21.80	-73.97	-67.20	4.00	9.40	H
	2339.25	-58.72	-13	-45.72	-73.47	-62.29	4.88	10.60	H
	3119	-61.24	-13	-48.24	-78.37	-66.17	5.52	12.60	H
	1559.5	-57.02	-42.15	-14.87	-67.12	-60.27	4.00	9.40	V
	2339.25	-58.99	-13	-45.99	-73.74	-62.56	4.88	10.60	V
	3119	-61.18	-13	-48.18	-78.35	-66.11	5.52	12.60	V
Highest	1564.5	-66.09	-42.15	-23.94	-76.11	-69.26	4.10	9.42	H
	2346.75	-59.83	-13	-46.83	-74.60	-63.41	4.90	10.63	H
	3129	-61.53	-13	-48.53	-78.66	-66.45	5.55	12.62	H
	1564.5	-58.88	-42.15	-16.73	-68.98	-62.05	4.10	9.42	V
	2346.75	-60.00	-13	-47.00	-74.77	-63.58	4.90	10.63	V
	3129	-60.96	-13	-47.96	-78.13	-65.88	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 13 / 10MHz / QPSK / Ant1									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1559.5	-65.61	-42.15	-23.46	-75.63	-68.86	4.00	9.40	H
	2339.25	-62.68	-13	-49.68	-77.43	-66.25	4.88	10.60	H
	3119	-61.33	-13	-48.33	-78.46	-66.26	5.52	12.60	H
	1559.5	-63.52	-42.15	-21.37	-73.62	-66.77	4.00	9.40	V
	2339.25	-62.45	-13	-49.45	-77.20	-66.02	4.88	10.60	V
	3119	-61.28	-13	-48.28	-78.45	-66.21	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 71 / 20MHz / QPSK / Ant1									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-57.01	-13	-44.01	-67.48	-60.26	4.00	9.40	H
	1992	-58.65	-13	-45.65	-75.22	-62.22	4.88	10.60	H
	2656	-60.70	-13	-47.70	-79.96	-65.63	5.52	12.60	H
	1328	-44.42	-13	-31.42	-55.82	-47.67	4.00	9.40	V
	1992	-56.32	-13	-43.32	-72.84	-59.89	4.88	10.60	V
	2656	-60.34	-13	-47.34	-79.98	-65.27	5.52	12.60	V
Middle	1348	-58.54	-13	-45.54	-69.08	-61.79	4.00	9.40	H
	2022	-60.25	-13	-47.25	-77.18	-63.82	4.88	10.60	H
	2696	-60.21	-13	-47.21	-79.39	-65.14	5.52	12.60	H
	1348	-44.15	-13	-31.15	-55.64	-47.40	4.00	9.40	V
	2022	-56.88	-13	-43.88	-73.70	-60.45	4.88	10.60	V
	2696	-59.80	-13	-46.80	-79.48	-64.73	5.52	12.60	V
Highest	1358	-58.71	-13	-45.71	-69.28	-61.96	4.00	9.40	H
	2037	-59.58	-13	-46.58	-76.60	-63.15	4.88	10.60	H
	2716	-60.33	-13	-47.33	-79.47	-65.26	5.52	12.60	H
	1358	-46.31	-13	-33.31	-57.86	-49.56	4.00	9.40	V
	2037	-56.24	-13	-43.24	-73.13	-59.81	4.88	10.60	V
	2716	-59.79	-13	-46.79	-79.48	-64.72	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.