

Certification Exhibit

**FCC ID: X32-ARX11B2
IC: 8797A-ARX11B2**

**FCC Rule Part: 15.231
IC Radio Standards Specification: RSS-210**

ACS Project Number: 16-3048

**Manufacturer: iKeyless, LLC
Model: 300-0388**

Manual

300-0388

Draft User Manual
2016-06-03

Remote Layout

Seven Function Buttons:

1. Panic
2. Door Unlock
3. Door Lock
4. Trunk/Hatch Unlock
5. Remote Start
6. Driver Door Open
7. Passenger Door Open



Using the remote

Make sure you're within range of the vehicle before attempting to use the remote.

- To activate the vehicle panic alarm, press and release the panic button. To deactivate the vehicle panic alarm, press any button on the remote.
- To use the unlock feature, press and release the unlock button.
- To use the remote lock feature, press and release the lock button.
- To use the trunk unlock/hatch release feature press the trunk/hatch unlock button.
- To use the remote start feature, press and release the start button.
- To use the driver door open feature, press and release the driver door open button.
- To use the passenger door open feature, press and release the passenger door open button.

Note: The exact behavior in response to each button press may vary depending on the vehicle. Consult the vehicle manual for more information.

Changing the CR2032 battery

1. Remove the valet key by sliding the latch on the top of the Fob sideways with your thumb and pulling on the key with your finger.
2. Insert the tip of the valet key into the key slot and pry apart the two halves of the shell of the Fob.
3. Replace the CR2032 battery making sure to put the + side of the battery towards the back half of the Fob shell.
4. Press the two shell halves back together and replace the valet key.

FCC/IC Label



The FCC/IC label is located on the back cover of the remote.

FCC Regulatory Statement

Model: 300-0388

FCC ID: X32-ARX11B2

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications to this device not expressly approved by (iKeyless LLC) could void the user's authority to operate the equipment.

IC Regulatory Statement

Model: 300-0388

IC: 8797A-ARX11B2

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication. This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante. Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.