



**7.32 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)**




### 7.33 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 3.72     | 13               | Pass    |




### 7.34 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 5.39     | 13               | Pass    |



### 7.35 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 5.78     | 13               | Pass    |






### 7.36 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 6.22     | 13               | Pass    |




### 7.37 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 5.79     | 13               | Pass    |




### 7.38 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 6.47     | 13               | Pass    |



### 7.39 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 6.86     | 13               | Pass    |






# 7.40 Peak to Average Ratio for SA\_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3725.01               | 0.1             | 6.8      | 13               | Pass    |




**7.41 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 4.12     | 13               | Pass    |




**7.42 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)**



### 7.43 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 3.78     | 13               | Pass    |






# 7.44 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 5.12     | 13               | Pass    |




**7.45 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 5.2      | 13               | Pass    |




**7.46 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.05     | 13               | Pass    |



# 7.47 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 5.9      | 13               | Pass    |






**7.48 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.35     | 13               | Pass    |




**7.49 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.45     | 13               | Pass    |




**7.50 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.63     | 13               | Pass    |




**7.51 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 3.09     | 13               | Pass    |






**7.52 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)**




### 7.53 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 3.2      | 13               | Pass    |




# 7.54 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 4.23     | 13               | Pass    |



### 7.55 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 4.28     | 13               | Pass    |






# 7.56 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 5.06     | 13               | Pass    |




**7.57 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 4.29     | 13               | Pass    |




**7.58 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 5.43     | 13               | Pass    |



### 7.59 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 5.17     | 13               | Pass    |






**7.60 Peak to Average Ratio for SA\_Part22-24-27(Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3954.99               | 0.1             | 6.16     | 13               | Pass    |




# 7.61 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 4.13     | 13               | Pass    |




**7.62 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)**



### 7.63 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 4.79     | 13               | Pass    |






# 7.64 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 5.44     | 13               | Pass    |




## 7.65 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 5.89     | 13               | Pass    |




## 7.66 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 6.27     | 13               | Pass    |



# 7.67 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 6.13     | 13               | Pass    |






# 7.68 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 6.53     | 13               | Pass    |




# 7.69 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 6.94     | 13               | Pass    |




## 7.70 Peak to Average Ratio for SA\_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3750                  | 0.1             | 6.74     | 13               | Pass    |




**7.71 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 3.81     | 13               | Pass    |






**7.72 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)**




### 7.73 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 5.03     | 13               | Pass    |




# 7.74 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 4.95     | 13               | Pass    |



# 7.75 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 5.33     | 13               | Pass    |






## 7.76 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6        | 13               | Pass    |




# 7.77 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 5.86     | 13               | Pass    |




## 7.78 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.32     | 13               | Pass    |



## 7.79 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.4      | 13               | Pass    |






## 7.80 Peak to Average Ratio for SA\_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3840                  | 0.1             | 6.57     | 13               | Pass    |



# 7.81 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 3.98     | 13               | Pass    |




**7.82 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)**




### 7.83 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 4.47     | 13               | Pass    |






# 7.84 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




**7.85 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 6.24     | 13               | Pass    |




## 7.86 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 5.63     | 13               | Pass    |



## 7.87 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 6.22     | 13               | Pass    |






## 7.88 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 5.99     | 13               | Pass    |



## 7.89 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 6.68     | 13               | Pass    |



## 7.90 Peak to Average Ratio for SA\_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|----------|------------------|---------|
| 3930                  | 0.1             | 6.49     | 13               | Pass    |

