



11ax160 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.250	49.56	-15.28	74.0	24.44	Peak	129.00	150	Horizontal	Pass
1**	1198.250	32.07	-15.28	54.0	21.93	AV	129.00	150	Horizontal	Pass
2	2242.750	48.62	-11.46	74.0	25.38	Peak	8.00	150	Horizontal	Pass
2**	2242.750	32.31	-11.46	54.0	21.69	AV	8.00	150	Horizontal	Pass
3	4303.000	48.18	-2.72	74.0	25.82	Peak	252.00	150	Horizontal	Pass
3**	4303.000	37.85	-2.72	54.0	16.15	AV	252.00	150	Horizontal	Pass
4	5246.500	92.79	-0.58	--	255.21	Peak	348.00	150	Horizontal	N/A
4**	5246.500	82.18	-0.58	--	-82.18	AV	348.00	150	Horizontal	N/A
5	7286.000	56.19	2.51	74.0	17.81	Peak	221.00	150	Horizontal	Pass
5**	7286.000	44.70	2.51	54.0	9.30	AV	221.00	150	Horizontal	Pass
6	15941.474	52.74	1.60	74.0	21.26	Peak	323.00	150	Horizontal	Pass
6**	15941.474	42.86	1.60	54.0	11.14	AV	323.00	150	Horizontal	Pass

11ax160 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.250	47.72	-15.57	74.0	26.28	Peak	129.00	150	Vertical	Pass
1**	1066.250	30.27	-15.57	54.0	23.73	AV	129.00	150	Vertical	Pass
2	1333.500	48.83	-15.55	74.0	25.17	Peak	112.00	150	Vertical	Pass
2**	1333.500	29.94	-15.55	54.0	24.06	AV	112.00	150	Vertical	Pass
3	4107.000	48.56	-3.20	74.0	25.44	Peak	0.00	150	Vertical	Pass
3**	4107.000	37.04	-3.20	54.0	16.96	AV	0.00	150	Vertical	Pass
4	5265.000	97.12	-0.96	--	95.88	Peak	193.00	150	Vertical	N/A
4**	5265.000	87.01	-0.96	--	-87.01	AV	193.00	150	Vertical	N/A
5	7555.000	56.14	2.78	74.0	17.86	Peak	20.00	150	Vertical	Pass
5**	7555.000	44.76	2.78	54.0	9.24	AV	20.00	150	Vertical	Pass
6	15722.287	52.86	1.39	74.0	21.14	Peak	154.00	150	Vertical	Pass
6**	15722.287	42.89	1.39	54.0	11.11	AV	154.00	150	Vertical	Pass

11be20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.750	49.18	-15.26	74.0	24.82	Peak	125.00	150	Horizontal	Pass
1**	1197.750	30.60	-15.26	54.0	23.40	AV	125.00	150	Horizontal	Pass
2	1687.750	49.76	-15.45	74.0	24.24	Peak	34.00	150	Horizontal	Pass
2**	1687.750	30.16	-15.45	54.0	23.84	AV	34.00	150	Horizontal	Pass
3	4188.000	49.05	-2.90	74.0	24.95	Peak	100.00	150	Horizontal	Pass
3**	4188.000	37.70	-2.90	54.0	16.30	AV	100.00	150	Horizontal	Pass
4	5296.500	101.22	-0.50	--	246.78	Peak	348.00	150	Horizontal	N/A
4**	5296.500	91.31	-0.50	--	-91.31	AV	348.00	150	Horizontal	N/A
5	12502.050	51.26	-0.08	74.0	22.74	Peak	69.00	150	Horizontal	Pass
5**	12502.050	40.90	-0.08	54.0	13.10	AV	69.00	150	Horizontal	Pass
6	15896.849	53.17	1.72	74.0	20.83	Peak	153.00	150	Horizontal	Pass
6**	15896.849	43.16	1.72	54.0	10.84	AV	153.00	150	Horizontal	Pass

11be20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	47.38	-15.50	74.0	26.62	Peak	21.00	150	Vertical	Pass
1**	1327.500	30.38	-15.50	54.0	23.62	AV	21.00	150	Vertical	Pass
2	2263.500	47.87	-11.88	74.0	26.13	Peak	70.00	150	Vertical	Pass
2**	2263.500	32.58	-11.88	54.0	21.42	AV	70.00	150	Vertical	Pass
3	4308.500	48.19	-2.71	74.0	25.81	Peak	141.00	150	Vertical	Pass
3**	4308.500	37.57	-2.71	54.0	16.43	AV	141.00	150	Vertical	Pass
4	5296.500	105.47	-0.50	--	64.53	Peak	170.00	150	Vertical	N/A
4**	5296.500	96.12	-0.50	--	-96.12	AV	170.00	150	Vertical	N/A
5	7703.500	56.20	3.76	74.0	17.80	Peak	271.00	150	Vertical	Pass
5**	7703.500	45.48	3.76	54.0	8.52	AV	271.00	150	Vertical	Pass
6	15904.463	56.68	1.19	74.0	17.32	Peak	153.00	150	Vertical	Pass
6**	15904.463	47.94	1.19	54.0	6.06	AV	153.00	150	Vertical	Pass

11be40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1056.750	55.16	-15.62	74.0	18.84	Peak	344.00	150	Horizontal	Pass
1**	1056.750	32.55	-15.62	54.0	21.45	AV	344.00	150	Horizontal	Pass
2	1487.750	51.39	-15.55	74.0	22.61	Peak	344.00	150	Horizontal	Pass
2**	1487.750	30.42	-15.55	54.0	23.58	AV	344.00	150	Horizontal	Pass
3	4237.500	48.79	-2.57	74.0	25.21	Peak	243.00	150	Horizontal	Pass
3**	4237.500	37.48	-2.57	54.0	16.52	AV	243.00	150	Horizontal	Pass
4	5320.500	98.67	-0.73	--	184.33	Peak	283.00	150	Horizontal	N/A
4**	5320.500	87.69	-0.73	--	-87.69	AV	283.00	150	Horizontal	N/A
5	12682.787	52.22	-0.22	74.0	21.78	Peak	118.00	150	Horizontal	Pass
5**	12682.787	40.58	-0.22	54.0	13.42	AV	118.00	150	Horizontal	Pass
6	15938.062	52.42	1.55	74.0	21.58	Peak	151.00	150	Horizontal	Pass
6**	15938.062	42.47	1.55	54.0	11.53	AV	151.00	150	Horizontal	Pass

11be40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	46.23	-15.58	74.0	27.77	Peak	117.00	150	Vertical	Pass
1**	1063.500	28.83	-15.58	54.0	25.17	AV	117.00	150	Vertical	Pass
2	1599.250	47.21	-15.30	74.0	26.79	Peak	53.00	150	Vertical	Pass
2**	1599.250	32.55	-15.30	54.0	21.45	AV	53.00	150	Vertical	Pass
3	4183.000	49.16	-3.01	74.0	24.84	Peak	141.00	150	Vertical	Pass
3**	4183.000	37.45	-3.01	54.0	16.55	AV	141.00	150	Vertical	Pass
4	5312.000	103.17	-0.51	--	68.83	Peak	172.00	150	Vertical	N/A
4**	5312.000	93.14	-0.51	--	-93.14	AV	172.00	150	Vertical	N/A
5	11281.063	50.91	-1.25	74.0	23.09	Peak	331.00	150	Vertical	Pass
5**	11281.063	40.28	-1.25	54.0	13.72	AV	331.00	150	Vertical	Pass
6	15941.213	56.21	1.58	74.0	17.79	Peak	152.00	150	Vertical	Pass
6**	15941.213	45.71	1.58	54.0	8.29	AV	152.00	150	Vertical	Pass

11be80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.250	48.11	-15.31	74.0	25.89	Peak	121.00	150	Horizontal	Pass
1**	1200.250	32.39	-15.31	54.0	21.61	AV	121.00	150	Horizontal	Pass
2	1594.250	47.82	-15.38	74.0	26.18	Peak	47.00	150	Horizontal	Pass
2**	1594.250	30.26	-15.38	54.0	23.74	AV	47.00	150	Horizontal	Pass
3	2785.750	48.09	-8.04	74.0	25.91	Peak	38.00	150	Horizontal	Pass
3**	2785.750	34.15	-8.04	54.0	19.85	AV	38.00	150	Horizontal	Pass
4	4333.500	49.14	-2.44	74.0	24.86	Peak	4.00	150	Horizontal	Pass
4**	4333.500	37.91	-2.44	54.0	16.09	AV	4.00	150	Horizontal	Pass
5	5284.000	95.64	-0.73	--	252.36	Peak	348.00	150	Horizontal	N/A
5**	5284.000	86.94	-0.73	--	-86.94	AV	348.00	150	Horizontal	N/A
6	12509.887	52.15	-0.35	74.0	21.85	Peak	190.00	150	Horizontal	Pass
6**	12509.887	40.70	-0.35	54.0	13.30	AV	190.00	150	Horizontal	Pass

11be80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.250	49.19	-15.50	74.0	24.81	Peak	104.00	150	Vertical	Pass
1**	1327.250	30.73	-15.50	54.0	23.27	AV	104.00	150	Vertical	Pass
2	2258.500	47.46	-11.65	74.0	26.54	Peak	360.00	150	Vertical	Pass
2**	2258.500	32.34	-11.65	54.0	21.66	AV	360.00	150	Vertical	Pass
3	3967.000	48.29	-3.20	74.0	25.71	Peak	111.00	150	Vertical	Pass
3**	3967.000	36.88	-3.20	54.0	17.12	AV	111.00	150	Vertical	Pass
4	5296.500	101.08	-0.50	--	70.92	Peak	172.00	150	Vertical	N/A
4**	5296.500	90.28	-0.50	--	-90.28	AV	172.00	150	Vertical	N/A
5	11290.800	50.55	-1.42	74.0	23.45	Peak	188.00	150	Vertical	Pass
5**	11290.800	39.82	-1.42	54.0	14.18	AV	188.00	150	Vertical	Pass
6	15882.675	54.46	1.52	74.0	19.54	Peak	153.00	150	Vertical	Pass
6**	15882.675	43.40	1.52	54.0	10.60	AV	153.00	150	Vertical	Pass

11be160, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1046.500	48.50	-15.72	74.0	25.50	Peak	48.00	150	Horizontal	Pass
1**	1046.500	31.71	-15.72	54.0	22.29	AV	48.00	150	Horizontal	Pass
2	1330.000	51.21	-15.52	74.0	22.79	Peak	48.00	150	Horizontal	Pass
2**	1330.000	31.14	-15.52	54.0	22.86	AV	48.00	150	Horizontal	Pass
3	4311.500	48.71	-2.77	74.0	25.29	Peak	41.00	150	Horizontal	Pass
3**	4311.500	37.46	-2.77	54.0	16.54	AV	41.00	150	Horizontal	Pass
4	5174.000	91.95	-0.96	--	255.05	Peak	347.00	150	Horizontal	N/A
4**	5174.000	81.97	-0.96	--	-81.97	AV	347.00	150	Horizontal	N/A
5	7599.000	56.28	2.87	74.0	17.72	Peak	0.00	150	Horizontal	Pass
5**	7599.000	44.55	2.87	54.0	9.45	AV	0.00	150	Horizontal	Pass
6	16166.963	53.39	1.60	74.0	20.61	Peak	16.00	150	Horizontal	Pass
6**	16166.963	41.04	1.60	54.0	12.96	AV	16.00	150	Horizontal	Pass

11be160, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	49.37	-15.51	74.0	24.63	Peak	113.00	150	Vertical	Pass
1**	1329.000	32.44	-15.51	54.0	21.56	AV	113.00	150	Vertical	Pass
2	2265.750	46.45	-11.95	74.0	27.55	Peak	41.00	150	Vertical	Pass
2**	2265.750	32.40	-11.95	54.0	21.60	AV	41.00	150	Vertical	Pass
3	4250.000	48.39	-2.73	74.0	25.61	Peak	270.00	150	Vertical	Pass
3**	4250.000	37.43	-2.73	54.0	16.57	AV	270.00	150	Vertical	Pass
4	5181.500	98.40	-0.94	--	100.60	Peak	199.00	150	Vertical	N/A
4**	5181.500	88.20	-0.94	--	-88.20	AV	199.00	150	Vertical	N/A
5	7293.000	56.40	2.66	74.0	17.60	Peak	240.00	150	Vertical	Pass
5**	7293.000	44.54	2.66	54.0	9.46	AV	240.00	150	Vertical	Pass
6	11901.175	51.71	-0.85	74.0	22.29	Peak	212.00	150	Vertical	Pass
6**	11901.175	40.92	-0.85	54.0	13.08	AV	212.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.000	51.03	-15.84	74.0	22.97	Peak	173.00	150	Horizontal	Pass
1**	1117.000	42.49	-15.84	54.0	11.51	AV	173.00	150	Horizontal	Pass
2	1330.250	47.97	-15.52	74.0	26.03	Peak	70.00	150	Horizontal	Pass
2**	1330.250	29.55	-15.52	54.0	24.45	AV	70.00	150	Horizontal	Pass
3	4303.000	48.32	-2.72	74.0	25.68	Peak	170.00	150	Horizontal	Pass
3**	4303.000	38.13	-2.72	54.0	15.87	AV	170.00	150	Horizontal	Pass
4	5585.000	105.12	-0.65	--	-5.12	Peak	100.00	150	Horizontal	N/A
4**	5585.000	96.43	-0.65	--	-96.43	AV	100.00	150	Horizontal	N/A
5	7390.500	56.13	2.50	74.0	17.87	Peak	41.00	150	Horizontal	Pass
5**	7390.500	44.31	2.50	54.0	9.69	AV	41.00	150	Horizontal	Pass
6	12500.625	51.39	-0.09	74.0	22.61	Peak	108.00	150	Horizontal	Pass
6**	12500.625	41.12	-0.09	54.0	12.88	AV	108.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1074.500	50.03	-15.57	74.0	23.97	Peak	160.00	150	Vertical	Pass
1**	1074.500	39.31	-15.57	54.0	14.69	AV	160.00	150	Vertical	Pass
2	2345.250	49.92	-10.44	74.0	24.08	Peak	101.00	150	Vertical	Pass
2**	2345.250	39.57	-10.44	54.0	14.43	AV	101.00	150	Vertical	Pass
3	4359.000	48.51	-2.75	74.0	25.49	Peak	260.00	150	Vertical	Pass
3**	4359.000	37.66	-2.75	54.0	16.34	AV	260.00	150	Vertical	Pass
4	5579.000	109.29	-0.74	--	10.71	Peak	120.00	150	Vertical	N/A
4**	5579.000	101.09	-0.74	--	-101.09	AV	120.00	150	Vertical	N/A
5	7728.000	56.83	3.03	74.0	17.17	Peak	0.00	150	Vertical	Pass
5**	7728.000	44.79	3.03	54.0	9.21	AV	0.00	150	Vertical	Pass
6	11853.912	51.02	-1.23	74.0	22.98	Peak	260.00	150	Vertical	Pass
6**	11853.912	40.17	-1.23	54.0	13.83	AV	260.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1101.750	51.42	-15.60	74.0	22.58	Peak	161.00	150	Horizontal	Pass
1**	1101.750	39.07	-15.60	54.0	14.93	AV	161.00	150	Horizontal	Pass
2	2770.500	45.90	-7.89	74.0	28.10	Peak	137.00	150	Horizontal	Pass
2**	2770.500	33.93	-7.89	54.0	20.07	AV	137.00	150	Horizontal	Pass
3	4295.000	48.42	-3.03	74.0	25.58	Peak	0.00	150	Horizontal	Pass
3**	4295.000	37.82	-3.03	54.0	16.18	AV	0.00	150	Horizontal	Pass
4	5577.000	104.75	-0.75	--	-5.75	Peak	99.00	150	Horizontal	N/A
4**	5577.000	96.18	-0.75	--	-96.18	AV	99.00	150	Horizontal	N/A
5	7691.500	56.10	3.43	74.0	17.90	Peak	149.00	150	Horizontal	Pass
5**	7691.500	45.15	3.43	54.0	8.85	AV	149.00	150	Horizontal	Pass
6	15895.012	53.11	1.68	74.0	20.89	Peak	14.00	150	Horizontal	Pass
6**	15895.012	41.87	1.68	54.0	12.13	AV	14.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.750	48.76	-15.58	74.0	25.24	Peak	162.00	150	Vertical	Pass
1**	1062.750	38.12	-15.58	54.0	15.88	AV	162.00	150	Vertical	Pass
2	1597.750	49.03	-15.28	74.0	24.97	Peak	120.00	150	Vertical	Pass
2**	1597.750	34.02	-15.28	54.0	19.98	AV	120.00	150	Vertical	Pass
3	4102.500	48.62	-3.45	74.0	25.38	Peak	203.00	150	Vertical	Pass
3**	4102.500	37.16	-3.45	54.0	16.84	AV	203.00	150	Vertical	Pass
4	5577.500	108.43	-0.75	--	243.57	Peak	352.00	150	Vertical	N/A
4**	5577.500	100.36	-0.75	--	-100.36	AV	352.00	150	Vertical	N/A
5	7316.000	55.56	2.63	74.0	18.44	Peak	352.00	150	Vertical	Pass
5**	7316.000	44.57	2.63	54.0	9.43	AV	352.00	150	Vertical	Pass
6	12452.175	50.74	-0.38	74.0	23.26	Peak	360.00	150	Vertical	Pass
6**	12452.175	40.41	-0.38	54.0	13.59	AV	360.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1088.750	50.57	-15.79	74.0	23.43	Peak	191.00	150	Horizontal	Pass
1**	1088.750	40.49	-15.79	54.0	13.51	AV	191.00	150	Horizontal	Pass
2	1329.500	49.30	-15.51	74.0	24.70	Peak	71.00	150	Horizontal	Pass
2**	1329.500	31.80	-15.51	54.0	22.20	AV	71.00	150	Horizontal	Pass
3	4213.500	49.52	-2.52	74.0	24.48	Peak	69.00	150	Horizontal	Pass
3**	4213.500	37.72	-2.52	54.0	16.28	AV	69.00	150	Horizontal	Pass
4	5588.000	101.83	-0.60	--	-3.83	Peak	98.00	150	Horizontal	N/A
4**	5588.000	93.14	-0.60	--	-93.14	AV	98.00	150	Horizontal	N/A
5	12494.687	51.25	0.11	74.0	22.75	Peak	267.00	150	Horizontal	Pass
5**	12494.687	41.43	0.11	54.0	12.57	AV	267.00	150	Horizontal	Pass
6	15897.900	52.47	1.63	74.0	21.53	Peak	105.00	150	Horizontal	Pass
6**	15897.900	41.97	1.63	54.0	12.03	AV	105.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.500	49.22	-15.59	74.0	24.78	Peak	153.00	150	Vertical	Pass
1**	1062.500	38.10	-15.59	54.0	15.90	AV	153.00	150	Vertical	Pass
2	1415.000	45.39	-15.36	74.0	28.61	Peak	130.00	150	Vertical	Pass
2**	1415.000	36.21	-15.36	54.0	17.79	AV	130.00	150	Vertical	Pass
3	3984.500	48.93	-3.94	74.0	25.07	Peak	110.00	150	Vertical	Pass
3**	3984.500	36.73	-3.94	54.0	17.27	AV	110.00	150	Vertical	Pass
4	5594.500	105.01	-0.59	--	225.99	Peak	331.00	150	Vertical	N/A
4**	5594.500	97.26	-0.59	--	-97.26	AV	331.00	150	Vertical	N/A
5	7690.000	55.77	3.39	74.0	18.23	Peak	309.00	150	Vertical	Pass
5**	7690.000	45.07	3.39	54.0	8.93	AV	309.00	150	Vertical	Pass
6	11934.188	51.18	-1.22	74.0	22.82	Peak	353.00	150	Vertical	Pass
6**	11934.188	40.49	-1.22	54.0	13.51	AV	353.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1076.000	51.43	-15.54	74.0	22.57	Peak	173.00	150	Horizontal	Pass
1**	1076.000	41.07	-15.54	54.0	12.93	AV	173.00	150	Horizontal	Pass
2	1330.750	49.14	-15.52	74.0	24.86	Peak	144.00	150	Horizontal	Pass
2**	1330.750	31.77	-15.52	54.0	22.23	AV	144.00	150	Horizontal	Pass
3	4060.500	48.37	-2.99	74.0	25.63	Peak	37.00	150	Horizontal	Pass
3**	4060.500	37.38	-2.99	54.0	16.62	AV	37.00	150	Horizontal	Pass
4	5604.000	99.32	-0.51	--	57.68	Peak	157.00	150	Horizontal	N/A
4**	5604.000	90.98	-0.51	--	-90.98	AV	157.00	150	Horizontal	N/A
5	11816.625	51.05	-1.21	74.0	22.95	Peak	360.00	150	Horizontal	Pass
5**	11816.625	40.34	-1.21	54.0	13.66	AV	360.00	150	Horizontal	Pass
6	15645.901	52.71	1.24	74.0	21.29	Peak	209.00	150	Horizontal	Pass
6**	15645.901	41.51	1.24	54.0	12.49	AV	209.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1083.500	48.55	-15.72	74.0	25.45	Peak	161.00	150	Vertical	Pass
1**	1083.500	39.57	-15.72	54.0	14.43	AV	161.00	150	Vertical	Pass
2	1330.500	51.59	-15.52	74.0	22.41	Peak	114.00	150	Vertical	Pass
2**	1330.500	35.97	-15.52	54.0	18.03	AV	114.00	150	Vertical	Pass
3	4285.000	48.43	-2.95	74.0	25.57	Peak	2.00	150	Vertical	Pass
3**	4285.000	37.60	-2.95	54.0	16.40	AV	2.00	150	Vertical	Pass
4	5614.000	104.15	-0.07	--	235.85	Peak	340.00	150	Vertical	N/A
4**	5614.000	96.10	-0.07	--	-96.10	AV	340.00	150	Vertical	N/A
5	11781.238	51.85	-1.33	74.0	22.15	Peak	359.00	150	Vertical	Pass
5**	11781.238	39.99	-1.33	54.0	14.01	AV	359.00	150	Vertical	Pass
6	16001.588	52.59	1.02	74.0	21.41	Peak	0.00	150	Vertical	Pass
6**	16001.588	43.11	1.02	54.0	10.89	AV	0.00	150	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.250	50.63	-15.55	74.0	23.37	Peak	186.00	150	Horizontal	Pass
1**	1133.250	38.93	-15.55	54.0	15.07	AV	186.00	150	Horizontal	Pass
2	1329.750	48.91	-15.52	74.0	25.09	Peak	113.00	150	Horizontal	Pass
2**	1329.750	30.36	-15.52	54.0	23.64	AV	113.00	150	Horizontal	Pass
3	4276.500	48.53	-2.40	74.0	25.47	Peak	329.00	150	Horizontal	Pass
3**	4276.500	37.74	-2.40	54.0	16.26	AV	329.00	150	Horizontal	Pass
4	5615.000	95.79	-0.03	--	-37.79	Peak	58.00	150	Horizontal	N/A
4**	5615.000	87.06	-0.03	--	-87.06	AV	58.00	150	Horizontal	N/A
5	7664.000	56.18	2.78	74.0	17.82	Peak	360.00	150	Horizontal	Pass
5**	7664.000	44.54	2.78	54.0	9.46	AV	360.00	150	Horizontal	Pass
6	12542.662	52.36	-0.16	74.0	21.64	Peak	243.00	150	Horizontal	Pass
6**	12542.662	41.00	-0.16	54.0	13.00	AV	243.00	150	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1038.750	48.66	-15.83	74.0	25.34	Peak	224.00	150	Vertical	Pass
1**	1038.750	37.25	-15.83	54.0	16.75	AV	224.00	150	Vertical	Pass
2	1331.750	50.11	-15.53	74.0	23.89	Peak	342.00	150	Vertical	Pass
2**	1331.750	34.44	-15.53	54.0	19.56	AV	342.00	150	Vertical	Pass
3	4215.000	48.86	-2.63	74.0	25.14	Peak	301.00	150	Vertical	Pass
3**	4215.000	37.84	-2.63	54.0	16.16	AV	301.00	150	Vertical	Pass
4	5614.500	99.34	-0.04	--	240.66	Peak	340.00	150	Vertical	N/A
4**	5614.500	91.15	-0.04	--	-91.15	AV	340.00	150	Vertical	N/A
5	7741.000	55.95	3.36	74.0	18.05	Peak	340.00	150	Vertical	Pass
5**	7741.000	45.32	3.36	54.0	8.68	AV	340.00	150	Vertical	Pass
6	11908.300	51.07	-0.93	74.0	22.93	Peak	359.00	150	Vertical	Pass
6**	11908.300	40.53	-0.93	54.0	13.47	AV	359.00	150	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1057.000	50.45	-15.62	74.0	23.55	Peak	179.00	150	Horizontal	Pass
1**	1057.000	40.32	-15.62	54.0	13.68	AV	179.00	150	Horizontal	Pass
2	1329.000	48.33	-15.51	74.0	25.67	Peak	21.00	150	Horizontal	Pass
2**	1329.000	30.53	-15.51	54.0	23.47	AV	21.00	150	Horizontal	Pass
3	3926.500	48.48	-2.61	74.0	25.52	Peak	131.00	150	Horizontal	Pass
3**	3926.500	37.02	-2.61	54.0	16.98	AV	131.00	150	Horizontal	Pass
4	5575.500	105.03	-0.79	--	-15.03	Peak	90.00	150	Horizontal	N/A
4**	5575.500	95.94	-0.79	--	-95.94	AV	90.00	150	Horizontal	N/A
5	7643.500	56.14	2.85	74.0	17.86	Peak	261.00	150	Horizontal	Pass
5**	7643.500	45.05	2.85	54.0	8.95	AV	261.00	150	Horizontal	Pass
6	12495.400	51.96	0.13	74.0	22.04	Peak	77.00	150	Horizontal	Pass
6**	12495.400	41.02	0.13	54.0	12.98	AV	77.00	150	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1085.500	47.86	-15.80	74.0	26.14	Peak	154.00	150	Vertical	Pass
1**	1085.500	34.42	-15.80	54.0	19.58	AV	154.00	150	Vertical	Pass
2	1594.500	48.73	-15.38	74.0	25.27	Peak	120.00	150	Vertical	Pass
2**	1594.500	36.50	-15.38	54.0	17.50	AV	120.00	150	Vertical	Pass
3	4243.500	49.62	-2.49	74.0	24.38	Peak	129.00	150	Vertical	Pass
3**	4243.500	37.84	-2.49	54.0	16.16	AV	129.00	150	Vertical	Pass
4	5582.000	108.56	-0.70	--	10.44	Peak	119.00	150	Vertical	N/A
4**	5582.000	100.02	-0.70	--	-100.02	AV	119.00	150	Vertical	N/A
5	7730.000	56.05	3.11	74.0	17.95	Peak	158.00	150	Vertical	Pass
5**	7730.000	45.31	3.11	54.0	8.69	AV	158.00	150	Vertical	Pass
6	12617.713	51.59	-0.39	74.0	22.41	Peak	75.00	150	Vertical	Pass
6**	12617.713	40.91	-0.39	54.0	13.09	AV	75.00	150	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1098.750	51.44	-15.66	74.0	22.56	Peak	174.00	150	Horizontal	Pass
1**	1098.750	41.20	-15.66	54.0	12.80	AV	174.00	150	Horizontal	Pass
2	1332.000	49.45	-15.53	74.0	24.55	Peak	151.00	150	Horizontal	Pass
2**	1332.000	34.69	-15.53	54.0	19.31	AV	151.00	150	Horizontal	Pass
3	4241.500	48.43	-2.52	74.0	25.57	Peak	250.00	150	Horizontal	Pass
3**	4241.500	37.54	-2.52	54.0	16.46	AV	250.00	150	Horizontal	Pass
4	5586.500	102.52	-0.59	--	-1.52	Peak	101.00	150	Horizontal	N/A
4**	5586.500	92.70	-0.59	--	-92.70	AV	101.00	150	Horizontal	N/A
5	12549.787	51.54	-0.23	74.0	22.46	Peak	314.00	150	Horizontal	Pass
5**	12549.787	40.59	-0.23	54.0	13.41	AV	314.00	150	Horizontal	Pass
6	15757.463	52.71	0.81	74.0	21.29	Peak	104.00	150	Horizontal	Pass
6**	15757.463	41.71	0.81	54.0	12.29	AV	104.00	150	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1060.250	48.82	-15.57	74.0	25.18	Peak	163.00	150	Vertical	Pass
1**	1060.250	33.40	-15.57	54.0	20.60	AV	163.00	150	Vertical	Pass
2	1327.750	49.54	-15.50	74.0	24.46	Peak	107.00	150	Vertical	Pass
2**	1327.750	34.08	-15.50	54.0	19.92	AV	107.00	150	Vertical	Pass
3	4283.000	48.53	-2.76	74.0	25.47	Peak	350.00	150	Vertical	Pass
3**	4283.000	37.48	-2.76	54.0	16.52	AV	350.00	150	Vertical	Pass
4	5588.500	105.99	-0.57	--	233.01	Peak	339.00	150	Vertical	N/A
4**	5588.500	96.83	-0.57	--	-96.83	AV	339.00	150	Vertical	N/A
5	7730.500	56.35	3.15	74.0	17.65	Peak	339.00	150	Vertical	Pass
5**	7730.500	45.26	3.15	54.0	8.74	AV	339.00	150	Vertical	Pass
6	11865.550	51.50	-0.96	74.0	22.50	Peak	28.00	150	Vertical	Pass
6**	11865.550	40.62	-0.96	54.0	13.38	AV	28.00	150	Vertical	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1108.250	51.72	-15.68	74.0	22.28	Peak	173.00	150	Horizontal	Pass
1**	1108.250	40.07	-15.68	54.0	13.93	AV	173.00	150	Horizontal	Pass
2	1329.750	49.64	-15.52	74.0	24.36	Peak	131.00	150	Horizontal	Pass
2**	1329.750	30.46	-15.52	54.0	23.54	AV	131.00	150	Horizontal	Pass
3	4214.500	48.86	-2.59	74.0	25.14	Peak	360.00	150	Horizontal	Pass
3**	4214.500	37.73	-2.59	54.0	16.27	AV	360.00	150	Horizontal	Pass
4	5531.000	98.70	-0.64	--	-0.70	Peak	98.00	150	Horizontal	N/A
4**	5531.000	88.12	-0.64	--	-88.12	AV	98.00	150	Horizontal	N/A
5	7719.000	56.19	3.12	74.0	17.81	Peak	341.00	150	Horizontal	Pass
5**	7719.000	45.10	3.12	54.0	8.90	AV	341.00	150	Horizontal	Pass
6	12573.537	51.28	-0.27	74.0	22.72	Peak	292.00	150	Horizontal	Pass
6**	12573.537	41.07	-0.27	54.0	12.93	AV	292.00	150	Horizontal	Pass

11ax80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	49.76	-15.26	74.0	24.24	Peak	259.00	150	Vertical	Pass
1**	1195.500	32.20	-15.26	54.0	21.80	AV	259.00	150	Vertical	Pass
2	1597.000	48.14	-15.28	74.0	25.86	Peak	121.00	150	Vertical	Pass
2**	1597.000	32.49	-15.28	54.0	21.51	AV	121.00	150	Vertical	Pass
3	4292.000	48.67	-3.14	74.0	25.33	Peak	360.00	150	Vertical	Pass
3**	4292.000	37.77	-3.14	54.0	16.23	AV	360.00	150	Vertical	Pass
4	5541.000	102.87	-0.69	--	228.13	Peak	331.00	150	Vertical	N/A
4**	5541.000	91.76	-0.69	--	-91.76	AV	331.00	150	Vertical	N/A
5	7696.000	56.24	3.61	74.0	17.76	Peak	69.00	150	Vertical	Pass
5**	7696.000	45.23	3.61	54.0	8.77	AV	69.00	150	Vertical	Pass
6	12504.662	51.19	-0.26	74.0	22.81	Peak	0.00	150	Vertical	Pass
6**	12504.662	40.86	-0.26	54.0	13.14	AV	0.00	150	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1075.250	51.11	-15.54	74.0	22.89	Peak	172.00	150	Horizontal	Pass
1**	1075.250	40.69	-15.54	54.0	13.31	AV	172.00	150	Horizontal	Pass
2	1332.000	47.31	-15.53	74.0	26.69	Peak	29.00	150	Horizontal	Pass
2**	1332.000	32.45	-15.53	54.0	21.55	AV	29.00	150	Horizontal	Pass
3	4253.500	48.54	-2.98	74.0	25.46	Peak	218.00	150	Horizontal	Pass
3**	4253.500	37.69	-2.98	54.0	16.31	AV	218.00	150	Horizontal	Pass
4	5580.500	97.74	-0.72	--	-29.74	Peak	68.00	150	Horizontal	N/A
4**	5580.500	87.69	-0.72	--	-87.69	AV	68.00	150	Horizontal	N/A
5	11875.287	51.34	-0.85	74.0	22.66	Peak	194.00	150	Horizontal	Pass
5**	11875.287	40.69	-0.85	54.0	13.31	AV	194.00	150	Horizontal	Pass
6	15441.675	52.69	1.18	74.0	21.31	Peak	138.00	150	Horizontal	Pass
6**	15441.675	42.43	1.18	54.0	11.57	AV	138.00	150	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.750	49.04	-15.57	74.0	24.96	Peak	176.00	150	Vertical	Pass
1**	1064.750	34.12	-15.57	54.0	19.88	AV	176.00	150	Vertical	Pass
2	1328.000	48.65	-15.50	74.0	25.35	Peak	81.00	150	Vertical	Pass
2**	1328.000	30.56	-15.50	54.0	23.44	AV	81.00	150	Vertical	Pass
3	4271.000	48.45	-2.39	74.0	25.55	Peak	360.00	150	Vertical	Pass
3**	4271.000	37.90	-2.39	54.0	16.10	AV	360.00	150	Vertical	Pass
4	5581.500	101.80	-0.71	--	238.20	Peak	340.00	150	Vertical	N/A
4**	5581.500	90.92	-0.71	--	-90.92	AV	340.00	150	Vertical	N/A
5	12501.338	51.91	-0.10	74.0	22.09	Peak	360.00	150	Vertical	Pass
5**	12501.338	41.66	-0.10	54.0	12.34	AV	360.00	150	Vertical	Pass
6	16008.412	52.65	1.15	74.0	21.35	Peak	70.00	150	Vertical	Pass
6**	16008.412	41.69	1.15	54.0	12.31	AV	70.00	150	Vertical	Pass

11be20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1105.000	50.69	-15.61	74.0	23.31	Peak	184.00	150	Horizontal	Pass
1**	1105.000	41.15	-15.61	54.0	12.85	AV	184.00	150	Horizontal	Pass
2	1330.000	49.79	-15.52	74.0	24.21	Peak	71.00	150	Horizontal	Pass
2**	1330.000	31.03	-15.52	54.0	22.97	AV	71.00	150	Horizontal	Pass
3	4149.000	48.43	-3.56	74.0	25.57	Peak	360.00	150	Horizontal	Pass
3**	4149.000	37.31	-3.56	54.0	16.69	AV	360.00	150	Horizontal	Pass
4	5579.000	105.04	-0.74	--	42.96	Peak	148.00	150	Horizontal	N/A
4**	5579.000	96.93	-0.74	--	-96.93	AV	148.00	150	Horizontal	N/A
5	7729.500	55.61	3.09	74.0	18.39	Peak	278.00	150	Horizontal	Pass
5**	7729.500	45.24	3.09	54.0	8.76	AV	278.00	150	Horizontal	Pass
6	15445.349	52.41	1.43	74.0	21.59	Peak	345.00	150	Horizontal	Pass
6**	15445.349	42.40	1.43	54.0	11.60	AV	345.00	150	Horizontal	Pass

11be20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	49.75	-15.56	74.0	24.25	Peak	173.00	150	Vertical	Pass
1**	1064.500	33.31	-15.56	54.0	20.69	AV	173.00	150	Vertical	Pass
2	1331.500	49.63	-15.52	74.0	24.37	Peak	118.00	150	Vertical	Pass
2**	1331.500	30.78	-15.52	54.0	23.22	AV	118.00	150	Vertical	Pass
3	4288.000	48.92	-3.04	74.0	25.08	Peak	68.00	150	Vertical	Pass
3**	4288.000	37.48	-3.04	54.0	16.52	AV	68.00	150	Vertical	Pass
4	5576.000	109.07	-0.78	--	-32.07	Peak	77.00	150	Vertical	N/A
4**	5576.000	99.65	-0.78	--	-99.65	AV	77.00	150	Vertical	N/A
5	7622.000	56.27	2.78	74.0	17.73	Peak	360.00	150	Vertical	Pass
5**	7622.000	45.09	2.78	54.0	8.91	AV	360.00	150	Vertical	Pass
6	12648.350	51.43	-0.31	74.0	22.57	Peak	220.00	150	Vertical	Pass
6**	12648.350	41.32	-0.31	54.0	12.68	AV	220.00	150	Vertical	Pass

11be40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1084.250	51.42	-15.74	74.0	22.58	Peak	180.00	150	Horizontal	Pass
1**	1084.250	41.94	-15.74	54.0	12.06	AV	180.00	150	Horizontal	Pass
2	1332.500	48.57	-15.55	74.0	25.43	Peak	223.00	150	Horizontal	Pass
2**	1332.500	30.94	-15.55	54.0	23.06	AV	223.00	150	Horizontal	Pass
3	4214.500	48.40	-2.59	74.0	25.60	Peak	357.00	150	Horizontal	Pass
3**	4214.500	38.01	-2.59	54.0	15.99	AV	357.00	150	Horizontal	Pass
4	5591.500	102.72	-0.60	--	-28.72	Peak	74.00	150	Horizontal	N/A
4**	5591.500	92.66	-0.60	--	-92.66	AV	74.00	150	Horizontal	N/A
5	7701.000	56.00	3.78	74.0	18.00	Peak	33.00	150	Horizontal	Pass
5**	7701.000	45.43	3.78	54.0	8.57	AV	33.00	150	Horizontal	Pass
6	15801.037	52.64	1.13	74.0	21.36	Peak	8.00	150	Horizontal	Pass
6**	15801.037	42.17	1.13	54.0	11.83	AV	8.00	150	Horizontal	Pass

11be40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.250	49.82	-15.52	74.0	24.18	Peak	96.00	150	Vertical	Pass
1**	1331.250	30.97	-15.52	54.0	23.03	AV	96.00	150	Vertical	Pass
2	1600.500	48.52	-15.25	74.0	25.48	Peak	125.00	150	Vertical	Pass
2**	1600.500	30.71	-15.25	54.0	23.29	AV	125.00	150	Vertical	Pass
3	4278.000	48.55	-2.45	74.0	25.45	Peak	309.00	150	Vertical	Pass
3**	4278.000	37.92	-2.45	54.0	16.08	AV	309.00	150	Vertical	Pass
4	5606.500	106.85	-0.37	--	232.15	Peak	339.00	150	Vertical	N/A
4**	5606.500	95.72	-0.37	--	-95.72	AV	339.00	150	Vertical	N/A
5	7720.000	56.62	3.11	74.0	17.38	Peak	309.00	150	Vertical	Pass
5**	7720.000	45.12	3.11	54.0	8.88	AV	309.00	150	Vertical	Pass
6	15874.537	52.72	1.33	74.0	21.28	Peak	242.00	150	Vertical	Pass
6**	15874.537	41.35	1.33	54.0	12.65	AV	242.00	150	Vertical	Pass

11be80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1118.250	51.94	-15.87	74.0	22.06	Peak	188.00	150	Horizontal	Pass
1**	1118.250	38.88	-15.87	54.0	15.12	AV	188.00	150	Horizontal	Pass
2	1328.000	47.06	-15.50	74.0	26.94	Peak	0.00	150	Horizontal	Pass
2**	1328.000	31.69	-15.50	54.0	22.31	AV	0.00	150	Horizontal	Pass
3	4303.500	48.35	-2.71	74.0	25.65	Peak	38.00	150	Horizontal	Pass
3**	4303.500	37.76	-2.71	54.0	16.24	AV	38.00	150	Horizontal	Pass
4	5596.000	100.35	-0.57	--	57.65	Peak	158.00	150	Horizontal	N/A
4**	5596.000	90.43	-0.57	--	-90.43	AV	158.00	150	Horizontal	N/A
5	7643.000	55.98	2.86	74.0	18.02	Peak	21.00	150	Horizontal	Pass
5**	7643.000	44.80	2.86	54.0	9.20	AV	21.00	150	Horizontal	Pass
6	12504.188	51.43	-0.21	74.0	22.57	Peak	0.00	150	Horizontal	Pass
6**	12504.188	41.59	-0.21	54.0	12.41	AV	0.00	150	Horizontal	Pass

11be80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.750	51.18	-15.52	74.0	22.82	Peak	107.00	150	Vertical	Pass
1**	1330.750	33.24	-15.52	54.0	20.76	AV	107.00	150	Vertical	Pass
2	1600.000	48.07	-15.27	74.0	25.93	Peak	131.00	150	Vertical	Pass
2**	1600.000	33.39	-15.27	54.0	20.61	AV	131.00	150	Vertical	Pass
3	4189.500	48.62	-2.79	74.0	25.38	Peak	301.00	150	Vertical	Pass
3**	4189.500	37.74	-2.79	54.0	16.26	AV	301.00	150	Vertical	Pass
4	5605.500	105.43	-0.46	--	250.57	Peak	356.00	150	Vertical	N/A
4**	5605.500	95.65	-0.46	--	-95.65	AV	356.00	150	Vertical	N/A
5	7705.500	56.58	3.81	74.0	17.42	Peak	51.00	150	Vertical	Pass
5**	7705.500	45.08	3.81	54.0	8.92	AV	51.00	150	Vertical	Pass
6	11860.563	51.05	-1.01	74.0	22.95	Peak	267.00	150	Vertical	Pass
6**	11860.563	40.65	-1.01	54.0	13.35	AV	267.00	150	Vertical	Pass

11be160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.500	50.41	-15.26	74.0	23.59	Peak	185.00	150	Horizontal	Pass
1**	1197.500	34.47	-15.26	54.0	19.53	AV	185.00	150	Horizontal	Pass
2	1331.250	48.62	-15.52	74.0	25.38	Peak	156.00	150	Horizontal	Pass
2**	1331.250	32.90	-15.52	54.0	21.10	AV	156.00	150	Horizontal	Pass
3	4275.500	48.78	-2.34	74.0	25.22	Peak	319.00	150	Horizontal	Pass
3**	4275.500	37.82	-2.34	54.0	16.18	AV	319.00	150	Horizontal	Pass
4	5593.000	97.55	-0.61	--	47.45	Peak	145.00	150	Horizontal	N/A
4**	5593.000	86.88	-0.61	--	-86.88	AV	145.00	150	Horizontal	N/A
5	7703.500	55.77	3.76	74.0	18.23	Peak	47.00	150	Horizontal	Pass
5**	7703.500	45.07	3.76	54.0	8.93	AV	47.00	150	Horizontal	Pass
6	11279.400	51.07	-1.37	74.0	22.93	Peak	27.00	150	Horizontal	Pass
6**	11279.400	40.63	-1.37	54.0	13.37	AV	27.00	150	Horizontal	Pass

11be160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	49.90	-15.52	74.0	24.10	Peak	118.00	150	Vertical	Pass
1**	1330.500	30.57	-15.52	54.0	23.43	AV	118.00	150	Vertical	Pass
2	1596.000	48.00	-15.33	74.0	26.00	Peak	118.00	150	Vertical	Pass
2**	1596.000	33.41	-15.33	54.0	20.59	AV	118.00	150	Vertical	Pass
3	4193.500	48.53	-2.67	74.0	25.47	Peak	12.00	150	Vertical	Pass
3**	4193.500	37.86	-2.67	54.0	16.14	AV	12.00	150	Vertical	Pass
4	5630.500	101.98	-0.40	--	237.02	Peak	339.00	150	Vertical	N/A
4**	5630.500	90.62	-0.40	--	-90.62	AV	339.00	150	Vertical	N/A
5	11905.925	51.82	-0.89	74.0	22.18	Peak	223.00	150	Vertical	Pass
5**	11905.925	40.63	-0.89	54.0	13.37	AV	223.00	150	Vertical	Pass
6	16063.537	53.18	1.92	74.0	20.82	Peak	0.00	150	Vertical	Pass
6**	16063.537	42.30	1.92	54.0	11.70	AV	0.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.750	49.69	-15.26	74.0	24.31	Peak	132.00	150	Horizontal	Pass
1**	1196.750	37.92	-15.26	54.0	16.08	AV	132.00	150	Horizontal	Pass
2	1330.750	52.98	-15.52	74.0	21.02	Peak	56.00	150	Horizontal	Pass
2**	1330.750	30.57	-15.52	54.0	23.43	AV	56.00	150	Horizontal	Pass
3	3849.500	54.07	-4.58	74.0	19.93	Peak	12.00	150	Horizontal	Pass
3**	3849.500	36.05	-4.58	54.0	17.95	AV	12.00	150	Horizontal	Pass
4	5783.500	105.85	0.33	--	222.15	Peak	328.00	150	Horizontal	N/A
4**	5783.500	97.98	0.33	--	-97.98	AV	328.00	150	Horizontal	N/A
5	11417.388	50.64	-1.34	74.0	23.36	Peak	315.00	150	Horizontal	Pass
5**	11417.388	39.13	-1.34	54.0	14.87	AV	315.00	150	Horizontal	Pass
6	15673.987	52.28	1.79	74.0	21.72	Peak	7.00	150	Horizontal	Pass
6**	15673.987	41.31	1.79	54.0	12.69	AV	7.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1030.000	47.77	-15.94	74.0	26.23	Peak	149.00	150	Vertical	Pass
1**	1030.000	38.91	-15.94	54.0	15.09	AV	149.00	150	Vertical	Pass
2	1597.000	45.35	-15.28	74.0	28.65	Peak	120.00	150	Vertical	Pass
2**	1597.000	32.66	-15.28	54.0	21.34	AV	120.00	150	Vertical	Pass
3	3835.000	52.88	-4.42	74.0	21.12	Peak	2.00	150	Vertical	Pass
3**	3835.000	36.36	-4.42	54.0	17.64	AV	2.00	150	Vertical	Pass
4	5791.000	109.03	0.31	--	53.97	Peak	163.00	150	Vertical	N/A
4**	5791.000	100.65	0.31	--	-100.65	AV	163.00	150	Vertical	N/A
5	11866.025	50.39	-0.88	74.0	23.61	Peak	291.00	150	Vertical	Pass
5**	11866.025	40.31	-0.88	54.0	13.69	AV	291.00	150	Vertical	Pass
6	15959.063	52.10	1.10	74.0	21.90	Peak	69.00	150	Vertical	Pass
6**	15959.063	42.04	1.10	54.0	11.96	AV	69.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.000	50.08	-15.26	74.0	23.92	Peak	129.00	150	Horizontal	Pass
1**	1197.000	40.37	-15.26	54.0	13.63	AV	129.00	150	Horizontal	Pass
2	1330.000	50.68	-15.52	74.0	23.32	Peak	111.00	150	Horizontal	Pass
2**	1330.000	31.04	-15.52	54.0	22.96	AV	111.00	150	Horizontal	Pass
3	4969.000	52.79	-1.22	74.0	21.21	Peak	348.00	150	Horizontal	Pass
3**	4969.000	39.76	-1.22	54.0	14.24	AV	348.00	150	Horizontal	Pass
4	5782.000	106.12	0.34	--	212.88	Peak	319.00	150	Horizontal	N/A
4**	5782.000	97.60	0.34	--	-97.60	AV	319.00	150	Horizontal	N/A
5	12097.112	50.37	-1.27	74.0	23.63	Peak	148.00	150	Horizontal	Pass
5**	12097.112	39.90	-1.27	54.0	14.10	AV	148.00	150	Horizontal	Pass
6	15717.562	52.24	1.31	74.0	21.76	Peak	139.00	150	Horizontal	Pass
6**	15717.562	42.15	1.31	54.0	11.85	AV	139.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1009.000	47.78	-15.35	74.0	26.22	Peak	155.00	150	Vertical	Pass
1**	1009.000	37.49	-15.35	54.0	16.51	AV	155.00	150	Vertical	Pass
2	1333.500	46.17	-15.55	74.0	27.83	Peak	207.00	150	Vertical	Pass
2**	1333.500	32.55	-15.55	54.0	21.45	AV	207.00	150	Vertical	Pass
3	5012.000	51.29	-0.94	74.0	22.71	Peak	219.00	150	Vertical	Pass
3**	5012.000	40.33	-0.94	54.0	13.67	AV	219.00	150	Vertical	Pass
4	5787.500	108.63	0.36	--	53.37	Peak	162.00	150	Vertical	N/A
4**	5787.500	100.05	0.36	--	-100.05	AV	162.00	150	Vertical	N/A
5	11162.787	50.24	-1.24	74.0	23.76	Peak	98.00	150	Vertical	Pass
5**	11162.787	39.89	-1.24	54.0	14.11	AV	98.00	150	Vertical	Pass
6	15939.637	52.98	1.52	74.0	21.02	Peak	345.00	150	Vertical	Pass
6**	15939.637	42.60	1.52	54.0	11.40	AV	345.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.000	49.98	-15.26	74.0	24.02	Peak	136.00	150	Horizontal	Pass
1**	1193.000	40.29	-15.26	54.0	13.71	AV	136.00	150	Horizontal	Pass
2	1399.500	44.37	-15.43	74.0	29.63	Peak	200.00	150	Horizontal	Pass
2**	1399.500	32.53	-15.43	54.0	21.47	AV	200.00	150	Horizontal	Pass
3	4303.500	49.19	-2.71	74.0	24.81	Peak	1.00	150	Horizontal	Pass
3**	4303.500	37.89	-2.71	54.0	16.11	AV	1.00	150	Horizontal	Pass
4	5787.000	101.95	0.38	--	219.05	Peak	321.00	150	Horizontal	N/A
4**	5787.000	93.24	0.38	--	-93.24	AV	321.00	150	Horizontal	N/A
5	11424.750	50.52	-1.37	74.0	23.48	Peak	148.00	150	Horizontal	Pass
5**	11424.750	39.46	-1.37	54.0	14.54	AV	148.00	150	Horizontal	Pass
6	15944.887	52.73	1.28	74.0	21.27	Peak	311.00	150	Horizontal	Pass
6**	15944.887	42.40	1.28	54.0	11.60	AV	311.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1091.000	49.19	-15.78	74.0	24.81	Peak	1.00	150	Vertical	Pass
1**	1091.000	30.72	-15.78	54.0	23.28	AV	1.00	150	Vertical	Pass
2	1599.500	46.40	-15.29	74.0	27.60	Peak	45.00	150	Vertical	Pass
2**	1599.500	32.06	-15.29	54.0	21.94	AV	45.00	150	Vertical	Pass
3	4032.500	51.65	-3.14	74.0	22.35	Peak	339.00	150	Vertical	Pass
3**	4032.500	36.90	-3.14	54.0	17.10	AV	339.00	150	Vertical	Pass
4	5790.500	105.26	0.33	--	62.74	Peak	168.00	150	Vertical	N/A
4**	5790.500	97.11	0.33	--	-97.11	AV	168.00	150	Vertical	N/A
5	11950.812	50.52	-1.16	74.0	23.48	Peak	360.00	150	Vertical	Pass
5**	11950.812	39.72	-1.16	54.0	14.28	AV	360.00	150	Vertical	Pass
6	15552.975	52.36	0.45	74.0	21.64	Peak	137.00	150	Vertical	Pass
6**	15552.975	40.84	0.45	54.0	13.16	AV	137.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.250	48.77	-15.30	74.0	25.23	Peak	251.00	150	Horizontal	Pass
1**	1199.250	33.27	-15.30	54.0	20.73	AV	251.00	150	Horizontal	Pass
2	1331.250	45.76	-15.52	74.0	28.24	Peak	123.00	150	Horizontal	Pass
2**	1331.250	29.13	-15.52	54.0	24.87	AV	123.00	150	Horizontal	Pass
3	4932.500	50.79	-0.82	74.0	23.21	Peak	119.00	150	Horizontal	Pass
3**	4932.500	40.29	-0.82	54.0	13.71	AV	119.00	150	Horizontal	Pass
4	5767.000	102.36	0.35	--	216.64	Peak	319.00	150	Horizontal	Pass
4**	5767.000	94.25	0.35	--	-94.25	AV	319.00	150	Horizontal	N/A
5	11312.412	50.30	-1.39	74.0	23.70	Peak	291.00	150	Horizontal	Pass
5**	11312.412	40.19	-1.39	54.0	13.81	AV	291.00	150	Horizontal	Pass
6	15947.250	52.18	1.53	74.0	21.82	Peak	7.00	150	Horizontal	Pass
6**	15947.250	42.34	1.53	54.0	11.66	AV	7.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.250	50.45	-15.26	74.0	23.55	Peak	43.00	150	Vertical	Pass
1**	1197.250	34.61	-15.26	54.0	19.39	AV	43.00	150	Vertical	Pass
2	1332.250	50.13	-15.54	74.0	23.87	Peak	131.00	150	Vertical	Pass
2**	1332.250	31.38	-15.54	54.0	22.62	AV	131.00	150	Vertical	Pass
3	4566.500	53.50	-2.15	74.0	20.50	Peak	15.00	150	Vertical	Pass
3**	4566.500	38.57	-2.15	54.0	15.43	AV	15.00	150	Vertical	Pass
4	5770.000	99.16	0.40	--	222.84	Peak	322.00	150	Vertical	N/A
4**	5770.000	91.16	0.40	--	-91.16	AV	322.00	150	Vertical	N/A
5	11877.662	50.50	-1.08	74.0	23.50	Peak	317.00	150	Vertical	Pass
5**	11877.662	39.62	-1.08	54.0	14.38	AV	317.00	150	Vertical	Pass
6	15445.613	52.33	1.44	74.0	21.67	Peak	1.00	150	Vertical	Pass
6**	15445.613	41.88	1.44	54.0	12.12	AV	1.00	150	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1060.250	48.80	-15.57	74.0	25.20	Peak	127.00	150	Horizontal	Pass
1**	1060.250	37.09	-15.57	54.0	16.91	AV	127.00	150	Horizontal	Pass
2	1331.750	50.73	-15.53	74.0	23.27	Peak	141.00	150	Horizontal	Pass
2**	1331.750	30.32	-15.53	54.0	23.68	AV	141.00	150	Horizontal	Pass
3	4870.000	50.79	-1.25	74.0	23.21	Peak	360.00	150	Horizontal	Pass
3**	4870.000	39.60	-1.25	54.0	14.40	AV	360.00	150	Horizontal	Pass
4	5780.000	104.53	0.35	--	217.47	Peak	322.00	150	Horizontal	N/A
4**	5780.000	95.90	0.35	--	-95.90	AV	322.00	150	Horizontal	N/A
5	11248.050	50.07	-1.37	74.0	23.93	Peak	0.00	150	Horizontal	Pass
5**	11248.050	40.29	-1.37	54.0	13.71	AV	0.00	150	Horizontal	Pass
6	15947.513	52.81	1.56	74.0	21.19	Peak	34.00	150	Horizontal	Pass
6**	15947.513	42.92	1.56	54.0	11.08	AV	34.00	150	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.250	48.91	-15.26	74.0	25.09	Peak	248.00	150	Vertical	Pass
1**	1196.250	32.20	-15.26	54.0	21.80	AV	248.00	150	Vertical	Pass
2	1330.000	45.44	-15.52	74.0	28.56	Peak	82.00	150	Vertical	Pass
2**	1330.000	29.89	-15.52	54.0	24.11	AV	82.00	150	Vertical	Pass
3	4931.000	50.89	-0.89	74.0	23.11	Peak	111.00	150	Vertical	Pass
3**	4931.000	40.27	-0.89	54.0	13.73	AV	111.00	150	Vertical	Pass
4	5787.000	108.25	0.38	--	42.75	Peak	151.00	150	Vertical	N/A
4**	5787.000	98.91	0.38	--	-98.91	AV	151.00	150	Vertical	N/A
5	11778.388	50.04	-1.19	74.0	23.96	Peak	360.00	150	Vertical	Pass
5**	11778.388	39.35	-1.19	54.0	14.65	AV	360.00	150	Vertical	Pass
6	15930.450	52.72	1.25	74.0	21.28	Peak	277.00	150	Vertical	Pass
6**	15930.450	41.99	1.25	54.0	12.01	AV	277.00	150	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.250	47.99	-15.50	74.0	26.01	Peak	115.00	150	Horizontal	Pass
1**	1177.250	37.53	-15.50	54.0	16.47	AV	115.00	150	Horizontal	Pass
2	1402.500	43.87	-15.37	74.0	30.13	Peak	143.00	150	Horizontal	Pass
2**	1402.500	33.73	-15.37	54.0	20.27	AV	143.00	150	Horizontal	Pass
3	5057.500	51.12	-0.95	74.0	22.88	Peak	72.00	150	Horizontal	Pass
3**	5057.500	40.14	-0.95	54.0	13.86	AV	72.00	150	Horizontal	Pass
4	5782.500	103.44	0.33	--	217.56	Peak	321.00	150	Horizontal	N/A
4**	5782.500	93.09	0.33	--	-93.09	AV	321.00	150	Horizontal	N/A
5	11848.925	50.75	-1.19	74.0	23.25	Peak	196.00	150	Horizontal	Pass
5**	11848.925	39.52	-1.19	54.0	14.48	AV	196.00	150	Horizontal	Pass
6	15882.412	52.26	1.56	74.0	21.74	Peak	276.00	150	Horizontal	Pass
6**	15882.412	41.37	1.56	54.0	12.63	AV	276.00	150	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1028.500	49.84	-15.93	74.0	24.16	Peak	162.00	150	Vertical	Pass
1**	1028.500	39.85	-15.93	54.0	14.15	AV	162.00	150	Vertical	Pass
2	1328.750	49.57	-15.50	74.0	24.43	Peak	108.00	150	Vertical	Pass
2**	1328.750	30.52	-15.50	54.0	23.48	AV	108.00	150	Vertical	Pass
3	4520.500	51.97	-1.88	74.0	22.03	Peak	360.00	150	Vertical	Pass
3**	4520.500	38.31	-1.88	54.0	15.69	AV	360.00	150	Vertical	Pass
4	5793.500	107.31	0.34	--	53.69	Peak	161.00	150	Vertical	N/A
4**	5793.500	96.95	0.34	--	-96.95	AV	161.00	150	Vertical	N/A
5	11198.412	50.73	-1.27	74.0	23.27	Peak	246.00	150	Vertical	Pass
5**	11198.412	39.55	-1.27	54.0	14.45	AV	246.00	150	Vertical	Pass
6	15937.800	52.34	1.53	74.0	21.66	Peak	173.00	150	Vertical	Pass
6**	15937.800	42.30	1.53	54.0	11.70	AV	173.00	150	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.500	48.93	-15.30	74.0	25.07	Peak	133.00	150	Horizontal	Pass
1**	1200.500	37.17	-15.30	54.0	16.83	AV	133.00	150	Horizontal	Pass
2	1331.000	47.07	-15.52	74.0	26.93	Peak	216.00	150	Horizontal	Pass
2**	1331.000	31.99	-15.52	54.0	22.01	AV	216.00	150	Horizontal	Pass
3	4301.500	48.86	-2.80	74.0	25.14	Peak	1.00	150	Horizontal	Pass
3**	4301.500	37.49	-2.80	54.0	16.51	AV	1.00	150	Horizontal	Pass
4	5776.500	100.34	0.39	--	189.66	Peak	290.00	150	Horizontal	N/A
4**	5776.500	91.00	0.39	--	-91.00	AV	290.00	150	Horizontal	N/A
5	12496.825	50.53	0.24	74.0	23.47	Peak	0.00	150	Horizontal	Pass
5**	12496.825	41.18	0.24	54.0	12.82	AV	0.00	150	Horizontal	Pass
6	15933.600	52.56	1.28	74.0	21.44	Peak	0.00	150	Horizontal	Pass
6**	15933.600	42.17	1.28	54.0	11.83	AV	0.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1017.500	47.51	-15.75	74.0	26.49	Peak	151.00	150	Vertical	Pass
1**	1017.500	37.99	-15.75	54.0	16.01	AV	151.00	150	Vertical	Pass
2	1327.500	48.06	-15.50	74.0	25.94	Peak	146.00	150	Vertical	Pass
2**	1327.500	30.89	-15.50	54.0	23.11	AV	146.00	150	Vertical	Pass
3	4939.000	51.85	-0.62	74.0	22.15	Peak	329.00	150	Vertical	Pass
3**	4939.000	39.88	-0.62	54.0	14.12	AV	329.00	150	Vertical	Pass
4	5769.000	103.76	0.39	--	216.24	Peak	320.00	150	Vertical	N/A
4**	5769.000	94.23	0.39	--	-94.23	AV	320.00	150	Vertical	N/A
5	11171.100	49.90	-1.26	74.0	24.10	Peak	353.00	150	Vertical	Pass
5**	11171.100	39.67	-1.26	54.0	14.33	AV	353.00	150	Vertical	Pass
6	15894.487	52.51	1.64	74.0	21.49	Peak	276.00	150	Vertical	Pass
6**	15894.487	41.92	1.64	54.0	12.08	AV	276.00	150	Vertical	Pass

11be20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1181.000	49.14	-15.51	74.0	24.86	Peak	121.00	150	Horizontal	Pass
1**	1181.000	37.97	-15.51	54.0	16.03	AV	121.00	150	Horizontal	Pass
2	1494.750	45.78	-15.41	74.0	28.22	Peak	193.00	150	Horizontal	Pass
2**	1494.750	34.99	-15.41	54.0	19.01	AV	193.00	150	Horizontal	Pass
3	4273.500	54.11	-2.34	74.0	19.89	Peak	339.00	150	Horizontal	Pass
3**	4273.500	37.59	-2.34	54.0	16.41	AV	339.00	150	Horizontal	Pass
4	5789.500	105.49	0.36	--	222.51	Peak	328.00	150	Horizontal	N/A
4**	5789.500	96.23	0.36	--	-96.23	AV	328.00	150	Horizontal	N/A
5	12048.663	51.18	-0.91	74.0	22.82	Peak	0.00	150	Horizontal	Pass
5**	12048.663	39.87	-0.91	54.0	14.13	AV	0.00	150	Horizontal	Pass
6	15887.662	51.69	1.47	74.0	22.31	Peak	278.00	150	Horizontal	Pass
6**	15887.662	41.96	1.47	54.0	12.04	AV	278.00	150	Horizontal	Pass

11be20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.750	46.73	-15.31	74.0	27.27	Peak	242.00	150	Vertical	Pass
1**	1199.750	35.12	-15.31	54.0	18.88	AV	242.00	150	Vertical	Pass
2	1332.750	47.90	-15.55	74.0	26.10	Peak	262.00	150	Vertical	Pass
2**	1332.750	33.82	-15.55	54.0	20.18	AV	262.00	150	Vertical	Pass
3	5004.000	53.06	-0.88	74.0	20.94	Peak	14.00	150	Vertical	Pass
3**	5004.000	39.89	-0.88	54.0	14.11	AV	14.00	150	Vertical	Pass
4	5786.500	108.06	0.39	--	52.94	Peak	161.00	150	Vertical	N/A
4**	5786.500	98.64	0.39	--	-98.64	AV	161.00	150	Vertical	N/A
5	11227.625	50.79	-1.49	74.0	23.21	Peak	360.00	150	Vertical	Pass
5**	11227.625	39.59	-1.49	54.0	14.41	AV	360.00	150	Vertical	Pass
6	15715.987	52.23	1.25	74.0	21.77	Peak	0.00	150	Vertical	Pass
6**	15715.987	42.17	1.25	54.0	11.83	AV	0.00	150	Vertical	Pass

11be40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.750	51.88	-15.26	74.0	22.12	Peak	0.00	150	Horizontal	Pass
1**	1195.750	36.48	-15.26	54.0	17.52	AV	0.00	150	Horizontal	Pass
2	1482.250	46.70	-15.66	74.0	27.30	Peak	190.00	150	Horizontal	Pass
2**	1482.250	35.81	-15.66	54.0	18.19	AV	190.00	150	Horizontal	Pass
3	4958.000	51.23	-0.69	74.0	22.77	Peak	178.00	150	Horizontal	Pass
3**	4958.000	40.37	-0.69	54.0	13.63	AV	178.00	150	Horizontal	Pass
4	5811.000	102.56	0.40	--	216.44	Peak	319.00	150	Horizontal	N/A
4**	5811.000	91.83	0.40	--	-91.83	AV	319.00	150	Horizontal	N/A
5	11958.887	51.22	-0.97	74.0	22.78	Peak	6.00	150	Horizontal	Pass
5**	11958.887	40.07	-0.97	54.0	13.93	AV	6.00	150	Horizontal	Pass
6	16070.362	53.96	1.91	74.0	20.04	Peak	7.00	150	Horizontal	Pass
6**	16070.362	42.57	1.91	54.0	11.43	AV	7.00	150	Horizontal	Pass

11be40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1030.000	49.66	-15.94	74.0	24.34	Peak	153.00	150	Vertical	Pass
1**	1030.000	39.86	-15.94	54.0	14.14	AV	153.00	150	Vertical	Pass
2	1331.250	50.16	-15.52	74.0	23.84	Peak	112.00	150	Vertical	Pass
2**	1331.250	31.71	-15.52	54.0	22.29	AV	112.00	150	Vertical	Pass
3	4259.000	50.49	-3.06	74.0	23.51	Peak	4.00	150	Vertical	Pass
3**	4259.000	37.43	-3.06	54.0	16.57	AV	4.00	150	Vertical	Pass
4	5790.500	106.73	0.33	--	144.27	Peak	251.00	150	Vertical	N/A
4**	5790.500	96.45	0.33	--	-96.45	AV	251.00	150	Vertical	N/A
5	12019.925	50.30	-0.99	74.0	23.70	Peak	7.00	150	Vertical	Pass
5**	12019.925	39.77	-0.99	54.0	14.23	AV	7.00	150	Vertical	Pass
6	15947.250	52.30	1.53	74.0	21.70	Peak	69.00	150	Vertical	Pass
6**	15947.250	42.73	1.53	54.0	11.27	AV	69.00	150	Vertical	Pass

11be80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.500	48.65	-15.22	74.0	25.35	Peak	70.00	150	Horizontal	Pass
1**	1194.500	36.28	-15.22	54.0	17.72	AV	70.00	150	Horizontal	Pass
2	1331.500	50.58	-15.52	74.0	23.42	Peak	84.00	150	Horizontal	Pass
2**	1331.500	34.02	-15.52	54.0	19.98	AV	84.00	150	Horizontal	Pass
3	4858.000	50.63	-1.18	74.0	23.37	Peak	69.00	150	Horizontal	Pass
3**	4858.000	39.60	-1.18	54.0	14.40	AV	69.00	150	Horizontal	Pass
4	5769.500	100.12	0.38	--	228.88	Peak	329.00	150	Horizontal	N/A
4**	5769.500	90.58	0.38	--	-90.58	AV	329.00	150	Horizontal	N/A
5	12484.475	50.95	0.09	74.0	23.05	Peak	340.00	150	Horizontal	Pass
5**	12484.475	40.29	0.09	54.0	13.71	AV	340.00	150	Horizontal	Pass
6	15930.974	52.33	1.31	74.0	21.67	Peak	242.00	150	Horizontal	Pass
6**	15930.974	42.30	1.31	54.0	11.70	AV	242.00	150	Horizontal	Pass

11be80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1141.750	48.26	-15.36	74.0	25.74	Peak	190.00	150	Vertical	Pass
1**	1141.750	37.52	-15.36	54.0	16.48	AV	190.00	150	Vertical	Pass
2	1329.750	50.13	-15.52	74.0	23.87	Peak	111.00	150	Vertical	Pass
2**	1329.750	32.72	-15.52	54.0	21.28	AV	111.00	150	Vertical	Pass
3	4764.500	51.62	-1.83	74.0	22.38	Peak	360.00	150	Vertical	Pass
3**	4764.500	39.20	-1.83	54.0	14.80	AV	360.00	150	Vertical	Pass
4	5766.000	104.45	0.29	--	53.55	Peak	158.00	150	Vertical	N/A
4**	5766.000	93.79	0.29	--	-93.79	AV	158.00	150	Vertical	N/A
5	11178.463	50.02	-1.52	74.0	23.98	Peak	0.00	150	Vertical	Pass
5**	11178.463	39.11	-1.52	54.0	14.89	AV	0.00	150	Vertical	Pass
6	15790.537	52.94	1.14	74.0	21.06	Peak	243.00	150	Vertical	Pass
6**	15790.537	41.00	1.14	54.0	13.00	AV	243.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11be(HE20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11be(HE20)	Low	Pass


		High	Pass
	802.11be(HE40)	Low	Pass
		High	Pass
	802.11be(HE80)	Middle	Pass
	802.11be(HE160)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11be(HE20)	Low	Pass
		High	Pass
	802.11be(HE40)	Low	Pass
		High	Pass
	802.11be(HE80)	Low	Pass
		High	Pass
	802.11be(HE160)	Middle	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11be(HE20)	Low	Pass
		High	Pass
	802.11be(HE40)	Low	Pass
		High	Pass
	802.11be(HE80)	Middle	Pass

Test Data and Plots

Main Antenna:

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.64	5.21	74.0	9.36	Peak	194.00	150	Vertical	Pass
1**	5150.000	52.95	5.21	54.0	1.05	AV	194.00	150	Vertical	Pass
2	5149.350	65.24	5.21	74.0	8.76	Peak	197.00	150	Vertical	Pass
2**	5149.350	52.27	5.21	54.0	1.73	AV	197.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.99	5.40	74.0	18.01	Peak	5.00	150	Horizontal	Pass
1**	5350.000	45.94	5.40	54.0	8.06	AV	5.00	150	Horizontal	Pass
2	5382.890	58.74	5.71	74.0	15.26	Peak	285.00	150	Horizontal	Pass
2**	5382.890	46.52	5.71	54.0	7.48	AV	285.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.37	5.21	74.0	11.63	Peak	152.00	150	Vertical	Pass
1**	5150.000	51.65	5.21	54.0	2.35	AV	152.00	150	Vertical	Pass
2	5149.350	63.36	5.21	74.0	10.64	Peak	173.00	150	Vertical	Pass
2**	5149.350	51.17	5.21	54.0	2.83	AV	173.00	150	Vertical	Pass

U-NII-1 11ac20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.61	5.40	74.0	17.39	Peak	98.00	150	Vertical	Pass
1**	5350.000	45.93	5.40	54.0	8.07	AV	98.00	150	Vertical	Pass
2	5418.640	58.38	5.26	74.0	15.62	Peak	218.00	150	Vertical	Pass
2**	5418.640	46.10	5.26	54.0	7.90	AV	218.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.22	5.21	74.0	11.78	Peak	195.01	150	Horizontal	Pass
1**	5150.000	51.77	5.21	54.0	2.23	AV	195.01	150	Horizontal	Pass
2	5148.700	61.89	5.23	74.0	12.11	Peak	195.00	150	Horizontal	Pass
2**	5148.700	51.25	5.23	54.0	2.75	AV	195.00	150	Horizontal	Pass
3	5149.350	61.09	5.21	74.0	12.91	Peak	244.00	150	Horizontal	Pass
3**	5149.350	52.07	5.21	54.0	1.93	AV	244.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.15	5.40	74.0	15.85	Peak	100.00	150	Horizontal	Pass
1**	5350.000	47.71	5.40	54.0	6.29	AV	100.00	150	Horizontal	Pass
2	5350.110	61.41	5.40	74.0	12.59	Peak	163.00	150	Horizontal	Pass
2**	5350.110	47.49	5.40	54.0	6.51	AV	163.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.28	5.21	74.0	13.72	Peak	98.00	150	Vertical	Pass
1**	5150.000	51.66	5.21	54.0	2.34	AV	98.00	150	Vertical	Pass
2	5143.500	62.13	5.43	74.0	11.87	Peak	76.00	150	Vertical	Pass
2**	5143.500	51.23	5.43	54.0	2.77	AV	76.00	150	Vertical	Pass
3	5148.050	61.94	5.26	74.0	12.06	Peak	76.00	150	Vertical	Pass
3**	5148.050	52.36	5.26	54.0	1.64	AV	76.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.25	5.21	74.0	11.75	Peak	156.00	150	Vertical	Pass
1**	5150.000	51.93	5.21	54.0	2.07	AV	156.00	150	Vertical	Pass
2	5149.350	62.23	5.21	74.0	11.77	Peak	151.00	150	Vertical	Pass
2**	5149.350	51.63	5.21	54.0	2.37	AV	151.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.50	5.40	74.0	17.50	Peak	66.00	150	Horizontal	Pass
1**	5350.000	45.96	5.40	54.0	8.04	AV	66.00	150	Horizontal	Pass
2	5364.630	57.94	5.59	74.0	16.06	Peak	240.00	150	Horizontal	Pass
2**	5364.630	46.31	5.59	54.0	7.69	AV	240.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.87	5.21	74.0	11.13	Peak	333.95	150	Vertical	Pass
1**	5150.000	52.06	5.21	54.0	1.94	AV	333.95	150	Vertical	Pass
2	5146.750	62.50	5.33	74.0	11.50	Peak	323.00	150	Vertical	Pass
2**	5146.750	50.32	5.33	54.0	3.68	AV	323.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.78	5.40	74.0	16.22	Peak	103.00	150	Horizontal	Pass
1**	5350.000	47.44	5.40	54.0	6.56	AV	103.00	150	Horizontal	Pass
2	5350.220	59.94	5.41	74.0	14.06	Peak	93.00	150	Horizontal	Pass
2**	5350.220	47.43	5.41	54.0	6.57	AV	93.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.77	5.21	74.0	13.23	Peak	80.00	150	Vertical	Pass
1**	5150.000	51.75	5.21	54.0	2.25	AV	80.00	150	Vertical	Pass
2	5137.000	61.95	5.52	74.0	12.05	Peak	89.00	150	Vertical	Pass
2**	5137.000	50.06	5.52	54.0	3.94	AV	89.00	150	Vertical	Pass
3	5147.400	61.25	5.29	74.0	12.75	Peak	178.00	150	Vertical	Pass
3**	5147.400	52.18	5.29	54.0	1.82	AV	178.00	150	Vertical	Pass

U-NII-1 11be20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.77	5.21	74.0	10.23	Peak	170.00	150	Vertical	Pass
1**	5150.000	51.57	5.21	54.0	2.43	AV	170.00	150	Vertical	Pass
2	5148.050	62.74	5.26	74.0	11.26	Peak	145.00	150	Vertical	Pass
2**	5148.050	51.57	5.26	54.0	2.43	AV	145.00	150	Vertical	Pass

U-NII-1 11be20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.14	5.40	74.0	17.86	Peak	357.00	150	Vertical	Pass
1**	5350.000	46.01	5.40	54.0	7.99	AV	357.00	150	Vertical	Pass
2	5392.350	58.04	5.60	74.0	15.96	Peak	91.00	150	Vertical	Pass
2**	5392.350	46.01	5.60	54.0	7.99	AV	91.00	150	Vertical	Pass

U-NII-1 11be40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.21	5.21	74.0	10.79	Peak	79.02	150	Vertical	Pass
1**	5150.000	52.63	5.21	54.0	1.37	AV	79.02	150	Vertical	Pass
2	5146.750	66.38	5.33	74.0	7.62	Peak	166.00	150	Vertical	Pass
2**	5146.750	51.61	5.33	54.0	2.39	AV	166.00	150	Vertical	Pass

U-NII-1 11be40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.15	5.40	74.0	12.85	Peak	100.00	150	Horizontal	Pass
1**	5350.000	47.61	5.40	54.0	6.39	AV	100.00	150	Horizontal	Pass
2	5350.550	62.90	5.42	74.0	11.10	Peak	99.00	150	Horizontal	Pass
2**	5350.550	48.07	5.42	54.0	5.93	AV	99.00	150	Horizontal	Pass

U-NII-1 11be80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.49	5.21	74.0	11.51	Peak	251.98	150	Horizontal	Pass
1**	5150.000	52.03	5.21	54.0	1.97	AV	251.98	150	Horizontal	Pass
2	5148.700	66.19	5.23	74.0	7.81	Peak	192.00	150	Horizontal	Pass
2**	5148.700	51.67	5.23	54.0	2.33	AV	192.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.19	5.21	74.0	17.81	Peak	113.98	150	Vertical	Pass
1**	5150.000	46.37	5.21	54.0	7.63	AV	113.98	150	Vertical	Pass
2	5131.150	57.91	5.26	74.0	16.09	Peak	9.00	150	Vertical	Pass
2**	5131.150	46.12	5.26	54.0	7.88	AV	9.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.88	5.40	74.0	14.12	Peak	183.00	150	Horizontal	Pass
1**	5350.000	49.38	5.40	54.0	4.62	AV	183.00	150	Horizontal	Pass
2	5350.110	60.21	5.40	74.0	13.79	Peak	117.00	150	Horizontal	Pass
2**	5350.110	49.31	5.40	54.0	4.69	AV	117.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.36	5.21	74.0	17.64	Peak	359.94	150	Vertical	Pass
1**	5150.000	46.50	5.21	54.0	7.50	AV	359.94	150	Vertical	Pass
2	5138.950	57.75	5.58	74.0	16.25	Peak	155.00	150	Vertical	Pass
2**	5138.950	46.41	5.58	54.0	7.59	AV	155.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.30	5.40	74.0	12.70	Peak	91.00	150	Horizontal	Pass
1**	5350.000	49.38	5.40	54.0	4.62	AV	91.00	150	Horizontal	Pass
2	5350.880	61.17	5.42	74.0	12.83	Peak	109.00	150	Horizontal	Pass
2**	5350.880	49.31	5.42	54.0	4.69	AV	109.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.65	5.21	74.0	9.35	Peak	178.00	150	Vertical	Pass
1**	5150.000	52.33	5.21	54.0	1.67	AV	178.00	150	Vertical	Pass
2	5149.350	64.88	5.21	74.0	9.12	Peak	156.00	150	Vertical	Pass
2**	5149.350	51.61	5.21	54.0	2.39	AV	156.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.00	5.40	74.0	15.00	Peak	109.00	150	Horizontal	Pass
1**	5350.000	49.56	5.40	54.0	4.44	AV	109.00	150	Horizontal	Pass
2	5356.380	60.05	5.59	74.0	13.95	Peak	109.00	150	Horizontal	Pass
2**	5356.380	48.81	5.59	54.0	5.19	AV	109.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.43	5.40	74.0	14.57	Peak	104.00	150	Horizontal	Pass
1**	5350.000	50.09	5.40	54.0	3.91	AV	104.00	150	Horizontal	Pass
2	5352.860	62.04	5.47	74.0	11.96	Peak	116.00	150	Horizontal	Pass
2**	5352.860	50.00	5.47	54.0	4.00	AV	116.00	150	Horizontal	Pass

U-NII-2A 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.82	5.21	74.0	11.18	Peak	248.97	150	Horizontal	Pass
1**	5150.000	49.98	5.21	54.0	4.02	AV	248.97	150	Horizontal	Pass
2	5149.350	66.09	5.21	74.0	7.91	Peak	108.00	150	Horizontal	Pass
2**	5149.350	49.60	5.21	54.0	4.40	AV	108.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.66	5.21	74.0	17.34	Peak	56.02	150	Vertical	Pass
1**	5150.000	46.38	5.21	54.0	7.62	AV	56.02	150	Vertical	Pass
2	5096.700	57.76	5.32	74.0	16.24	Peak	169.00	150	Vertical	Pass
2**	5096.700	46.21	5.32	54.0	7.79	AV	169.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.64	5.40	74.0	13.36	Peak	115.00	150	Horizontal	Pass
1**	5350.000	50.26	5.40	54.0	3.74	AV	115.00	150	Horizontal	Pass
2	5350.770	61.55	5.42	74.0	12.45	Peak	118.00	150	Horizontal	Pass
2**	5350.770	50.06	5.42	54.0	3.94	AV	118.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.59	5.21	74.0	12.41	Peak	172.01	150	Horizontal	Pass
1**	5150.000	49.33	5.21	54.0	4.67	AV	172.01	150	Horizontal	Pass
2	5148.050	61.93	5.26	74.0	12.07	Peak	169.00	150	Horizontal	Pass
2**	5148.050	48.76	5.26	54.0	5.24	AV	169.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.53	5.40	74.0	15.47	Peak	108.00	150	Horizontal	Pass
1**	5350.000	48.38	5.40	54.0	5.62	AV	108.00	150	Horizontal	Pass
2	5350.660	58.99	5.42	74.0	15.01	Peak	114.00	150	Horizontal	Pass
2**	5350.660	48.13	5.42	54.0	5.87	AV	114.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.63	5.40	74.0	12.37	Peak	117.00	150	Horizontal	Pass
1**	5350.000	51.27	5.40	54.0	2.73	AV	117.00	150	Horizontal	Pass
2	5351.320	64.60	5.44	74.0	9.40	Peak	114.00	150	Horizontal	Pass
2**	5351.320	51.49	5.44	54.0	2.51	AV	114.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.57	5.21	74.0	11.43	Peak	214.98	150	Horizontal	Pass
1**	5150.000	52.82	5.21	54.0	1.18	AV	214.98	150	Horizontal	Pass
2	5147.400	64.39	5.29	74.0	9.61	Peak	200.00	150	Horizontal	Pass
2**	5147.400	52.75	5.29	54.0	1.25	AV	200.00	150	Horizontal	Pass

U-NII-2A 11be20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.46	5.21	74.0	17.54	Peak	76.01	150	Vertical	Pass
1**	5150.000	46.61	5.21	54.0	7.39	AV	76.01	150	Vertical	Pass
2	5094.100	58.06	5.22	74.0	15.94	Peak	7.00	150	Vertical	Pass
2**	5094.100	46.48	5.22	54.0	7.52	AV	7.00	150	Vertical	Pass

U-NII-2A 11be20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.84	5.40	74.0	13.16	Peak	167.00	150	Horizontal	Pass
1**	5350.000	50.93	5.40	54.0	3.07	AV	167.00	150	Horizontal	Pass
2	5350.880	61.94	5.42	74.0	12.06	Peak	116.00	150	Horizontal	Pass
2**	5350.880	50.96	5.42	54.0	3.04	AV	116.00	150	Horizontal	Pass

U-NII-2A 11be40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.04	5.21	74.0	9.96	Peak	168.00	150	Vertical	Pass
1**	5150.000	51.51	5.21	54.0	2.49	AV	168.00	150	Vertical	Pass
2	5149.350	64.31	5.21	74.0	9.69	Peak	157.00	150	Vertical	Pass
2**	5149.350	51.72	5.21	54.0	2.28	AV	157.00	150	Vertical	Pass

U-NII-2A 11be40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.37	5.40	74.0	15.63	Peak	166.00	150	Horizontal	Pass
1**	5350.000	47.74	5.40	54.0	6.26	AV	166.00	150	Horizontal	Pass
2	5354.510	60.54	5.52	74.0	13.46	Peak	108.00	150	Horizontal	Pass
2**	5354.510	47.32	5.52	54.0	6.68	AV	108.00	150	Horizontal	Pass

U-NII-2A 11be80 CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.09	5.40	74.0	11.91	Peak	116.00	150	Horizontal	Pass
1**	5350.000	51.65	5.40	54.0	2.35	AV	116.00	150	Horizontal	Pass
2	5362.980	63.26	5.67	74.0	10.74	Peak	116.00	150	Horizontal	Pass
2**	5362.980	49.89	5.67	54.0	4.11	AV	116.00	150	Horizontal	Pass

U-NII-2A 11be160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.23	5.21	74.0	12.77	Peak	206.98	150	Horizontal	Pass
1**	5150.000	50.98	5.21	54.0	3.02	AV	206.98	150	Horizontal	Pass
2	5112.950	67.82	5.13	74.0	6.18	Peak	118.00	150	Horizontal	Pass
2**	5112.950	49.02	5.13	54.0	4.98	AV	118.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.18	5.38	68.2	11.02	Peak	121.34	150	Horizontal	Pass
1**	5460.000	47.76	5.38	54.0	6.24	AV	121.34	150	Horizontal	Pass
2	5469.880	65.69	5.80	68.2	2.51	Peak	118.00	150	Horizontal	Pass
2**	5469.880	52.95	5.80	--	-52.95	AV	118.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.21	6.57	68.2	4.99	Peak	105.00	150	Horizontal	Pass
2	5726.875	65.62	6.52	68.2	2.58	Peak	112.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.64	5.38	68.2	10.56	Peak	195.49	150	Horizontal	Pass
1**	5460.000	48.26	5.38	54.0	5.74	AV	195.49	150	Horizontal	Pass
2	5469.160	66.62	5.80	68.2	1.58	Peak	113.00	150	Horizontal	Pass
2**	5469.160	53.31	5.80	--	-53.31	AV	113.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.31	6.57	68.2	6.89	Peak	111.00	150	Horizontal	Pass
2	5725.750	62.88	6.55	68.2	5.32	Peak	111.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	62.66	5.38	68.2	5.54	Peak	118.00	150	Horizontal	Pass
1**	5460.000	51.88	5.38	54.0	2.12	AV	118.00	150	Horizontal	Pass
2	5468.680	65.00	5.78	68.2	3.20	Peak	112.00	150	Horizontal	Pass
2**	5468.680	54.22	5.78	--	-54.22	AV	112.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.02	6.57	68.2	3.18	Peak	110.00	150	Horizontal	Pass
2	5727.625	65.99	6.50	68.2	2.21	Peak	112.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.58	5.38	68.2	7.62	Peak	116.34	150	Horizontal	Pass
1**	5460.000	51.52	5.38	54.0	2.48	AV	116.34	150	Horizontal	Pass
2	5466.160	66.05	5.62	68.2	2.15	Peak	115.00	150	Horizontal	Pass
2**	5466.160	52.77	5.62	--	-52.77	AV	115.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.18	6.57	68.2	3.02	Peak	115.00	150	Horizontal	Pass
2	5727.125	65.92	6.51	68.2	2.28	Peak	107.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.09	5.38	68.2	7.11	Peak	117.68	150	Horizontal	Pass
1**	5460.000	51.35	5.38	54.0	2.65	AV	117.68	150	Horizontal	Pass
2	5468.680	66.55	5.78	68.2	1.65	Peak	120.00	150	Horizontal	Pass
2**	5468.680	51.75	5.78	--	-51.75	AV	120.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.16	5.38	68.2	11.04	Peak	114.66	150	Horizontal	Pass
1**	5460.000	47.60	5.38	54.0	6.40	AV	114.66	150	Horizontal	Pass
2	5468.320	63.34	5.75	68.2	4.86	Peak	120.00	150	Horizontal	Pass
2**	5468.320	51.56	5.75	--	-51.56	AV	120.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.24	6.57	68.2	2.96	Peak	150.00	150	Horizontal	Pass
2	5726.000	65.09	6.55	68.2	3.11	Peak	105.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.55	5.38	68.2	6.65	Peak	110.66	150	Horizontal	Pass
1**	5460.000	51.99	5.38	54.0	2.01	AV	110.66	150	Horizontal	Pass
2	5467.840	65.78	5.71	68.2	2.42	Peak	104.00	150	Horizontal	Pass
2**	5467.840	53.29	5.71	--	-53.29	AV	104.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.50	6.57	68.2	5.70	Peak	102.00	150	Horizontal	Pass
2	5728.625	65.13	6.44	68.2	3.07	Peak	102.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.57	5.38	68.2	7.63	Peak	174.66	150	Horizontal	Pass
1**	5460.000	50.47	5.38	54.0	3.53	AV	174.66	150	Horizontal	Pass
2	5462.440	65.37	5.48	68.2	2.83	Peak	106.00	150	Horizontal	Pass
2**	5462.440	52.93	5.48	--	-52.93	AV	106.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.61	6.57	68.2	6.59	Peak	162.00	150	Horizontal	Pass
2	5728.000	63.98	6.48	68.2	4.22	Peak	109.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.62	5.38	68.2	6.58	Peak	141.63	150	Horizontal	Pass
1**	5460.000	52.75	5.38	54.0	1.25	AV	141.63	150	Horizontal	Pass
2	5464.240	65.60	5.56	68.2	2.60	Peak	113.00	150	Horizontal	Pass
2**	5464.240	52.53	5.56	--	-52.53	AV	113.00	150	Horizontal	N/A

U-NII-2C 11be20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.92	5.38	68.2	10.28	Peak	119.66	150	Horizontal	Pass
1**	5460.000	47.95	5.38	54.0	6.05	AV	119.66	150	Horizontal	Pass
2	5469.160	64.71	5.80	68.2	3.49	Peak	115.00	150	Horizontal	Pass
2**	5469.160	53.00	5.80	--	-53.00	AV	115.00	150	Horizontal	N/A

U-NII-2C 11be20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.78	6.57	68.2	4.42	Peak	152.00	150	Horizontal	Pass
2	5725.875	66.32	6.55	68.2	1.88	Peak	143.00	150	Horizontal	Pass

U-NII-2C 11be40 CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.12	5.38	68.2	7.08	Peak	106.00	150	Horizontal	Pass
1**	5460.000	51.89	5.38	54.0	2.11	AV	106.00	150	Horizontal	Pass
2	5467.720	66.87	5.70	68.2	1.33	Peak	110.00	150	Horizontal	Pass
2**	5467.720	53.01	5.70	--	-53.01	AV	110.00	150	Horizontal	N/A

U-NII-2C 11be40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.90	6.57	68.2	7.30	Peak	147.00	150	Horizontal	Pass
2	5726.000	63.41	6.55	68.2	4.79	Peak	148.00	150	Horizontal	Pass

U-NII-2C 11be80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.37	5.38	68.2	7.83	Peak	85.02	150	Horizontal	Pass
1**	5460.000	50.64	5.38	54.0	3.36	AV	85.02	150	Horizontal	Pass
2	5468.800	67.04	5.79	68.2	1.16	Peak	101.00	150	Horizontal	Pass
2**	5468.800	51.15	5.79	--	-51.15	AV	101.00	150	Horizontal	N/A

U-NII-2C 11be80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.90	6.57	68.2	2.30	Peak	147.00	150	Horizontal	Pass
2	5726.750	65.87	6.53	68.2	2.33	Peak	147.00	150	Horizontal	Pass

U-NII-2C 11be160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.68	5.38	68.2	7.52	Peak	94.66	150	Horizontal	Pass
1**	5460.000	50.09	5.38	54.0	3.91	AV	94.66	150	Horizontal	Pass
2	5469.880	63.64	5.80	68.2	4.56	Peak	102.00	150	Horizontal	Pass
2**	5469.880	50.42	5.80	--	-50.42	AV	102.00	150	Horizontal	N/A

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.16	5.94	68.2	10.04	Peak	359.74	150	Vertical	Pass
2	5642.250	59.39	5.97	68.2	8.81	Peak	109.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.82	7.83	68.2	10.38	Peak	50.07	150	Horizontal	Pass
2	5988.300	60.75	7.82	68.2	7.45	Peak	122.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.91	5.94	68.2	10.29	Peak	106.02	150	Horizontal	Pass
2	5643.875	59.92	6.01	68.2	8.28	Peak	160.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.68	7.83	68.2	10.52	Peak	2.36	150	Vertical	Pass
2	5982.750	60.35	7.53	68.2	7.85	Peak	83.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	62.16	5.94	68.2	6.04	Peak	147.00	150	Horizontal	Pass
2	5643.000	64.88	6.00	68.2	3.32	Peak	152.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	64.01	7.83	68.2	4.19	Peak	144.94	150	Horizontal	Pass
2	5926.500	65.60	7.80	68.2	2.60	Peak	158.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	65.63	5.94	68.2	2.57	Peak	147.00	150	Horizontal	Pass
2	5647.000	66.74	5.95	68.2	1.46	Peak	147.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.38	5.94	68.2	10.82	Peak	359.78	150	Horizontal	Pass
2	5645.000	59.82	6.03	68.2	8.38	Peak	158.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.46	7.83	68.2	9.74	Peak	359.80	150	Horizontal	Pass
2	5995.350	60.81	8.00	68.2	7.39	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	62.32	5.94	68.2	5.88	Peak	150.94	150	Horizontal	Pass
2	5644.500	65.44	6.02	68.2	2.76	Peak	151.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	66.09	7.83	68.2	2.11	Peak	95.07	150	Horizontal	Pass
2	5925.900	66.22	7.81	68.2	1.98	Peak	100.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	64.88	5.94	68.2	3.32	Peak	150.00	150	Horizontal	Pass
2	5645.875	67.04	6.00	68.2	1.16	Peak	104.00	150	Horizontal	Pass

U-NII-3 11be20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.41	5.94	68.2	9.79	Peak	338.02	150	Horizontal	Pass
2	5646.250	59.97	5.98	68.2	8.23	Peak	360.00	150	Horizontal	Pass

U-NII-3 11be20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.15	7.83	68.2	10.05	Peak	264.66	150	Horizontal	Pass
2	5987.550	60.45	7.75	68.2	7.75	Peak	145.00	150	Horizontal	Pass

U-NII-3 11be40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	59.31	5.94	68.2	8.89	Peak	9.14	150	Horizontal	Pass
2	5649.375	66.07	5.95	68.2	2.13	Peak	98.00	150	Horizontal	Pass

U-NII-3 11be40 CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.31	7.83	68.2	8.89	Peak	132.04	150	Vertical	Pass
2	5925.900	62.98	7.81	68.2	5.22	Peak	148.00	150	Vertical	Pass


U-NII-3 11be80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	65.83	5.94	68.2	2.37	Peak	93.02	150	Horizontal	Pass
2	5644.625	66.76	6.02	68.2	1.44	Peak	152.00	150	Horizontal	Pass


Aux. Antenna:

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.33	5.21	74.0	11.67	Peak	347.96	150	Vertical	Pass
1**	5150.000	49.79	5.21	54.0	4.21	AV	347.96	150	Vertical	Pass
2	5148.700	61.64	5.23	74.0	12.36	Peak	194.00	150	Vertical	Pass
2**	5148.700	49.27	5.23	54.0	4.73	AV	194.00	150	Vertical	Pass

U-NII-1 11a CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.95	5.40	74.0	18.05	Peak	360.00	150	Vertical	Pass
1**	5350.000	45.19	5.40	54.0	8.81	AV	360.00	150	Vertical	Pass
2	5441.960	57.52	5.51	74.0	16.48	Peak	360.00	150	Vertical	Pass
2**	5441.960	45.33	5.51	54.0	8.67	AV	360.00	150	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.65	5.21	74.0	11.35	Peak	356.96	150	Vertical	Pass
1**	5150.000	51.16	5.21	54.0	2.84	AV	356.96	150	Vertical	Pass
2	5148.700	64.81	5.23	74.0	9.19	Peak	163.00	150	Vertical	Pass
2**	5148.700	50.82	5.23	54.0	3.18	AV	163.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.14	5.40	74.0	18.86	Peak	145.00	150	Vertical	Pass
1**	5350.000	45.22	5.40	54.0	8.78	AV	145.00	150	Vertical	Pass
2	5359.350	57.47	5.68	74.0	16.53	Peak	28.00	150	Vertical	Pass
2**	5359.350	45.50	5.68	54.0	8.50	AV	28.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.67	5.21	74.0	14.33	Peak	142.01	150	Vertical	Pass
1**	5150.000	49.85	5.21	54.0	4.15	AV	142.01	150	Vertical	Pass
2	5138.300	63.58	5.56	74.0	10.42	Peak	144.00	150	Vertical	Pass
2**	5138.300	48.33	5.56	54.0	5.67	AV	144.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.27	5.40	74.0	17.73	Peak	157.00	150	Vertical	Pass
1**	5350.000	46.23	5.40	54.0	7.77	AV	157.00	150	Vertical	Pass
2	5350.220	58.49	5.41	74.0	15.51	Peak	188.00	150	Vertical	Pass
2**	5350.220	46.06	5.41	54.0	7.94	AV	188.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.55	5.21	74.0	9.45	Peak	202.00	150	Vertical	Pass
1**	5150.000	52.75	5.21	54.0	1.25	AV	202.00	150	Vertical	Pass
2	5145.450	64.89	5.41	74.0	9.11	Peak	192.00	150	Vertical	Pass
2**	5145.450	52.49	5.41	54.0	1.51	AV	192.00	150	Vertical	Pass
3	5149.350	61.70	5.21	74.0	12.30	Peak	192.00	150	Vertical	Pass
3**	5149.350	52.84	5.21	54.0	1.16	AV	192.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.86	5.21	74.0	12.14	Peak	148.00	150	Vertical	Pass
1**	5150.000	49.97	5.21	54.0	4.03	AV	148.00	150	Vertical	Pass
2	5148.050	59.84	5.26	74.0	14.16	Peak	151.00	150	Vertical	Pass
2**	5148.050	48.74	5.26	54.0	5.26	AV	151.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.75	5.40	74.0	18.25	Peak	197.00	150	Horizontal	Pass
1**	5350.000	45.14	5.40	54.0	8.86	AV	197.00	150	Horizontal	Pass
2	5361.000	57.68	5.70	74.0	16.32	Peak	99.00	150	Horizontal	Pass
2**	5361.000	45.49	5.70	54.0	8.51	AV	99.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.77	5.21	74.0	13.23	Peak	141.01	150	Vertical	Pass
1**	5150.000	51.21	5.21	54.0	2.79	AV	141.01	150	Vertical	Pass
2	5143.500	63.87	5.43	74.0	10.13	Peak	147.00	150	Vertical	Pass
2**	5143.500	50.39	5.43	54.0	3.61	AV	147.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.99	5.40	74.0	17.01	Peak	308.00	150	Vertical	Pass
1**	5350.000	46.16	5.40	54.0	7.84	AV	308.00	150	Vertical	Pass
2	5371.340	57.68	5.41	74.0	16.32	Peak	360.00	150	Vertical	Pass
2**	5371.340	45.47	5.41	54.0	8.53	AV	360.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.29	5.21	74.0	14.71	Peak	194.99	150	Vertical	Pass
1**	5150.000	49.75	5.21	54.0	4.25	AV	194.99	150	Vertical	Pass
2	5144.800	61.98	5.42	74.0	12.02	Peak	197.00	150	Vertical	Pass
2**	5144.800	50.02	5.42	54.0	3.98	AV	197.00	150	Vertical	Pass

U-NII-1 11be20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.43	5.21	74.0	9.57	Peak	148.00	150	Vertical	Pass
1**	5150.000	51.88	5.21	54.0	2.12	AV	148.00	150	Vertical	Pass
2	5147.400	63.52	5.29	74.0	10.48	Peak	326.00	150	Vertical	Pass
2**	5147.400	50.18	5.29	54.0	3.82	AV	326.00	150	Vertical	Pass

U-NII-1 11be20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.28	5.40	74.0	17.72	Peak	360.00	150	Vertical	Pass
1**	5350.000	45.32	5.40	54.0	8.68	AV	360.00	150	Vertical	Pass
2	5365.510	57.29	5.54	74.0	16.71	Peak	317.00	150	Vertical	Pass
2**	5365.510	45.72	5.54	54.0	8.28	AV	317.00	150	Vertical	Pass

U-NII-1 11be40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.66	5.21	74.0	10.34	Peak	210.00	150	Vertical	Pass
1**	5150.000	52.68	5.21	54.0	1.32	AV	210.00	150	Vertical	Pass
2	5140.250	68.08	5.60	74.0	5.92	Peak	166.00	150	Vertical	Pass
2**	5140.250	52.29	5.60	54.0	1.71	AV	166.00	150	Vertical	Pass

U-NII-1 11be40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.44	5.40	74.0	16.56	Peak	39.00	150	Vertical	Pass
1**	5350.000	47.06	5.40	54.0	6.94	AV	39.00	150	Vertical	Pass
2	5350.220	60.73	5.41	74.0	13.27	Peak	70.00	150	Vertical	Pass
2**	5350.220	47.40	5.41	54.0	6.60	AV	70.00	150	Vertical	Pass

U-NII-1 11be80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.40	5.21	74.0	14.60	Peak	0.04	150	Vertical	Pass
1**	5150.000	49.10	5.21	54.0	4.90	AV	0.04	150	Vertical	Pass
2	5145.450	61.82	5.41	74.0	12.18	Peak	205.00	150	Vertical	Pass
2**	5145.450	48.85	5.41	54.0	5.15	AV	205.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.41	5.21	74.0	17.59	Peak	327.00	150	Vertical	Pass
1**	5150.000	46.12	5.21	54.0	7.88	AV	327.00	150	Vertical	Pass
2	4812.650	57.81	4.59	74.0	16.19	Peak	1.00	150	Vertical	Pass
2**	4812.650	44.54	4.59	54.0	9.46	AV	1.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.10	5.40	74.0	11.90	Peak	186.00	150	Vertical	Pass
1**	5350.000	52.13	5.40	54.0	1.87	AV	186.00	150	Vertical	Pass
2	5350.770	62.88	5.42	74.0	11.12	Peak	163.00	150	Vertical	Pass
2**	5350.770	51.52	5.42	54.0	2.48	AV	163.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.76	5.21	74.0	17.24	Peak	226.99	150	Horizontal	Pass
1**	5150.000	45.92	5.21	54.0	8.08	AV	226.99	150	Horizontal	Pass
2	5143.500	57.66	5.43	74.0	16.34	Peak	175.00	150	Horizontal	Pass
2**	5143.500	46.13	5.43	54.0	7.87	AV	175.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.01	5.40	74.0	11.99	Peak	58.00	150	Vertical	Pass
1**	5350.000	50.44	5.40	54.0	3.56	AV	58.00	150	Vertical	Pass
2	5350.110	62.22	5.40	74.0	11.78	Peak	184.00	150	Vertical	Pass
2**	5350.110	50.84	5.40	54.0	3.16	AV	184.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.46	5.21	74.0	17.54	Peak	45.06	150	Vertical	Pass
1**	5150.000	46.13	5.21	54.0	7.87	AV	45.06	150	Vertical	Pass
2	5148.700	57.12	5.23	74.0	16.88	Peak	181.00	150	Vertical	Pass
2**	5148.700	46.41	5.23	54.0	7.59	AV	181.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.64	5.40	74.0	14.36	Peak	338.00	150	Vertical	Pass
1**	5350.000	49.46	5.40	54.0	4.54	AV	338.00	150	Vertical	Pass
2	5351.210	60.88	5.43	74.0	13.12	Peak	300.00	150	Vertical	Pass
2**	5351.210	49.02	5.43	54.0	4.98	AV	300.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.21	5.40	74.0	13.79	Peak	164.00	150	Vertical	Pass
1**	5350.000	50.84	5.40	54.0	3.16	AV	164.00	150	Vertical	Pass
2	5352.860	62.27	5.47	74.0	11.73	Peak	178.00	150	Vertical	Pass
2**	5352.860	50.45	5.47	54.0	3.55	AV	178.00	150	Vertical	Pass

U-NII-2A 11ac160 CH50



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.19	5.21	74.0	11.81	Peak	149.00	150	Vertical	Pass
1**	5150.000	50.06	5.21	54.0	3.94	AV	149.00	150	Vertical	Pass
2	5118.150	62.76	5.15	74.0	11.24	Peak	199.00	150	Vertical	Pass
2**	5118.150	49.90	5.15	54.0	4.10	AV	199.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.97	5.21	74.0	18.03	Peak	98.98	150	Vertical	Pass
1**	5150.000	45.90	5.21	54.0	8.10	AV	98.98	150	Vertical	Pass
2	5113.600	57.99	5.16	74.0	16.01	Peak	139.00	150	Vertical	Pass
2**	5113.600	45.97	5.16	54.0	8.03	AV	139.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.32	5.40	74.0	11.68	Peak	162.00	150	Vertical	Pass
1**	5350.000	52.64	5.40	54.0	1.36	AV	162.00	150	Vertical	Pass
2	5350.770	63.33	5.42	74.0	10.67	Peak	156.00	150	Vertical	Pass
2**	5350.770	52.25	5.42	54.0	1.75	AV	156.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.10	5.21	74.0	15.90	Peak	7.04	150	Vertical	Pass
1**	5150.000	46.30	5.21	54.0	7.70	AV	7.04	150	Vertical	Pass
2	5051.850	57.74	5.15	74.0	16.26	Peak	360.00	150	Vertical	Pass
2**	5051.850	45.82	5.15	54.0	8.18	AV	360.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.19	5.40	74.0	15.81	Peak	203.00	150	Vertical	Pass
1**	5350.000	48.92	5.40	54.0	5.08	AV	203.00	150	Vertical	Pass
2	5351.320	59.80	5.44	74.0	14.20	Peak	71.00	150	Vertical	Pass
2**	5351.320	48.42	5.44	54.0	5.58	AV	71.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.19	5.40	74.0	12.81	Peak	188.00	150	Vertical	Pass
1**	5350.000	50.59	5.40	54.0	3.41	AV	188.00	150	Vertical	Pass
2	5354.620	62.22	5.52	74.0	11.78	Peak	175.00	150	Vertical	Pass
2**	5354.620	49.67	5.52	54.0	4.33	AV	175.00	150	Vertical	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.93	5.21	74.0	13.07	Peak	326.00	150	Vertical	Pass
1**	5150.000	51.25	5.21	54.0	2.75	AV	326.00	150	Vertical	Pass
2	5133.750	65.84	5.39	74.0	8.16	Peak	197.00	150	Vertical	Pass
2**	5133.750	52.71	5.39	54.0	1.29	AV	197.00	150	Vertical	Pass

U-NII-2A 11be20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.20	5.21	74.0	17.80	Peak	345.99	150	Horizontal	Pass
1**	5150.000	46.05	5.21	54.0	7.95	AV	345.99	150	Horizontal	Pass
2	5016.100	57.52	4.92	74.0	16.48	Peak	19.00	150	Horizontal	Pass
2**	5016.100	45.58	4.92	54.0	8.42	AV	19.00	150	Horizontal	Pass

U-NII-2A 11be20 CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.54	5.40	74.0	11.46	Peak	329.00	150	Vertical	Pass
1**	5350.000	52.20	5.40	54.0	1.80	AV	329.00	150	Vertical	Pass
2	5351.100	63.92	5.43	74.0	10.08	Peak	196.00	150	Vertical	Pass
2**	5351.100	51.32	5.43	54.0	2.68	AV	196.00	150	Vertical	Pass

U-NII-2A 11be40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.58	5.21	74.0	16.42	Peak	198.03	150	Vertical	Pass
1**	5150.000	46.58	5.21	54.0	7.42	AV	198.03	150	Vertical	Pass
2	5145.450	58.39	5.41	74.0	15.61	Peak	337.00	150	Vertical	Pass
2**	5145.450	46.44	5.41	54.0	7.56	AV	337.00	150	Vertical	Pass

U-NII-2A 11be40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.80	5.40	74.0	13.20	Peak	194.00	150	Vertical	Pass
1**	5350.000	50.20	5.40	54.0	3.80	AV	194.00	150	Vertical	Pass
2	5351.320	63.56	5.44	74.0	10.44	Peak	163.00	150	Vertical	Pass
2**	5351.320	50.07	5.44	54.0	3.93	AV	163.00	150	Vertical	Pass

U-NII-2A 11be80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.44	5.40	74.0	13.56	Peak	314.00	150	Vertical	Pass
1**	5350.000	50.17	5.40	54.0	3.83	AV	314.00	150	Vertical	Pass
2	5351.540	61.67	5.44	74.0	12.33	Peak	166.00	150	Vertical	Pass
2**	5351.540	50.47	5.44	54.0	3.53	AV	166.00	150	Vertical	Pass

U-NII-2A 11be160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.23	5.21	74.0	13.77	Peak	198.02	150	Vertical	Pass
1**	5150.000	48.84	5.21	54.0	5.16	AV	198.02	150	Vertical	Pass
2	5113.600	66.30	5.16	74.0	7.70	Peak	316.00	150	Vertical	Pass
2**	5113.600	49.48	5.16	54.0	4.52	AV	316.00	150	Vertical	Pass
3	5116.850	62.33	5.16	74.0	11.67	Peak	345.00	150	Vertical	Pass
3**	5116.850	51.54	5.16	54.0	2.46	AV	345.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.58	5.38	68.2	9.62	Peak	269.23	150	V	Pass
1**	5460.000	48.23	5.38	54.0	5.77	AV	269.23	150	V	Pass
2	5469.760	65.55	5.80	68.2	2.65	Peak	173.00	150	Vertical	Pass
2**	5469.760	53.18	5.80	--	-53.18	AV	173.00	150	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.89	6.57	68.2	5.31	Peak	170.00	150	Vertical	Pass
2	5727.125	65.43	6.51	68.2	2.77	Peak	174.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.72	5.38	68.2	9.48	Peak	271.90	150	Vertical	Pass
1**	5460.000	48.61	5.38	54.0	5.39	AV	271.90	150	Vertical	Pass
2	5469.880	66.10	5.80	68.2	2.10	Peak	174.00	150	Vertical	Pass
2**	5469.880	53.94	5.80	--	-53.94	AV	174.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.45	6.57	68.2	2.75	Peak	178.00	150	Vertical	Pass
2	5725.125	65.72	6.57	68.2	2.48	Peak	173.00	150	Vertical	Pass

U-NII-2C 11n40 CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.01	5.38	68.2	8.19	Peak	183.64	150	Vertical	Pass
1**	5460.000	50.23	5.38	54.0	3.77	AV	183.64	150	Vertical	Pass
2	5468.560	64.92	5.77	68.2	3.28	Peak	169.00	150	Vertical	Pass
2**	5468.560	53.50	5.77	--	-53.50	AV	169.00	150	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.95	6.57	68.2	3.25	Peak	185.00	150	Vertical	Pass
2	5727.875	66.65	6.48	68.2	1.55	Peak	175.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.51	5.38	68.2	6.69	Peak	346.01	150	Vertical	Pass
1**	5460.000	51.19	5.38	54.0	2.81	AV	346.01	150	Vertical	Pass
2	5469.880	66.80	5.80	68.2	1.40	Peak	347.00	150	Vertical	Pass
2**	5469.880	52.71	5.80	--	-52.71	AV	347.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.30	6.57	68.2	6.90	Peak	352.00	150	Vertical	Pass
2	5728.250	63.65	6.46	68.2	4.55	Peak	354.00	150	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	62.68	5.38	68.2	5.52	Peak	117.92	150	Vertical	Pass
1**	5460.000	49.18	5.38	54.0	4.82	AV	117.92	150	Vertical	Pass
2	5469.400	64.90	5.80	68.2	3.30	Peak	331.00	150	Vertical	Pass
2**	5469.400	49.73	5.80	--	-49.73	AV	331.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.12	5.38	68.2	8.08	Peak	221.76	150	Vertical	Pass
1**	5460.000	48.51	5.38	54.0	5.49	AV	221.76	150	Vertical	Pass
2	5469.280	64.85	5.80	68.2	3.35	Peak	352.00	150	Vertical	Pass
2**	5469.280	52.81	5.80	--	-52.81	AV	352.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.86	6.57	68.2	2.34	Peak	343.00	150	Vertical	Pass
2	5725.125	67.07	6.57	68.2	1.13	Peak	326.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.89	5.38	68.2	7.31	Peak	43.43	150	Vertical	Pass
1**	5460.000	50.96	5.38	54.0	3.04	AV	43.43	150	Vertical	Pass
2	5466.040	64.38	5.62	68.2	3.82	Peak	0.00	150	Vertical	Pass
2**	5466.040	51.42	5.62	--	-51.42	AV	0.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.70	6.57	68.2	4.50	Peak	351.00	150	Vertical	Pass
2	5725.750	65.48	6.55	68.2	2.72	Peak	341.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.48	5.38	68.2	6.72	Peak	358.67	150	Vertical	Pass
1**	5460.000	51.27	5.38	54.0	2.73	AV	358.67	150	Vertical	Pass
2	5469.280	64.86	5.80	68.2	3.34	Peak	132.00	150	Vertical	Pass
2**	5469.280	52.54	5.80	--	-52.54	AV	132.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.01	6.57	68.2	5.19	Peak	354.00	150	Vertical	Pass
2	5726.125	65.75	6.54	68.2	2.45	Peak	338.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	62.18	5.38	68.2	6.02	Peak	354.00	150	Vertical	Pass
1**	5460.000	51.90	5.38	54.0	2.10	AV	354.00	150	Vertical	Pass
2	5469.640	67.13	5.80	68.2	1.07	Peak	350.00	150	Vertical	Pass
2**	5469.640	52.48	5.80	--	-52.48	AV	350.00	150	Vertical	N/A

U-NII-2C 11be20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.24	5.38	68.2	10.96	Peak	186.91	150	Horizontal	Pass
1**	5460.000	47.50	5.38	54.0	6.50	AV	186.91	150	Horizontal	Pass
2	5469.400	64.15	5.80	68.2	4.05	Peak	102.00	150	Horizontal	Pass
2**	5469.400	51.64	5.80	--	-51.64	AV	102.00	150	Horizontal	N/A

U-NII-2C 11be20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.85	6.57	68.2	2.35	Peak	355.00	150	Vertical	Pass
2	5726.250	65.96	6.54	68.2	2.24	Peak	348.00	150	Vertical	Pass

U-NII-2C 11be40 CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.16	5.38	68.2	7.04	Peak	342.67	150	Vertical	Pass
1**	5460.000	50.36	5.38	54.0	3.64	AV	342.67	150	Vertical	Pass
2	5468.440	66.40	5.76	68.2	1.80	Peak	334.00	150	Vertical	Pass
2**	5468.440	50.93	5.76	--	-50.93	AV	334.00	150	Vertical	N/A

U-NII-2C 11be40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.82	6.57	68.2	3.38	Peak	343.00	150	Vertical	Pass
2	5727.375	65.96	6.51	68.2	2.24	Peak	344.00	150	Vertical	Pass

U-NII-2C 11be80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.48	5.38	68.2	6.72	Peak	109.57	150	Horizontal	Pass
1**	5460.000	49.02	5.38	54.0	4.98	AV	109.57	150	Horizontal	Pass
2	5468.680	65.60	5.78	68.2	2.60	Peak	358.00	150	Horizontal	Pass
2**	5468.680	49.92	5.78	--	-49.92	AV	358.00	150	Horizontal	N/A

U-NII-2C 11be80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.79	6.57	68.2	4.41	Peak	140.00	150	Vertical	Pass
2	5727.500	65.35	6.50	68.2	2.85	Peak	343.00	150	Vertical	Pass

U-NII-2C 11be160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.63	6.57	68.2	2.57	Peak	349.00	150	Vertical	Pass
2	5725.750	67.17	6.55	68.2	1.03	Peak	328.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.92	5.94	68.2	9.28	Peak	194.17	150	Horizontal	Pass
2	5645.875	59.77	6.00	68.2	8.43	Peak	328.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.61	7.83	68.2	9.59	Peak	181.22	150	Vertical	Pass
2	5988.750	60.93	7.86	68.2	7.27	Peak	360.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.22	5.94	68.2	9.98	Peak	105.22	150	Horizontal	Pass
2	5624.125	59.52	5.89	68.2	8.68	Peak	158.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.00	7.83	68.2	9.20	Peak	190.22	150	Horizontal	Pass
2	5996.400	60.34	7.98	68.2	7.86	Peak	307.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.83	5.94	68.2	6.37	Peak	110.01	150	Vertical	Pass
2	5641.750	64.85	5.94	68.2	3.35	Peak	72.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.05	7.83	68.2	9.15	Peak	333.91	150	Vertical	Pass
2	5988.150	60.62	7.81	68.2	7.58	Peak	341.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.91	5.94	68.2	6.29	Peak	143.20	150	Vertical	Pass
2	5641.875	64.05	5.95	68.2	4.15	Peak	334.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.07	5.94	68.2	10.13	Peak	227.91	150	Vertical	Pass
2	5646.625	59.58	5.97	68.2	8.62	Peak	12.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.26	7.83	68.2	9.94	Peak	360.00	150	Horizontal	Pass
2	5993.550	60.46	7.99	68.2	7.74	Peak	164.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.26	5.94	68.2	6.94	Peak	333.80	150	Vertical	Pass
2	5644.000	64.60	6.02	68.2	3.60	Peak	355.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.57	7.83	68.2	8.63	Peak	359.72	150	Vertical	Pass
2	5943.150	60.73	7.39	68.2	7.47	Peak	227.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	62.57	5.94	68.2	5.63	Peak	350.73	150	Vertical	Pass
2	5645.875	64.75	6.00	68.2	3.45	Peak	334.00	150	Vertical	Pass

U-NII-3 11be20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.10	5.94	68.2	10.10	Peak	98.14	150	Vertical	Pass
2	5612.875	59.46	5.87	68.2	8.74	Peak	3.00	150	Vertical	Pass

U-NII-3 11be20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.40	7.83	68.2	10.80	Peak	48.07	100	Vertical	Pass
2	5932.200	59.71	7.62	68.2	8.49	Peak	256.00	100	Vertical	Pass

U-NII-3 11be40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.27	5.94	68.2	6.93	Peak	359.93	150	Vertical	Pass
2	5649.875	66.03	5.94	68.2	2.17	Peak	166.00	150	Vertical	Pass

U-NII-3 11be40 CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	60.21	7.83	68.2	7.99	Peak	183.95	150	Vertical	Pass
2	5925.450	61.89	7.82	68.2	6.31	Peak	258.00	150	Vertical	Pass

U-NII-3 11be80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	62.37	5.94	68.2	5.83	Peak	161.14	150	Vertical	Pass
2	5642.125	63.82	5.96	68.2	4.38	Peak	151.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2480613-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2480613-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2480613-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--