





Note: “**” means that the fail frequency has been verified by the plot of “Channel Power < 13dBm Pass”


Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/06/05	Test Band	n77/n78_EN-DC (3700 ~ 3980MHz)






















Note: “**” means that the fail frequency has been verified by the plot of “Channel Power < 13dBm Pass”

A.6 Conducted Spurious Emissions Test Result

Test Site	SIP-SR1	Test Engineer	Cloud Guo
Test Date	2022/05/22	Test Band	n2_SA


Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
1852.5	5	30 ~ 20000	-48.25	≤ -13.00	Pass
1880.0	5	30 ~ 20000	-46.07	≤ -13.00	Pass
1912.5	5	30 ~ 20000	-40.52	≤ -13.00	Pass
1855.0	10	30 ~ 20000	-39.98	≤ -13.00	Pass
1880.0	10	30 ~ 20000	-40.33	≤ -13.00	Pass
1910.0	10	30 ~ 20000	-40.37	≤ -13.00	Pass
1857.5	15	30 ~ 20000	-35.76	≤ -13.00	Pass
1880.0	15	30 ~ 20000	-40.45	≤ -13.00	Pass
1907.5	15	30 ~ 20000	-39.66	≤ -13.00	Pass
1860.0	20	30 ~ 20000	-40.38	≤ -13.00	Pass
1880.0	20	30 ~ 20000	-40.33	≤ -13.00	Pass
1905.0	20	30 ~ 20000	-40.34	≤ -13.00	Pass






Test Site	SIP-SR1	Test Engineer	Cloud Guo
Test Date	2022/05/22	Test Band	n5_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
826.5	5	30 ~ 9000	-43.94	≤ -13.00	Pass
836.5	5	30 ~ 9000	-44.00	≤ -13.00	Pass
846.5	5	30 ~ 9000	-43.82	≤ -13.00	Pass
829.0	10	30 ~ 9000	-43.94	≤ -13.00	Pass
836.5	10	30 ~ 9000	-44.03	≤ -13.00	Pass
844.0	10	30 ~ 9000	-44.02	≤ -13.00	Pass
831.5	15	30 ~ 9000	-43.91	≤ -13.00	Pass
836.5	15	30 ~ 9000	-43.75	≤ -13.00	Pass
841.5	15	30 ~ 9000	-43.95	≤ -13.00	Pass
834.0	20	30 ~ 9000	-43.76	≤ -13.00	Pass
836.5	20	30 ~ 9000	-43.95	≤ -13.00	Pass
839.0	20	30 ~ 9000	-43.90	≤ -13.00	Pass





Test Site	SIP-SR1	Test Engineer	Cloud Guo
Test Date	2022/05/22 ~ 2022/05/23	Test Band	n7_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
2502.5	5	30 ~ 28000	-37.23	≤ -25.00	Pass
2535.0	5	30 ~ 28000	-36.99	≤ -25.00	Pass
2567.5	5	30 ~ 28000	-37.21	≤ -25.00	Pass
2505.0	10	30 ~ 28000	-37.19	≤ -25.00	Pass
2535.0	10	30 ~ 28000	-37.19	≤ -25.00	Pass
2565.0	10	30 ~ 28000	-37.33	≤ -25.00	Pass
2507.5	15	30 ~ 28000	-37.01	≤ -25.00	Pass
2535.0	15	30 ~ 28000	-37.21	≤ -25.00	Pass
2562.5	15	30 ~ 28000	-37.14	≤ -25.00	Pass
2510.0	20	30 ~ 28000	-37.32	≤ -25.00	Pass
2535.0	20	30 ~ 28000	-37.09	≤ -25.00	Pass
2560.0	20	30 ~ 28000	-37.05	≤ -25.00	Pass
2512.5	25	30 ~ 28000	-36.90	≤ -25.00	Pass
2535.0	25	30 ~ 28000	-37.01	≤ -25.00	Pass
2557.5	25	30 ~ 28000	-37.03	≤ -25.00	Pass
2515.0	30	30 ~ 28000	-36.97	≤ -25.00	Pass
2535.0	30	30 ~ 28000	-36.98	≤ -25.00	Pass
2555.0	30	30 ~ 28000	-36.99	≤ -25.00	Pass
2520.0	40	30 ~ 28000	-36.93	≤ -25.00	Pass
2535.0	40	30 ~ 28000	-37.11	≤ -25.00	Pass
2550.0	40	30 ~ 28000	-36.89	≤ -25.00	Pass

