

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	22.82	-3.29	17.38	<=38.45	Pass		
			2	22.98	-3.29	17.54	<=38.45	Pass		
			5	23.02	-3.29	17.58	<=38.45	Pass		
		3	0	22.74	-3.29	17.30	<=38.45	Pass		
			2	22.74	-3.29	17.30	<=38.45	Pass		
			3	22.81	-3.29	17.37	<=38.45	Pass		
		6	0	21.69	-3.29	16.25	<=38.45	Pass		
		836.5	1	0	22.99	-3.29	17.55	<=38.45	Pass	
				2	23.28	-3.29	17.84	<=38.45	Pass	
	5			23.11	-3.29	17.67	<=38.45	Pass		
	3		0	23.01	-3.29	17.57	<=38.45	Pass		
			2	23.09	-3.29	17.65	<=38.45	Pass		
			3	23.15	-3.29	17.71	<=38.45	Pass		
	6		0	22.30	-3.29	16.86	<=38.45	Pass		
	848.3		1	0	23.32	-3.29	17.88	<=38.45	Pass	
				2	23.21	-3.29	17.77	<=38.45	Pass	
		5		23.22	-3.29	17.78	<=38.45	Pass		
		3	0	23.11	-3.29	17.67	<=38.45	Pass		
			2	23.14	-3.29	17.70	<=38.45	Pass		
			3	23.13	-3.29	17.69	<=38.45	Pass		
		6	0	22.23	-3.29	16.79	<=38.45	Pass		
		16QAM	824.7	1	0	21.24	-3.29	15.80	<=38.45	Pass
					2	21.62	-3.29	16.18	<=38.45	Pass
	5				21.51	-3.29	16.07	<=38.45	Pass	
	3			0	21.73	-3.29	16.29	<=38.45	Pass	
				2	21.79	-3.29	16.35	<=38.45	Pass	
				3	21.87	-3.29	16.43	<=38.45	Pass	
6	0			20.56	-3.29	15.12	<=38.45	Pass		
836.5	1			0	21.78	-3.29	16.34	<=38.45	Pass	
				2	21.91	-3.29	16.47	<=38.45	Pass	
			5	21.67	-3.29	16.23	<=38.45	Pass		
	3		0	21.85	-3.29	16.41	<=38.45	Pass		
			2	21.87	-3.29	16.43	<=38.45	Pass		
			3	21.87	-3.29	16.43	<=38.45	Pass		
	6		0	20.73	-3.29	15.29	<=38.45	Pass		
	848.3		1	0	21.65	-3.29	16.21	<=38.45	Pass	
				2	21.59	-3.29	16.15	<=38.45	Pass	
5				21.52	-3.29	16.08	<=38.45	Pass		
3			0	22.09	-3.29	16.65	<=38.45	Pass		
			2	21.97	-3.29	16.53	<=38.45	Pass		
			3	21.96	-3.29	16.52	<=38.45	Pass		
6			0	20.78	-3.29	15.34	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.74	-3.29	17.30	<=38.45	Pass
			7	23.13	-3.29	17.69	<=38.45	Pass
			14	22.75	-3.29	17.31	<=38.45	Pass
		8	0	21.97	-3.29	16.53	<=38.45	Pass
			4	21.97	-3.29	16.53	<=38.45	Pass
			7	21.91	-3.29	16.47	<=38.45	Pass
		15	0	21.86	-3.29	16.42	<=38.45	Pass
	836.5	1	0	23.00	-3.29	17.56	<=38.45	Pass
			7	23.33	-3.29	17.89	<=38.45	Pass
			14	23.11	-3.29	17.67	<=38.45	Pass
		8	0	22.17	-3.29	16.73	<=38.45	Pass
			4	22.15	-3.29	16.71	<=38.45	Pass
			7	22.15	-3.29	16.71	<=38.45	Pass
		15	0	22.07	-3.29	16.63	<=38.45	Pass
	847.5	1	0	22.96	-3.29	17.52	<=38.45	Pass
			7	23.30	-3.29	17.86	<=38.45	Pass
			14	23.14	-3.29	17.70	<=38.45	Pass
		8	0	22.15	-3.29	16.71	<=38.45	Pass
			4	22.25	-3.29	16.81	<=38.45	Pass
			7	22.17	-3.29	16.73	<=38.45	Pass
		15	0	22.09	-3.29	16.65	<=38.45	Pass
16QAM	825.5	1	0	21.61	-3.29	16.17	<=38.45	Pass
			7	21.52	-3.29	16.08	<=38.45	Pass
			14	21.45	-3.29	16.01	<=38.45	Pass
		8	0	20.77	-3.29	15.33	<=38.45	Pass
			4	20.86	-3.29	15.42	<=38.45	Pass
			7	20.77	-3.29	15.33	<=38.45	Pass
		15	0	21.00	-3.29	15.56	<=38.45	Pass
	836.5	1	0	21.56	-3.29	16.12	<=38.45	Pass
			7	21.78	-3.29	16.34	<=38.45	Pass
			14	21.61	-3.29	16.17	<=38.45	Pass
		8	0	20.90	-3.29	15.46	<=38.45	Pass
			4	20.93	-3.29	15.49	<=38.45	Pass
			7	20.96	-3.29	15.52	<=38.45	Pass
		15	0	21.13	-3.29	15.69	<=38.45	Pass
	847.5	1	0	21.65	-3.29	16.21	<=38.45	Pass
			7	21.75	-3.29	16.31	<=38.45	Pass
			14	21.47	-3.29	16.03	<=38.45	Pass
		8	0	20.71	-3.29	15.27	<=38.45	Pass
4			21.01	-3.29	15.57	<=38.45	Pass	
7			20.89	-3.29	15.45	<=38.45	Pass	
15		0	20.99	-3.29	15.55	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.71	-3.29	17.27	<=38.45	Pass
			13	22.99	-3.29	17.55	<=38.45	Pass
			24	22.72	-3.29	17.28	<=38.45	Pass
		12	0	21.91	-3.29	16.47	<=38.45	Pass
			6	21.95	-3.29	16.51	<=38.45	Pass
			13	21.85	-3.29	16.41	<=38.45	Pass
		25	0	21.90	-3.29	16.46	<=38.45	Pass
	836.5	1	0	22.93	-3.29	17.49	<=38.45	Pass
			13	23.27	-3.29	17.83	<=38.45	Pass
			24	22.77	-3.29	17.33	<=38.45	Pass
		12	0	22.12	-3.29	16.68	<=38.45	Pass
			6	22.21	-3.29	16.77	<=38.45	Pass
			13	21.97	-3.29	16.53	<=38.45	Pass
		25	0	22.04	-3.29	16.60	<=38.45	Pass
	846.5	1	0	23.03	-3.29	17.59	<=38.45	Pass
			13	23.39	-3.29	17.95	<=38.45	Pass
			24	23.11	-3.29	17.67	<=38.45	Pass
		12	0	21.96	-3.29	16.52	<=38.45	Pass
			6	21.96	-3.29	16.52	<=38.45	Pass
			13	22.00	-3.29	16.56	<=38.45	Pass
		25	0	22.07	-3.29	16.63	<=38.45	Pass
16QAM	826.5	1	0	20.97	-3.29	15.53	<=38.45	Pass
			13	21.54	-3.29	16.10	<=38.45	Pass
			24	21.18	-3.29	15.74	<=38.45	Pass
		12	0	20.67	-3.29	15.23	<=38.45	Pass
			6	20.73	-3.29	15.29	<=38.45	Pass
			13	20.66	-3.29	15.22	<=38.45	Pass
		25	0	20.70	-3.29	15.26	<=38.45	Pass
	836.5	1	0	21.61	-3.29	16.17	<=38.45	Pass
			13	21.93	-3.29	16.49	<=38.45	Pass
			24	21.18	-3.29	15.74	<=38.45	Pass
		12	0	20.83	-3.29	15.39	<=38.45	Pass
			6	20.88	-3.29	15.44	<=38.45	Pass
	25	0	20.79	-3.29	15.35	<=38.45	Pass	
	846.5	1	0	21.97	-3.29	16.53	<=38.45	Pass
			13	21.64	-3.29	16.20	<=38.45	Pass
			24	21.67	-3.29	16.23	<=38.45	Pass
		12	0	20.86	-3.29	15.42	<=38.45	Pass
			6	20.98	-3.29	15.54	<=38.45	Pass
25		0	20.98	-3.29	15.54	<=38.45	Pass	
25	0	21.07	-3.29	15.63	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.59	-3.29	17.15	<=38.45	Pass
			25	23.31	-3.29	17.87	<=38.45	Pass
			49	22.82	-3.29	17.38	<=38.45	Pass
		25	0	21.87	-3.29	16.43	<=38.45	Pass
			13	21.97	-3.29	16.53	<=38.45	Pass
			25	21.89	-3.29	16.45	<=38.45	Pass
		50	0	21.94	-3.29	16.50	<=38.45	Pass
	836.5	1	0	22.96	-3.29	17.52	<=38.45	Pass
			25	23.47	-3.29	18.03	<=38.45	Pass
			49	23.14	-3.29	17.70	<=38.45	Pass
		25	0	22.10	-3.29	16.66	<=38.45	Pass
			13	22.13	-3.29	16.69	<=38.45	Pass
			25	22.10	-3.29	16.66	<=38.45	Pass
		50	0	22.04	-3.29	16.60	<=38.45	Pass
	844	1	0	23.03	-3.29	17.59	<=38.45	Pass
			25	23.07	-3.29	17.63	<=38.45	Pass
			49	23.00	-3.29	17.56	<=38.45	Pass
		25	0	21.87	-3.29	16.43	<=38.45	Pass
			13	21.97	-3.29	16.53	<=38.45	Pass
			25	22.16	-3.29	16.72	<=38.45	Pass
		50	0	22.00	-3.29	16.56	<=38.45	Pass
16QAM	829	1	0	21.67	-3.29	16.23	<=38.45	Pass
			25	21.75	-3.29	16.31	<=38.45	Pass
			49	21.33	-3.29	15.89	<=38.45	Pass
		25	0	20.74	-3.29	15.30	<=38.45	Pass
			13	20.99	-3.29	15.55	<=38.45	Pass
			25	20.94	-3.29	15.50	<=38.45	Pass
		50	0	20.97	-3.29	15.53	<=38.45	Pass
	836.5	1	0	21.22	-3.29	15.78	<=38.45	Pass
			25	21.71	-3.29	16.27	<=38.45	Pass
			49	21.20	-3.29	15.76	<=38.45	Pass
		25	0	20.85	-3.29	15.41	<=38.45	Pass
			13	21.08	-3.29	15.64	<=38.45	Pass
			25	21.08	-3.29	15.64	<=38.45	Pass
		50	0	21.09	-3.29	15.65	<=38.45	Pass
	844	1	0	21.62	-3.29	16.18	<=38.45	Pass
			25	22.02	-3.29	16.58	<=38.45	Pass
			49	21.44	-3.29	16.00	<=38.45	Pass
		25	0	21.05	-3.29	15.61	<=38.45	Pass
			13	20.92	-3.29	15.48	<=38.45	Pass
			25	20.81	-3.29	15.37	<=38.45	Pass
		50	0	20.88	-3.29	15.44	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	2.400	0.0029	-2.5 to 2.5	Pass
					NV	1.400	0.0017	-2.5 to 2.5	Pass
					HV	1.300	0.0016	-2.5 to 2.5	Pass
				-30	NV	0.700	0.0008	-2.5 to 2.5	Pass
				-20	NV	2.300	0.0027	-2.5 to 2.5	Pass
				-10	NV	2.100	0.0025	-2.5 to 2.5	Pass
				0	NV	1.700	0.0020	-2.5 to 2.5	Pass
				10	NV	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	NV	1.800	0.0022	-2.5 to 2.5	Pass
				40	NV	2.200	0.0026	-2.5 to 2.5	Pass
				50	NV	2.000	0.0024	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.117	/	Pass
	16QAM	836.5	6	0	1.118	/	Pass
3	QPSK	836.5	15	0	2.735	/	Pass
	16QAM	836.5	15	0	2.733	/	Pass
5	QPSK	836.5	25	0	4.526	/	Pass
	16QAM	836.5	25	0	4.527	/	Pass
10	QPSK	836.5	50	0	9.079	/	Pass
	16QAM	836.5	50	0	9.026	/	Pass

3.1.2 Band5_XDB


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.310	/	Pass
	16QAM	836.5	6	0	1.312	/	Pass
3	QPSK	836.5	15	0	3.046	/	Pass
	16QAM	836.5	15	0	3.071	/	Pass
5	QPSK	836.5	25	0	5.102	/	Pass
	16QAM	836.5	25	0	5.051	/	Pass
10	QPSK	836.5	50	0	9.960	/	Pass
	16QAM	836.5	50	0	9.982	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5 5MHz QPSK MCH 836.5MHz RB 25_0 NTN




Band5 5MHz 16QAM MCH 836.5MHz RB 25_0 NTN




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	5.99	<=13	Pass
16QAM	836.5	50	0	6.55	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B5_1.4MHz




Band5 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Band5 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band5 1.4MHz QPSK HCH 848.3MHz RB 1_0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1_5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-39.29	-13	Pass
850	852	0.1	CHP	2	851.514	-57.00	-13	Pass


Band5 1.4MHz QPSK HCH 848.3MHz RB 6_0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-28.49	-13	Pass
850	852	0.1	CHP	2	850.055	-38.26	-13	Pass


5.2.2 B5_3MHz

Band5_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	821.483	-45.50	-13	Pass
823	824	0.003	/	2	823.999	-30.59	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band5_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.926	-34.05	-13	Pass
823	824	0.03	/	2	823.994	-29.40	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-30.39	-13	Pass
850	852	0.1	CHP	2	851.526	-45.26	-13	Pass


Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.006	-27.32	-13	Pass
850	852	0.1	CHP	2	850.098	-27.91	-13	Pass

5.2.3 B5_5MHz


Band5 5MHz QPSK LCH 826.5MHz RB 1 0 NTV



Band5 5MHz QPSK LCH 826.5MHz RB 1 0 NTV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-34.46	-13	Pass
823	824	0.051	CHP	2	823.990	-30.94	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-34.84	-13	Pass
850	854	0.1	CHP	2	851.451	-45.89	-13	Pass


Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-27.64	-13	Pass
850	854	0.1	CHP	2	850.200	-27.98	-13	Pass


5.2.4 B5_10MHz

Band5 10MHz QPSK LCH 829MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	821.796	-46.73	-13	Pass
823	824	0.003	/	2	823.998	-50.53	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band5 10MHz QPSK LCH 829MHz RB 1 0 NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.660	-33.96	-13	Pass
823	824	0.1	/	2	823.980	-32.57	-13	Pass
824	834	0.1	/	/	/	/	/	/


Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-49.21	-13	Pass
850	859	0.1	CHP	2	851.183	-46.37	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.080	-27.85	-13	Pass
850	859	0.1	/	2	850.400	-29.51	-13	Pass