


Appendix-B Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM	Band:	GSM 850
Bandwidth:	-	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	61.84	-114.14	-52.30	-13.00	39.30	Horizontal	PASS
2	3346.40	61.46	-108.36	-46.90	-13.00	33.90	Horizontal	PASS
3	4182.80	58.27	-105.46	-47.19	-13.00	34.19	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM 850
Bandwidth:	-	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	61.80	-114.14	-52.34	-13.00	39.34	Vertical	PASS
2	3346.40	65.70	-108.36	-42.66	-13.00	29.66	Vertical	PASS
3	4182.80	68.26	-105.46	-37.20	-13.00	24.20	Vertical	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	114.49	-95.02	19.47	-	-	Horizontal	NA
2	3760.00	55.67	-107.25	-51.58	-13.00	38.58	Horizontal	PASS
3	5640.00	50.99	-100.83	-49.84	-13.00	36.84	Horizontal	PASS
4	17874.50	38.31	-82.75	-44.44	-13.00	31.44	Horizontal	PASS

Project Information

Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	122.29	-95.02	27.27	-	-	Vertical	NA
2	3760.00	60.32	-107.25	-46.93	-13.00	33.93	Vertical	PASS
3	5640.00	59.54	-100.83	-41.29	-13.00	28.29	Vertical	PASS
4	17840.50	38.39	-82.60	-44.21	-13.00	31.21	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	111.98	-95.06	16.92	-	-	Horizontal	NA
2	3742.00	44.08	-107.43	-63.35	-13.00	50.35	Horizontal	PASS
3	5613.00	40.29	-101.20	-60.91	-13.00	47.91	Horizontal	PASS
4	17891.50	38.55	-82.95	-44.40	-13.00	31.40	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	116.38	-95.06	21.32	-	-	Vertical	NA
2	3742.00	50.34	-107.43	-57.09	-13.00	44.09	Vertical	PASS
3	5613.50	45.10	-101.19	-56.09	-13.00	43.09	Vertical	PASS
4	17857.00	38.49	-82.55	-44.06	-13.00	31.06	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	118.32	-95.01	23.31	-	-	Horizontal	NA
2	3447.00	48.54	-107.30	-58.76	-13.00	45.76	Horizontal	PASS
3	5170.50	44.59	-102.05	-57.46	-13.00	44.46	Horizontal	PASS
4	17856.00	38.08	-82.53	-44.45	-13.00	31.45	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	120.06	-95.01	25.05	-	-	Vertical	NA
2	3447.00	53.76	-107.30	-53.54	-13.00	40.54	Vertical	PASS
3	5171.00	48.78	-102.05	-53.27	-13.00	40.27	Vertical	PASS
4	17859.50	37.88	-82.57	-44.69	-13.00	31.69	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	52.25	-114.12	-61.87	-13.00	48.87	Horizontal	PASS
2	3328.40	60.88	-108.29	-47.41	-13.00	34.41	Horizontal	PASS
3	4160.40	53.32	-105.41	-52.09	-13.00	39.09	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	56.29	-114.12	-57.83	-13.00	44.83	Vertical	PASS
2	3328.40	64.56	-108.29	-43.73	-13.00	30.73	Vertical	PASS
3	4160.40	62.30	-105.41	-43.11	-13.00	30.11	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	113.36	-93.37	19.99	-	-	Horizontal	NA
2	5052.00	60.11	-102.82	-42.71	-25.00	17.71	Horizontal	PASS
3	7578.00	40.30	-96.58	-56.28	-25.00	31.28	Horizontal	PASS
4	17866.00	37.89	-82.65	-44.76	-25.00	19.76	Horizontal	PASS

Project Information

Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	116.63	-93.37	23.26	-	-	Vertical	NA
2	2655.20	46.87	-92.42	-45.55	-	-	Vertical	NA
3	5052.00	59.62	-102.82	-43.20	-25.00	18.20	Vertical	PASS
4	10104.00	45.90	-92.07	-46.17	-25.00	21.17	Vertical	PASS
5	17349.50	37.89	-82.42	-44.53	-25.00	19.53	Vertical	PASS

Project Information

Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.00	113.27	-93.29	19.98	-	-	Horizontal	NA
2	2922.90	40.19	-90.47	-50.28	-25.00	25.28	Horizontal	PASS
3	5172.00	63.33	-102.06	-38.73	-25.00	13.73	Horizontal	PASS
4	17829.50	38.50	-82.76	-44.26	-25.00	19.26	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	115.75	-93.29	22.46	-	-	Vertical	NA
2	5172.00	65.73	-102.06	-36.33	-25.00	11.33	Vertical	PASS
3	7758.00	44.72	-96.44	-51.72	-25.00	26.72	Vertical	PASS
4	12930.50	41.41	-90.18	-48.77	-25.00	23.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	114.04	-93.31	20.73	-	-	Horizontal	NA
2	2962.20	40.22	-90.56	-50.34	-25.00	25.34	Horizontal	PASS
3	5168.00	62.54	-102.04	-39.50	-25.00	14.50	Horizontal	PASS
4	17996.00	38.07	-82.49	-44.42	-25.00	19.42	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	115.68	-93.31	22.37	-	-	Vertical	NA
2	5168.00	61.19	-102.04	-40.85	-25.00	15.85	Vertical	PASS
3	10336.00	44.34	-91.51	-47.17	-25.00	22.17	Vertical	PASS
4	12920.50	42.47	-90.16	-47.69	-25.00	22.69	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	118.94	-94.91	24.03	-	-	Horizontal	NA
2	3472.00	49.71	-107.15	-57.44	-13.00	44.44	Horizontal	PASS
3	5208.50	41.81	-102.19	-60.38	-13.00	47.38	Horizontal	PASS
4	17851.00	38.21	-82.47	-44.26	-13.00	31.26	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867869060173887	Engineer:	Ou shuyan
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	119.34	-94.91	24.43	-	-	Vertical	NA
2	2898.80	44.76	-90.52	-45.76	-13.00	32.76	Vertical	PASS
3	3472.00	50.66	-107.15	-56.49	-13.00	43.49	Vertical	PASS
4	5208.50	45.45	-102.19	-56.74	-13.00	43.74	Vertical	PASS

~The End~