


Appendix-B Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	65.96	-114.14	-48.18	-13.00	35.18	Horizontal	PASS
2	3346.40	65.81	-108.36	-42.55	-13.00	29.55	Horizontal	PASS
3	4182.80	55.34	-105.46	-50.12	-13.00	37.12	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	62.43	-114.14	-51.71	-13.00	38.71	Vertical	PASS
2	3346.40	68.69	-108.36	-39.67	-13.00	26.67	Vertical	PASS
3	4183.20	67.51	-105.46	-37.95	-13.00	24.95	Vertical	PASS

Project Information

Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	117.69	-95.02	22.67	-	-	Horizontal	NA
2	3760.00	62.55	-107.25	-44.70	-13.00	31.70	Horizontal	PASS
3	5640.00	50.00	-100.83	-50.83	-13.00	37.83	Horizontal	PASS
4	17830.00	37.92	-82.75	-44.83	-13.00	31.83	Horizontal	PASS

Project Information

Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	123.69	-95.02	28.67	-	-	Vertical	NA
2	3760.00	66.31	-107.25	-40.94	-13.00	27.94	Vertical	PASS
3	5640.00	60.05	-100.83	-40.78	-13.00	27.78	Vertical	PASS
4	17829.50	38.08	-82.76	-44.68	-13.00	31.68	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	111.73	-95.06	16.67	-	-	Horizontal	NA
2	3742.00	58.26	-107.43	-49.17	-13.00	36.17	Horizontal	PASS
3	15260.00	37.02	-86.08	-49.06	-13.00	36.06	Horizontal	PASS
4	17816.00	38.46	-82.96	-44.50	-13.00	31.50	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	116.55	-95.06	21.49	-	-	Vertical	NA
2	3742.00	62.81	-107.43	-44.62	-13.00	31.62	Vertical	PASS
3	5613.00	40.79	-101.20	-60.41	-13.00	47.41	Vertical	PASS
4	17937.50	38.53	-83.09	-44.56	-13.00	31.56	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	116.79	-95.01	21.78	-	-	Horizontal	NA
2	3447.50	50.33	-107.30	-56.97	-13.00	43.97	Horizontal	PASS
3	15070.00	37.33	-86.30	-48.97	-13.00	35.97	Horizontal	PASS
4	17849.00	37.90	-82.47	-44.57	-13.00	31.57	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	117.40	-95.01	22.39	-	-	Vertical	NA
2	3447.50	49.00	-107.30	-58.30	-13.00	45.30	Vertical	PASS
3	15049.50	36.86	-86.39	-49.53	-13.00	36.53	Vertical	PASS
4	17823.00	38.04	-82.85	-44.81	-13.00	31.81	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	59.86	-114.12	-54.26	-13.00	41.26	Horizontal	PASS
2	2496.40	48.94	-111.37	-62.43	-13.00	49.43	Horizontal	PASS
3	3328.00	48.46	-108.29	-59.83	-13.00	46.83	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	62.67	-114.12	-51.45	-13.00	38.45	Vertical	PASS
2	2496.40	48.39	-111.37	-62.98	-13.00	49.98	Vertical	PASS
3	3328.40	51.00	-108.29	-57.29	-13.00	44.29	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	112.46	-93.37	19.09	-	-	Horizontal	NA
2	5052.50	49.08	-102.81	-53.73	-25.00	28.73	Horizontal	PASS
3	14801.00	36.71	-85.85	-49.14	-25.00	24.14	Horizontal	PASS
4	17883.00	38.43	-82.85	-44.42	-25.00	19.42	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	114.57	-93.37	21.20	-	-	Vertical	NA
2	5052.00	51.85	-102.82	-50.97	-25.00	25.97	Vertical	PASS
3	15093.50	36.77	-86.22	-49.45	-25.00	24.45	Vertical	PASS
4	17874.00	38.82	-82.74	-43.92	-25.00	18.92	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	117.15	-94.91	22.24	-	-	Horizontal	NA
2	3472.00	49.29	-107.15	-57.86	-13.00	44.86	Horizontal	PASS
3	15097.50	36.64	-86.21	-49.57	-13.00	36.57	Horizontal	PASS
4	17845.00	38.37	-82.53	-44.16	-13.00	31.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869671077009536	Engineer:	Ou shuyan
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	116.11	-94.91	21.20	-	-	Vertical	NA
2	3490.00	49.00	-107.03	-58.03	-13.00	45.03	Vertical	PASS
3	15096.50	37.16	-86.21	-49.05	-13.00	36.05	Vertical	PASS
4	17863.50	37.78	-82.62	-44.84	-13.00	31.84	Vertical	PASS

~The End~