

GSM

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
GSM_GSM850_CH190	35.9173	-57.06	-69.49	-12.43	-13.00	56.49	V
	72.0031	-44.33	-66.11	-21.78	-13.00	53.11	V
	119.972	-48.34	-61.22	-12.88	-13.00	48.22	V
	473.0697	-50.58	-59.72	-9.14	-13.00	46.72	H
	1672.9346	-62.72	-47.77	14.95	-13.00	34.77	V
	2509.902	-72.31	-50.70	21.61	-13.00	37.70	V
	3344.0000	-70.68	-57.89	12.79	-13.00	44.89	H
	4180.0000	-71.87	-55.78	16.09	-13.00	42.78	H
	5016.0000	-72.28	-55.05	17.23	-13.00	42.05	V
	5852.0000	-72.11	-52.39	19.72	-13.00	39.39	H
	6688.0000	-72.76	-51.58	21.18	-13.00	38.58	H
	7524.0000	-73.15	-49.38	23.77	-13.00	36.38	H
	8360.0000	-78.21	-55.81	22.40	-13.00	42.81	H
GSM_PCS1900_CH661	83.7407	-47.23	-64.68	-17.45	-13.00	51.68	V
	248.2609	-56.03	-66.26	-10.23	-13.00	53.26	H
	473.3607	-48.77	-58.30	-9.53	-13.00	45.30	H
	3760.0000	-71.27	-56.93	14.34	-13.00	43.93	H
	5640.0000	-72.07	-52.97	19.10	-13.00	39.97	V
	7520.0000	-73.26	-49.48	23.78	-13.00	36.48	V
	9400.0000	-78.31	-54.72	23.59	-13.00	41.72	V
	11280.0000	-78.81	-53.88	24.93	-13.00	40.88	V
	13160.0000	-79.56	-53.45	26.11	-13.00	40.45	V
	15040.0000	-79.94	-51.57	28.37	-13.00	38.57	V
	16920.0000	-79.87	-46.59	33.28	-13.00	33.59	V

Note: (1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal

LTE

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
LTE_B2_20M_CH18900	880.1451	-59.78	-50.99	8.79	-13.00	37.99	H
	3742.1484	-63.63	-49.17	14.46	-13.00	36.17	V
	5235.4471	-68.24	-49.91	18.33	-13.00	36.91	V
	7484.0000	-72.11	-48.49	23.62	-13.00	35.49	V
	9355.0000	-78.68	-55.97	22.71	-13.00	42.97	V
	11226.0000	-79.62	-55.06	24.56	-13.00	42.06	V
	13097.0000	-79.93	-53.72	26.21	-13.00	40.72	V
	14968.0000	-79.95	-51.70	28.25	-13.00	38.70	V
	16839.0000	-79.22	-46.52	32.70	-13.00	33.52	V
LTE_B4_20M_CH20300	471.5708	-65.64	-65.71	-0.07	-13.00	52.71	H
	3474.0000	-71.07	-57.88	13.19	-13.00	44.88	H
	5211.0000	-72.50	-53.92	18.58	-13.00	40.92	H
	6948.0000	-72.54	-50.79	21.75	-13.00	37.79	H
	8685.0000	-76.96	-54.79	22.17	-13.00	41.79	H
	10422.0000	-79.35	-54.33	25.02	-13.00	41.33	V
	12159.0000	-79.24	-54.22	25.02	-13.00	41.22	V
	13896.0000	-79.86	-53.39	26.47	-13.00	40.39	V
	15633.0000	-79.95	-50.27	29.68	-13.00	37.27	V
	17370.0000	-80.20	-45.60	34.60	-13.00	32.60	V
LTE_B5_10M_CH20525	253.2116	-60.98	-59.27	1.71	-13.00	46.27	H
	955.8429	-59.64	-52.00	7.64	-13.00	39.00	H
	1679.0000	-70.08	-54.24	15.84	-13.00	41.24	H
	2518.0000	-69.95	-47.80	22.15	-13.00	34.80	H
	3358.0000	-70.93	-57.84	13.09	-13.00	44.84	V
	4197.0000	-71.63	-56.15	15.48	-13.00	43.15	V
	5037.0000	-72.18	-54.16	18.02	-13.00	41.16	V
	5876.0000	-72.05	-52.62	19.43	-13.00	39.62	H
	6716.0000	-72.29	-50.97	21.32	-13.00	37.97	H

	7555.0000	-73.03	-49.54	23.49	-13.00	36.54	V
	8395.0000	-77.94	-55.22	22.72	-13.00	42.22	V
LTE_B7_20M_CH21100	883.0565	-59.93	-51.28	8.65	-25.00	26.28	H
	5054.0000	-72.39	-53.92	18.47	-25.00	28.92	V
	7581.0000	-73.22	-49.23	23.99	-25.00	24.23	V
	10108.0000	-78.31	-54.38	23.93	-25.00	29.38	V
	12635.0000	-79.01	-52.86	26.15	-25.00	27.86	V
	15162.0000	-79.81	-50.88	28.93	-25.00	25.88	V
	17689.0000	-79.87	-44.49	35.38	-25.00	19.49	H
LTE_B38_20M_CH38000	884.027	-59.61	-51.00	8.61	-25.00	26.00	H
	5172.0000	-69.72	-51.35	18.37	-25.00	26.35	V
	7758.0000	-73.93	-49.85	24.08	-25.00	24.85	V
	10344.0000	-84.02	-59.19	24.83	-25.00	34.19	V
	12930.0000	-84.53	-58.38	26.15	-25.00	33.38	V
	15516.0000	-86.28	-56.87	29.41	-25.00	31.87	V
LTE_B41_20M_CH41490	879.1746	-60.15	-51.30	8.85	-25.00	26.30	H
	5342.4685	-68.42	-49.51	18.91	-25.00	24.51	V
	8016.0000	-83.29	-60.84	22.45	-25.00	35.84	H
	8016.0000	-83.29	-60.84	22.45	-25.00	35.84	H
	10688.0000	-84.29	-59.54	24.75	-25.00	34.54	V
	10688.0000	-84.29	-59.54	24.75	-25.00	34.54	V
	13360.0000	-84.93	-58.65	26.28	-25.00	33.65	V
	13360.0000	-84.93	-58.65	26.28	-25.00	33.65	V
	16032.0000	-86.25	-55.00	31.25	-25.00	30.00	H
	16032.0000	-86.25	-55.00	31.25	-25.00	30.00	H
LTE_B66_20M_CH132322	879.6598	-60.11	-51.29	8.82	-13.00	38.29	H
	3472.0000	-70.91	-57.73	13.18	-13.00	44.73	H
	5208.0000	-72.20	-53.98	18.22	-13.00	40.98	V
	6944.0000	-72.31	-50.26	22.05	-13.00	37.26	H
	8680.0000	-76.17	-54.20	21.97	-13.00	41.20	V
	10416.0000	-78.73	-53.75	24.98	-13.00	40.75	V
	12152.0000	-78.69	-53.61	25.08	-13.00	40.61	V

	13888.0000	-79.26	-52.79	26.47	-13.00	39.79	V
	15624.0000	-79.28	-49.64	29.64	-13.00	36.64	V
	17360.0000	-79.76	-45.30	34.46	-13.00	32.30	V

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal