


Appendix-B Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	74.48	-114.14	-39.66	-13.00	26.66	Horizontal	PASS
2	2510.00	53.62	-111.36	-57.74	-13.00	44.74	Horizontal	PASS
3	3346.40	50.42	-108.36	-57.94	-13.00	44.94	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	GSM850
Bandwidth:	-	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1673.20	78.23	-114.14	-35.91	-13.00	22.91	Vertical	PASS
2	2510.00	56.52	-111.36	-54.84	-13.00	41.84	Vertical	PASS
3	3346.40	53.59	-108.36	-54.77	-13.00	41.77	Vertical	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	119.50	-95.02	24.48	-	-	Horizontal	NA
2	3760.00	59.02	-107.25	-48.23	-13.00	35.23	Horizontal	PASS
3	15118.00	37.55	-86.45	-48.90	-13.00	35.90	Horizontal	PASS
4	17838.00	38.74	-82.63	-43.89	-13.00	30.89	Horizontal	PASS

Project Information			
Mode:	GSM	Band:	PCS1900
Bandwidth:	-	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	122.13	-95.02	27.11	-	-	Vertical	NA
2	3760.00	64.87	-107.25	-42.38	-13.00	29.38	Vertical	PASS
3	5640.00	46.31	-100.83	-54.52	-13.00	41.52	Vertical	PASS
4	17875.00	38.25	-82.76	-44.51	-13.00	31.51	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	113.74	-95.06	18.68	-	-	Horizontal	NA
2	3742.00	45.25	-107.43	-62.18	-13.00	49.18	Horizontal	PASS
3	15072.50	37.24	-86.29	-49.05	-13.00	36.05	Horizontal	PASS
4	17349.00	37.97	-82.44	-44.47	-13.00	31.47	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	117.20	-95.06	22.14	-	-	Vertical	NA
2	3742.00	48.24	-107.43	-59.19	-13.00	46.19	Vertical	PASS
3	5613.00	41.12	-101.20	-60.08	-13.00	47.08	Vertical	PASS
4	17805.00	38.55	-83.12	-44.57	-13.00	31.57	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	118.69	-95.01	23.68	-	-	Horizontal	NA
2	3447.00	50.37	-107.30	-56.93	-13.00	43.93	Horizontal	PASS
3	5170.50	48.31	-102.05	-53.74	-13.00	40.74	Horizontal	PASS
4	17980.50	38.28	-82.69	-44.41	-13.00	31.41	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	119.55	-95.01	24.54	-	-	Vertical	NA
2	3447.50	54.89	-107.30	-52.41	-13.00	39.41	Vertical	PASS
3	5170.50	49.37	-102.05	-52.68	-13.00	39.68	Vertical	PASS
4	17907.50	38.42	-83.06	-44.64	-13.00	31.64	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	59.54	-114.12	-54.58	-13.00	41.58	Horizontal	PASS
2	2496.00	59.14	-111.38	-52.24	-13.00	39.24	Horizontal	PASS
3	8920.80	36.54	-93.55	-57.01	-13.00	44.01	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	62.14	-114.12	-51.98	-13.00	38.98	Vertical	PASS
2	2496.00	61.18	-111.38	-50.20	-13.00	37.20	Vertical	PASS
3	3328.40	44.98	-108.29	-63.31	-13.00	50.31	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	112.33	-93.37	18.96	-	-	Horizontal	NA
2	5052.50	59.99	-102.81	-42.82	-25.00	17.82	Horizontal	PASS
3	15071.00	36.80	-86.30	-49.50	-25.00	24.50	Horizontal	PASS
4	17843.50	38.08	-82.55	-44.47	-25.00	19.47	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	113.26	-93.37	19.89	-	-	Vertical	NA
2	5052.00	54.68	-102.82	-48.14	-25.00	23.14	Vertical	PASS
3	15084.00	37.54	-86.25	-48.71	-25.00	23.71	Vertical	PASS
4	17352.50	38.33	-82.50	-44.17	-25.00	19.17	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	63.36	-114.33	-50.97	-13.00	37.97	Horizontal	PASS
2	5710.65	39.39	-100.23	-60.84	-13.00	47.84	Horizontal	PASS
3	7948.90	36.66	-95.46	-58.80	-13.00	45.80	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	66.70	-114.33	-47.63	-13.00	34.63	Vertical	PASS
2	2004.85	43.67	-113.42	-69.75	-13.00	56.75	Vertical	PASS
3	7927.90	36.77	-95.56	-58.79	-13.00	45.79	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	47.83	-114.07	-66.24	-13.00	53.24	Horizontal	PASS
2	2332.80	47.73	-112.39	-64.66	-13.00	51.66	Horizontal	PASS
3	7937.70	37.46	-95.51	-58.05	-13.00	45.05	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	49.26	-114.07	-64.81	-13.00	51.81	Vertical	PASS
2	2332.80	50.41	-112.39	-61.98	-13.00	48.98	Vertical	PASS
3	7960.33	37.05	-95.49	-58.44	-13.00	45.44	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.53	46.23	-114.09	-67.86	-40.00	27.86	Horizontal	PASS
2	2339.57	51.66	-112.43	-60.77	-13.00	47.77	Horizontal	PASS
3	7951.93	37.82	-95.47	-57.65	-13.00	44.65	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	49.65	-114.09	-64.44	-40.00	24.44	Vertical	PASS
2	2339.33	54.30	-112.43	-58.13	-13.00	45.13	Vertical	PASS
3	7912.97	37.71	-95.63	-57.92	-13.00	44.92	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	58.95	-114.35	-55.40	-13.00	42.40	Horizontal	PASS
2	6170.90	38.34	-99.77	-61.43	-13.00	48.43	Horizontal	PASS
3	7913.90	37.10	-95.62	-58.52	-13.00	45.52	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	63.99	-114.35	-50.36	-13.00	37.36	Vertical	PASS
2	6866.70	37.21	-97.69	-60.48	-13.00	47.48	Vertical	PASS
3	7961.85	36.79	-95.49	-58.70	-13.00	45.70	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	114.44	-95.04	19.40	-	-	Horizontal	NA
2	3747.00	44.57	-107.43	-62.86	-13.00	49.86	Horizontal	PASS
3	15071.00	37.36	-86.30	-48.94	-13.00	35.94	Horizontal	PASS
4	17843.00	38.40	-82.56	-44.16	-13.00	31.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	117.11	-95.04	22.07	-	-	Vertical	NA
2	3747.00	48.89	-107.43	-58.54	-13.00	45.54	Vertical	PASS
3	5621.00	41.67	-101.09	-59.42	-13.00	46.42	Vertical	PASS
4	17850.50	37.82	-82.47	-44.65	-13.00	31.65	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	59.81	-114.17	-54.36	-13.00	41.36	Horizontal	PASS
2	2443.60	60.25	-111.26	-51.01	-13.00	38.01	Horizontal	PASS
3	3258.40	47.57	-108.46	-60.89	-13.00	47.89	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	63.96	-114.17	-50.21	-13.00	37.21	Vertical	PASS
2	2443.60	62.07	-111.26	-49.19	-13.00	36.19	Vertical	PASS
3	3258.40	54.51	-108.46	-53.95	-13.00	40.95	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	60.05	-114.11	-54.06	-13.00	41.06	Horizontal	PASS
2	2489.20	58.55	-111.33	-52.78	-13.00	39.78	Horizontal	PASS
3	7371.60	49.78	-96.66	-46.88	-13.00	33.88	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	63.12	-114.11	-50.99	-13.00	37.99	Vertical	PASS
2	2489.60	63.74	-111.34	-47.60	-13.00	34.60	Vertical	PASS
3	3319.60	47.92	-108.25	-60.33	-13.00	47.33	Vertical	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	110.81	-93.29	17.52	-	-	Horizontal	NA
2	5172.50	60.19	-102.06	-41.87	-25.00	16.87	Horizontal	PASS
3	15250.00	36.62	-85.91	-49.29	-25.00	24.29	Horizontal	PASS
4	17848.00	38.19	-82.49	-44.30	-25.00	19.30	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	114.04	-93.29	20.75	-	-	Vertical	NA
2	5172.50	59.50	-102.06	-42.56	-25.00	17.56	Vertical	PASS
3	15073.50	37.08	-86.29	-49.21	-25.00	24.21	Vertical	PASS
4	17893.00	38.47	-82.96	-44.49	-25.00	19.49	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	111.04	-93.31	17.73	-	-	Horizontal	NA
2	5168.00	64.97	-102.04	-37.07	-25.00	12.07	Horizontal	PASS
3	15096.50	36.96	-86.21	-49.25	-25.00	24.25	Horizontal	PASS
4	17349.50	38.10	-82.42	-44.32	-25.00	19.32	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	114.63	-93.31	21.32	-	-	Vertical	NA
2	5168.00	59.83	-102.04	-42.21	-25.00	17.21	Vertical	PASS
3	15069.00	37.20	-86.31	-49.11	-25.00	24.11	Vertical	PASS
4	17821.50	38.30	-82.88	-44.58	-25.00	19.58	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	120.51	-94.91	25.60	-	-	Horizontal	NA
2	3472.00	54.65	-107.15	-52.50	-13.00	39.50	Horizontal	PASS
3	5208.50	50.82	-102.19	-51.37	-13.00	38.37	Horizontal	PASS
4	17999.50	38.14	-82.43	-44.29	-13.00	31.29	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	869487066707885	Engineer:	Ou shuyan
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	120.77	-94.91	25.86	-	-	Vertical	NA
2	3472.00	59.51	-107.15	-47.64	-13.00	34.64	Vertical	PASS
3	5208.00	49.15	-102.19	-53.04	-13.00	40.04	Vertical	PASS
4	17865.50	38.71	-82.64	-43.93	-13.00	30.93	Vertical	PASS

~The End~