



Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.549	17.800	0.5	Complies
157	5785	17.700	17.800	0.5	Complies
165	5825	17.489	17.800	0.5	Complies

CH149




Date: 13.SEP.2022 15:08:59

CH157
6 dB Bandwidth



Date: 13.SEP.2022 15:10:22

CH165




Date: 13.SEP.2022 15:13:27


99 % Occupied Bandwidth



Date: 13.SEP.2022 15:08:27



Date: 13.SEP.2022 15:09:49




Date: 13.SEP.2022 15:12:55

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.399	36.400	0.5	Complies
159	5795	36.390	36.400	0.5	Complies

CH151




Date: 13.SRP.2022 16:39:29

CH159
6 dB Bandwidth




Date: 13.SEP.2022 16:44:10

99 % Occupied Bandwidth



Date: 13.SRP.2022 16:38:43




Date: 13.SEP.2022 16:43:24


Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.600	76.000	0.5	Complies

CH155 6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.050	19.000	0.5	Complies
157	5785	18.698	19.100	0.5	Complies
165	5825	18.950	19.200	0.5	Complies

CH149




Date: 13.SEP.2022 16:04:11

CH157
6 dB Bandwidth



Date: 13.SEP.2022 16:08:52

CH165




Date: 13.SEP.2022 16:11:36


99 % Occupied Bandwidth



Date: 13.SEP.2022 16:03:39




Date: 13.SEP.2022 16:08:20



Date: 13.SEP.2022 16:11:04

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.809	38.200	0.5	Complies
159	5795	37.999	38.000	0.5	Complies

CH159
6 dB Bandwidth




Date: 13.SEP.2022 17:51:33

Date: 13.8BP.2022 17:50:50

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.600	77.600	0.5	Complies

CH155 6 dB Bandwidth



Date: 13,SEP,2022 16:37:16

99 % Occupied Bandwidth



Date: 13,SEP,2022 16:36:33

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.70	0.00	13.70	23.98	0.2500	Complies
40	5200	15.05	0.00	15.05	23.98	0.2500	Complies
48	5240	15.04	0.00	15.04	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.00	0.00	14.00	23.98	0.2500	Complies
40	5200	15.09	0.00	15.09	23.98	0.2500	Complies
48	5240	15.42	0.00	15.42	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.86	23.98	0.2500	Complies
40	5200	18.08	23.98	0.2500	Complies
48	5240	18.24	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.24	0.00	15.24	23.98	0.2500	Complies
40	5200	15.13	0.00	15.13	23.98	0.2500	Complies
48	5240	15.03	0.00	15.03	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.26	0.00	15.26	23.98	0.2500	Complies
40	5200	15.32	0.00	15.32	23.98	0.2500	Complies
48	5240	15.16	0.00	15.16	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.26	23.98	0.2500	Complies
40	5200	18.24	23.98	0.2500	Complies
48	5240	18.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.05	0.00	15.05	23.98	0.2500	Complies
46	5230	15.36	0.00	15.36	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.27	0.00	15.27	23.98	0.2500	Complies
46	5230	15.50	0.00	15.50	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.17	23.98	0.2500	Complies
46	5230	18.44	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.09	0.00	15.09	23.98	0.2500	Complies
40	5200	15.04	0.00	15.04	23.98	0.2500	Complies
48	5240	14.86	0.00	14.86	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.18	0.00	15.18	23.98	0.2500	Complies
40	5200	15.28	0.00	15.28	23.98	0.2500	Complies
48	5240	15.11	0.00	15.11	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.15	23.98	0.2500	Complies
40	5200	18.17	23.98	0.2500	Complies
48	5240	18.00	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.03	0.00	15.03	23.98	0.2500	Complies
46	5230	15.34	0.00	15.34	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.22	0.00	15.22	23.98	0.2500	Complies
46	5230	15.42	0.00	15.42	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.14	23.98	0.2500	Complies
46	5230	18.39	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.53	0.00	12.53	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.18	0.00	13.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.88	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.47	0.00	15.47	23.98	0.2500	Complies
40	5200	15.32	0.00	15.32	23.98	0.2500	Complies
48	5240	15.16	0.00	15.16	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.50	0.00	15.50	23.98	0.2500	Complies
40	5200	15.48	0.00	15.48	23.98	0.2500	Complies
48	5240	15.47	0.00	15.47	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.50	23.98	0.2500	Complies
40	5200	18.41	23.98	0.2500	Complies
48	5240	18.33	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.19	0.00	15.19	23.98	0.2500	Complies
46	5230	15.14	0.00	15.14	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.29	0.00	15.29	23.98	0.2500	Complies
46	5230	15.19	0.00	15.19	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.25	23.98	0.2500	Complies
46	5230	18.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.64	0.00	13.64	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.77	0.00	13.77	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.22	0.00	15.22	23.98	0.2500	Complies
60	5300	15.11	0.00	15.11	23.98	0.2500	Complies
64	5320	13.24	0.00	13.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.26	0.00	15.26	23.98	0.2500	Complies
60	5300	15.37	0.00	15.37	23.98	0.2500	Complies
64	5320	13.69	0.00	13.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.25	23.98	0.2500	Complies
60	5300	18.25	23.98	0.2500	Complies
64	5320	16.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.26	0.00	15.26	23.98	0.2500	Complies
60	5300	15.16	0.00	15.16	23.98	0.2500	Complies
64	5320	15.20	0.00	15.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.49	0.00	15.49	23.98	0.2500	Complies
60	5300	15.55	0.00	15.55	23.98	0.2500	Complies
64	5320	15.23	0.00	15.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.39	23.98	0.2500	Complies
60	5300	18.37	23.98	0.2500	Complies
64	5320	18.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.17	0.00	15.17	23.98	0.2500	Complies
62	5310	13.78	0.00	13.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.27	0.00	15.27	23.98	0.2500	Complies
62	5310	14.60	0.00	14.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.23	23.98	0.2500	Complies
62	5310	17.22	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.11	0.00	15.11	23.98	0.2500	Complies
60	5300	15.15	0.00	15.15	23.98	0.2500	Complies
64	5320	15.12	0.00	15.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.40	0.00	15.40	23.98	0.2500	Complies
60	5300	15.43	0.00	15.43	23.98	0.2500	Complies
64	5320	15.18	0.00	15.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.27	23.98	0.2500	Complies
60	5300	18.30	23.98	0.2500	Complies
64	5320	18.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.08	0.00	15.08	23.98	0.2500	Complies
62	5310	13.78	0.00	13.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.09	0.00	15.09	23.98	0.2500	Complies
62	5310	14.58	0.00	14.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.10	23.98	0.2500	Complies
62	5310	17.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.06	0.00	13.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.14	0.00	14.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.19	0.00	15.19	23.98	0.2500	Complies
60	5300	15.29	0.00	15.29	23.98	0.2500	Complies
64	5320	15.14	0.00	15.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.20	0.00	15.20	23.98	0.2500	Complies
60	5300	15.78	0.00	15.78	23.98	0.2500	Complies
64	5320	15.33	0.00	15.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.21	23.98	0.2500	Complies
60	5300	18.55	23.98	0.2500	Complies
64	5320	18.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.15	0.00	15.15	23.98	0.2500	Complies
62	5310	13.70	0.00	13.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.38	0.00	15.38	23.98	0.2500	Complies
62	5310	14.70	0.00	14.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.28	23.98	0.2500	Complies
62	5310	17.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.92	0.00	12.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.01	0.00	13.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.17	0.00	15.17	23.98	0.2500	Complies
116	5580	15.14	0.00	15.14	23.98	0.2500	Complies
140	5700	15.27	0.00	15.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.06	0.00	16.06	23.98	0.2500	Complies
116	5580	15.94	0.00	15.94	23.98	0.2500	Complies
140	5700	15.91	0.00	15.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.65	23.98	0.2500	Complies
116	5580	18.57	23.98	0.2500	Complies
140	5700	18.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.07	0.00	15.07	23.98	0.2500	Complies
116	5580	15.46	0.00	15.46	23.98	0.2500	Complies
140	5700	15.48	0.00	15.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.68	0.00	15.68	23.98	0.2500	Complies
116	5580	16.24	0.00	16.24	23.98	0.2500	Complies
140	5700	16.29	0.00	16.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.40	23.98	0.2500	Complies
116	5580	18.88	23.98	0.2500	Complies
140	5700	18.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.44	0.00	15.44	23.98	0.2500	Complies
110	5550	15.46	0.00	15.46	23.98	0.2500	Complies
134	5670	15.08	0.00	15.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.33	0.00	16.33	23.98	0.2500	Complies
110	5550	16.58	0.00	16.58	23.98	0.2500	Complies
134	5670	15.95	0.00	15.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.92	23.98	0.2500	Complies
110	5550	19.07	23.98	0.2500	Complies
134	5670	18.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.06	0.00	15.06	23.98	0.2500	Complies
116	5580	15.44	0.00	15.44	23.98	0.2500	Complies
140	5700	15.46	0.00	15.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.63	0.00	15.63	23.98	0.2500	Complies
116	5580	16.21	0.00	16.21	23.98	0.2500	Complies
140	5700	16.20	0.00	16.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.36	23.98	0.2500	Complies
116	5580	18.85	23.98	0.2500	Complies
140	5700	18.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.43	0.00	15.43	23.98	0.2500	Complies
110	5550	15.38	0.00	15.38	23.98	0.2500	Complies
134	5670	15.06	0.00	15.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.27	0.00	16.27	23.98	0.2500	Complies
110	5550	16.56	0.00	16.56	23.98	0.2500	Complies
134	5670	15.93	0.00	15.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.88	23.98	0.2500	Complies
110	5550	19.02	23.98	0.2500	Complies
134	5670	18.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.52	0.00	13.52	23.98	0.2500	Complies
122	5610	15.12	0.00	15.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.91	0.00	14.91	23.98	0.2500	Complies
122	5610	16.18	0.00	16.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.28	23.98	0.2500	Complies
122	5610	18.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.37	0.00	15.37	23.98	0.2500	Complies
116	5580	15.09	0.00	15.09	23.98	0.2500	Complies
140	5700	15.16	0.00	15.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.89	0.00	15.89	23.98	0.2500	Complies
116	5580	15.81	0.00	15.81	23.98	0.2500	Complies
140	5700	15.79	0.00	15.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.65	23.98	0.2500	Complies
116	5580	18.48	23.98	0.2500	Complies
140	5700	18.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.03	0.00	15.03	23.98	0.2500	Complies
110	5550	15.10	0.00	15.10	23.98	0.2500	Complies
134	5670	15.20	0.00	15.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.93	0.00	15.93	23.98	0.2500	Complies
110	5550	16.14	0.00	16.14	23.98	0.2500	Complies
134	5670	16.12	0.00	16.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.51	23.98	0.2500	Complies
110	5550	18.66	23.98	0.2500	Complies
134	5670	18.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.16	0.00	11.16	23.98	0.2500	Complies
122	5610	15.42	0.00	15.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.75	0.00	11.75	23.98	0.2500	Complies
122	5610	16.56	0.00	16.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.48	23.98	0.2500	Complies
122	5610	19.04	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.39	0.00	13.39	30.00	1.0000	Complies
157	5785	15.01	0.00	15.01	30.00	1.0000	Complies
165	5825	13.40	0.00	13.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.51	0.00	13.51	30.00	1.0000	Complies
157	5785	15.78	0.00	15.78	30.00	1.0000	Complies
165	5825	13.67	0.00	13.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.46	30.00	1.0000	Complies
157	5785	18.42	30.00	1.0000	Complies
165	5825	16.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.40	0.00	15.40	30.00	1.0000	Complies
157	5785	15.82	0.00	15.82	30.00	1.0000	Complies
165	5825	13.70	0.00	13.70	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.94	0.00	15.94	30.00	1.0000	Complies
157	5785	16.02	0.00	16.02	30.00	1.0000	Complies
165	5825	14.04	0.00	14.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.69	30.00	1.0000	Complies
157	5785	18.93	30.00	1.0000	Complies
165	5825	16.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.47	0.00	14.47	30.00	1.0000	Complies
159	5795	13.76	0.00	13.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.53	0.00	14.53	30.00	1.0000	Complies
159	5795	14.19	0.00	14.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.51	30.00	1.0000	Complies
159	5795	16.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.38	0.00	15.38	30.00	1.0000	Complies
157	5785	15.72	0.00	15.72	30.00	1.0000	Complies
165	5825	13.49	0.00	13.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.93	0.00	15.93	30.00	1.0000	Complies
157	5785	15.99	0.00	15.99	30.00	1.0000	Complies
165	5825	14.01	0.00	14.01	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.67	30.00	1.0000	Complies
157	5785	18.87	30.00	1.0000	Complies
165	5825	16.77	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.42	0.00	14.42	30.00	1.0000	Complies
159	5795	13.75	0.00	13.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.48	0.00	14.48	30.00	1.0000	Complies
159	5795	14.13	0.00	14.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.46	30.00	1.0000	Complies
159	5795	16.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.65	0.00	13.65	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.26	0.00	14.26	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.46	0.00	14.46	30.00	1.0000	Complies
157	5785	15.61	0.00	15.61	30.00	1.0000	Complies
165	5825	13.04	0.00	13.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.08	0.00	15.08	30.00	1.0000	Complies
157	5785	15.80	0.00	15.80	30.00	1.0000	Complies
165	5825	13.42	0.00	13.42	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.79	30.00	1.0000	Complies
157	5785	18.72	30.00	1.0000	Complies
165	5825	16.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.32	0.00	13.32	30.00	1.0000	Complies
159	5795	12.02	0.00	12.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.99	0.00	13.99	30.00	1.0000	Complies
159	5795	13.65	0.00	13.65	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.68	30.00	1.0000	Complies
159	5795	15.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.16	0.00	13.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.50	0.00	13.50	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.34	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.91	0.00	0.91	11.00	Complies
40	5200	0.99	0.00	0.99	11.00	Complies
48	5240	0.57	0.00	0.57	11.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.81	0.00	0.81	11.00	Complies
40	5200	0.89	0.00	0.89	11.00	Complies
48	5240	0.39	0.00	0.39	11.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.87	11.00	Complies
40	5200	3.95	11.00	Complies
48	5240	3.49	11.00	Complies

Test Mode UNII-1_TX N(HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.61	0.00	1.61	11.00	Complies
40	5200	1.52	0.00	1.52	11.00	Complies
48	5240	0.77	0.00	0.77	11.00	Complies



Date: 13-SEP-2022 13:23:15




Date: 13-SEP-2022 13:25:13




Date: 13-SEP-2022 14:27:23

Test Mode UNII-1_TX N(HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.25	0.00	1.25	11.00	Complies
40	5200	1.32	0.00	1.32	11.00	Complies
48	5240	0.19	0.00	0.19	11.00	Complies



Date: 13-SEP-2022 13:20:49



Date: 13-SEP-2022 13:27:13




Date: 13-SEP-2022 14:28:42

Test Mode UNII-1_TX N(HT20) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.44	11.00	Complies
40	5200	4.43	11.00	Complies
48	5240	3.50	11.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.36	0.00	-3.36	11.00	Complies
46	5230	-3.02	0.00	-3.02	11.00	Complies



Date: 13,SEP,2022 16:19:55




Date: 13,SEP,2022 16:21:43

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.35	0.00	-3.35	11.00	Complies
46	5230	-2.93	0.00	-2.93	11.00	Complies



Date: 13,SEP,2022 16:17:45



Date: 13,SEP,2022 16:22:38

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.34	11.00	Complies
46	5230	0.04	11.00	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.01	0.00	-4.01	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.94	0.00	-3.94	11.00	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.96	11.00	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.04	0.00	0.04	11.00	Complies
40	5200	-0.46	0.00	-0.46	11.00	Complies
48	5240	-0.53	0.00	-0.53	11.00	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.16	0.00	-0.16	11.00	Complies
40	5200	-0.47	0.00	-0.47	11.00	Complies
48	5240	-0.33	0.00	-0.33	11.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.95	11.00	Complies
40	5200	2.55	11.00	Complies
48	5240	2.58	11.00	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.30	0.00	-3.30	11.00	Complies
46	5230	-3.41	0.00	-3.41	11.00	Complies

CH38



Date: 13,SEP,2022 16:50:00

CH46




Date: 13,SEP,2022 16:50:30

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.43	0.00	-3.43	11.00	Complies
46	5230	-3.18	0.00	-3.18	11.00	Complies

CH38



Date: 13,SEP,2022 16:54:31

CH46




Date: 13,SEP,2022 16:55:34

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.35	11.00	Complies
46	5230	-0.28	11.00	Complies


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.37	0.00	-7.37	11.00	Complies



Date: 13.SEP.2022 18:21:51

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.09	0.00	-4.09	11.00	Complies




Date: 13.SEP.2022 18:22:52

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.42	11.00	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.81	0.00	0.81	11.00	Complies
60	5300	1.97	0.00	1.97	11.00	Complies
64	5320	1.94	0.00	1.94	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.77	0.00	0.77	11.00	Complies
60	5300	1.82	0.00	1.82	11.00	Complies
64	5320	2.00	0.00	2.00	11.00	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.80	11.00	Complies
60	5300	4.91	11.00	Complies
64	5320	4.98	11.00	Complies


Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.69	0.00	0.69	11.00	Complies
60	5300	1.54	0.00	1.54	11.00	Complies
64	5320	0.71	0.00	0.71	11.00	Complies



Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.59	0.00	0.59	11.00	Complies
60	5300	1.49	0.00	1.49	11.00	Complies
64	5320	0.97	0.00	0.97	11.00	Complies




Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.65	11.00	Complies
60	5300	4.53	11.00	Complies
64	5320	3.85	11.00	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.16	0.00	-3.16	11.00	Complies
62	5310	-2.74	0.00	-2.74	11.00	Complies

CH54



Date: 13-SEP-2022 16:25:23

CH62




Date: 13-SEP-2022 16:26:58

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.22	0.00	-3.22	11.00	Complies
62	5310	-2.56	0.00	-2.56	11.00	Complies

CH54



Date: 13-SEP-2022 16:23:29

CH62




Date: 13-SEP-2022 16:27:46

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.18	11.00	Complies
62	5310	0.36	11.00	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.15	0.00	-3.15	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.33	0.00	-3.33	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.23	11.00	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.27	0.00	-0.27	11.00	Complies
60	5300	0.02	0.00	0.02	11.00	Complies
64	5320	0.49	0.00	0.49	11.00	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.69	0.00	-0.69	11.00	Complies
60	5300	-0.19	0.00	-0.19	11.00	Complies
64	5320	0.73	0.00	0.73	11.00	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.54	11.00	Complies
60	5300	2.93	11.00	Complies
64	5320	3.62	11.00	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.16	0.00	-3.16	11.00	Complies
62	5310	-2.95	0.00	-2.95	11.00	Complies

CH54



Date: 13,SEP,2022 17:05:41

CH62




Date: 13,SEP,2022 17:11:10

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.40	0.00	-3.40	11.00	Complies
62	5310	-2.66	0.00	-2.66	11.00	Complies

CH54



Date: 13,SEP,2022 17:06:59

CH62




Date: 13,SEP,2022 17:08:58

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.27	11.00	Complies
62	5310	0.21	11.00	Complies


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.87	0.00	-2.87	11.00	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.53	0.00	-3.53	11.00	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.18	11.00	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.42	0.00	1.42	11.00	Complies
116	5580	0.28	0.00	0.28	11.00	Complies
140	5700	1.15	0.00	1.15	11.00	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.18	0.00	2.18	11.00	Complies
116	5580	1.01	0.00	1.01	11.00	Complies
140	5700	1.76	0.00	1.76	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.83	11.00	Complies
116	5580	3.67	11.00	Complies
140	5700	4.48	11.00	Complies


Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.25	0.00	0.25	11.00	Complies
116	5580	-0.64	0.00	-0.64	11.00	Complies
140	5700	0.14	0.00	0.14	11.00	Complies



Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.05	0.00	1.05	11.00	Complies
116	5580	0.18	0.00	0.18	11.00	Complies
140	5700	1.10	0.00	1.10	11.00	Complies




Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.68	11.00	Complies
116	5580	2.80	11.00	Complies
140	5700	3.66	11.00	Complies


Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.65	0.00	-2.65	11.00	Complies
110	5550	-3.31	0.00	-3.31	11.00	Complies
134	5670	-3.85	0.00	-3.85	11.00	Complies



Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.88	0.00	-1.88	11.00	Complies
110	5550	-2.09	0.00	-2.09	11.00	Complies
134	5670	-2.82	0.00	-2.82	11.00	Complies




Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.76	11.00	Complies
110	5550	0.35	11.00	Complies
134	5670	-0.29	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.67	0.00	-4.67	11.00	Complies
122	5610	-5.41	0.00	-5.41	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.66	0.00	-3.66	11.00	Complies
122	5610	-4.51	0.00	-4.51	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.13	11.00	Complies
122	5610	-1.93	11.00	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.20	0.00	0.20	11.00	Complies
116	5580	-1.45	0.00	-1.45	11.00	Complies
140	5700	-0.64	0.00	-0.64	11.00	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.99	0.00	0.99	11.00	Complies
116	5580	-0.70	0.00	-0.70	11.00	Complies
140	5700	0.30	0.00	0.30	11.00	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.62	11.00	Complies
116	5580	1.95	11.00	Complies
140	5700	2.87	11.00	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.26	0.00	-3.26	11.00	Complies
110	5550	-4.01	0.00	-4.01	11.00	Complies
134	5670	-1.83	0.00	-1.83	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.48	0.00	-2.48	11.00	Complies
110	5550	-2.97	0.00	-2.97	11.00	Complies
134	5670	-0.80	0.00	-0.80	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.16	11.00	Complies
110	5550	-0.45	11.00	Complies
134	5670	1.73	11.00	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.87	0.00	-4.87	11.00	Complies
122	5610	-5.11	0.00	-5.11	11.00	Complies

CH106



Date: 13.SEP.2022 18:30:16

CH122




Date: 13.SEP.2022 18:33:59

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.90	0.00	-3.90	11.00	Complies
122	5610	-4.10	0.00	-4.10	11.00	Complies

CH106



Date: 13.SEP.2022 18:31:31

CH122




Date: 13.SEP.2022 18:32:20

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.35	11.00	Complies
122	5610	-1.57	11.00	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.62	0.00	-0.62	30.00	Complies
157	5785	-0.85	0.00	-0.85	30.00	Complies
165	5825	-0.26	0.00	-0.26	30.00	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.18	0.00	-0.18	30.00	Complies
157	5785	-0.33	0.00	-0.33	30.00	Complies
165	5825	-0.06	0.00	-0.06	30.00	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.62	30.00	Complies
157	5785	2.43	30.00	Complies
165	5825	2.85	30.00	Complies

Test Mode UNII-3_TX N(HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.05	0.00	-2.05	30.00	Complies
157	5785	-1.20	0.00	-1.20	30.00	Complies
165	5825	-0.50	0.00	-0.50	30.00	Complies

CH149




Date: 13-SEP-2022 15:09:14

CH157



Date: 13-SEP-2022 15:10:36

CH165




Date: 13-SEP-2022 15:10:42

Test Mode UNII-3_TX N(HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.47	0.00	-1.47	30.00	Complies
157	5785	-1.11	0.00	-1.11	30.00	Complies
165	5825	-0.83	0.00	-0.83	30.00	Complies

CH149




Date: 13-SEP-2022 15:07:47

CH157



Date: 13-SEP-2022 15:11:31

CH165



Date: 13-SEP-2022 15:12:13


Test Mode UNII-3_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.26	30.00	Complies
157	5785	1.86	30.00	Complies
165	5825	2.35	30.00	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-5.29	0.00	-5.29	30.00	Complies
159	5795	-4.46	0.00	-4.46	30.00	Complies

CH151



Date: 13 SEP 2022 16:13:50

CH159




Date: 13 SEP 2022 16:14:32

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-4.29	0.00	-4.29	30.00	Complies
159	5795	-4.40	0.00	-4.40	30.00	Complies

CH151



Date: 13 SEP 2022 16:14:52

CH159




Date: 13 SEP 2022 16:14:25

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.75	30.00	Complies
159	5795	-1.42	30.00	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.12	0.00	-7.12	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-6.36	0.00	-6.36	30.00	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.71	30.00	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.98	0.00	-2.98	30.00	Complies
157	5785	-2.08	0.00	-2.08	30.00	Complies
165	5825	-1.86	0.00	-1.86	30.00	Complies



Date: 13-SEP-2022 16:04:27




Date: 13-SEP-2022 16:09:08




Date: 13-SEP-2022 16:11:53

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.30	0.00	-2.30	30.00	Complies
157	5785	-1.90	0.00	-1.90	30.00	Complies
165	5825	-1.89	0.00	-1.89	30.00	Complies



Date: 13-SEP-2022 16:05:20



Date: 13-SEP-2022 16:06:39



Date: 13-SEP-2022 16:11:19


Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.38	30.00	Complies
157	5785	1.02	30.00	Complies
165	5825	1.14	30.00	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-4.37	0.00	-4.37	30.00	Complies
159	5795	-3.39	0.00	-3.39	30.00	Complies

CH151



Date: 13 SEP 2022 17:15:15

CH159




Date: 13 SEP 2022 17:15:15

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.46	0.00	-3.46	30.00	Complies
159	5795	-3.22	0.00	-3.22	30.00	Complies

CH151



Date: 13 SEP 2022 17:14:18

CH159




Date: 13 SEP 2022 17:15:15

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.88	30.00	Complies
159	5795	-0.29	30.00	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.21	0.00	-7.21	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.06	0.00	-10.06	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.39	30.00	Complies

End of Test Report