


Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5608.7519	51.52	38.37	89.89	68.20	21.69	Peak	No limit
2	5608.7519	43.92	38.37	82.29	68.20	14.09	AVG	No limit
3	5725.0000	23.55	38.56	62.11	68.20	-6.09	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11220.0000	50.37	-8.37	42.00	74.00	-32.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	23.49	38.07	61.56	74.00	-12.44	Peak	
2	5460.0000	8.15	38.07	46.22	54.00	-7.78	AVG	
3	5470.0000	23.86	38.09	61.95	68.20	-6.25	Peak	
4 *	5499.4000	69.70	38.13	107.83	68.20	39.63	Peak	No limit
5	5499.4000	59.99	38.13	98.12	68.20	29.92	AVG	No limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11000.0000	51.52	-8.58	42.94	74.00	-31.06	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	23.09	38.07	61.16	74.00	-12.84	Peak	
2	5460.0000	5.94	38.07	44.01	54.00	-9.99	AVG	
3	5470.0000	24.36	38.09	62.45	68.20	-5.75	Peak	
4 *	5498.9850	58.41	38.13	96.54	68.20	28.34	Peak	No limit
5	5498.9850	48.68	38.13	86.81	68.20	18.61	AVG	No limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11000.0000	51.00	-8.58	42.42	74.00	-31.58	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11160.0000	50.45	-8.42	42.03	74.00	-31.97	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11160.0000	51.43	-8.42	43.01	74.00	-30.99	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5699.2220	67.55	38.52	106.07	68.20	37.87	Peak	No limit
2	5699.2220	59.55	38.52	98.07	68.20	29.87	AVG	No limit
3	5725.0000	24.18	38.56	62.74	68.20	-5.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11400.0000	50.10	-8.21	41.89	74.00	-32.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5699.0150	56.24	38.52	94.76	68.20	26.56	Peak	No limit
2	5699.0150	48.08	38.52	86.60	68.20	18.40	AVG	No limit
3	5725.0000	21.89	38.56	60.45	68.20	-7.75	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11400.0000	51.39	-8.21	43.18	74.00	-30.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	23.31	38.07	61.38	74.00	-12.62	Peak	
2	5460.0000	10.45	38.07	48.52	54.00	-5.48	AVG	
3	5470.0000	24.23	38.09	62.32	68.20	-5.88	Peak	
4 *	5511.4350	65.80	38.16	103.96	68.20	35.76	Peak	No limit
5	5511.4350	56.86	38.16	95.02	68.20	26.82	AVG	No limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.0000	50.56	-8.56	42.00	74.00	-32.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5357.2620	24.79	37.92	62.71	74.00	-11.29	Peak	
2	5357.2620	7.83	37.92	45.75	54.00	-8.25	AVG	
3	5470.0000	22.34	38.09	60.43	68.20	-7.77	Peak	
4 *	5508.9450	56.32	38.15	94.47	68.20	26.27	Peak	No limit
5	5508.9450	45.54	38.15	83.69	68.20	15.49	AVG	No limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.0000	50.69	-8.56	42.13	74.00	-31.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11100.0000	50.60	-8.48	42.12	74.00	-31.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11100.0000	51.21	-8.48	42.73	74.00	-31.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5671.6250	65.16	38.47	103.63	68.20	35.43	Peak	No limit
2	5671.6250	56.32	38.47	94.79	68.20	26.59	AVG	No limit
3	5725.0000	22.70	38.56	61.26	68.20	-6.94	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11340.0000	49.87	-8.26	41.61	74.00	-32.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5669.1349	52.61	38.47	91.08	68.20	22.88	Peak	No limit
2	5669.1349	44.52	38.47	82.99	68.20	14.79	AVG	No limit
3	5725.0000	23.38	38.56	61.94	68.20	-6.26	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11340.0000	50.54	-8.26	42.28	74.00	-31.72	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5457.4850	24.44	38.07	62.51	74.00	-11.49	Peak	
2	5457.4850	12.10	38.07	50.17	54.00	-3.83	AVG	
3	5470.0000	23.98	38.09	62.07	68.20	-6.13	Peak	
4 *	5527.2050	61.42	38.19	99.61	68.20	31.41	Peak	No limit
5	5527.2050	53.01	38.19	91.20	68.20	23.00	AVG	No limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11060.0000	50.83	-8.52	42.31	74.00	-31.69	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	24.85	38.07	62.92	74.00	-11.08	Peak	
2	5460.0000	6.50	38.07	44.57	54.00	-9.43	AVG	
3	5470.0000	23.38	38.09	61.47	68.20	-6.73	Peak	
4 *	5528.8650	49.80	38.20	88.00	68.20	19.80	Peak	No limit
5	5528.8650	41.57	38.20	79.77	68.20	11.57	AVG	No limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11060.0000	50.83	-8.52	42.31	74.00	-31.69	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5607.0920	67.89	38.37	106.26	68.20	38.06	Peak	No limit
2	5607.0920	57.09	38.37	95.46	68.20	27.26	AVG	No limit
3	5725.0000	25.91	38.56	64.47	68.20	-3.73	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11220.0000	51.27	-8.37	42.90	74.00	-31.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5603.7730	57.98	38.36	96.34	68.20	28.14	Peak	No limit
2	5603.7730	46.98	38.36	85.34	68.20	17.14	AVG	No limit
3	5725.0000	22.97	38.56	61.53	68.20	-6.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11220.0000	50.24	-8.37	41.87	74.00	-32.13	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5612.0000	24.80	38.38	63.18	68.20	-5.02	Peak	
2	5715.0000	23.38	38.55	61.93	109.40	-47.47	Peak	
3	5725.0000	24.68	38.56	63.24	122.20	-58.96	Peak	
4	5743.2000	70.82	38.59	109.41	122.20	-12.79	Peak	
5 *	5996.8000	26.01	39.17	65.18	68.20	-3.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0000	50.80	-8.02	42.78	74.00	-31.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5625.6000	24.93	38.40	63.33	68.20	-4.87	Peak	
2	5715.0000	22.84	38.55	61.39	109.40	-48.01	Peak	
3	5725.0000	23.14	38.56	61.70	122.20	-60.50	Peak	
4	5745.8000	58.49	38.60	97.09	122.20	-25.11	Peak	
5 *	5997.0000	26.02	39.17	65.19	68.20	-3.01	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11490.0000	50.34	-8.02	42.32	74.00	-31.68	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11570.0000	50.74	-7.98	42.76	74.00	-31.24	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11570.0000	50.00	-7.98	42.02	74.00	-31.98	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5625.2000	24.42	38.40	62.82	68.20	-5.38	Peak	
2	5827.4000	72.48	38.75	111.23	122.20	-10.97	Peak	
3	5850.0000	24.05	38.81	62.86	122.20	-59.34	Peak	
4	5860.0000	24.11	38.83	62.94	109.40	-46.46	Peak	
5 *	5970.4000	25.71	39.11	64.82	68.20	-3.38	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.0000	50.74	-8.06	42.68	74.00	-31.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5629.2000	24.85	38.41	63.26	68.20	-4.94	Peak	
2	5827.0000	59.00	38.75	97.75	122.20	-24.45	Peak	
3	5850.0000	23.09	38.81	61.90	122.20	-60.30	Peak	
4	5860.0000	23.97	38.83	62.80	109.40	-46.60	Peak	
5 *	5954.6000	25.71	39.07	64.78	68.20	-3.42	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11650.0000	49.96	-8.06	41.90	74.00	-32.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5637.0000	25.55	38.42	63.97	68.20	-4.23	Peak	
2	5715.0000	24.96	38.55	63.51	109.40	-45.89	Peak	
3	5725.0000	24.68	38.56	63.24	122.20	-58.96	Peak	
4	5741.2000	70.55	38.59	109.14	122.20	-13.06	Peak	
5 *	5991.2000	25.94	39.16	65.10	68.20	-3.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0000	50.15	-8.02	42.13	74.00	-31.87	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5647.4000	25.25	38.44	63.69	68.20	-4.51	Peak	
2	5715.0000	22.31	38.55	60.86	109.40	-48.54	Peak	
3	5725.0000	23.34	38.56	61.90	122.20	-60.30	Peak	
4	5747.0000	58.15	38.60	96.75	122.20	-25.45	Peak	
5 *	5937.4000	26.14	39.02	65.16	68.20	-3.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11490.0000	49.81	-8.02	41.79	74.00	-32.21	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11570.0000	51.42	-7.98	43.44	74.00	-30.56	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11570.0000	50.12	-7.98	42.14	74.00	-31.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5646.8000	25.23	38.43	63.66	68.20	-4.54	Peak	
2	5820.4000	71.56	38.73	110.29	122.20	-11.91	Peak	
3	5850.0000	29.19	38.81	68.00	122.20	-54.20	Peak	
4	5860.0000	24.50	38.83	63.33	109.40	-46.07	Peak	
5 *	5992.6000	25.94	39.16	65.10	68.20	-3.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11650.0000	50.26	-8.06	42.20	74.00	-31.80	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5650.8000	25.41	38.44	63.85	68.79	-4.94	Peak	
2	5826.8000	59.25	38.75	98.00	122.20	-24.20	Peak	
3	5850.0000	23.03	38.81	61.84	122.20	-60.36	Peak	
4	5860.0000	22.93	38.83	61.76	109.40	-47.64	Peak	
5 *	5984.2000	25.95	39.14	65.09	68.20	-3.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.0000	50.32	-8.06	42.26	74.00	-31.74	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5634.0000	25.09	38.41	63.50	68.20	-4.70	Peak	
2	5715.0000	25.82	38.55	64.37	109.40	-45.03	Peak	
3	5725.0000	25.85	38.56	64.41	122.20	-57.79	Peak	
4	5751.2000	67.60	38.60	106.20	122.20	-16.00	Peak	
5 *	5969.8000	25.81	39.10	64.91	68.20	-3.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11510.0000	50.07	-8.00	42.07	74.00	-31.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5614.4000	24.84	38.38	63.22	68.20	-4.98	Peak	
2	5715.0000	23.12	38.55	61.67	109.40	-47.73	Peak	
3	5725.0000	24.57	38.56	63.13	122.20	-59.07	Peak	
4	5757.0000	54.98	38.61	93.59	122.20	-28.61	Peak	
5 *	5984.2000	26.00	39.14	65.14	68.20	-3.06	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11510.0000	50.24	-8.00	42.24	74.00	-31.76	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5625.0000	25.19	38.40	63.59	68.20	-4.61	Peak	
2	5790.6000	68.69	38.67	107.36	122.20	-14.84	Peak	
3	5850.0000	24.86	38.81	63.67	122.20	-58.53	Peak	
4	5860.0000	22.58	38.83	61.41	109.40	-47.99	Peak	
5 *	5963.0000	25.97	39.09	65.06	68.20	-3.14	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.0000	50.08	-7.98	42.10	74.00	-31.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5626.6000	26.57	38.40	64.97	68.20	-3.23	Peak	
2	5796.8000	55.48	38.68	94.16	122.20	-28.04	Peak	
3	5850.0000	22.57	38.81	61.38	122.20	-60.82	Peak	
4	5860.0000	22.96	38.83	61.79	109.40	-47.61	Peak	
5 *	5993.0000	25.98	39.16	65.14	68.20	-3.06	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11590.0000	49.63	-7.98	41.65	74.00	-32.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5637.4000	25.12	38.42	63.54	68.20	-4.66	Peak	
2	5715.0000	24.84	38.55	63.39	109.40	-46.01	Peak	
3	5725.0000	25.00	38.56	63.56	122.20	-58.64	Peak	
4	5770.8000	66.20	38.64	104.84	122.20	-17.36	Peak	
5	5850.0000	26.32	38.81	65.13	122.20	-57.07	Peak	
6	5860.0000	24.94	38.83	63.77	109.40	-45.63	Peak	
7 *	5959.2000	25.83	39.08	64.91	68.20	-3.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.0000	50.77	-7.99	42.78	74.00	-31.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5633.0000	24.97	38.41	63.38	68.20	-4.82	Peak	
2	5715.0000	23.28	38.55	61.83	109.40	-47.57	Peak	
3	5725.0000	23.53	38.56	62.09	122.20	-60.11	Peak	
4	5778.0000	52.46	38.65	91.11	122.20	-31.09	Peak	
5	5850.0000	22.94	38.81	61.75	122.20	-60.45	Peak	
6	5860.0000	24.26	38.83	63.09	109.40	-46.31	Peak	
7 *	5936.4000	25.83	39.02	64.85	68.20	-3.35	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.0000	49.47	-7.99	41.48	74.00	-32.52	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5629.4000	24.82	38.41	63.23	68.20	-4.97	Peak	
2	5715.0000	25.94	38.55	64.49	109.40	-44.91	Peak	
3	5725.0000	25.32	38.56	63.88	122.20	-58.32	Peak	
4	5739.6000	70.47	38.59	109.06	122.20	-13.14	Peak	
5 *	5936.2000	26.04	39.02	65.06	68.20	-3.14	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11490.0000	51.19	-8.02	43.17	74.00	-30.83	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5617.0000	25.37	38.39	63.76	68.20	-4.44	Peak	
2	5715.0000	23.68	38.55	62.23	109.40	-47.17	Peak	
3	5725.0000	23.04	38.56	61.60	122.20	-60.60	Peak	
4	5746.0000	58.18	38.60	96.78	122.20	-25.42	Peak	
5 *	5980.4000	25.97	39.13	65.10	68.20	-3.10	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11490.0000	50.09	-8.02	42.07	74.00	-31.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11570.0000	50.17	-7.98	42.19	74.00	-31.81	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11570.0000	50.08	-7.98	42.10	74.00	-31.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5619.2000	25.15	38.39	63.54	68.20	-4.66	Peak	
2	5820.8000	72.22	38.74	110.96	122.20	-11.24	Peak	
3	5850.0000	27.19	38.81	66.00	122.20	-56.20	Peak	
4	5860.0000	24.97	38.83	63.80	109.40	-45.60	Peak	
5 *	5966.2000	25.86	39.10	64.96	68.20	-3.24	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.0000	50.16	-8.06	42.10	74.00	-31.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5630.6000	25.72	38.41	64.13	68.20	-4.07	Peak	
2	5826.0000	59.38	38.75	98.13	122.20	-24.07	Peak	
3	5850.0000	23.47	38.81	62.28	122.20	-59.92	Peak	
4	5860.0000	23.58	38.83	62.41	109.40	-46.99	Peak	
5 *	5962.2000	26.00	39.09	65.09	68.20	-3.11	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.0000	49.88	-8.06	41.82	74.00	-32.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.0000	51.05	-8.00	43.05	74.00	-30.95	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11510.0000	50.08	-8.00	42.08	74.00	-31.92	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5643.6000	25.10	38.43	63.53	68.20	-4.67	Peak	
2	5790.0000	68.95	38.67	107.62	122.20	-14.58	Peak	
3	5850.0000	23.14	38.81	61.95	122.20	-60.25	Peak	
4	5860.0000	24.36	38.83	63.19	109.40	-46.21	Peak	
5 *	5979.4000	25.99	39.13	65.12	68.20	-3.08	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11590.0000	50.12	-7.98	42.14	74.00	-31.86	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5634.6000	24.72	38.41	63.13	68.20	-5.07	Peak	
2	5790.8000	54.82	38.67	93.49	122.20	-28.71	Peak	
3	5850.0000	23.52	38.81	62.33	122.20	-59.87	Peak	
4	5860.0000	23.13	38.83	61.96	109.40	-47.44	Peak	
5 *	5960.6000	25.97	39.08	65.05	68.20	-3.15	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11590.0000	49.35	-7.98	41.37	74.00	-32.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5645.8000	25.71	38.43	64.14	68.20	-4.06	Peak	
2	5770.0000	67.77	38.63	106.40	122.20	-15.80	Peak	
3	5850.0000	26.06	38.81	64.87	122.20	-57.33	Peak	
4	5860.0000	25.95	38.83	64.78	109.40	-44.62	Peak	
5 *	5961.2000	26.08	39.08	65.16	68.20	-3.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.0000	50.17	-7.99	42.18	74.00	-31.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5620.6000	24.80	38.39	63.19	68.20	-5.01	Peak	
2	5768.2000	53.89	38.63	92.52	122.20	-29.68	Peak	
3	5850.0000	22.96	38.81	61.77	122.20	-60.43	Peak	
4	5860.0000	22.87	38.83	61.70	109.40	-47.70	Peak	
5 *	5989.2000	25.87	39.15	65.02	68.20	-3.18	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11550.0000	50.52	-7.99	42.53	74.00	-31.47	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.499	16.600
40	5200	20.550	16.500
48	5240	20.389	16.600

CH36




Date: 13,SEP,2022 12:16:23

CH40
26 dB Bandwidth



Date: 13,SEP,2022 12:16:15

CH48




Date: 13,SEP,2022 12:14:48


99 % Occupied Bandwidth



Date: 13,SEP,2022 12:15:51



Date: 13,SEP,2022 12:15:45




Date: 13,SEP,2022 12:14:18


Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.449	17.800
40	5200	21.149	17.800
48	5240	21.489	17.800

CH36




Date: 13.SEP.2022 13:23:00

CH40
26 dB Bandwidth



Date: 13.SEP.2022 13:24:58

CH48




Date: 13.SEP.2022 14:27:08


99 % Occupied Bandwidth



Date: 13.SEP.2022 13:22:29



Date: 13.SEP.2022 13:24:27




Date: 13.SEP.2022 14:26:38


Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.788	36.400
46	5230	40.900	36.400

CH38




Date: 1,DEC,2022 10:25:44


CH46
26 dB Bandwidth


Date: 1,DEC,2022 10:30:08

99 % Occupied Bandwidth



Date: 13,SEP,2022 16:18:48




Date: 13,SEP,2022 16:20:37


Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.850	19.000
40	5200	21.490	19.100
48	5240	21.300	19.000

CH36




Date: 13.SEP.2022 15:15:20

CH40
26 dB Bandwidth



Date: 13.SEP.2022 15:17:53

CH48




Date: 13.SEP.2022 15:19:13


99 % Occupied Bandwidth



Date: 13.SEP.2022 15:14:49



Date: 13.SEP.2022 15:17:22




Date: 13.SEP.2022 15:18:43


Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	41.600	38.000
46	5230	42.100	38.000

CH38




Date: 1,DEC,2022 10:46:43


CH46
26 dB Bandwidth


Date: 1,DEC,2022 10:47:58

99 % Occupied Bandwidth



Date: 13,SEP,2022 16:48:52




Date: 13,SEP,2022 16:57:25

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.600	77.600

CH42
26 dB Bandwidth



Date: 1.DEC.2022 10:58:23

99 % Occupied Bandwidth




Date: 13.SEP.2022 18:20:14


Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.489	16.600
60	5300	20.489	16.600
64	5320	20.450	16.600

CH52




Date: 13,SEP,2022 12:46:00

CH60
26 dB Bandwidth



Date: 13,SEP,2022 12:53:05

CH64




Date: 13,SEP,2022 12:54:35


99 % Occupied Bandwidth



Date: 13,SEP,2022 12:45:28



Date: 13,SEP,2022 12:52:35




Date: 13,SEP,2022 12:54:03


Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.290	17.700
60	5300	21.250	17.800
64	5320	21.350	17.800

CH52




Date: 13.SEP.2022 14:52:48

CH60
26 dB Bandwidth



Date: 13.SEP.2022 14:57:34

CH64




Date: 13.SEP.2022 15:00:15


99 % Occupied Bandwidth



Date: 13.SEP.2022 14:52:15



Date: 13.SEP.2022 14:57:04




Date: 13.SEP.2022 14:59:45


Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	41.400	36.400
62	5310	40.900	36.400

CH54




Date: 1.DEC.2022 10:31:57


CH62
26 dB Bandwidth


Date: 1.DEC.2022 10:33:11

99 % Occupied Bandwidth



Date: 13.SEP.2022 16:24:15




Date: 13.SEP.2022 16:25:49

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	83.000	76.000

CH58 26 dB Bandwidth



Date: 30.NOV.2022 11:17:42

99 % Occupied Bandwidth




Date: 30.NOV.2022 11:16:49


Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.850	19.000
60	5300	21.450	19.000
64	5320	21.800	19.000

CH52




Date: 13.SEP.2022 15:21:33

CH60
26 dB Bandwidth



Date: 13.SEP.2022 15:25:48

CH64




Date: 13.SEP.2022 15:27:00


99 % Occupied Bandwidth



Date: 13.SEP.2022 15:21:02



Date: 13.SEP.2022 15:25:16




Date: 13.SEP.2022 15:26:29


Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	42.000	38.000
62	5310	41.608	38.200

CH54




Date: 1.DEC.2022 10:15:02


CH62
26 dB Bandwidth


Date: 1.DEC.2022 10:15:16

99 % Occupied Bandwidth



Date: 13.SEP.2022 17:04:32




Date: 13.SEP.2022 17:10:01

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	86.200	77.600

CH58 26 dB Bandwidth



Date: 13-SEP-2022 16:28:28

99 % Occupied Bandwidth




Date: 13-SEP-2022 16:25:08


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.198	16.600
116	5580	20.499	16.600
140	5700	20.590	16.600

CH100




Date: 13.SEP.2022 13:00:38

CH116
26 dB Bandwidth



Date: 13.SEP.2022 13:02:06

CH140




Date: 13.SEP.2022 13:06:56


99 % Occupied Bandwidth



Date: 13.SEP.2022 13:00:06



Date: 13.SEP.2022 13:01:36




Date: 13.SEP.2022 13:06:24


Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.850	17.700
116	5580	21.050	17.800
140	5700	21.389	17.800

CH100




Date: 13.SEP.2022 15:01:42

CH116
26 dB Bandwidth



Date: 13.SEP.2022 15:04:50

CH140




Date: 13.SEP.2022 15:06:14


99 % Occupied Bandwidth



Date: 13.SEP.2022 15:01:13



Date: 13.SEP.2022 15:04:19




Date: 13.SEP.2022 15:05:43


Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.199	36.400
110	5550	39.900	36.400
134	5670	39.700	36.400

CH102




Date: 13.SEP.2022 16:10:09

CH110
26 dB Bandwidth



Date: 13.SEP.2022 16:12:05

CH134




Date: 13.SEP.2022 16:17:10


99 % Occupied Bandwidth



Date: 13.SEP.2022 16:19:22



Date: 13.SEP.2022 16:31:17




Date: 13.SEP.2022 16:16:44


Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	75.600
122	5610	83.200	76.000

CH106




Date: 13,SEP,2022 18:10:17


CH122
26 dB Bandwidth


Date: 13,SEP,2022 18:11:58

99 % Occupied Bandwidth



Date: 13,SEP,2022 18:10:34




Date: 13,SEP,2022 18:11:18


Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.499	19.000
116	5580	21.550	19.000
140	5700	21.690	19.100

CH100




Date: 13-SEP-2022 15:13:58

CH116
26 dB Bandwidth



Date: 13-SEP-2022 15:15:01

CH140




Date: 13-SEP-2022 16:02:33


99 % Occupied Bandwidth



Date: 13-SEP-2022 15:13:27



Date: 13-SEP-2022 15:15:29




Date: 13-SEP-2022 16:02:02


Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.200	38.000
110	5550	40.409	38.000
134	5670	40.300	38.000

CH102




Date: 13.SEP.2022 17:13:07

CH110
26 dB Bandwidth



Date: 13.SEP.2022 17:17:46

CH134




Date: 13.SEP.2022 17:44:38


99 % Occupied Bandwidth



Date: 13.SEP.2022 17:12:15



Date: 13.SEP.2022 17:17:01




Date: 13.SEP.2022 17:43:04


Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	83.200	77.600
122	5610	83.400	77.600

CH106




Date: 13.SEP.2022 18:30:15


CH122
26 dB Bandwidth


Date: 13.SEP.2022 18:33:38

99 % Occupied Bandwidth



Date: 13.SEP.2022 18:32:35




Date: 13.SEP.2022 18:32:59


Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.087	16.600	0.5	Complies
157	5785	16.098	16.600	0.5	Complies
165	5825	16.288	16.600	0.5	Complies

CH149




Date: 13-SEP-2022 13:10:51

CH157
6 dB Bandwidth



Date: 13-SEP-2022 13:11:31

CH165




Date: 13-SEP-2022 13:11:59


99 % Occupied Bandwidth



Date: 13-SEP-2022 13:10:51



Date: 13-SEP-2022 13:11:31



Date: 13-SEP-2022 13:11:59